





Ergebnis: **354** (371.4)  
 Serien: 89 89 85 91  
 Zähler: 11 16 11 1 0 1 0 0 0 0  
 Innenzehner: 3  
 weiteste: 4496 (5), 2535 (22), 2323 (27)  
 beste Teiler 336.5 (9.) 403.8 (40.) 458.8 (12.)  
 Trefferlage 1.05 mm rechts, 0.00 mm  
 Streuwert 10.94, horizontal: 11.45, vertikal: 10.41




Serie 1:  
 10.0 ↙ 9.8 ↗ 9.2 ↑ 9.1 ↘ 5.3 ↖  
 9.2 ↘ 8.9 → 10.1 ↖ 10.5 \* 10.3 ↗  
 beste Teiler 336.5 (9.) 508.5 (10.) 672.4 (8.)  
 Trefferlage 2.79 mm links, 1.35 mm hoch  
 Streuwert 13.00, horizontal: 16.56, vertikal: 7.97



Serie 2:  
 8.7 → 10.4 \* 8.8 ↑ 8.6 ↙ 10.3 →  
 8.8 ↖ 10.0 ↘ 9.9 ↑ 9.7 ↑ 9.9 ↖  
 beste Teiler 458.8 (12.) 551.2 (15.) 743.7 (17.)  
 Trefferlage 0.51 mm rechts, 1.81 mm hoch  
 Streuwert 9.48, horizontal: 9.88, vertikal: 9.07



Serie 3:  
 9.2 ↘ 7.8 ↓ 8.5 → 8.8 ↘ 8.5 ↗  
 9.2 ↗ 8.0 ↖ 9.1 ↓ 10.2 ↙ 9.4 ↗  
 beste Teiler 635.0 (29.) 1222.2 (30.) 1365.6 (21.)  
 Trefferlage 4.15 mm rechts, 5.02 mm tief  
 Streuwert 12.06, horizontal: 10.37, vertikal: 13.54





Serie 4:  
 10.0 ↑ 10.3 ↖ 9.8 ↘ 8.5 ↑ 9.2 ↖  
 9.2 ↑ 9.9 → 9.0 ↓ 8.9 ↗ 10.4 \*  
 beste Teiler 403.8 (40.) 557.1 (32.) 776.3 (31.)  
 Trefferlage 2.33 mm rechts, 1.87 mm hoch  
 Streuwert 9.00, horizontal: 7.71, vertikal: 10.13


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **363** (381.4)  
 Serien: 88 93 96 86  
 Zähler: 14 16 9 1 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2799 (39), 2369 (32), 2233 (4)  
 beste Teiler 123.8 (21.) 128.8 (23.) 295.0 (20.)  
 Trefferlage 0.65 mm links, 4.18 mm tief  
 Streuwert 8.93, horizontal: 8.29, vertikal: 9.52




Serie 1:  
 9.6 ↘ 8.6 ↗ 10.4 \* 8.2 ↑ 10.0 ↖  
 9.9 ↘ 8.6 ↙ 8.7 ↘ 8.2 ↓ 10.3 ↗  
 beste Teiler 411.1 (3.) 544.0 (10.) 790.9 (5.)  
 Trefferlage 2.47 mm rechts, 2.49 mm tief  
 Streuwert 11.12, horizontal: 9.18, vertikal: 12.78



Serie 2:  
 8.3 ↙ 9.3 ↖ 10.4 ↓ 10.2 ↓ 9.1 ↖  
 9.9 ↙ 9.3 ← 10.2 ↑ 9.4 ← 10.6 \*  
 beste Teiler 295.0 (20.) 476.3 (13.) 622.9 (18.)  
 Trefferlage 6.68 mm links, 4.60 mm tief  
 Streuwert 6.26, horizontal: 6.17, vertikal: 6.34





Serie 3:  
 10.8 \* 9.6 ↖ 10.8 \* 10.0 ↘ 9.6 ↙  
 9.4 ↓ 10.2 ← 10.3 ↑ 9.7 ↓ 10.2 ↘  
 beste Teiler 123.8 (21.) 128.8 (23.) 500.3 (28.)  
 Trefferlage 1.10 mm links, 2.92 mm tief  
 Streuwert 5.53, horizontal: 4.30, vertikal: 6.53




Serie 4:  
 8.4 ↗ 8.0 ↘ 9.9 ↗ 9.5 ↓ 9.8 ←  
 9.4 ↘ 10.4 \* 8.9 ↖ 7.5 ↓ 9.8 ↘  
 beste Teiler 402.0 (37.) 806.2 (33.) 934.4 (35.)  
 Trefferlage 2.67 mm rechts, 6.69 mm tief  
 Streuwert 10.67, horizontal: 9.64, vertikal: 11.61

Unterschrift des Schützen


Ergebnis: **304** (324.1)  
 Serien: 72 75 78 79  
 Zähler: 3 7 13 9 5 2 1 0 0 0  
 Innenzehner: 3  
 weiteste: 5148 (26), 4074 (6), 4015 (12)  
 beste Teiler 183.2 (23.) 298.8 (33.) 315.4 (19.)  
 Trefferlage 8.03 mm rechts, 1.36 mm tief  
 Streuwert 17.12, horizontal: 17.31, vertikal: 16.93




Serie 1:  
 7.5 ↗ 6.6 ↓ 6.1 → 8.6 ↘ 9.6 ↓  
 5.9 ↘ 8.6 ← 8.3 → 6.9 ↙ 9.8 ↗  
 beste Teiler 892.6 (10.) 1073.0 (5.) 1856.5 (7.)  
 Trefferlage 7.46 mm rechts, 2.08 mm tief  
 Streuwert 19.52, horizontal: 18.64, vertikal: 20.35



Serie 2:  
 7.5 ↘ 5.9 → 8.4 → 9.9 ↗ 8.1 ↓  
 7.7 ↘ 7.5 ↓ 8.6 → 10.6 \* 6.8 →  
 beste Teiler 315.4 (19.) 866.5 (14.) 1857.8 (18.)  
 Trefferlage 14.51 mm rechts, 8.80 mm tief  
 Streuwert 13.77, horizontal: 13.46, vertikal: 14.07



Serie 3:  
 7.1 ↗ 7.8 ↘ 10.7 \* 8.2 ↘ 9.1 ←  
 4.5 → 8.4 → 8.6 → 8.5 → 9.0 ←  
 beste Teiler 183.2 (23.) 1481.4 (25.) 1600.7 (30.)  
 Trefferlage 3.40 mm rechts, 9.10 mm hoch  
 Streuwert 17.31, horizontal: 21.94, vertikal: 10.85





Serie 4:  
 9.4 ← 7.7 → 10.6 \* 8.4 ↓ 7.2 ↓  
 7.2 ↗ 8.0 ↙ 6.2 ↗ 9.9 ↑ 8.7 ↓  
 beste Teiler 298.8 (33.) 860.3 (39.) 1225.0 (31.)  
 Trefferlage 6.76 mm rechts, 3.66 mm tief  
 Streuwert 16.41, horizontal: 14.71, vertikal: 17.94


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (386.6)  
 Serien: 92 93 93 92  
 Zähler: 15 20 5 0 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2286 (35), 1787 (17), 1667 (2)  
 beste Teiler 241.4 (5.) 266.0 (24.) 352.3 (32.)  
 Trefferlage 1.23 mm rechts, 0.07 mm hoch  
 Streuwert 7.98, horizontal: 8.09, vertikal: 7.87




Serie 1:  
 9.5 ←                      8.9 ↙                      9.9 ↘                      9.8 →                      10.6 \*  
 10.5 \*                      9.2 ↗                      9.2 ←                      10.4 \*                      9.7 ↑  
 beste Teiler 241.4 (5.) 369.6 (6.) 452.8 (9.)  
 Trefferlage 2.10 mm links, 1.27 mm tief  
 Streuwert 7.60, horizontal: 8.76, vertikal: 6.22



Serie 2:  
 9.9 ↓                      10.2 ↙                      9.6 ↑                      10.2 ←                      8.9 ↗  
 10.0 ↘                      8.7 ↑                      10.0 ↘                      10.1 ↑                      9.2 →  
 beste Teiler 569.0 (14.) 637.3 (12.) 674.2 (19.)  
 Trefferlage 1.38 mm rechts, 4.17 mm hoch  
 Streuwert 7.48, horizontal: 7.37, vertikal: 7.59



Serie 3:  
 9.3 ↘                      9.7 ←                      9.0 ↘                      10.6 \*                      10.2 ↑  
 9.7 ↓                      8.9 ↘                      9.6 ←                      10.2 ↓                      10.0 ↘  
 beste Teiler 266.0 (24.) 578.7 (29.) 615.5 (25.)  
 Trefferlage 2.07 mm rechts, 3.08 mm tief  
 Streuwert 7.39, horizontal: 9.14, vertikal: 5.09





Serie 4:  
 9.8 ↘                      10.5 \*                      10.1 ↘                      10.0 ↘                      8.1 ↓  
 9.2 ↗                      9.2 →                      9.4 →                      9.1 ↑                      9.5 ↓  
 beste Teiler 352.3 (32.) 656.5 (33.) 760.8 (34.)  
 Trefferlage 3.57 mm rechts, 0.46 mm hoch  
 Streuwert 9.06, horizontal: 7.05, vertikal: 10.70


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **336** (353.3)  
 Serien: 89 83 79 85  
 Zähler: 5 17 10 6 1 1 0 0 0 0  
 Innenzehner: 1  
 weiteste: 4549 (30), 3295 (15), 2794 (13)  
 beste Teiler 223.7 (19.) 528.4 (10.) 683.7 (20.)  
 Trefferlage 2.14 mm rechts, 1.05 mm hoch  
 Streuwert 13.41, horizontal: 15.24, vertikal: 11.30




Serie 1:  
 9.3 →                      8.8 ↘                      9.2 ↗                      9.8 →                      9.2 →  
 9.3 ↓                      8.4 ↙                      9.4 ↑                      9.0 ↖                      10.3 ←  
 beste Teiler 528.4 (10.) 908.0 (4.) 1206.6 (8.)  
 Trefferlage 3.73 mm rechts, 0.37 mm hoch  
 Streuwert 10.08, horizontal: 9.77, vertikal: 10.38



Serie 2:  
 7.9 ↖                      9.8 ↙                      7.5 ↘                      9.1 ↗                      6.8 →  
 9.7 ↖                      9.7 ↓                      7.7 ↙                      10.7 \*                      10.1 ↓  
 beste Teiler 223.7 (19.) 683.7 (20.) 945.5 (12.)  
 Trefferlage 4.00 mm links, 3.75 mm tief  
 Streuwert 13.79, horizontal: 15.52, vertikal: 11.80



Serie 3:  
 8.1 ←                      8.0 ↖                      8.4 ↖                      9.6 →                      8.7 ↘  
 8.6 ↗                      7.9 →                      9.4 ↖                      9.4 ↑                      5.3 →  
 beste Teiler 1095.0 (24.) 1222.4 (28.) 1228.9 (29.)  
 Trefferlage 4.24 mm rechts, 4.86 mm hoch  
 Streuwert 16.40, horizontal: 21.58, vertikal: 8.51





Serie 4:  
 8.4 ↘                      7.7 ↑                      9.0 ↓                      9.4 →                      9.0 ↗  
 8.7 ↑                      7.5 ←                      10.0 ↑                      8.5 ↓                      10.0 ↘  
 beste Teiler 773.7 (40.) 792.8 (38.) 1272.9 (34.)  
 Trefferlage 4.58 mm rechts, 2.74 mm hoch  
 Streuwert 12.96, horizontal: 12.14, vertikal: 13.74


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (378.0)  
 Serien: 89 92 91 90  
 Zähler: 11 21 7 1 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 2501 (40), 2383 (7), 2329 (3)  
 beste Teiler 470.6 (24.) 473.4 (2.) 536.8 (25.)  
 Trefferlage 1.37 mm links, 3.47 mm hoch  
 Streuwert 9.09, horizontal: 9.56, vertikal: 8.60




Serie 1:  
 8.5 ↗ 10.4 \* 8.0 ↗ 9.3 ← 9.2 ↗  
 9.4 ← 8.0 ↗ 10.1 ↘ 9.6 ↘ 9.7 ↘  
 beste Teiler 473.4 (2.) 712.8 (8.) 1019.0 (10.)  
 Trefferlage 3.56 mm rechts, 4.91 mm hoch  
 Streuwert 10.38, horizontal: 11.25, vertikal: 9.43



Serie 2:  
 9.7 ↖ 10.1 ↓ 9.1 ↘ 8.2 ↘ 9.6 ↘  
 10.3 ↘ 10.1 ↑ 9.6 ↘ 9.4 ↓ 9.1 ↘  
 beste Teiler 552.7 (16.) 665.4 (17.) 673.1 (12.)  
 Trefferlage 3.30 mm links, 1.51 mm hoch  
 Streuwert 8.84, horizontal: 9.06, vertikal: 8.62



Serie 3:  
 9.6 ← 9.9 ↓ 8.7 ↑ 10.4 \* 10.3 ↑  
 8.8 ↑ 9.6 ↓ 9.9 ↗ 10.2 ↓ 9.7 ↑  
 beste Teiler 470.6 (24.) 536.8 (25.) 601.6 (29.)  
 Trefferlage 0.98 mm links, 3.68 mm hoch  
 Streuwert 7.63, horizontal: 5.23, vertikal: 9.44





Serie 4:  
 10.1 ← 9.8 ↘ 9.1 ← 8.5 ↑ 9.3 ←  
 9.3 ↘ 10.2 ↑ 10.0 ← 9.4 ↗ 7.8 →  
 beste Teiler 579.6 (37.) 655.0 (31.) 778.7 (38.)  
 Trefferlage 4.75 mm links, 3.77 mm hoch  
 Streuwert 9.41, horizontal: 10.76, vertikal: 7.84


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **356** (374.9)  
 Serien: 94 90 86 86  
 Zähler: 14 13 9 3 1 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 3804 (28), 2833 (13), 2485 (34)  
 beste Teiler 163.0 (10.) 247.9 (33.) 288.7 (25.)  
 Trefferlage 3.18 mm links, 0.79 mm hoch  
 Streuwert 10.44, horizontal: 12.15, vertikal: 8.37




Serie 1:  
 8.9 → 10.3 ← 10.1 ↘ 10.0 ↙ 9.5 ↗  
 10.4 \* 10.2 → 8.2 ↖ 9.6 ← 10.7 \*  
 beste Teiler 163.0 (10.) 445.0 (6.) 514.3 (2.)  
 Trefferlage 1.47 mm links, 1.05 mm tief  
 Streuwert 8.00, horizontal: 9.75, vertikal: 5.74



Serie 2:  
 9.1 → 10.1 ↑ 7.4 ↙ 8.3 ↗ 10.4 \*  
 9.8 ← 9.7 ← 9.4 ↘ 9.9 ↘ 10.1 →  
 beste Teiler 458.2 (15.) 647.1 (12.) 653.3 (20.)  
 Trefferlage 2.26 mm links, 0.48 mm hoch  
 Streuwert 10.44, horizontal: 12.07, vertikal: 8.52



Serie 3:  
 9.0 ↙ 10.4 \* 8.5 ↘ 9.7 ↙ 10.6 \*  
 8.7 ↖ 8.9 ↗ 6.2 ← 9.9 → 9.7 ←  
 beste Teiler 288.7 (25.) 472.3 (22.) 859.5 (29.)  
 Trefferlage 8.49 mm links, 1.25 mm tief  
 Streuwert 11.15, horizontal: 13.72, vertikal: 7.76





Serie 4:  
 8.0 → 8.6 ↖ 10.6 \* 7.8 ↗ 9.6 ↙  
 9.5 ↑ 10.0 ↓ 10.3 ↗ 8.9 ↘ 7.9 ↘  
 beste Teiler 247.9 (33.) 537.4 (38.) 735.8 (37.)  
 Trefferlage 0.50 mm links, 5.00 mm hoch  
 Streuwert 11.77, horizontal: 12.94, vertikal: 10.48


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369** (388.2)  
 Serien: 90 93 93 93  
 Zähler: 16 17 7 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 2382 (37), 1878 (8), 1864 (9)  
 beste Teiler 144.5 (23.) 214.4 (36.) 294.5 (2.)  
 Trefferlage 1.95 mm links, 3.09 mm tief  
 Streuwert 7.64, horizontal: 8.37, vertikal: 6.82




Serie 1:  
 8.7 ← 10.6 \* 10.3 ← 10.1 ↘ 10.3 ↘  
 10.0 ← 8.9 ↙ 8.6 ↙ 8.6 ↗ 8.7 ↗  
 beste Teiler 294.5 (2.) 498.7 (5.) 542.0 (3.)  
 Trefferlage 5.25 mm links, 2.79 mm tief  
 Streuwert 8.93, horizontal: 10.51, vertikal: 7.00



Serie 2:  
 8.9 ↙ 10.4 \* 9.2 ↓ 9.8 ↙ 9.8 ↘  
 10.1 ↘ 10.4 \* 10.0 ↙ 9.6 ↙ 9.9 ↙  
 beste Teiler 441.2 (12.) 467.7 (17.) 675.0 (16.)  
 Trefferlage 4.00 mm links, 5.62 mm tief  
 Streuwert 5.14, horizontal: 4.76, vertikal: 5.50



Serie 3:  
 9.0 ↗ 9.7 ↘ 10.8 \* 10.4 \* 9.8 ←  
 9.8 ↘ 10.4 \* 9.5 ↙ 9.7 ↙ 9.1 ←  
 beste Teiler 144.5 (23.) 440.8 (27.) 444.1 (24.)  
 Trefferlage 1.06 mm links, 3.04 mm tief  
 Streuwert 7.05, horizontal: 8.46, vertikal: 5.27





Serie 4:  
 10.1 ↘ 10.1 ↙ 9.6 ↘ 10.4 \* 9.1 ↘  
 10.7 \* 8.0 ↘ 9.8 ↗ 9.8 ↗ 9.5 ↘  
 beste Teiler 214.4 (36.) 469.4 (34.) 673.1 (32.)  
 Trefferlage 2.49 mm rechts, 0.90 mm tief  
 Streuwert 8.41, horizontal: 7.70, vertikal: 9.07

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **359** (377.8)  
 Serien: 92 90 85 92  
 Zähler: 12 19 6 2 1 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 3810 (27), 2578 (28), 2464 (5)  
 beste Teiler 222.4 (33.) 242.5 (4.) 306.7 (26.)  
 Trefferlage 0.12 mm rechts, 1.12 mm tief  
 Streuwert 10.08, horizontal: 9.80, vertikal: 10.36




Serie 1:  
 9.1 ↙ 10.2 ↘ 8.0 ↙ 10.6 \* 7.9 →  
 9.6 ↗ 10.0 ↓ 9.5 ↓ 10.1 → 10.1 ↑  
 beste Teiler 242.5 (4.) 635.8 (2.) 668.6 (9.)  
 Trefferlage 1.20 mm rechts, 2.98 mm tief  
 Streuwert 9.78, horizontal: 11.56, vertikal: 7.60



Serie 2:  
 9.1 ↑ 8.1 ↓ 9.7 ↑ 9.5 ← 10.4 \*  
 9.2 ↓ 8.6 ↗ 9.4 ↗ 10.0 ↑ 9.8 ↗  
 beste Teiler 457.6 (15.) 769.9 (19.) 914.3 (20.)  
 Trefferlage 1.99 mm rechts, 1.48 mm hoch  
 Streuwert 9.99, horizontal: 8.58, vertikal: 11.22





Serie 3:  
 8.7 ↑ 8.4 ↓ 9.8 ↑ 9.7 ← 9.9 ↓  
 10.6 \* 6.2 ↙ 7.7 ↘ 10.5 \* 9.9 →  
 beste Teiler 306.7 (26.) 342.8 (29.) 813.0 (25.)  
 Trefferlage 4.57 mm links, 2.31 mm tief  
 Streuwert 12.75, horizontal: 11.70, vertikal: 13.71




Serie 4:  
 9.5 ↙ 9.8 ↙ 10.7 \* 10.2 ← 10.4 \*  
 9.8 → 8.8 ↑ 9.9 ↘ 9.3 ↗ 9.1 ↘  
 beste Teiler 222.4 (33.) 442.8 (35.) 568.4 (34.)  
 Trefferlage 1.85 mm rechts, 0.68 mm tief  
 Streuwert 7.71, horizontal: 6.25, vertikal: 8.94

Unterschrift des Schützen


Ergebnis: **357** (375.5)  
 Serien: 88 89 93 87  
 Zähler: 14 12 11 3 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2873 (15), 2685 (31), 2485 (28)  
 beste Teiler 166.8 (39.) 211.9 (29.) 277.0 (7.)  
 Trefferlage 4.56 mm rechts, 3.37 mm hoch  
 Streuwert 9.45, horizontal: 10.99, vertikal: 7.60




Serie 1:  
 9.5 ↙                      9.7 →                      8.9 ↘                      10.5 \*                      8.8 →  
 8.8 →                      10.6 \*                      8.3 →                      9.7 →                      9.3 →  
 beste Teiler 277.0 (7.) 367.3 (4.) 982.6 (9.)  
 Trefferlage 8.82 mm rechts, 0.79 mm tief  
 Streuwert 7.71, horizontal: 9.52, vertikal: 5.32



Serie 2:  
 10.2 ↑                      9.0 ↘                      9.0 ↗                      10.5 \*                      7.4 ↖  
 9.6 ↑                      10.2 ↘                      8.3 →                      8.2 →                      9.7 ↑  
 beste Teiler 382.1 (14.) 570.5 (17.) 624.2 (11.)  
 Trefferlage 2.41 mm rechts, 5.58 mm hoch  
 Streuwert 11.03, horizontal: 14.64, vertikal: 5.38





Serie 3:  
 9.4 ↓                      10.1 ↑                      9.0 ↑                      10.1 →                      8.9 ↓  
 10.3 ↑                      10.0 ↑                      7.8 →                      10.7 \*                      10.0 ↓  
 beste Teiler 211.9 (29.) 493.3 (26.) 653.1 (22.)  
 Trefferlage 3.51 mm rechts, 1.13 mm hoch  
 Streuwert 8.81, horizontal: 7.45, vertikal: 9.99



Serie 4:  
 7.6 ↗                      10.3 ↘                      8.8 ↗                      9.4 ↑                      9.7 →  
 8.6 →                      8.7 ↘                      10.3 →                      10.7 \*                      8.9 ↖  
 beste Teiler 166.8 (39.) 514.0 (32.) 541.8 (38.)  
 Trefferlage 3.50 mm rechts, 7.59 mm hoch  
 Streuwert 9.45, horizontal: 11.63, vertikal: 6.58

Unterschrift des Schützen


Ergebnis:	<b>362</b>	(379.3)			
Serien:	90	89	89	94	
Zähler:	12	19	8	1	0 0 0 0 0 0
Innenzehner:	6				
weiteste:	2997 (16), 2272 (22), 1996 (28)				
beste Teiler	314.1 (33.) 337.5 (7.) 347.8 (37.)				
Trefferlage	2.36 mm links, 2.66 mm tief				
Streuwert	9.22, horizontal: 8.85, vertikal: 9.57				



Serie 1:

9.1 ↓	9.7 ↙	9.9 ↘	9.0 ↙	8.7 ↓
9.7 →	10.5 *	10.3 ↑	8.6 ←	9.2 ↘


beste Teiler 337.5 (7.) 485.4 (8.) 817.5 (3.)  
 Trefferlage 5.37 mm links, 3.16 mm tief  
 Streuwert 8.50, horizontal: 8.61, vertikal: 8.38



Serie 2:

10.4 ↘	9.9 ↙	8.6 ←	10.3 ↘	9.0 ↗
7.2 ↓	9.1 →	10.5 *	9.6 ↓	8.5 ←


beste Teiler 396.4 (18.) 480.2 (11.) 496.1 (14.)  
 Trefferlage 3.95 mm links, 2.61 mm tief  
 Streuwert 10.93, horizontal: 10.21, vertikal: 11.62



Serie 3:

9.2 ↓	8.1 ↓	10.5 *	10.3 ↓	9.4 →
9.3 ↘	9.1 ↘	8.5 ↗	9.8 ←	8.8 ←

beste Teiler 390.4 (23.) 519.0 (24.) 883.8 (29.)  
 Trefferlage 2.32 mm links, 1.14 mm tief  
 Streuwert 10.59, horizontal: 9.00, vertikal: 11.97



Serie 4:



9.1 ↘	9.5 ↘	10.6 *	10.0 →	10.3 ↓
10.5 *	10.5 *	8.9 ↘	9.6 ←	9.5 ↘

beste Teiler 314.1 (33.) 347.8 (37.) 362.1 (36.)  
 Trefferlage 2.19 mm rechts, 3.72 mm tief  
 Streuwert 6.64, horizontal: 6.64, vertikal: 6.64


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **333** (348.9)  
 Serien: 87 81 86 79  
 Zähler: 9 11 9 7 3 1 0 0 0 0  
 Innenzehner: 1  
 weiteste: 4602 (12), 3815 (37), 3499 (35)  
 beste Teiler 475.0 (8.) 575.6 (3.) 577.2 (4.)  
 Trefferlage 1.01 mm links, 3.80 mm tief  
 Streuwert 14.30, horizontal: 15.49, vertikal: 13.00




Serie 1:  
 8.7 ↙ 7.4 ↓ 10.2 ← 10.2 ← 9.1 ↗  
 8.9 → 10.0 ↑ 10.4 \* 8.8 ↘ 7.7 ↑  
 beste Teiler 475.0 (8.) 575.6 (3.) 577.2 (4.)  
 Trefferlage 1.34 mm links, 0.55 mm tief  
 Streuwert 12.21, horizontal: 8.21, vertikal: 15.20



Serie 2:  
 9.2 ← 5.2 ← 10.0 ↘ 8.4 ↘ 10.0 ←  
 9.4 ↘ 6.9 ← 9.1 ↓ 8.4 ↓ 7.8 →  
 beste Teiler 726.7 (15.) 790.7 (13.) 1249.4 (16.)  
 Trefferlage 7.67 mm links, 7.20 mm tief  
 Streuwert 15.33, horizontal: 20.51, vertikal: 7.04



Serie 3:  
 9.6 ↘ 9.2 ← 8.1 ↘ 9.5 ↘ 9.3 ↘  
 9.7 ↘ 10.1 → 8.8 ↘ 7.0 → 8.7 →  
 beste Teiler 660.9 (27.) 1011.7 (26.) 1065.1 (21.)  
 Trefferlage 2.18 mm rechts, 4.88 mm tief  
 Streuwert 11.97, horizontal: 14.70, vertikal: 8.39





Serie 4:  
 9.6 ↘ 7.6 ↘ 9.3 → 7.7 ↘ 6.6 ↓  
 7.4 ↗ 6.2 ↗ 10.1 ↓ 10.0 ↘ 8.6 ↗  
 beste Teiler 714.6 (38.) 783.8 (39.) 1076.2 (31.)  
 Trefferlage 2.75 mm rechts, 2.56 mm tief  
 Streuwert 17.50, horizontal: 16.10, vertikal: 18.80


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (381.8)  
 Serien: 92 88 91 95  
 Zähler: 17 13 9 1 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 2703 (11), 2356 (19), 2324 (17)  
 beste Teiler 123.7 (31.) 140.5 (16.) 320.6 (32.)  
 Trefferlage 2.90 mm links, 2.65 mm hoch  
 Streuwert 9.05, horizontal: 11.20, vertikal: 6.21




Serie 1:  
 9.4 ↗ 8.3 ← 9.2 ↘ 9.5 ↘ 10.4 \*  
 9.6 ↘ 10.4 \* 9.0 ← 9.8 ↘ 10.2 →  
 beste Teiler 407.5 (5.) 449.3 (7.) 579.0 (10.)  
 Trefferlage 5.70 mm links, 2.95 mm hoch  
 Streuwert 7.63, horizontal: 9.08, vertikal: 5.83



Serie 2:  
 7.6 ↘ 9.9 ↗ 8.7 ↘ 10.4 \* 8.6 ←  
 10.8 \* 8.0 ↗ 10.5 \* 8.0 → 10.2 ↘  
 beste Teiler 140.5 (16.) 375.1 (18.) 458.7 (14.)  
 Trefferlage 2.28 mm links, 6.32 mm hoch  
 Streuwert 11.04, horizontal: 13.37, vertikal: 8.05



Serie 3:  
 10.2 ↗ 10.1 ↗ 8.1 ← 9.4 ← 9.0 ↘  
 8.2 ← 10.5 \* 10.3 ← 9.8 ↘ 8.9 ↘  
 beste Teiler 373.7 (27.) 522.1 (28.) 573.5 (21.)  
 Trefferlage 7.90 mm links, 0.26 mm tief  
 Streuwert 8.36, horizontal: 10.35, vertikal: 5.70





Serie 4:  
 10.8 \* 10.6 \* 10.5 \* 10.1 ↗ 9.3 ↘  
 8.6 → 10.4 ↘ 9.3 → 10.1 ↗ 9.1 →  
 beste Teiler 123.7 (31.) 320.6 (32.) 346.1 (33.)  
 Trefferlage 4.29 mm rechts, 1.60 mm hoch  
 Streuwert 6.74, horizontal: 8.98, vertikal: 3.17


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (390.8)  
 Serien: 92 91 94 94  
 Zähler: 16 19 5 0 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 2252 (6), 2068 (5), 1883 (11)  
 beste Teiler 210.8 (10.) 230.8 (2.) 273.8 (23.)  
 Trefferlage 0.87 mm rechts, 2.41 mm hoch  
 Streuwert 7.40, horizontal: 8.29, vertikal: 6.39




Serie 1:  
 9.6 ↘ 10.7 \* 9.6 ↙ 9.7 ↙ 8.4 ↖  
 8.1 ← 9.9 ↗ 10.0 ↑ 10.0 ↙ 10.7 \*  
 beste Teiler 210.8 (10.) 230.8 (2.) 722.5 (9.)  
 Trefferlage 5.32 mm links, 0.76 mm tief  
 Streuwert 8.07, horizontal: 7.89, vertikal: 8.24



Serie 2:  
 8.6 → 9.9 ↑ 9.9 ← 9.4 ↗ 10.1 →  
 9.7 ↗ 8.6 ← 10.5 \* 9.8 ← 10.0 ↗  
 beste Teiler 357.7 (18.) 647.9 (15.) 790.6 (20.)  
 Trefferlage 1.04 mm rechts, 3.37 mm hoch  
 Streuwert 8.13, horizontal: 10.05, vertikal: 5.59



Serie 3:  
 9.6 ↖ 9.4 ↑ 10.6 \* 10.4 \* 9.8 →  
 9.9 ↖ 9.2 ↗ 9.6 ↘ 10.3 → 10.3 ↘  
 beste Teiler 273.8 (23.) 436.4 (24.) 498.3 (30.)  
 Trefferlage 3.22 mm rechts, 2.95 mm hoch  
 Streuwert 5.82, horizontal: 5.99, vertikal: 5.66





Serie 4:  
 9.8 ↗ 10.2 → 9.8 → 10.4 \* 9.7 ↑  
 8.8 → 10.5 \* 9.0 ↑ 10.0 ↖ 10.3 ↑  
 beste Teiler 384.6 (37.) 462.0 (34.) 550.8 (40.)  
 Trefferlage 4.57 mm rechts, 4.11 mm hoch  
 Streuwert 5.66, horizontal: 5.87, vertikal: 5.45


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **352** (368.4)  
 Serien: 91 79 93 89  
 Zähler: 11 17 9 1 1 0 1 0 0 0  
 Innenzehner: 7  
 weiteste: 4875 (15), 3262 (19), 2423 (13)  
 beste Teiler 181.0 (27.) 278.3 (1.) 334.4 (32.)  
 Trefferlage 0.51 mm links, 1.59 mm tief  
 Streuwert 11.78, horizontal: 13.90, vertikal: 9.17




Serie 1:  
 10.6 \*                      9.8 ↖                      9.5 ↙                      10.5 \*                      9.4 ↘  
    9.4 ↘                      8.5 →                      9.5 ↖                      10.4 \*                      8.2 ←  
 beste Teiler 278.3 (1.) 384.8 (4.) 460.2 (9.)  
 Trefferlage 3.11 mm links, 0.64 mm hoch  
 Streuwert 9.12, horizontal: 11.42, vertikal: 5.98



Serie 2:  
 9.5 ↗                      9.3 →                      7.9 ←                      10.0 ↓                      4.9 ←  
    9.3 →                      9.4 ↓                      8.7 ↙                      6.9 ↘                      8.2 ↓  
 beste Teiler 781.4 (14.) 1121.1 (11.) 1272.0 (17.)  
 Trefferlage 1.64 mm links, 7.26 mm tief  
 Streuwert 16.63, horizontal: 21.48, vertikal: 9.59



Serie 3:  
 8.6 ↖                      9.3 ↗                      10.0 →                      9.3 ↑                      8.1 ↙  
    10.0 ↓                      10.7 \*                      9.8 ↘                      10.1 ↓                      10.5 \*  
 beste Teiler 181.0 (27.) 382.5 (30.) 666.6 (29.)  
 Trefferlage 1.06 mm links, 0.03 mm tief  
 Streuwert 9.02, horizontal: 10.38, vertikal: 7.41





Serie 4:  
 9.1 ↑                      10.5 \*                      9.2 ↙                      10.4 \*                      8.4 ↓  
    9.2 ↗                      9.4 ↑                      8.1 ↘                      9.6 ↙                      8.2 →  
 beste Teiler 334.4 (32.) 452.2 (34.) 1049.0 (39.)  
 Trefferlage 3.76 mm rechts, 0.26 mm hoch  
 Streuwert 11.01, horizontal: 10.40, vertikal: 11.59


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **351** (368.8)  
 Serien: 89 87 88 87  
 Zähler: 12 12 11 5 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 3125 (16), 2731 (22), 2630 (20)  
 beste Teiler 77.1 (29.) 331.1 (30.) 354.4 (3.)  
 Trefferlage 3.13 mm links, 3.01 mm tief  
 Streuwert 10.88, horizontal: 11.79, vertikal: 9.88




Serie 1:  
 9.9 ←                      8.8 ↘                      10.5 \*                      10.3 ←                      8.4 ↓  
 8.1 ↗                      10.0 ↘                      9.3 ↘                      9.4 ←                      8.1 ↓  
 beste Teiler 354.4 (3.) 485.6 (4.) 796.6 (7.)  
 Trefferlage 6.27 mm links, 4.76 mm tief  
 Streuwert 9.52, horizontal: 7.50, vertikal: 11.18



Serie 2:  
 10.5 \*                      10.0 ←                      10.2 ↖                      9.8 ↖                      9.5 →  
 7.0 ↑                      8.8 ←                      8.7 →                      9.3 →                      7.7 ←  
 beste Teiler 396.1 (11.) 627.4 (13.) 722.2 (12.)  
 Trefferlage 1.09 mm links, 1.94 mm hoch  
 Streuwert 12.32, horizontal: 13.72, vertikal: 10.74



Serie 3:  
 9.9 ↘                      7.5 ←                      9.0 ↙                      9.1 →                      8.3 →  
 8.6 ←                      9.1 ↗                      9.6 ↓                      10.9 \*                      10.5 \*  
 beste Teiler 77.1 (29.) 331.1 (30.) 828.2 (21.)  
 Trefferlage 2.61 mm links, 4.86 mm tief  
 Streuwert 10.80, horizontal: 14.20, vertikal: 5.62





Serie 4:  
 10.2 ↓                      8.8 ↓                      9.2 ←                      7.9 ←                      10.5 \*  
 10.3 ↓                      8.8 →                      7.9 ↓                      10.0 ↓                      8.4 ↘  
 beste Teiler 387.5 (35.) 498.0 (36.) 561.9 (31.)  
 Trefferlage 2.56 mm links, 4.38 mm tief  
 Streuwert 11.27, horizontal: 11.84, vertikal: 10.67

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **354** (370.3)  
 Serien: 91 87 91 85  
 Zähler: 11 15 11 3 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3113 (4), 2667 (20), 2429 (28)  
 beste Teiler 134.5 (22.) 311.5 (5.) 459.7 (18.)  
 Trefferlage 2.10 mm links, 6.38 mm tief  
 Streuwert 9.68, horizontal: 9.52, vertikal: 9.84




Serie 1:  
 10.1 ↑                      9.5 ↑                      10.0 ↓                      7.1 ←                      10.6 \*  
 9.1 ↓                      9.6 ↑                      9.6 ↘                      9.6 ←                      9.0 ←  
 beste Teiler 311.5 (5.) 659.3 (1.) 793.0 (3.)  
 Trefferlage 4.65 mm links, 0.34 mm hoch  
 Streuwert 10.12, horizontal: 11.58, vertikal: 8.42



Serie 2:  
 8.8 ←                      10.1 ←                      8.7 ↖                      9.6 →                      8.6 ↓  
 9.1 ↓                      9.2 ←                      10.4 \*                      9.5 ↓                      7.6 ↓  
 beste Teiler 459.7 (18.) 715.1 (12.) 1095.1 (14.)  
 Trefferlage 4.80 mm links, 6.38 mm tief  
 Streuwert 9.98, horizontal: 10.54, vertikal: 9.39



Serie 3:  
 9.5 ←                      10.8 \*                      10.1 ↓                      8.2 ↓                      10.3 ↘  
 10.0 ↑                      9.1 ↘                      7.9 ↘                      10.0 ↓                      8.9 ↓  
 beste Teiler 134.5 (22.) 495.1 (25.) 692.5 (23.)  
 Trefferlage 3.30 mm rechts, 7.22 mm tief  
 Streuwert 8.29, horizontal: 8.48, vertikal: 8.10





Serie 4:  
 8.9 ↓                      10.2 ↓                      9.8 ↑                      8.5 ↓                      8.6 ↓  
 8.3 ↓                      8.1 ↓                      8.8 ↓                      9.3 ←                      9.2 ↓  
 beste Teiler 569.4 (32.) 947.0 (33.) 1286.0 (39.)  
 Trefferlage 2.26 mm links, 12.28 mm tief  
 Streuwert 8.16, horizontal: 5.25, vertikal: 10.28


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **331** (351.2)  
 Serien: 80 85 81 85  
 Zähler: 6 14 11 4 4 1 0 0 0 0  
 Innenzehner: 3  
 weiteste: 4447 (25), 3401 (8), 3267 (24)  
 beste Teiler 105.8 (21.) 242.8 (18.) 433.9 (13.)  
 Trefferlage 6.63 mm links, 1.07 mm hoch  
 Streuwert 13.57, horizontal: 15.29, vertikal: 11.59




Serie 1:  
 8.7 ↘                      6.9 ←                      7.3 ↖                      9.6 ←                      10.2 ↙  
 10.1 ↖                      9.2 ↗                      6.7 ↖                      6.9 ↓                      9.7 ↘  
 beste Teiler 567.1 (5.) 707.4 (6.) 1007.1 (10.)  
 Trefferlage 11.24 mm links, 2.29 mm tief  
 Streuwert 14.20, horizontal: 14.43, vertikal: 13.97



Serie 2:  
 8.9 ↗                      8.5 ←                      10.4 \*                      8.6 ↑                      8.9 ↑  
 8.4 ↙                      8.3 ←                      10.6 \*                      9.4 ↖                      8.6 ←  
 beste Teiler 242.8 (18.) 433.9 (13.) 1230.6 (19.)  
 Trefferlage 7.44 mm links, 3.40 mm hoch  
 Streuwert 10.68, horizontal: 10.98, vertikal: 10.37



Serie 3:  
 10.8 \*                      10.4 ←                      9.0 →                      6.9 ←                      5.4 ←  
 9.8 ↗                      7.3 ↗                      9.4 ↖                      7.2 ↖                      9.8 →  
 beste Teiler 105.8 (21.) 477.4 (22.) 933.9 (26.)  
 Trefferlage 6.05 mm links, 4.69 mm hoch  
 Streuwert 16.37, horizontal: 20.45, vertikal: 10.86





Serie 4:  
 7.0 ←                      9.9 ↑                      9.0 ↑                      8.5 →                      9.6 ↓  
 9.5 ↘                      9.7 ↓                      8.4 ↓                      8.2 →                      9.5 ←  
 beste Teiler 827.7 (32.) 970.0 (37.) 1056.4 (35.)  
 Trefferlage 1.80 mm links, 1.50 mm tief  
 Streuwert 12.98, horizontal: 14.69, vertikal: 11.00

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>360</b>	(376.9)			
Serien:	93	87	89	91	
Zähler:	11	21	5	3	0 0 0 0 0 0
Innenzehner:	5				
weiteste:	2493 (29), 2480 (21), 2451 (14)				
beste Teiler	284.6 (36.) 360.2 (16.) 372.3 (25.)				
Trefferlage	2.94 mm links, 3.71 mm tief				
Streuwert	9.13, horizontal: 10.11, vertikal: 8.03				



Serie 1:

9.4 ↑	10.2 ↙	9.1 ↑	9.7 ↙	9.3 →
9.2 →	10.4 *	9.6 ↘	10.4 *	9.8 ↓


beste Teiler 449.1 (7.) 459.7 (9.) 608.4 (2.)  
 Trefferlage 1.90 mm rechts, 0.26 mm tief  
 Streuwert 7.76, horizontal: 7.89, vertikal: 7.63



Serie 2:

8.8 →	8.3 ←	10.2 ↙	7.9 ↓	8.5 ←
10.5 *	9.3 ↙	9.1 ↘	9.2 ↙	9.3 ↓


beste Teiler 360.2 (16.) 584.1 (13.) 1312.5 (20.)  
 Trefferlage 5.37 mm links, 6.33 mm tief  
 Streuwert 10.12, horizontal: 12.35, vertikal: 7.25



Serie 3:

7.9 ↓	8.3 ←	10.1 ↑	9.7 ↘	10.5 *
9.5 ↙	10.2 →	10.0 ↘	7.8 ↙	9.8 ←

beste Teiler 372.3 (25.) 615.3 (27.) 717.9 (23.)  
 Trefferlage 5.25 mm links, 3.63 mm tief  
 Streuwert 9.88, horizontal: 10.10, vertikal: 9.65



Serie 4:



9.2 ↘	9.0 →	9.0 ↓	9.2 ↓	9.6 ↙
10.6 *	9.7 ↓	9.4 ←	8.8 ↙	10.4 ↙

beste Teiler 284.6 (36.) 479.4 (40.) 982.8 (37.)  
 Trefferlage 3.05 mm links, 4.60 mm tief  
 Streuwert 8.42, horizontal: 9.37, vertikal: 7.35


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (383.5)  
 Serien: 89 94 93 91  
 Zähler: 11 25 4 0 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 1936 (40), 1873 (9), 1827 (27)  
 beste Teiler 386.4 (10.) 442.6 (28.) 459.8 (12.)  
 Trefferlage 1.22 mm rechts, 2.58 mm hoch  
 Streuwert 8.11, horizontal: 7.97, vertikal: 8.24




Serie 1:  
 9.0 ↘                      9.7 →                      9.4 ↗                      8.7 ↖                      9.1 ↙  
 9.4 ↗                      9.6 ↖                      9.9 ↑                      8.6 ↑                      10.5 \*  
 beste Teiler 386.4 (10.) 857.9 (8.) 1033.0 (2.)  
 Trefferlage 1.16 mm rechts, 3.62 mm hoch  
 Streuwert 9.45, horizontal: 8.86, vertikal: 10.01



Serie 2:  
 9.4 ↗                      10.4 \*                      10.0 ↓                      9.7 ↓                      9.8 ↖  
 9.6 →                      9.5 ↓                      10.0 ↓                      10.3 →                      9.3 ←  
 beste Teiler 459.8 (12.) 514.6 (19.) 726.5 (13.)  
 Trefferlage 0.24 mm rechts, 1.57 mm tief  
 Streuwert 7.03, horizontal: 6.86, vertikal: 7.20



Serie 3:  
 9.1 ↖                      9.6 ←                      10.2 ↓                      9.4 ↗                      9.5 ↗  
 10.3 ↓                      8.7 ↘                      10.4 \*                      9.6 ↗                      10.3 ↑  
 beste Teiler 442.6 (28.) 534.9 (30.) 541.8 (26.)  
 Trefferlage 2.33 mm rechts, 2.46 mm hoch  
 Streuwert 7.75, horizontal: 8.29, vertikal: 7.17





Serie 4:  
 10.0 ←                      10.3 ←                      9.5 ←                      9.3 ↖                      9.0 ↘  
 9.9 ↑                      9.5 →                      9.0 ↑                      9.5 ↑                      8.5 ↗  
 beste Teiler 486.4 (32.) 775.4 (31.) 878.4 (36.)  
 Trefferlage 1.13 mm rechts, 5.82 mm hoch  
 Streuwert 8.28, horizontal: 8.86, vertikal: 7.65


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (387.8)  
 Serien: 92 93 92 91  
 Zähler: 16 20 1 2 1 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 3323 (29), 2532 (9), 2510 (20)  
 beste Teiler 204.7 (17.) 220.4 (14.) 222.0 (13.)  
 Trefferlage 0.41 mm links, 2.78 mm tief  
 Streuwert 8.37, horizontal: 9.11, vertikal: 7.55




Serie 1:  
 9.8 ↘                      9.5 ↗                      10.1 ←                      10.3 ↓                      10.1 ↗  
 9.5 →                      10.3 ↗                      9.4 ↓                      7.8 ↓                      9.9 ↘  
 beste Teiler 490.5 (7.) 516.5 (4.) 664.1 (3.)  
 Trefferlage 0.72 mm rechts, 3.86 mm tief  
 Streuwert 8.26, horizontal: 6.63, vertikal: 9.61



Serie 2:  
 9.7 ↓                      10.0 ↗                      10.7 \*                      10.7 \*                      9.2 ↓  
 10.2 ↓                      10.7 \*                      9.8 ↘                      9.9 →                      7.8 →  
 beste Teiler 204.7 (17.) 220.4 (14.) 222.0 (13.)  
 Trefferlage 5.44 mm rechts, 1.96 mm tief  
 Streuwert 6.98, horizontal: 6.78, vertikal: 7.17



Serie 3:  
 10.2 ↘                      10.3 ↗                      10.4 \*                      10.5 \*                      9.1 ↓  
 10.5 \*                      9.4 ↓                      9.8 ↘                      6.8 ←                      9.7 ↘  
 beste Teiler 344.9 (24.) 392.0 (26.) 465.9 (23.)  
 Trefferlage 3.52 mm links, 3.93 mm tief  
 Streuwert 9.09, horizontal: 10.92, vertikal: 6.78





Serie 4:  
 8.5 ←                      9.2 ↗                      10.4 \*                      9.9 →                      9.8 ←  
 9.7 ↓                      10.5 \*                      9.1 ↗                      9.2 ↘                      9.4 ↘  
 beste Teiler 395.1 (37.) 466.4 (33.) 866.7 (34.)  
 Trefferlage 4.31 mm links, 1.36 mm tief  
 Streuwert 8.22, horizontal: 9.15, vertikal: 7.17


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **351** (370.2)  
 Serien: 88 86 87 90  
 Zähler: 11 12 14 3 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 3056 (13), 2999 (9), 2517 (29)  
 beste Teiler 120.5 (37.) 191.3 (26.) 365.7 (34.)  
 Trefferlage 1.29 mm links, 0.53 mm tief  
 Streuwert 11.15, horizontal: 11.47, vertikal: 10.82




Serie 1:  
 9.1 ↗ 9.9 ↑ 8.7 ↙ 10.3 ↑ 9.9 ↙  
 9.3 ← 9.7 ↘ 8.6 ↑ 7.2 ↘ 10.1 ↓  
 beste Teiler 483.0 (4.) 704.1 (10.) 821.1 (2.)  
 Trefferlage 4.73 mm links, 2.59 mm hoch  
 Streuwert 10.57, horizontal: 11.02, vertikal: 10.09



Serie 2:  
 9.7 ↗ 10.4 \* 7.1 ↖ 8.1 ↓ 8.3 ↓  
 10.4 \* 8.4 → 10.3 ↘ 8.7 → 8.6 ←  
 beste Teiler 415.4 (12.) 464.0 (16.) 540.8 (18.)  
 Trefferlage 0.50 mm rechts, 2.21 mm tief  
 Streuwert 13.25, horizontal: 12.13, vertikal: 14.28



Serie 3:  
 9.5 ↙ 8.2 ↗ 10.0 → 8.6 → 9.2 ↘  
 10.7 \* 9.9 ↑ 9.8 ↙ 7.8 → 8.5 ↓  
 beste Teiler 191.3 (26.) 769.8 (23.) 842.5 (27.)  
 Trefferlage 3.40 mm rechts, 0.66 mm tief  
 Streuwert 11.29, horizontal: 12.16, vertikal: 10.34





Serie 4:  
 8.9 ← 10.3 ↑ 8.5 ↗ 10.5 \* 8.8 ↖  
 9.3 ↙ 10.8 \* 8.2 ↓ 10.5 \* 9.4 ←  
 beste Teiler 120.5 (37.) 365.7 (34.) 394.1 (39.)  
 Trefferlage 4.35 mm links, 1.84 mm tief  
 Streuwert 9.50, horizontal: 10.10, vertikal: 8.86


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (377.1)  
 Serien: 87 91 87 92  
 Zähler: 12 16 9 3 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 2737 (17), 2545 (35), 2497 (8)  
 beste Teiler 37.0 (40.) 84.0 (12.) 268.2 (20.)  
 Trefferlage 1.09 mm links, 0.60 mm hoch  
 Streuwert 10.04, horizontal: 9.52, vertikal: 10.54




Serie 1:  
 10.0 ↗ 8.8 ↗ 8.9 ↓ 9.9 ↙ 10.3 ↑  
 9.3 → 9.4 ↙ 7.8 ↘ 9.1 ↖ 8.6 ↘  
 beste Teiler 498.0 (5.) 797.2 (1.) 832.6 (4.)  
 Trefferlage 1.18 mm rechts, 0.06 mm tief  
 Streuwert 11.10, horizontal: 10.61, vertikal: 11.57



Serie 2:  
 9.6 ← 10.8 \* 9.3 ← 9.7 ↙ 8.4 ↘  
 10.6 \* 7.5 ↘ 10.0 ↘ 9.3 → 10.6 \*  
 beste Teiler 84.0 (12.) 268.2 (20.) 278.3 (16.)  
 Trefferlage 0.13 mm links, 1.64 mm tief  
 Streuwert 9.88, horizontal: 11.19, vertikal: 8.38



Serie 3:  
 9.1 ← 9.7 ↓ 9.4 ↓ 9.9 ↙ 8.1 ↑  
 10.4 \* 8.0 ↙ 9.8 → 8.6 ↘ 8.3 ↘  
 beste Teiler 450.0 (26.) 851.4 (24.) 893.6 (28.)  
 Trefferlage 3.86 mm links, 1.17 mm hoch  
 Streuwert 11.45, horizontal: 8.91, vertikal: 13.52





Serie 4:  
 10.4 \* 10.2 ↑ 9.8 ↗ 9.3 ↓ 7.8 ↘  
 10.6 \* 9.7 ← 8.8 ↑ 10.4 \* 10.9 \*  
 beste Teiler 37.0 (40.) 295.6 (36.) 441.7 (31.)  
 Trefferlage 1.57 mm links, 2.96 mm hoch  
 Streuwert 8.43, horizontal: 7.73, vertikal: 9.08


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (373.2)  
 Serien: 86 92 85 91  
 Zähler: 9 19 9 3 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 2678 (23), 2491 (7), 2475 (25)  
 beste Teiler 203.5 (14.) 297.8 (19.) 420.4 (1.)  
 Trefferlage 0.62 mm links, 4.80 mm hoch  
 Streuwert 9.68, horizontal: 10.07, vertikal: 9.27




Serie 1:  
 10.4 \* 8.3 ↘ 9.8 ↑ 9.4 ↗ 9.2 ←  
 8.4 ↗ 7.8 → 8.9 ↘ 9.9 ↘ 9.6 ↗  
 beste Teiler 420.4 (1.) 808.0 (9.) 924.7 (3.)  
 Trefferlage 2.77 mm rechts, 5.40 mm hoch  
 Streuwert 10.59, horizontal: 10.63, vertikal: 10.56



Serie 2:  
 10.0 ↑ 9.8 → 8.8 → 10.7 \* 9.9 ↘  
 10.2 → 8.6 ↘ 9.0 ↘ 10.6 \* 9.3 ↑  
 beste Teiler 203.5 (14.) 297.8 (19.) 640.1 (16.)  
 Trefferlage 1.29 mm rechts, 4.21 mm hoch  
 Streuwert 7.88, horizontal: 8.32, vertikal: 7.40



Serie 3:  
 9.9 ↖ 9.5 ↖ 7.6 ↖ 8.3 ↗ 7.9 ↑  
 9.3 ↙ 9.1 ← 10.3 ↓ 8.9 → 9.6 ←  
 beste Teiler 559.8 (28.) 817.7 (21.) 1065.3 (30.)  
 Trefferlage 5.14 mm links, 2.84 mm hoch  
 Streuwert 11.64, horizontal: 11.48, vertikal: 11.80



Serie 4:  
 10.2 → 8.2 ↗ 9.9 ↖ 10.1 ↘ 8.6 ↘  
 9.2 ↖ 9.1 ↘ 9.8 ↗ 10.0 ↖ 9.1 ↗  
 beste Teiler 615.1 (31.) 698.6 (34.) 727.0 (39.)  
 Trefferlage 1.43 mm links, 6.75 mm hoch  
 Streuwert 8.46, horizontal: 9.23, vertikal: 7.62

Unterschrift des Schützen

Meyton Elektronik