





Ergebnis: **394.9** (379)
 Serien: 98.5 101.6 98.7 96.1
 Zähler: 21 17 2 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 618 (36), 516 (3), 499 (39)
 beste Teiler 30.0 (20.) 63.5 (22.) 86.0 (15.)
 Trefferlage 0.25 mm rechts, 0.73 mm tief
 Streuwert 2.07, horizontal: 2.30, vertikal: 1.82




Serie 1:
 9.8 ↗ 10.1 ↘ 8.9 ↘ 9.9 ↗ 10.3 *
 10.0 ← 9.2 ↘ 9.9 ↘ 10.6 * 9.8 ↖
 beste Teiler 91.3 (9.) 154.8 (5.) 205.0 (2.)
 Trefferlage 0.62 mm rechts, 0.63 mm tief
 Streuwert 2.11, horizontal: 2.11, vertikal: 2.12



Serie 2:
 10.2 * 10.2 * 10.1 → 9.8 → 10.6 *
 10.6 * 10.2 * 9.5 → 9.6 ↓ 10.8 *
 beste Teiler 30.0 (20.) 86.0 (15.) 86.3 (16.)
 Trefferlage 0.57 mm rechts, 0.42 mm tief
 Streuwert 1.55, horizontal: 1.72, vertikal: 1.35





Serie 3:
 9.1 → 10.7 * 9.5 ↓ 10.3 * 9.2 ↗
 9.4 ↘ 10.3 * 9.8 → 10.1 ← 10.3 *
 beste Teiler 63.5 (22.) 156.5 (27.) 162.9 (24.)
 Trefferlage 1.03 mm rechts, 0.52 mm tief
 Streuwert 2.08, horizontal: 2.29, vertikal: 1.84




Serie 4:
 10.0 ↙ 10.2 * 9.7 ↗ 10.0 ↘ 9.0 ↙
 8.5 ↙ 9.5 → 10.1 ↙ 9.0 ← 10.1 ↓
 beste Teiler 190.1 (32.) 209.0 (40.) 218.4 (38.)
 Trefferlage 1.20 mm links, 1.35 mm tief
 Streuwert 2.35, horizontal: 2.63, vertikal: 2.02

Unterschrift des Schützen


Ergebnis: **399.9** (383)
 Serien: 99.5 102.0 100.9 97.5
 Zähler: 24 15 1 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 660 (37), 495 (40), 475 (32)
 beste Teiler 49.8 (31.) 50.6 (1.) 69.1 (6.)
 Trefferlage 0.61 mm rechts, 0.52 mm hoch
 Streuwert 1.85, horizontal: 2.15, vertikal: 1.49




Serie 1:
 10.8 * 10.0 ↑ 10.2 * 9.5 → 9.4 ↗
 10.7 * 9.5 ↗ 9.8 ↘ 10.0 ↘ 9.6 →
 beste Teiler 50.6 (1.) 69.1 (6.) 187.9 (3.)
 Trefferlage 0.68 mm rechts, 1.04 mm hoch
 Streuwert 1.85, horizontal: 2.28, vertikal: 1.29



Serie 2:
 10.1 → 10.4 * 10.1 ↘ 9.9 ↑ 10.0 →
 10.1 ↖ 10.5 * 10.4 * 10.5 * 10.0 ↘
 beste Teiler 107.0 (19.) 125.9 (17.) 131.8 (18.)
 Trefferlage 0.68 mm rechts, 0.37 mm hoch
 Streuwert 1.33, horizontal: 1.44, vertikal: 1.22





Serie 3:
 9.9 ← 9.6 → 9.9 ↘ 10.6 * 10.6 *
 10.0 ↘ 10.6 * 10.0 ↓ 10.1 ↓ 9.6 ↘
 beste Teiler 81.8 (24.) 83.3 (25.) 96.8 (27.)
 Trefferlage 0.02 mm rechts, 0.17 mm tief
 Streuwert 1.72, horizontal: 1.90, vertikal: 1.52




Serie 4:
 10.8 * 9.1 ↑ 9.9 ↗ 9.9 ↖ 10.3 *
 10.3 * 8.3 → 9.9 ← 10.0 → 9.0 →
 beste Teiler 49.8 (31.) 158.3 (36.) 170.4 (35.)
 Trefferlage 1.06 mm rechts, 0.86 mm hoch
 Streuwert 2.42, horizontal: 2.92, vertikal: 1.79

Unterschrift des Schützen


Ergebnis: **368.3** (347)
 Serien: 89.3 92.0 93.5 93.5
 Zähler: 7 21 6 5 0 1 0 0 0 0
 Innenzehner: 4
 weiteste: 1289 (1), 879 (32), 860 (5)
 beste Teiler 23.7 (30.) 73.5 (34.) 126.5 (10.)
 Trefferlage 1.37 mm links, 0.13 mm tief
 Streuwert 3.47, horizontal: 4.14, vertikal: 2.64




Serie 1:
 5.8 ← 10.1 ↓ 9.6 ↘ 8.9 ← 7.5 ←
 9.5 ↘ 7.9 ↑ 9.7 → 9.9 ↑ 10.4 *
 beste Teiler 126.5 (10.) 215.4 (2.) 258.7 (9.)
 Trefferlage 2.14 mm links, 0.71 mm hoch
 Streuwert 4.23, horizontal: 5.13, vertikal: 3.07



Serie 2:
 8.3 ← 9.4 ↘ 10.2 * 9.6 → 9.9 ↘
 9.8 ← 9.5 ↑ 8.7 ← 7.9 ↘ 8.7 ↘
 beste Teiler 184.7 (13.) 261.1 (15.) 278.7 (16.)
 Trefferlage 0.36 mm links, 0.32 mm tief
 Streuwert 3.54, horizontal: 4.05, vertikal: 2.93



Serie 3:
 9.8 ↗ 10.1 ↓ 9.4 ← 10.0 ↓ 8.1 ←
 7.7 ← 9.3 ↘ 9.1 ↑ 9.1 ← 10.9 *
 beste Teiler 23.7 (30.) 209.2 (22.) 234.7 (24.)
 Trefferlage 2.24 mm links, 0.71 mm tief
 Streuwert 2.93, horizontal: 3.47, vertikal: 2.27





Serie 4:
 9.0 ↘ 7.4 ← 9.3 → 10.7 * 9.9 ↙
 9.5 ← 9.7 ↘ 9.5 ↗ 8.7 → 9.8 ↘
 beste Teiler 73.5 (34.) 264.8 (35.) 278.1 (40.)
 Trefferlage 0.75 mm links, 0.23 mm tief
 Streuwert 3.31, horizontal: 4.02, vertikal: 2.40


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361.7** (346)
 Serien: 90.0 86.4 92.3 93.0
 Zähler: 9 15 10 5 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 1014 (21), 962 (11), 950 (16)
 beste Teiler 121.6 (26.) 148.1 (40.) 172.9 (9.)
 Trefferlage 1.47 mm rechts, 0.65 mm tief
 Streuwert 3.71, horizontal: 4.55, vertikal: 2.61




Serie 1:
 9.7 ↙ 10.2 * 8.1 → 8.9 → 8.0 ←
 9.2 ↘ 8.1 ↘ 7.6 → 10.3 * 9.9 ←
 beste Teiler 172.9 (9.) 183.0 (2.) 262.8 (10.)
 Trefferlage 0.53 mm rechts, 0.42 mm hoch
 Streuwert 3.99, horizontal: 5.13, vertikal: 2.36



Serie 2:
 7.1 ← 9.0 ← 10.0 ← 9.3 ↗ 9.2 ↗
 7.2 ↘ 8.6 ↘ 8.2 ↙ 8.1 ↘ 9.7 ←
 beste Teiler 246.0 (13.) 324.0 (20.) 410.2 (14.)
 Trefferlage 0.10 mm links, 0.94 mm tief
 Streuwert 4.63, horizontal: 5.44, vertikal: 3.63



Serie 3:
 6.9 ↘ 8.6 ↘ 9.2 → 9.7 ↘ 8.1 ↘
 10.5 * 9.6 ↘ 9.5 ↘ 10.1 ↘ 10.1 ↘
 beste Teiler 121.6 (26.) 214.0 (29.) 223.8 (30.)
 Trefferlage 3.38 mm rechts, 2.00 mm tief
 Streuwert 2.31, horizontal: 2.70, vertikal: 1.85





Serie 4:
 9.8 ↙ 10.2 * 9.6 ↙ 9.9 ↙ 7.7 →
 8.2 → 7.4 → 9.8 ↗ 10.0 → 10.4 *
 beste Teiler 148.1 (40.) 176.7 (32.) 246.0 (39.)
 Trefferlage 2.09 mm rechts, 0.08 mm tief
 Streuwert 3.29, horizontal: 4.25, vertikal: 1.91


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **407.7** (391)
 Serien: 101.1 101.8 103.3 101.5
 Zähler: 31 9 0 0 0 0 0 0 0 0
 Innenzehner: 24
 weiteste: 394 (18), 358 (39), 319 (7)
 beste Teiler 42.0 (14.) 46.2 (8.) 54.0 (23.)
 Trefferlage 0.53 mm rechts, 0.23 mm hoch
 Streuwert 1.43, horizontal: 1.70, vertikal: 1.10




Serie 1:
 9.8 ← 10.0 → 10.2 * 10.2 * 10.0 →
 10.2 * 9.7 → 10.8 * 9.8 → 10.4 *
 beste Teiler 46.2 (8.) 139.4 (10.) 178.1 (3.)
 Trefferlage 0.98 mm rechts, 0.14 mm tief
 Streuwert 1.52, horizontal: 1.91, vertikal: 0.97



Serie 2:
 10.2 * 9.8 → 10.5 * 10.8 * 10.1 ↙
 10.1 ↑ 9.8 ← 9.4 → 10.6 * 10.5 *
 beste Teiler 42.0 (14.) 92.3 (19.) 108.1 (20.)
 Trefferlage 0.76 mm rechts, 0.06 mm tief
 Streuwert 1.52, horizontal: 1.85, vertikal: 1.08



Serie 3:
 10.1 → 10.2 * 10.7 * 10.6 * 10.4 *
 9.9 ↘ 10.4 * 10.2 * 10.2 * 10.6 *
 beste Teiler 54.0 (23.) 79.2 (30.) 93.4 (24.)
 Trefferlage 0.03 mm links, 0.33 mm hoch
 Streuwert 1.23, horizontal: 1.38, vertikal: 1.06





Serie 4:
 10.1 ↘ 10.3 * 10.0 ↘ 10.3 * 10.2 *
 10.3 * 10.4 * 10.6 * 9.5 → 9.8 ↘
 beste Teiler 91.1 (38.) 142.0 (37.) 152.4 (32.)
 Trefferlage 0.40 mm rechts, 0.80 mm hoch
 Streuwert 1.45, horizontal: 1.68, vertikal: 1.17


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	370.8	(351)
Serien:	91.4	91.2 96.3 91.9
Zähler:	8	19 10 2 1 0 0 0 0 0
Innenzehner:	7	
weiteste:	1064 (33), 896 (16), 806 (2)	
beste Teiler	116.6 (27.)	172.5 (39.) 177.5 (9.)
Trefferlage	0.52 mm rechts,	1.17 mm hoch
Streuwert	3.26, horizontal:	3.62, vertikal: 2.84




Serie 1:	9.1 ↗	7.7 ↖	8.9 ↘	9.8 ↗	10.2 *
	8.7 ↖	10.2 *	8.6 ↗	10.2 *	8.0 ↘
beste Teiler	177.5 (9.)	177.8 (7.)	179.7 (5.)		
Trefferlage	0.76 mm rechts, 1.27 mm hoch				
Streuwert	3.58, horizontal: 4.42, vertikal: 2.48				



Serie 2:	9.4 ↑	8.1 ↑	9.7 ↗	8.8 ↖	9.9 ↗
	7.4 ↘	9.8 →	9.5 ↖	9.0 ↘	9.6 ↖
beste Teiler	265.8 (15.)	296.1 (17.)	311.5 (13.)		
Trefferlage	1.18 mm rechts, 1.10 mm hoch				
Streuwert	3.52, horizontal: 3.76, vertikal: 3.25				



Serie 3:	8.2 ←	9.6 ↗	10.1 ←	10.2 *	8.3 ↘
	10.2 *	10.5 *	9.7 ↖	9.8 ↗	9.7 ↑
beste Teiler	116.6 (27.)	193.6 (24.)	198.5 (26.)		
Trefferlage	0.07 mm rechts, 0.85 mm hoch				
Streuwert	2.75, horizontal: 3.14, vertikal: 2.30				





Serie 4:	9.7 ↘	9.6 ↘	6.7 ↖	9.5 ←	8.8 ↗
	9.8 ↗	8.8 ↖	9.6 ↗	10.3 *	9.1 →
beste Teiler	172.5 (39.)	279.3 (36.)	307.0 (31.)		
Trefferlage	0.06 mm rechts, 1.47 mm hoch				
Streuwert	3.54, horizontal: 3.52, vertikal: 3.57				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **414.8** (395)
 Serien: 104.0 102.1 104.8 103.9
 Zähler: 35 5 0 0 0 0 0 0 0 0
 Innenzehner: 30
 weiteste: 403 (16), 313 (1), 280 (11)
 beste Teiler 14.1 (6.) 17.0 (21.) 17.2 (19.)
 Trefferlage 0.53 mm rechts, 0.03 mm hoch
 Streuwert 1.15, horizontal: 1.38, vertikal: 0.87




Serie 1:
 9.7 → 10.6 * 10.4 * 10.0 ↗ 10.5 *
 10.9 * 10.1 ↙ 10.2 * 10.8 * 10.8 *
 beste Teiler 14.1 (6.) 42.2 (9.) 46.9 (10.)
 Trefferlage 0.35 mm rechts, 0.14 mm hoch
 Streuwert 1.20, horizontal: 1.41, vertikal: 0.93



Serie 2:
 9.8 → 10.7 * 10.4 * 10.4 * 10.1 →
 9.3 → 9.9 → 10.0 ↗ 10.9 * 10.6 *
 beste Teiler 17.2 (19.) 55.4 (12.) 81.6 (20.)
 Trefferlage 1.11 mm rechts, 0.14 mm tief
 Streuwert 1.39, horizontal: 1.63, vertikal: 1.11



Serie 3:
 10.9 * 10.6 * 10.1 ↘ 10.3 * 10.6 *
 10.6 * 10.6 * 10.3 * 10.4 * 10.4 *
 beste Teiler 17.0 (21.) 81.3 (27.) 82.8 (22.)
 Trefferlage 0.01 mm rechts, 0.10 mm hoch
 Streuwert 0.96, horizontal: 1.16, vertikal: 0.71





Serie 4:
 10.2 * 10.6 * 10.4 * 10.5 * 9.9 →
 10.4 * 10.2 * 10.6 * 10.7 * 10.4 *
 beste Teiler 61.8 (39.) 81.9 (38.) 90.4 (32.)
 Trefferlage 0.65 mm rechts, 0.02 mm hoch
 Streuwert 1.03, horizontal: 1.24, vertikal: 0.77


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **395.5** (376)
 Serien: 99.1 97.4 101.8 97.2
 Zähler: 20 17 2 1 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 772 (38), 624 (15), 614 (5)
 beste Teiler 52.2 (21.) 52.4 (13.) 68.6 (6.)
 Trefferlage 0.21 mm links, 0.03 mm tief
 Streuwert 2.22, horizontal: 2.44, vertikal: 1.98




Serie 1:
 9.9 ↘ 10.3 * 10.5 * 10.0 ↘ 8.5 →
 10.7 * 9.8 ← 9.6 ↑ 9.9 ↙ 9.9 ↖
 beste Teiler 68.6 (6.) 122.8 (3.) 175.4 (2.)
 Trefferlage 0.15 mm links, 0.11 mm hoch
 Streuwert 2.24, horizontal: 2.56, vertikal: 1.85



Serie 2:
 10.1 ← 9.0 → 10.7 * 9.6 ↑ 8.5 ↙
 9.8 ↗ 9.1 ↖ 10.4 * 9.7 ↘ 10.5 *
 beste Teiler 52.4 (13.) 109.0 (20.) 145.0 (18.)
 Trefferlage 0.09 mm rechts, 0.20 mm tief
 Streuwert 2.57, horizontal: 2.82, vertikal: 2.29





Serie 3:
 10.7 * 9.9 ↘ 9.5 ← 10.2 * 10.6 *
 10.0 ↗ 10.6 * 10.2 * 9.7 → 10.4 *
 beste Teiler 52.2 (21.) 78.9 (27.) 82.8 (25.)
 Trefferlage 0.13 mm links, 0.15 mm hoch
 Streuwert 1.59, horizontal: 1.80, vertikal: 1.34




Serie 4:
 10.3 * 9.6 ↑ 10.5 * 10.4 * 10.1 ↑
 9.7 ↗ 10.0 ← 7.9 ↙ 9.4 ↘ 9.3 ↙
 beste Teiler 107.6 (33.) 141.3 (34.) 157.2 (31.)
 Trefferlage 0.67 mm links, 0.20 mm tief
 Streuwert 2.64, horizontal: 2.77, vertikal: 2.51

Unterschrift des Schützen


Ergebnis: **367.9** (353)
 Serien: 95.3 92.9 87.6 92.1
 Zähler: 9 18 10 3 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 971 (26), 956 (30), 828 (21)
 beste Teiler 52.4 (5.) 73.2 (32.) 157.5 (8.)
 Trefferlage 0.28 mm links, 0.13 mm hoch
 Streuwert 3.49, horizontal: 3.59, vertikal: 3.39




Serie 1:
 9.1 → 9.8 ↘ 8.4 ↘ 9.5 ↑ 10.7 *
 10.2 * 9.5 ↘ 10.3 * 9.3 ↓ 8.5 ↖
 beste Teiler 52.4 (5.) 157.5 (8.) 187.2 (6.)
 Trefferlage 0.42 mm rechts, 0.87 mm tief
 Streuwert 2.86, horizontal: 2.81, vertikal: 2.90



Serie 2:
 10.0 ↘ 9.5 ↗ 10.0 ← 9.0 ↘ 8.9 ↑
 9.1 ↑ 9.7 → 9.1 → 8.8 ↗ 8.8 ←
 beste Teiler 229.1 (13.) 234.6 (11.) 323.3 (17.)
 Trefferlage 0.61 mm links, 1.12 mm hoch
 Streuwert 3.06, horizontal: 3.40, vertikal: 2.67



Serie 3:
 7.6 ↖ 8.6 ↓ 9.0 ↓ 9.9 ↙ 9.0 ↗
 7.1 ↙ 9.2 → 10.2 * 9.9 ↘ 7.1 ↖
 beste Teiler 177.0 (28.) 255.3 (29.) 267.6 (24.)
 Trefferlage 1.41 mm links, 0.78 mm tief
 Streuwert 4.40, horizontal: 4.28, vertikal: 4.51



Serie 4:
 10.0 ← 10.7 * 9.5 ↘ 9.5 → 9.1 ↖
 8.8 ← 8.5 ↑ 8.0 ↗ 8.0 ↗ 10.0 ↓
 beste Teiler 73.2 (32.) 230.4 (40.) 244.3 (31.)
 Trefferlage 0.47 mm rechts, 1.05 mm hoch
 Streuwert 3.54, horizontal: 3.90, vertikal: 3.13

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **368.7** (348)

Serien: 89.0 90.2 98.8 90.7

Zähler: 8 18 10 3 0 1 0 0 0 0



Innenzehner: 7

weiteste: 1298 (37), 966 (6), 836 (17)

beste Teiler 81.8 (22.) 129.0 (24.) 153.2 (29.)

Trefferlage 0.63 mm rechts, 1.00 mm hoch

Streuwert 3.51, horizontal: 4.46, vertikal: 2.18




Serie 1:

9.7 ↗	8.5 →	8.3 →	10.3 *	8.9 ↗
7.1 →	8.0 ↘	9.7 ↖	8.6 ↖	9.9 ↑

beste Teiler 170.8 (4.) 270.1 (10.) 301.5 (8.)

Trefferlage 2.54 mm rechts, 0.80 mm hoch

Streuwert 3.70, horizontal: 4.72, vertikal: 2.26




Serie 2:

9.8 ↖	7.7 ↗	8.6 ↖	8.2 ↖	9.5 ↘
9.6 ↘	7.6 ↖	9.6 ↑	9.7 →	9.9 ↑

beste Teiler 251.5 (20.) 290.0 (11.) 318.5 (19.)

Trefferlage 0.28 mm links, 1.80 mm hoch

Streuwert 3.68, horizontal: 4.49, vertikal: 2.63




Serie 3:

9.7 ↘	10.6 *	10.2 *	10.4 *	8.7 ↗
9.3 →	9.8 ←	10.3 *	10.3 *	9.5 →

beste Teiler 81.8 (22.) 129.0 (24.) 153.2 (29.)

Trefferlage 1.35 mm rechts, 0.52 mm hoch

Streuwert 1.96, horizontal: 2.29, vertikal: 1.56



Serie 4:

9.9 ↘	9.8 ↗	9.7 ↖	9.7 ↘	8.2 →
10.1 ←	5.8 ←	8.0 ↖	9.2 ↑	10.3 *

beste Teiler 159.7 (40.) 210.3 (36.) 274.9 (31.)



Trefferlage 1.09 mm links, 0.86 mm hoch

Streuwert 4.16, horizontal: 5.42, vertikal: 2.27


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372.8** (357)
 Serien: 96.5 98.0 91.5 86.8
 Zähler: 13 16 8 2 0 1 0 0 0 0
 Innenzehner: 7
 weiteste: 1329 (32), 881 (25), 833 (36)
 beste Teiler 88.4 (19.) 119.5 (8.) 126.5 (6.)
 Trefferlage 0.56 mm links, 1.40 mm tief
 Streuwert 3.21, horizontal: 4.08, vertikal: 1.98




Serie 1:
 10.0 ↘ 8.5 → 8.8 → 9.0 ← 9.3 ↓
 10.4 * 10.1 ↖ 10.5 * 9.9 ↑ 10.0 ↑
 beste Teiler 119.5 (8.) 126.5 (6.) 212.7 (7.)
 Trefferlage 0.99 mm rechts, 0.11 mm tief
 Streuwert 2.65, horizontal: 3.06, vertikal: 2.16



Serie 2:
 9.0 ↙ 9.8 ↙ 10.0 ↘ 10.1 ↘ 9.8 ←
 8.7 → 9.7 ↘ 10.1 → 10.6 * 10.2 *
 beste Teiler 88.4 (19.) 187.9 (20.) 206.8 (18.)
 Trefferlage 0.26 mm rechts, 1.34 mm tief
 Streuwert 2.11, horizontal: 2.67, vertikal: 1.32



Serie 3:
 9.3 → 10.3 * 10.3 * 8.8 → 7.4 ↘
 9.6 ← 8.8 ← 9.0 ↙ 8.9 ↙ 9.1 ←
 beste Teiler 152.7 (22.) 172.8 (23.) 343.0 (26.)
 Trefferlage 0.13 mm links, 0.94 mm tief
 Streuwert 3.56, horizontal: 4.67, vertikal: 1.90





Serie 4:
 9.9 ↙ 5.6 ← 9.1 ↙ 9.2 ↘ 10.2 *
 7.6 ← 9.6 ↓ 9.0 ↓ 8.3 ↙ 8.3 ←
 beste Teiler 198.2 (35.) 275.0 (31.) 339.7 (37.)
 Trefferlage 3.37 mm links, 3.23 mm tief
 Streuwert 3.37, horizontal: 4.64, vertikal: 1.06


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **407.9** (389)
 Serien: 99.8 102.2 103.3 102.6
 Zähler: 29 11 0 0 0 0 0 0 0 0
 Innenzehner: 26
 weiteste: 490 (35), 436 (20), 411 (1)
 beste Teiler 9.8 (40.) 14.3 (39.) 51.0 (15.)
 Trefferlage 0.18 mm links, 0.27 mm tief
 Streuwert 1.58, horizontal: 1.87, vertikal: 1.22




Serie 1:
 9.3 ↙ 10.6 * 9.5 ↘ 9.5 ✓ 10.6 *
 9.8 ↖ 10.5 * 9.7 → 10.1 ← 10.2 *
 beste Teiler 87.6 (5.) 97.0 (2.) 124.3 (7.)
 Trefferlage 0.67 mm links, 0.08 mm tief
 Streuwert 1.94, horizontal: 2.29, vertikal: 1.52



Serie 2:
 10.4 * 9.7 ← 10.2 * 10.4 * 10.7 *
 10.5 * 10.6 * 10.5 * 10.0 ✓ 9.2 ←
 beste Teiler 51.0 (15.) 87.7 (17.) 110.0 (16.)
 Trefferlage 1.09 mm links, 0.18 mm tief
 Streuwert 1.38, horizontal: 1.72, vertikal: 0.91



Serie 3:
 9.8 ↘ 10.7 * 10.1 → 10.2 * 10.3 *
 10.6 * 10.2 * 10.6 * 10.4 * 10.4 *
 beste Teiler 60.8 (22.) 82.6 (28.) 95.6 (26.)
 Trefferlage 0.27 mm rechts, 0.51 mm tief
 Streuwert 1.17, horizontal: 1.09, vertikal: 1.25





Serie 4:
 10.2 * 10.6 * 10.4 * 9.8 ↘ 9.0 →
 9.7 ↘ 10.6 * 10.5 * 10.9 * 10.9 *
 beste Teiler 9.8 (40.) 14.3 (39.) 84.0 (37.)
 Trefferlage 0.74 mm rechts, 0.32 mm tief
 Streuwert 1.59, horizontal: 1.84, vertikal: 1.28


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **399.1** (380)
 Serien: 100.5 101.9 98.2 98.5
 Zähler: 22 17 0 1 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 798 (37), 453 (3), 453 (21)
 beste Teiler 3.0 (18.) 52.2 (31.) 60.8 (14.)
 Trefferlage 0.38 mm rechts, 0.54 mm hoch
 Streuwert 1.97, horizontal: 2.23, vertikal: 1.68




Serie 1:
 10.2 * 9.6 ↘ 9.1 ↗ 10.3 * 9.8 ↖
 10.1 ← 10.3 * 10.3 * 10.2 * 10.6 *
 beste Teiler 81.0 (10.) 151.0 (4.) 170.4 (7.)
 Trefferlage 0.09 mm rechts, 0.28 mm hoch
 Streuwert 1.82, horizontal: 2.00, vertikal: 1.62



Serie 2:
 9.4 ↖ 10.3 * 9.8 ↖ 10.7 * 9.7 ↗
 10.7 * 10.4 * 10.9 * 9.4 ↗ 10.6 *
 beste Teiler 3.0 (18.) 60.8 (14.) 69.5 (16.)
 Trefferlage 0.06 mm rechts, 0.55 mm hoch
 Streuwert 1.68, horizontal: 2.12, vertikal: 1.07





Serie 3:
 9.1 ↑ 10.1 ↘ 9.2 ↘ 9.2 → 10.2 *
 10.5 * 9.9 ↘ 9.9 ↑ 10.1 ↖ 10.0 ↖
 beste Teiler 109.5 (26.) 191.4 (25.) 204.1 (22.)
 Trefferlage 0.71 mm rechts, 0.43 mm hoch
 Streuwert 2.19, horizontal: 2.16, vertikal: 2.22




Serie 4:
 10.7 * 9.8 ↖ 9.7 ↑ 9.9 ↑ 9.8 ↗
 10.3 * 7.8 → 10.6 * 10.3 * 9.6 ↓
 beste Teiler 52.2 (31.) 91.2 (38.) 151.3 (36.)
 Trefferlage 0.66 mm rechts, 0.91 mm hoch
 Streuwert 2.37, horizontal: 2.82, vertikal: 1.81

Unterschrift des Schützen


Ergebnis:	399.7	(377)
Serien:	99.4	100.8 98.1 101.4
Zähler:	18 21 1 0 0 0 0 0 0 0	
Innenzehner:	17	
weiteste:	538 (25), 432 (29), 427 (23)	
beste Teiler	36.4 (35.) 63.5 (7.) 68.1 (19.)	
Trefferlage	0.72 mm rechts, 0.33 mm hoch	
Streuwert	1.83, horizontal: 1.92, vertikal: 1.74	




Serie 1:	9.8 ↓	9.9 ↘	10.2 *	9.6 ↗	9.6 ↑
	10.5 *	10.7 *	9.9 ↓	9.9 ↖	9.3 ↑
beste Teiler	63.5 (7.)	125.2 (6.)	186.6 (3.)		
Trefferlage	0.18 mm links, 0.57 mm hoch				
Streuwert	1.99, horizontal: 1.45, vertikal: 2.40				



Serie 2:	10.5 *	10.3 *	9.9 ↘	10.2 *	9.8 ↗
	9.4 →	10.3 *	9.9 ↑	10.7 *	9.8 →
beste Teiler	68.1 (19.)	112.7 (11.)	163.0 (17.)		
Trefferlage	1.16 mm rechts, 0.48 mm hoch				
Streuwert	1.50, horizontal: 1.62, vertikal: 1.37				



Serie 3:	9.9 ↑	10.6 *	9.2 →	10.6 *	8.8 →
	10.1 ↖	9.9 ↘	9.6 →	9.2 ↘	10.2 *
beste Teiler	90.2 (22.)	91.0 (24.)	185.3 (30.)		
Trefferlage	1.21 mm rechts, 0.45 mm hoch				
Streuwert	2.16, horizontal: 2.54, vertikal: 1.71				





Serie 4:	10.2 *	9.6 →	10.5 *	9.4 →	10.8 *
	10.6 *	9.7 ↓	9.8 ↘	10.5 *	10.3 *
beste Teiler	36.4 (35.)	91.0 (36.)	115.1 (33.)		
Trefferlage	0.69 mm rechts, 0.17 mm tief				
Streuwert	1.66, horizontal: 1.84, vertikal: 1.46				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **402.8** (386)
 Serien: 102.3 100.1 100.2 100.2
 Zähler: 26 14 0 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 469 (15), 455 (35), 435 (9)
 beste Teiler 36.0 (34.) 62.6 (24.) 65.7 (1.)
 Trefferlage 0.24 mm links, 0.69 mm hoch
 Streuwert 1.71, horizontal: 2.06, vertikal: 1.26




Serie 1:
 10.7 * 10.2 * 10.0 ← 10.0 → 10.2 *
 10.3 * 10.7 * 10.6 * 9.2 ↑ 10.4 *
 beste Teiler 65.7 (1.) 73.8 (7.) 79.2 (8.)
 Trefferlage 0.04 mm rechts, 0.37 mm hoch
 Streuwert 1.54, horizontal: 1.49, vertikal: 1.58



Serie 2:
 9.9 → 10.3 * 10.5 * 10.4 * 9.1 ←
 10.1 ← 10.4 * 9.5 ↖ 10.0 ↑ 9.9 ↖
 beste Teiler 119.9 (13.) 131.5 (14.) 138.1 (17.)
 Trefferlage 0.86 mm links, 0.47 mm hoch
 Streuwert 1.80, horizontal: 2.20, vertikal: 1.29



Serie 3:
 9.4 ← 10.3 * 10.3 * 10.7 * 9.4 ←
 10.7 * 9.4 ← 10.2 * 10.4 * 9.4 →
 beste Teiler 62.6 (24.) 74.6 (26.) 127.4 (29.)
 Trefferlage 1.22 mm links, 0.58 mm hoch
 Streuwert 1.71, horizontal: 2.28, vertikal: 0.81





Serie 4:
 10.5 * 9.9 ↑ 10.2 * 10.8 * 9.1 ↗
 9.8 → 9.8 ↗ 10.1 ↑ 9.8 ↖ 10.2 *
 beste Teiler 36.0 (34.) 116.8 (31.) 183.3 (40.)
 Trefferlage 1.05 mm rechts, 1.35 mm hoch
 Streuwert 1.42, horizontal: 1.62, vertikal: 1.20


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **393.7** (377)
 Serien: 97.4 101.1 97.5 97.7
 Zähler: 21 17 1 0 1 0 0 0 0 0
 Innenzehner: 16
 weiteste: 1233 (7), 534 (32), 496 (21)
 beste Teiler 55.5 (18.) 60.8 (25.) 65.8 (33.)
 Trefferlage 0.20 mm rechts, 0.02 mm hoch
 Streuwert 2.45, horizontal: 2.81, vertikal: 2.01




Serie 1:
 10.1 ↖ 10.2 * 10.2 * 10.6 * 10.4 *
 9.1 ↓ 6.0 → 10.2 * 10.0 ↙ 10.6 *
 beste Teiler 88.2 (10.) 91.6 (4.) 130.8 (5.)
 Trefferlage 1.16 mm rechts, 0.83 mm tief
 Streuwert 3.14, horizontal: 3.99, vertikal: 1.95



Serie 2:
 9.8 → 9.9 → 10.1 ↗ 10.4 * 10.0 ↑
 10.0 ↓ 9.6 ↖ 10.7 * 10.2 * 10.4 *
 beste Teiler 55.5 (18.) 133.7 (14.) 137.0 (20.)
 Trefferlage 0.07 mm links, 0.55 mm hoch
 Streuwert 1.59, horizontal: 1.80, vertikal: 1.35



Serie 3:
 9.0 ↖ 9.0 → 9.9 ← 9.7 ↖ 10.7 *
 9.9 ↓ 9.2 ↑ 10.5 * 9.2 ← 10.4 *
 beste Teiler 60.8 (25.) 124.3 (28.) 131.8 (30.)
 Trefferlage 1.00 mm links, 0.46 mm hoch
 Streuwert 2.38, horizontal: 2.72, vertikal: 1.99





Serie 4:
 9.7 ↙ 8.8 → 10.7 * 9.2 ↓ 10.6 *
 9.7 ↖ 9.3 ↗ 9.9 ↑ 10.2 * 9.6 ↘
 beste Teiler 65.8 (33.) 78.7 (35.) 194.5 (39.)
 Trefferlage 0.72 mm rechts, 0.08 mm tief
 Streuwert 2.37, horizontal: 2.16, vertikal: 2.57


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	395.0	(375)
Serien:	99.7	99.8 96.0 99.5
Zähler:	17	21 2 0 0 0 0 0 0 0
Innenzehner:	14	
weiteste:	662 (32), 571 (22), 499 (24)	
beste Teiler	39.8 (12.) 49.8 (33.) 57.6 (36.)	
Trefferlage	0.35 mm rechts, 0.25 mm tief	
Streuwert	2.17, horizontal: 2.37, vertikal: 1.94	




Serie 1:	9.7 ↖	9.7 ↗	9.7 ↓	10.5 *	10.3 *
	9.8 ↙	9.7 ↗	9.4 ↘	10.3 *	10.6 *
beste Teiler	82.3 (10.) 111.3 (4.) 164.0 (9.)				
Trefferlage	0.24 mm rechts, 0.39 mm hoch				
Streuwert	1.97, horizontal: 1.91, vertikal: 2.02				



Serie 2:	9.5 ↙	10.8 *	9.7 ↑	9.8 →	9.8 ↖
	9.3 →	9.9 ↓	10.4 *	9.9 →	10.7 *
beste Teiler	39.8 (12.) 69.3 (20.) 133.1 (18.)				
Trefferlage	0.57 mm rechts, 0.67 mm hoch				
Streuwert	1.89, horizontal: 2.24, vertikal: 1.46				



Serie 3:	9.4 ↙	8.7 ↘	10.1 ↘	9.0 →	9.2 ↖
	10.4 *	9.3 ↓	10.1 ↙	10.3 *	9.5 ↓
beste Teiler	142.2 (26.) 166.6 (29.) 205.8 (28.)				
Trefferlage	0.18 mm rechts, 1.13 mm tief				
Streuwert	2.62, horizontal: 3.08, vertikal: 2.06				





Serie 4:	10.4 *	8.3 ↘	10.8 *	10.4 *	9.5 ↖
	10.7 *	9.7 →	10.0 ←	9.5 ↘	10.2 *
beste Teiler	49.8 (33.) 57.6 (36.) 135.3 (34.)				
Trefferlage	0.42 mm rechts, 0.95 mm tief				
Streuwert	2.14, horizontal: 2.46, vertikal: 1.75				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **410.4** (394)
 Serien: 103.3 101.6 103.2 102.3
 Zähler: 34 6 0 0 0 0 0 0 0 0
 Innenzehner: 25
 weiteste: 381 (15), 314 (30), 304 (36)
 beste Teiler 21.2 (27.) 40.5 (13.) 75.4 (34.)
 Trefferlage 0.39 mm links, 0.15 mm hoch
 Streuwert 1.33, horizontal: 1.54, vertikal: 1.09




Serie 1:
 10.2 * 9.9 ← 10.6 * 10.2 * 10.4 *
 10.6 * 10.4 * 10.6 * 10.0 → 10.4 *
 beste Teiler 77.9 (6.) 83.2 (3.) 93.7 (8.)
 Trefferlage 0.38 mm links, 0.48 mm tief
 Streuwert 1.17, horizontal: 1.49, vertikal: 0.73



Serie 2:
 10.4 * 10.6 * 10.8 * 10.1 ← 9.4 ←
 10.4 * 10.0 ↘ 10.2 * 9.9 ↘ 9.8 ↘
 beste Teiler 40.5 (13.) 97.9 (12.) 130.0 (16.)
 Trefferlage 0.55 mm links, 0.63 mm hoch
 Streuwert 1.52, horizontal: 1.80, vertikal: 1.17



Serie 3:
 10.5 * 10.4 * 10.1 ← 10.5 * 10.2 *
 10.3 * 10.9 * 10.6 * 10.0 ↑ 9.7 ←
 beste Teiler 21.2 (27.) 82.2 (28.) 104.0 (21.)
 Trefferlage 0.61 mm links, 0.52 mm hoch
 Streuwert 1.15, horizontal: 1.28, vertikal: 1.01





Serie 4:
 10.1 → 10.0 ↘ 10.0 ↘ 10.7 * 10.3 *
 9.7 ← 10.0 ↘ 10.5 * 10.6 * 10.4 *
 beste Teiler 75.4 (34.) 89.4 (39.) 110.0 (38.)
 Trefferlage 0.00 mm , 0.05 mm tief
 Streuwert 1.46, horizontal: 1.70, vertikal: 1.16


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **398.5** (381)
 Serien: 98.6 98.6 100.2 101.1
 Zähler: 25 11 4 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 530 (10), 517 (15), 513 (39)
 beste Teiler 83.0 (18.) 86.6 (17.) 88.8 (40.)
 Trefferlage 0.73 mm rechts, 0.14 mm tief
 Streuwert 1.97, horizontal: 2.38, vertikal: 1.45




Serie 1:
 10.3 * 10.2 * 9.4 ↙ 9.7 ↖ 10.5 *
 10.6 * 9.5 ↙ 9.2 → 10.4 * 8.8 ↘
 beste Teiler 99.9 (6.) 119.2 (5.) 133.9 (9.)
 Trefferlage 0.20 mm links, 1.03 mm tief
 Streuwert 2.18, horizontal: 2.80, vertikal: 1.30



Serie 2:
 10.5 * 9.9 ↖ 10.2 * 9.6 → 8.9 ↘
 9.9 → 10.6 * 10.6 * 9.1 → 9.3 ↗
 beste Teiler 83.0 (18.) 86.6 (17.) 110.9 (11.)
 Trefferlage 1.64 mm rechts, 0.17 mm hoch
 Streuwert 1.97, horizontal: 2.35, vertikal: 1.50



Serie 3:
 10.4 * 10.3 * 10.2 * 10.0 → 10.3 *
 8.9 → 10.0 ↘ 9.7 → 10.1 → 10.3 *
 beste Teiler 146.2 (21.) 157.9 (22.) 158.9 (25.)
 Trefferlage 1.15 mm rechts, 0.24 mm hoch
 Streuwert 1.72, horizontal: 1.98, vertikal: 1.42





Serie 4:
 10.6 * 10.3 * 10.5 * 10.0 ↙ 10.4 *
 9.3 ↖ 10.2 * 10.3 * 8.9 → 10.6 *
 beste Teiler 88.8 (40.) 97.4 (31.) 116.8 (33.)
 Trefferlage 0.33 mm rechts, 0.05 mm hoch
 Streuwert 1.86, horizontal: 2.22, vertikal: 1.41


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	370.4	(351)
Serien:	93.0 93.4 93.5 90.5	
Zähler:	7 20 10 3 0 0 0 0 0 0	
Innenzehner:	3	
weiteste:	857 (25), 802 (32), 782 (19)	
beste Teiler	150.2 (37.) 167.0 (26.) 180.4 (21.)	
Trefferlage	0.34 mm links, 0.30 mm hoch	
Streuwert	3.29, horizontal: 3.69, vertikal: 2.83	




Serie 1:	10.1 ↖	8.7 →	9.6 ↗	9.3 ↖	9.5 ←
	8.4 ↗	8.6 ↘	9.4 ↙	9.6 ↗	9.8 ↙
beste Teiler	220.4 (1.)	296.9 (10.)	337.0 (9.)		
Trefferlage	0.35 mm links, 1.23 mm hoch				
Streuwert	3.08, horizontal: 3.55, vertikal: 2.54				



Serie 2:	9.5 ↑	9.2 ↖	10.0 ↗	8.9 ↖	8.7 →
	9.8 ↑	10.1 ↘	9.5 ↘	7.8 →	9.9 ↑
beste Teiler	222.2 (17.)	226.6 (13.)	255.1 (20.)		
Trefferlage	0.42 mm rechts, 1.29 mm hoch				
Streuwert	3.09, horizontal: 3.96, vertikal: 1.84				



Serie 3:	10.2 *	9.2 ↓	8.6 ↑	9.4 ↙	7.5 ↙
	10.3 *	10.1 ↑	8.7 →	9.6 ↓	9.9 →
beste Teiler	167.0 (26.)	180.4 (21.)	220.1 (27.)		
Trefferlage	0.08 mm links, 0.96 mm tief				
Streuwert	3.28, horizontal: 3.23, vertikal: 3.33				





Serie 4:	8.3 ↖	7.7 ↙	9.2 ↙	9.5 ↙	9.6 ↗
	9.6 ↗	10.4 *	8.1 ↖	9.9 ↘	8.2 ↘
beste Teiler	150.2 (37.)	269.8 (39.)	335.2 (36.)		
Trefferlage	1.37 mm links, 0.34 mm tief				
Streuwert	3.73, horizontal: 4.29, vertikal: 3.06				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **406.3** (385)
 Serien: 101.2 99.3 103.2 102.6
 Zähler: 26 13 1 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 509 (25), 377 (10), 366 (2)
 beste Teiler 14.8 (24.) 15.0 (8.) 30.1 (40.)
 Trefferlage 0.07 mm links, 0.46 mm tief
 Streuwert 1.60, horizontal: 1.47, vertikal: 1.72




Serie 1:
 10.1 ↖ 9.5 ↙ 10.5 * 9.5 ↘ 10.6 *
 10.1 ↓ 10.6 * 10.9 * 10.0 ↗ 9.4 ↖
 beste Teiler 15.0 (8.) 88.5 (7.) 90.2 (5.)
 Trefferlage 0.65 mm links, 0.01 mm tief
 Streuwert 1.72, horizontal: 0.77, vertikal: 2.30



Serie 2:
 9.7 ↓ 10.1 ↗ 10.1 ↗ 9.7 ↑ 10.4 *
 9.9 ↖ 9.7 ↙ 9.9 ← 9.8 → 10.0 ↖
 beste Teiler 144.6 (15.) 212.4 (13.) 221.1 (12.)
 Trefferlage 0.72 mm links, 0.39 mm tief
 Streuwert 1.86, horizontal: 1.60, vertikal: 2.08



Serie 3:
 10.6 * 10.7 * 9.9 ↘ 10.9 * 8.9 →
 10.6 * 10.7 * 10.3 * 10.5 * 10.1 ↗
 beste Teiler 14.8 (24.) 67.4 (22.) 75.6 (27.)
 Trefferlage 0.57 mm rechts, 0.79 mm tief
 Streuwert 1.38, horizontal: 1.70, vertikal: 0.94





Serie 4:
 10.2 * 10.6 * 10.3 * 9.6 ↘ 9.7 →
 9.9 ↓ 10.5 * 10.2 * 10.8 * 10.8 *
 beste Teiler 30.1 (40.) 44.2 (39.) 94.4 (32.)
 Trefferlage 0.49 mm rechts, 0.65 mm tief
 Streuwert 1.34, horizontal: 1.27, vertikal: 1.41


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **406.1** (389)
 Serien: 104.2 100.2 100.4 101.3
 Zähler: 29 11 0 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 473 (16), 393 (14), 371 (18)
 beste Teiler 37.1 (24.) 65.7 (1.) 73.7 (8.)
 Trefferlage 0.15 mm links, 0.16 mm hoch
 Streuwert 1.60, horizontal: 1.68, vertikal: 1.51




Serie 1:
 10.7 * 10.6 * 10.4 * 9.9 ↖ 10.0 ↗
 10.4 * 10.5 * 10.7 * 10.4 * 10.6 *
 beste Teiler 65.7 (1.) 73.7 (8.) 81.2 (10.)
 Trefferlage 0.02 mm links, 0.44 mm hoch
 Streuwert 1.08, horizontal: 1.19, vertikal: 0.95



Serie 2:
 10.5 * 10.6 * 10.1 → 9.4 ↙ 10.3 *
 9.1 ↓ 10.5 * 9.5 ↖ 10.0 → 10.2 *
 beste Teiler 88.2 (12.) 110.1 (17.) 123.1 (11.)
 Trefferlage 0.00 mm , 0.33 mm tief
 Streuwert 1.98, horizontal: 2.14, vertikal: 1.81



Serie 3:
 9.9 ↙ 10.3 * 10.1 → 10.8 * 10.2 *
 10.2 * 9.9 ↙ 9.8 ↗ 9.6 ↘ 9.6 ↙
 beste Teiler 37.1 (24.) 175.2 (22.) 189.0 (25.)
 Trefferlage 0.37 mm links, 0.12 mm hoch
 Streuwert 1.79, horizontal: 1.86, vertikal: 1.70



Serie 4:
 9.8 ↑ 10.1 ↓ 10.2 * 10.2 * 10.0 →
 10.0 ↖ 9.7 ↘ 10.6 * 10.6 * 10.1 ↘
 beste Teiler 86.3 (38.) 99.3 (39.) 177.5 (34.)
 Trefferlage 0.23 mm links, 0.41 mm hoch
 Streuwert 1.58, horizontal: 1.62, vertikal: 1.54

Unterschrift des Schützen

Ergebnis: **390.8** (371)

Serien: 100.1 98.0 96.8 95.9

Zähler: 15 21 4 0 0 0 0 0 0 0



Innenzehner: 10

weiteste: 657 (28), 581 (40), 535 (8)

beste Teiler 48.3 (10.) 113.3 (38.) 148.0 (5.)

Trefferlage 0.03 mm links, 0.61 mm tief

Streuwert 2.28, horizontal: 2.62, vertikal: 1.89




Serie 1:

10.1 ↓	9.6 ↗	10.4 *	9.6 ←	10.4 *
9.8 ↓	10.4 *	8.8 ↖	10.2 *	10.8 *

beste Teiler 48.3 (10.) 148.0 (5.) 148.0 (7.)

Trefferlage 0.92 mm links, 0.54 mm tief

Streuwert 1.89, horizontal: 2.13, vertikal: 1.62




Serie 2:

10.1 ←	9.7 ←	9.5 ←	9.6 →	10.0 ↘
9.8 →	10.0 ↖	9.6 →	9.5 ↘	10.2 *

beste Teiler 197.5 (20.) 213.5 (11.) 232.1 (17.)

Trefferlage 0.26 mm rechts, 0.63 mm tief

Streuwert 2.15, horizontal: 2.82, vertikal: 1.15




Serie 3:

9.8 →	9.9 ←	9.8 ↓	9.9 ↘	10.2 *
9.5 ←	9.5 ↘	8.3 ↘	9.6 ↓	10.3 *

beste Teiler 174.1 (30.) 187.1 (25.) 264.5 (24.)

Trefferlage 0.53 mm rechts, 1.39 mm tief

Streuwert 2.33, horizontal: 2.57, vertikal: 2.06



Serie 4:

9.8 ↗	9.7 →	9.9 →	10.2 *	9.3 ←
10.0 ↑	9.0 ←	10.5 *	8.9 ↗	8.6 ↓

beste Teiler 113.3 (38.) 196.9 (34.) 246.3 (36.)



Trefferlage 0.00 mm , 0.12 mm hoch

Streuwert 2.76, horizontal: 3.04, vertikal: 2.44


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370.4** (351)
 Serien: 91.6 94.5 91.1 93.2
 Zähler: 8 20 10 0 1 1 0 0 0 0
 Innenzehner: 4
 weiteste: 1398 (1), 1001 (38), 723 (29)
 beste Teiler 48.1 (36.) 113.0 (26.) 137.4 (7.)
 Trefferlage 0.03 mm links, 0.21 mm hoch
 Streuwert 3.49, horizontal: 4.05, vertikal: 2.83




Serie 1:
 5.4 ← 9.2 ← 9.9 ↘ 9.5 ↘ 9.9 ↙
 8.9 → 10.4 * 9.4 ↖ 8.9 → 10.1 →
 beste Teiler 137.4 (7.) 220.9 (10.) 252.0 (5.)
 Trefferlage 1.80 mm links, 0.15 mm hoch
 Streuwert 3.96, horizontal: 5.32, vertikal: 1.73



Serie 2:
 8.9 → 10.4 * 10.0 ↘ 9.8 ↗ 9.7 ↑
 8.8 ↓ 9.9 ↘ 8.4 ↓ 9.0 ↑ 9.6 ↘
 beste Teiler 147.4 (12.) 228.3 (13.) 268.2 (17.)
 Trefferlage 1.10 mm rechts, 0.65 mm tief
 Streuwert 2.90, horizontal: 1.92, vertikal: 3.62



Serie 3:
 8.4 ← 9.3 ↙ 8.9 ↗ 9.3 ↙ 8.1 →
 10.5 * 9.5 ← 9.0 ↑ 8.1 ↖ 10.0 ↘
 beste Teiler 113.0 (26.) 243.5 (30.) 352.8 (27.)
 Trefferlage 0.93 mm links, 0.32 mm hoch
 Streuwert 3.63, horizontal: 3.85, vertikal: 3.40



Serie 4:
 9.9 → 9.0 ↘ 9.1 → 10.0 ↑ 9.7 ↗
 10.8 * 9.3 ↖ 6.9 → 8.8 ← 9.7 ↓
 beste Teiler 48.1 (36.) 244.9 (34.) 268.9 (31.)
 Trefferlage 1.47 mm rechts, 1.03 mm hoch
 Streuwert 3.27, horizontal: 3.98, vertikal: 2.35

Unterschrift des Schützen

Meyton Elektronik