





Ergebnis: **370** (386.9)
 Serien: 90 93 94 93
 Zähler: 16 18 6 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2393 (40), 2301 (33), 2232 (39)
 beste Teiler 14.2 (8.) 127.4 (21.) 133.0 (6.)
 Trefferlage 1.13 mm rechts, 2.41 mm hoch
 Streuwert 8.38, horizontal: 7.95, vertikal: 8.78




Serie 1:
 8.6 ↑ 9.7 ↖ 9.6 ↘ 9.6 ← 9.8 ↗
 10.8 * 9.8 ← 10.9 * 9.1 ↑ 8.9 ←
 beste Teiler 14.2 (8.) 133.0 (6.) 883.2 (7.)
 Trefferlage 2.85 mm links, 2.58 mm hoch
 Streuwert 8.20, horizontal: 7.71, vertikal: 8.66



Serie 2:
 9.9 ← 10.0 ↓ 9.2 ↗ 10.6 * 9.3 ↗
 9.0 → 9.1 ↗ 10.5 * 10.5 * 8.2 ↗
 beste Teiler 249.0 (14.) 349.5 (19.) 384.0 (18.)
 Trefferlage 5.01 mm rechts, 3.98 mm hoch
 Streuwert 7.75, horizontal: 8.03, vertikal: 7.45



Serie 3:
 10.8 * 9.8 ↓ 10.6 * 9.4 → 9.4 ↓
 9.5 ↗ 9.7 → 10.0 ↘ 9.4 ↘ 10.0 ↑
 beste Teiler 127.4 (21.) 308.1 (23.) 749.9 (30.)
 Trefferlage 0.59 mm rechts, 3.44 mm tief
 Streuwert 6.61, horizontal: 7.00, vertikal: 6.20





Serie 4:
 10.2 ↘ 9.0 ↗ 8.1 ↑ 10.0 ← 10.5 *
 10.4 * 10.4 * 10.4 * 8.2 ↑ 8.0 ↗
 beste Teiler 396.7 (35.) 409.9 (37.) 439.3 (36.)
 Trefferlage 1.80 mm rechts, 6.52 mm hoch
 Streuwert 9.26, horizontal: 8.11, vertikal: 10.28


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (380.5)
 Serien: 86 89 95 90
 Zähler: 14 16 7 2 1 0 0 0 0 0
 Innenzehner: 8
 weiteste: 3280 (5), 3104 (1), 2528 (15)
 beste Teiler 66.7 (17.) 175.3 (32.) 243.0 (34.)
 Trefferlage 3.14 mm links, 0.24 mm hoch
 Streuwert 9.63, horizontal: 8.55, vertikal: 10.60




Serie 1:
 7.1 ↑ 10.1 ↗ 9.2 ↑ 9.4 ↘ 6.9 ↙
 8.2 ← 10.4 * 9.8 ← 8.4 ↘ 10.1 ↗
 beste Teiler 438.1 (7.) 666.1 (10.) 688.5 (2.)
 Trefferlage 7.03 mm links, 5.50 mm hoch
 Streuwert 12.30, horizontal: 8.42, vertikal: 15.23



Serie 2:
 10.6 * 8.7 ← 9.9 ↑ 9.4 ← 7.8 ↙
 9.7 ↘ 10.9 * 10.5 * 9.9 ↗ 8.8 ↙
 beste Teiler 66.7 (17.) 281.2 (11.) 393.1 (18.)
 Trefferlage 5.31 mm links, 1.81 mm tief
 Streuwert 8.76, horizontal: 6.75, vertikal: 10.39





Serie 3:
 10.0 ↘ 9.3 ↗ 9.6 ↗ 10.0 ↓ 9.6 ↘
 10.1 → 10.5 * 10.5 * 9.2 ← 9.8 ↘
 beste Teiler 378.3 (27.) 393.5 (28.) 672.5 (26.)
 Trefferlage 0.43 mm links, 1.24 mm tief
 Streuwert 6.99, horizontal: 7.40, vertikal: 6.55




Serie 4:
 9.1 ↙ 10.7 * 8.8 ↘ 10.6 * 8.6 →
 10.4 ↘ 9.7 ↗ 8.9 ↓ 9.9 ← 9.4 ↘
 beste Teiler 175.3 (32.) 243.0 (34.) 480.2 (36.)
 Trefferlage 0.19 mm rechts, 1.47 mm tief
 Streuwert 9.12, horizontal: 10.16, vertikal: 7.95

Unterschrift des Schützen


Ergebnis: **369** (383.2)
 Serien: 93 93 91 92
 Zähler: 17 15 8 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2282 (12), 2113 (30), 1948 (32)
 beste Teiler 167.5 (6.) 297.0 (13.) 323.9 (16.)
 Trefferlage 1.93 mm rechts, 0.96 mm tief
 Streuwert 8.69, horizontal: 8.26, vertikal: 9.09




Serie 1:
 8.7 ↘ 9.3 ↗ 9.8 ↗ 10.4 * 9.0 ←
 10.7 * 10.0 ↓ 10.2 ↙ 9.3 ← 9.0 ↗
 beste Teiler 167.5 (6.) 444.1 (4.) 596.4 (8.)
 Trefferlage 0.58 mm rechts, 0.25 mm hoch
 Streuwert 8.62, horizontal: 9.15, vertikal: 8.04



Serie 2:
 8.6 ↙ 8.1 ↗ 10.6 * 10.0 ↓ 9.6 ↑
 10.5 * 9.9 ↘ 10.1 ↘ 10.5 * 9.4 ↙
 beste Teiler 297.0 (13.) 323.9 (16.) 398.5 (19.)
 Trefferlage 0.03 mm rechts, 1.16 mm tief
 Streuwert 8.65, horizontal: 7.48, vertikal: 9.69



Serie 3:
 9.0 ↑ 9.5 ↖ 9.2 ↘ 10.0 ↗ 10.0 ↘
 10.1 ↑ 9.1 ↘ 9.0 ↗ 8.9 ↓ 8.3 →
 beste Teiler 717.4 (26.) 799.7 (24.) 799.7 (25.)
 Trefferlage 4.67 mm rechts, 0.78 mm hoch
 Streuwert 9.67, horizontal: 8.97, vertikal: 10.32





Serie 4:
 8.9 ↙ 8.5 ↗ 9.3 → 10.0 ↙ 10.5 *
 9.2 ↓ 8.8 ↘ 10.2 ↙ 10.5 * 10.5 *
 beste Teiler 343.9 (39.) 350.2 (35.) 357.8 (40.)
 Trefferlage 2.43 mm rechts, 3.74 mm tief
 Streuwert 8.38, horizontal: 7.81, vertikal: 8.91


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (379.9)
 Serien: 91 90 93 90
 Zähler: 12 20 8 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2236 (15), 2170 (39), 2130 (9)
 beste Teiler 85.1 (23.) 115.7 (13.) 253.3 (7.)
 Trefferlage 1.10 mm rechts, 0.67 mm tief
 Streuwert 9.17, horizontal: 9.12, vertikal: 9.21




Serie 1:
 9.6 ↘ 10.3 ↖ 8.4 ↖ 9.3 ↓ 9.1 ↘
 9.5 ↑ 10.6 * 9.3 ↘ 8.3 → 10.0 ←
 beste Teiler 253.3 (7.) 512.0 (2.) 730.8 (10.)
 Trefferlage 1.76 mm rechts, 2.19 mm tief
 Streuwert 9.63, horizontal: 10.04, vertikal: 9.21



Serie 2:
 10.3 ← 9.7 ↗ 10.8 * 9.1 ↖ 8.2 ↖
 9.2 → 8.5 ↙ 9.1 ↗ 9.7 ↗ 9.6 ↗
 beste Teiler 115.7 (13.) 520.5 (11.) 986.0 (12.)
 Trefferlage 0.56 mm rechts, 4.06 mm hoch
 Streuwert 9.67, horizontal: 9.36, vertikal: 9.98



Serie 3:
 10.2 ↘ 8.4 ↘ 10.8 * 10.4 * 10.0 ↓
 8.8 ↖ 9.6 ↙ 9.6 ↙ 10.2 ↖ 9.0 ↓
 beste Teiler 85.1 (23.) 437.1 (24.) 570.3 (29.)
 Trefferlage 2.33 mm links, 3.81 mm tief
 Streuwert 7.89, horizontal: 5.88, vertikal: 9.48





Serie 4:
 9.2 → 10.4 * 9.0 → 10.3 ↓ 9.6 ↗
 9.6 ↗ 8.9 ↓ 9.4 → 8.2 ← 9.7 →
 beste Teiler 419.5 (32.) 549.3 (34.) 968.7 (40.)
 Trefferlage 4.43 mm rechts, 0.75 mm tief
 Streuwert 9.11, horizontal: 10.55, vertikal: 7.41


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **344** (362.2)
 Serien: 85 89 82 88
 Zähler: 8 15 11 5 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3890 (11), 2954 (29), 2894 (2)
 beste Teiler 286.9 (14.) 330.6 (38.) 352.0 (3.)
 Trefferlage 1.68 mm links, 2.51 mm tief
 Streuwert 12.10, horizontal: 10.73, vertikal: 13.33




Serie 1:
 8.9 ↗ 7.3 ↖ 10.5 * 9.5 ↓ 10.3 ↙
 9.3 ↖ 8.2 → 9.8 ↓ 7.4 ↗ 8.9 ←
 beste Teiler 352.0 (3.) 509.5 (5.) 902.6 (8.)
 Trefferlage 4.20 mm links, 2.68 mm tief
 Streuwert 12.63, horizontal: 13.09, vertikal: 12.15



Serie 2:
 6.1 ↗ 9.9 ↘ 10.2 ↓ 10.6 * 9.7 ↗
 10.1 ↘ 8.2 ↖ 8.5 ↓ 10.1 ↓ 9.1 →
 beste Teiler 286.9 (14.) 618.8 (13.) 654.3 (16.)
 Trefferlage 2.58 mm rechts, 1.88 mm hoch
 Streuwert 12.47, horizontal: 8.66, vertikal: 15.37



Serie 3:
 9.7 ↗ 9.9 ↖ 7.8 ← 9.4 ↓ 9.5 ↖
 8.7 ↓ 7.9 ↓ 8.6 ↗ 7.3 ↓ 9.0 ↓
 beste Teiler 804.1 (22.) 1030.4 (21.) 1170.1 (25.)
 Trefferlage 6.73 mm links, 10.23 mm tief
 Streuwert 10.55, horizontal: 8.80, vertikal: 12.04





Serie 4:
 9.2 → 8.7 ↗ 9.6 → 8.8 ↓ 10.0 ↓
 8.5 ↗ 8.2 ↖ 10.5 * 9.2 ↗ 9.1 ↗
 beste Teiler 330.6 (38.) 775.1 (35.) 1070.4 (33.)
 Trefferlage 1.60 mm rechts, 0.96 mm hoch
 Streuwert 11.14, horizontal: 10.39, vertikal: 11.84


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **351** (370.1)
 Serien: 85 90 89 87
 Zähler: 6 21 11 2 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2868 (9), 2800 (32), 2286 (14)
 beste Teiler 286.9 (31.) 300.8 (28.) 621.9 (17.)
 Trefferlage 0.16 mm rechts, 0.42 mm hoch
 Streuwert 10.58, horizontal: 11.02, vertikal: 10.11




Serie 1:
 9.9 ↘ 8.4 ← 8.5 ↗ 9.3 ↘ 8.9 ↗
 9.2 ↓ 10.0 ↖ 9.7 ↑ 7.4 ↙ 8.9 ↗
 beste Teiler 778.6 (7.) 849.7 (1.) 998.2 (8.)
 Trefferlage 2.69 mm links, 2.43 mm tief
 Streuwert 12.11, horizontal: 13.54, vertikal: 10.49



Serie 2:
 8.5 ↖ 10.0 ↖ 9.2 → 8.1 ↗ 9.1 ↑
 9.4 → 10.2 → 9.4 ↗ 9.4 ↖ 9.8 ↓
 beste Teiler 621.9 (17.) 745.9 (12.) 909.0 (20.)
 Trefferlage 1.67 mm rechts, 5.77 mm hoch
 Streuwert 9.34, horizontal: 10.77, vertikal: 7.66



Serie 3:
 8.8 ↓ 8.9 ↗ 8.6 ↗ 9.8 → 9.1 ↗
 9.3 ↗ 9.0 → 10.6 * 10.0 ↓ 9.5 ↙
 beste Teiler 300.8 (28.) 734.0 (29.) 883.3 (24.)
 Trefferlage 2.37 mm rechts, 0.46 mm hoch
 Streuwert 9.92, horizontal: 8.53, vertikal: 11.14





Serie 4:
 10.6 * 7.5 ↗ 9.2 → 9.9 ↓ 9.9 ↙
 9.0 ↓ 9.9 ↓ 8.4 ↙ 9.9 ← 8.9 ↖
 beste Teiler 286.9 (31.) 810.3 (35.) 811.0 (37.)
 Trefferlage 0.70 mm links, 2.10 mm tief
 Streuwert 10.93, horizontal: 11.68, vertikal: 10.12


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (390.1)
 Serien: 92 94 95 90
 Zähler: 18 16 5 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2526 (32), 1783 (3), 1636 (6)
 beste Teiler 91.8 (9.) 306.9 (25.) 390.9 (37.)
 Trefferlage 1.22 mm links, 1.35 mm hoch
 Streuwert 7.60, horizontal: 9.00, vertikal: 5.88




Serie 1:
 9.2 ← 10.0 ↑ 8.7 ↖ 9.4 ← 9.6 ←
 8.9 ← 9.9 ↘ 10.1 ↘ 10.8 * 10.3 ↑
 beste Teiler 91.8 (9.) 553.6 (10.) 700.1 (8.)
 Trefferlage 5.82 mm links, 1.21 mm hoch
 Streuwert 7.05, horizontal: 8.83, vertikal: 4.64



Serie 2:
 10.4 * 8.9 ↖ 9.2 ↑ 10.3 ↗ 10.2 ←
 10.0 ← 10.3 ↘ 9.9 ↑ 9.7 ↖ 9.8 ↘
 beste Teiler 446.9 (11.) 540.0 (14.) 548.4 (17.)
 Trefferlage 3.62 mm links, 2.87 mm hoch
 Streuwert 6.06, horizontal: 5.25, vertikal: 6.78



Serie 3:
 9.6 ↗ 9.9 ↖ 9.5 ↗ 10.3 ↗ 10.6 *
 10.4 * 10.1 ↖ 10.3 ↗ 9.2 ↘ 9.0 →
 beste Teiler 306.9 (25.) 459.7 (26.) 510.1 (28.)
 Trefferlage 3.52 mm rechts, 1.31 mm hoch
 Streuwert 6.35, horizontal: 7.29, vertikal: 5.25





Serie 4:
 9.7 → 7.8 ↗ 10.1 ↗ 9.4 → 8.9 ↘
 10.1 ↗ 10.5 * 9.8 ← 10.4 * 8.9 ←
 beste Teiler 390.9 (37.) 464.6 (39.) 654.6 (36.)
 Trefferlage 1.02 mm rechts, 0.01 mm hoch
 Streuwert 9.54, horizontal: 11.48, vertikal: 7.09


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (389.1)
 Serien: 93 93 92 95
 Zähler: 16 21 3 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2341 (16), 2212 (29), 1928 (10)
 beste Teiler 203.0 (15.) 230.4 (39.) 241.8 (8.)
 Trefferlage 1.70 mm rechts, 1.35 mm hoch
 Streuwert 7.75, horizontal: 6.90, vertikal: 8.51




Serie 1:
 9.8 ↘ 10.0 ↓ 10.5 * 9.1 ↘ 10.0 ↓
 9.5 → 9.1 ↙ 10.6 * 9.2 ↙ 8.5 ←
 beste Teiler 241.8 (8.) 400.3 (3.) 792.4 (2.)
 Trefferlage 0.01 mm links, 5.40 mm tief
 Streuwert 7.74, horizontal: 9.51, vertikal: 5.41



Serie 2:
 10.6 * 9.8 ↑ 10.4 * 9.6 ↗ 10.7 *
 8.0 ↓ 9.3 ↘ 9.9 ↑ 10.1 ← 9.3 ↑
 beste Teiler 203.0 (15.) 282.5 (11.) 470.0 (13.)
 Trefferlage 2.53 mm rechts, 0.23 mm hoch
 Streuwert 8.05, horizontal: 4.50, vertikal: 10.46



Serie 3:
 9.8 ↖ 10.5 * 10.1 ↑ 10.5 * 9.8 ↗
 9.4 ↗ 9.5 ↙ 9.1 ↑ 8.2 ↗ 9.6 ↗
 beste Teiler 345.6 (22.) 366.1 (24.) 693.1 (23.)
 Trefferlage 3.15 mm rechts, 5.45 mm hoch
 Streuwert 7.30, horizontal: 8.15, vertikal: 6.34





Serie 4:
 10.1 ← 10.3 ↑ 10.0 → 9.7 ↑ 9.2 ↑
 9.0 ↑ 10.0 ↑ 9.8 ↑ 10.7 * 9.8 ↙
 beste Teiler 230.4 (39.) 512.2 (32.) 675.9 (31.)
 Trefferlage 1.14 mm rechts, 5.15 mm hoch
 Streuwert 5.93, horizontal: 4.71, vertikal: 6.94


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **355** (372.4)
 Serien: 86 97 87 85
 Zähler: 9 18 12 1 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 2419 (38), 2396 (29), 2387 (7)
 beste Teiler 273.6 (11.) 613.0 (15.) 623.4 (14.)
 Trefferlage 2.47 mm links, 0.15 mm tief
 Streuwert 10.12, horizontal: 12.30, vertikal: 7.33




Serie 1:
 8.8 ↗ 8.8 ← 9.9 ↗ 9.7 → 9.3 ↘
 9.6 ↓ 8.0 ↘ 9.3 ↗ 9.6 → 8.3 ↙
 beste Teiler 848.8 (3.) 992.0 (4.) 1088.9 (9.)
 Trefferlage 3.74 mm rechts, 1.98 mm tief
 Streuwert 11.04, horizontal: 12.95, vertikal: 8.72



Serie 2:
 10.6 * 9.7 → 10.0 ↘ 10.2 ↘ 10.2 →
 10.1 ↗ 9.1 ↙ 9.5 ↑ 10.1 ↘ 10.1 ↙
 beste Teiler 273.6 (11.) 613.0 (15.) 623.4 (14.)
 Trefferlage 0.63 mm rechts, 0.11 mm tief
 Streuwert 6.37, horizontal: 6.32, vertikal: 6.43



Serie 3:
 9.8 ↑ 9.4 ↗ 8.7 → 9.2 → 9.1 ←
 10.1 ← 9.4 ↙ 8.4 ↗ 8.0 ← 8.9 ↘
 beste Teiler 684.5 (26.) 904.8 (21.) 1215.7 (27.)
 Trefferlage 0.92 mm links, 1.73 mm hoch
 Streuwert 11.61, horizontal: 14.49, vertikal: 7.73





Serie 4:
 10.0 ↙ 9.9 ↖ 8.3 ← 9.4 ← 9.7 ↙
 9.8 ← 8.5 ← 7.9 ↙ 8.6 ↘ 8.4 ←
 beste Teiler 741.0 (31.) 820.6 (32.) 934.4 (36.)
 Trefferlage 13.35 mm links, 0.26 mm tief
 Streuwert 6.99, horizontal: 7.06, vertikal: 6.93


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **350** (367.7)
 Serien: 85 87 90 88
 Zähler: 6 21 10 3 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2869 (16), 2776 (40), 2616 (9)
 beste Teiler 386.0 (31.) 421.4 (27.) 607.2 (34.)
 Trefferlage 2.37 mm rechts, 1.92 mm tief
 Streuwert 10.79, horizontal: 9.74, vertikal: 11.75




Serie 1:
 10.0 ↘ 8.5 → 8.8 ↓ 9.1 ↘ 9.0 ↑
 9.2 ↘ 9.9 ↘ 8.6 ↘ 7.7 → 8.9 ↖
 beste Teiler 769.3 (1.) 850.5 (7.) 1400.7 (6.)
 Trefferlage 8.49 mm rechts, 3.61 mm tief
 Streuwert 10.40, horizontal: 10.61, vertikal: 10.19



Serie 2:
 9.2 ↙ 10.2 ↗ 9.8 ↗ 9.2 ↑ 9.9 ↘
 7.4 ↗ 9.1 ↗ 8.3 ↙ 9.9 ↘ 8.4 ↓
 beste Teiler 613.7 (12.) 812.3 (15.) 848.2 (19.)
 Trefferlage 2.56 mm rechts, 0.15 mm tief
 Streuwert 11.80, horizontal: 10.55, vertikal: 12.93



Serie 3:
 9.2 ↓ 9.1 ↓ 10.0 ↗ 9.9 ↑ 9.2 ↙
 8.2 ↙ 10.4 * 8.1 ↘ 9.5 ↓ 9.7 ↙
 beste Teiler 421.4 (27.) 786.6 (23.) 805.9 (24.)
 Trefferlage 3.38 mm links, 3.98 mm tief
 Streuwert 9.79, horizontal: 6.48, vertikal: 12.24





Serie 4:
 10.5 * 9.7 ↖ 8.9 ↗ 10.2 ↘ 9.3 ←
 8.9 ↑ 9.8 ↘ 9.2 ↑ 9.3 ↓ 7.5 ↘
 beste Teiler 386.0 (31.) 607.2 (34.) 914.5 (37.)
 Trefferlage 1.82 mm rechts, 0.04 mm hoch
 Streuwert 10.66, horizontal: 8.12, vertikal: 12.70

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	338	(355.9)
Serien:	86	82 86 84
Zähler:	8	12 12 6 2 0 0 0 0 0
Innenzehner:	2	
weiteste:	3687 (13), 3469 (26), 2958 (27)	
beste Teiler	281.1 (22.) 351.9 (24.) 477.8 (31.)	
Trefferlage	3.99 mm rechts, 3.51 mm tief	
Streuwert	12.61, horizontal: 13.18, vertikal: 12.02	



Serie 1:

8.8 →	9.6 ↗	9.3 ←	8.6 ←	7.8 ↘
9.0 ↘	9.1 ↓	10.0 ↓	9.5 ↖	8.5 ↘


beste Teiler 739.3 (8.) 1106.8 (2.) 1199.6 (9.)
 Trefferlage 4.52 mm links, 4.01 mm tief
 Streuwert 11.20, horizontal: 11.29, vertikal: 11.11



Serie 2:

9.0 ←	8.2 ↗	6.3 →	9.1 ↗	9.5 ↓
8.2 ↘	7.9 →	8.8 ↘	10.2 →	8.7 ↗


beste Teiler 568.0 (19.) 1123.2 (15.) 1457.4 (14.)
 Trefferlage 7.04 mm rechts, 1.85 mm tief
 Streuwert 14.14, horizontal: 17.53, vertikal: 9.60



Serie 3:

9.6 ↓	10.6 *	9.7 ↘	10.5 *	8.8 ↓
6.6 ↗	7.3 ↘	9.4 ↗	8.6 →	10.0 ↑

beste Teiler 281.1 (22.) 351.9 (24.) 774.5 (30.)
 Trefferlage 2.76 mm rechts, 1.78 mm tief
 Streuwert 13.12, horizontal: 9.91, vertikal: 15.69





Serie 4:

10.4 ←	10.2 ↗	8.3 →	9.5 →	8.6 ↓
8.8 ↗	7.6 ↗	7.6 ↗	10.3 ↘	7.4 ↓


beste Teiler 477.8 (31.) 509.7 (39.) 625.6 (32.)
 Trefferlage 10.69 mm rechts, 6.42 mm tief
 Streuwert 10.61, horizontal: 8.78, vertikal: 12.16

Unterschrift des Schützen


Ergebnis: **359** (379.7)
 Serien: 88 90 90 91
 Zähler: 11 19 8 2 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2838 (3), 2492 (16), 2363 (13)
 beste Teiler 203.3 (18.) 240.2 (34.) 245.0 (19.)
 Trefferlage 0.27 mm rechts, 1.72 mm hoch
 Streuwert 9.48, horizontal: 9.75, vertikal: 9.20




Serie 1:
 8.8 ↓ 10.4 * 7.4 ↗ 10.1 ← 8.3 ↗
 9.1 ← 9.7 → 9.9 ← 9.8 ↖ 9.9 →
 beste Teiler 442.1 (2.) 649.1 (4.) 867.1 (10.)
 Trefferlage 2.43 mm links, 2.28 mm tief
 Streuwert 10.66, horizontal: 9.75, vertikal: 11.49



Serie 2:
 9.9 ↗ 9.5 ↘ 8.0 → 10.1 ↑ 9.4 ↖
 7.8 ↗ 9.5 ← 10.7 * 10.6 * 9.7 ↖
 beste Teiler 203.3 (18.) 245.0 (19.) 661.4 (14.)
 Trefferlage 0.98 mm rechts, 2.51 mm hoch
 Streuwert 9.91, horizontal: 11.53, vertikal: 7.96



Serie 3:
 10.0 ↖ 8.8 ↘ 9.8 ↖ 8.7 ↑ 9.4 ↓
 8.2 → 9.6 ↖ 10.0 ↖ 9.8 ↖ 10.3 ↓
 beste Teiler 483.6 (30.) 780.1 (21.) 781.2 (28.)
 Trefferlage 0.06 mm rechts, 1.20 mm hoch
 Streuwert 9.73, horizontal: 9.61, vertikal: 9.84





Serie 4:
 9.9 → 8.7 ↗ 9.1 → 10.7 * 9.7 ↖
 8.4 ↗ 10.2 ← 9.5 ↖ 10.4 * 9.9 ←
 beste Teiler 240.2 (34.) 446.0 (39.) 610.5 (37.)
 Trefferlage 2.47 mm rechts, 5.47 mm hoch
 Streuwert 7.66, horizontal: 8.78, vertikal: 6.34


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (385.3)
 Serien: 91 90 93 93
 Zähler: 16 15 9 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2332 (10), 2169 (3), 2146 (37)
 beste Teiler 121.0 (12.) 206.0 (22.) 299.2 (28.)
 Trefferlage 1.77 mm rechts, 1.81 mm hoch
 Streuwert 8.51, horizontal: 8.74, vertikal: 8.28




Serie 1:
 8.7 ↗ 10.4 * 8.2 ↗ 10.3 ↗ 9.6 ↗
 9.0 ↗ 9.3 → 10.0 ↓ 10.4 * 8.0 ↘
 beste Teiler 448.5 (2.) 473.1 (9.) 523.8 (4.)
 Trefferlage 4.07 mm rechts, 6.52 mm hoch
 Streuwert 8.87, horizontal: 9.84, vertikal: 7.77



Serie 2:
 10.4 * 10.8 * 10.4 * 9.9 ↓ 9.8 ↖
 9.9 ↙ 8.7 → 8.5 ↗ 8.6 → 9.4 ←
 beste Teiler 121.0 (12.) 428.9 (11.) 462.5 (13.)
 Trefferlage 2.08 mm rechts, 0.44 mm tief
 Streuwert 8.93, horizontal: 11.34, vertikal: 5.56



Serie 3:
 9.7 ↓ 10.7 * 9.3 ↙ 9.7 → 10.0 →
 10.3 ↓ 9.7 ↓ 10.6 * 8.3 ↙ 9.4 →
 beste Teiler 206.0 (22.) 299.2 (28.) 506.1 (26.)
 Trefferlage 1.09 mm rechts, 4.65 mm tief
 Streuwert 7.12, horizontal: 7.86, vertikal: 6.28





Serie 4:
 10.5 * 9.4 ↑ 9.7 ↖ 10.2 ↑ 8.7 ↑
 9.8 ↙ 8.3 ↗ 10.5 * 10.2 ↖ 10.0 ↑
 beste Teiler 350.6 (31.) 372.3 (38.) 587.7 (39.)
 Trefferlage 0.17 mm links, 5.84 mm hoch
 Streuwert 7.21, horizontal: 5.72, vertikal: 8.44


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (381.0)
 Serien: 93 86 90 93
 Zähler: 13 18 7 2 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2658 (17), 2621 (18), 2319 (28)
 beste Teiler 218.0 (38.) 299.6 (34.) 311.8 (27.)
 Trefferlage 2.16 mm rechts, 3.76 mm hoch
 Streuwert 8.74, horizontal: 8.64, vertikal: 8.83




Serie 1:
 8.6 ↑ 8.7 ↗ 10.4 * 10.1 ← 9.8 ↗
 10.1 ↗ 10.5 * 9.1 ↓ 10.3 ↘ 9.8 ↗
 beste Teiler 335.2 (7.) 434.9 (3.) 493.9 (9.)
 Trefferlage 2.07 mm rechts, 4.84 mm hoch
 Streuwert 7.22, horizontal: 4.00, vertikal: 9.39



Serie 2:
 9.6 ↘ 9.3 ↖ 9.2 ↖ 10.2 ↑ 9.2 ↘
 9.5 ↗ 7.6 ↗ 7.7 → 9.4 ↘ 8.6 ↖
 beste Teiler 600.4 (14.) 1090.1 (11.) 1134.8 (16.)
 Trefferlage 2.77 mm rechts, 5.59 mm hoch
 Streuwert 11.44, horizontal: 12.24, vertikal: 10.57



Serie 3:
 9.8 ↗ 10.2 ↘ 10.3 ↓ 9.9 ↘ 8.5 ←
 8.9 ↘ 10.6 * 8.1 ↘ 9.4 ↑ 9.4 →
 beste Teiler 311.8 (27.) 512.9 (23.) 639.6 (22.)
 Trefferlage 0.08 mm rechts, 1.30 mm hoch
 Streuwert 9.73, horizontal: 9.99, vertikal: 9.47





Serie 4:
 9.8 ↗ 9.5 ↘ 8.8 ↗ 10.6 * 9.5 ↗
 10.1 ← 10.2 ↘ 10.7 * 9.9 → 9.1 →
 beste Teiler 218.0 (38.) 299.6 (34.) 587.6 (37.)
 Trefferlage 3.71 mm rechts, 3.32 mm hoch
 Streuwert 6.58, horizontal: 7.06, vertikal: 6.06


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **352** (369.2)
 Serien: 86 93 84 89
 Zähler: 11 14 11 4 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3029 (27), 2932 (23), 2850 (28)
 beste Teiler 269.1 (7.) 277.1 (37.) 331.0 (34.)
 Trefferlage 5.57 mm rechts, 1.11 mm hoch
 Streuwert 10.51, horizontal: 12.24, vertikal: 8.42




Serie 1:
 9.9 ← 8.8 ↘ 8.6 ↑ 9.7 ↗ 7.7 →
 8.8 ↘ 10.6 * 9.8 ↘ 10.3 ↑ 8.6 →
 beste Teiler 269.1 (7.) 544.5 (9.) 851.0 (1.)
 Trefferlage 4.12 mm rechts, 2.98 mm hoch
 Streuwert 10.62, horizontal: 11.80, vertikal: 9.29



Serie 2:
 10.3 → 10.0 ↓ 9.3 ↘ 9.1 → 10.2 ↓
 10.1 → 8.4 → 9.7 → 9.5 ↘ 9.9 ←
 beste Teiler 500.2 (11.) 613.2 (15.) 658.9 (16.)
 Trefferlage 4.74 mm rechts, 1.42 mm tief
 Streuwert 7.59, horizontal: 9.46, vertikal: 5.08



Serie 3:
 9.1 ↓ 9.6 ↘ 7.3 ↗ 8.8 ↖ 10.1 ↖
 10.1 ↓ 7.2 → 7.4 → 8.3 ← 9.3 ↓
 beste Teiler 646.3 (25.) 684.7 (26.) 1094.6 (22.)
 Trefferlage 5.28 mm rechts, 2.42 mm tief
 Streuwert 14.18, horizontal: 17.78, vertikal: 9.28





Serie 4:
 10.4 * 8.5 → 9.0 ↑ 10.5 * 8.1 →
 8.8 ↗ 10.6 * 9.8 ↑ 9.0 → 8.0 ↗
 beste Teiler 277.1 (37.) 331.0 (34.) 445.2 (31.)
 Trefferlage 8.13 mm rechts, 5.31 mm hoch
 Streuwert 8.90, horizontal: 9.69, vertikal: 8.05


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361** (380.2)
 Serien: 90 92 88 91
 Zähler: 15 13 10 2 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2854 (30), 2650 (4), 2324 (29)
 beste Teiler 85.7 (13.) 127.6 (6.) 175.4 (16.)
 Trefferlage 0.88 mm links, 1.46 mm hoch
 Streuwert 9.87, horizontal: 9.90, vertikal: 9.83




Serie 1:
 10.2 ↖ 8.4 ← 10.4 * 7.6 ↘ 10.7 *
 10.8 * 10.4 * 8.4 ↘ 9.8 ← 8.6 ↖
 beste Teiler 127.6 (6.) 225.1 (5.) 432.9 (3.)
 Trefferlage 7.84 mm links, 4.64 mm hoch
 Streuwert 8.25, horizontal: 7.27, vertikal: 9.13



Serie 2:
 9.3 ↘ 9.2 ↓ 10.8 * 9.9 ↗ 8.3 ↓
 10.7 * 9.5 ↑ 8.4 ← 10.3 ↑ 10.2 ↘
 beste Teiler 85.7 (13.) 175.4 (16.) 489.1 (19.)
 Trefferlage 0.35 mm links, 1.80 mm tief
 Streuwert 8.95, horizontal: 8.48, vertikal: 9.41





Serie 3:
 8.2 ↓ 8.4 ↓ 10.5 * 8.9 ↘ 9.8 →
 10.3 ↙ 10.5 * 10.5 * 8.0 ↑ 7.4 →
 beste Teiler 334.5 (27.) 350.2 (28.) 368.0 (23.)
 Trefferlage 0.55 mm rechts, 0.21 mm tief
 Streuwert 12.23, horizontal: 12.07, vertikal: 12.40




Serie 4:
 9.5 ← 9.3 ↗ 10.7 * 9.6 ↗ 8.1 ↗
 9.3 → 9.5 ↘ 9.7 → 9.6 ↘ 10.5 *
 beste Teiler 198.4 (33.) 383.6 (40.) 1003.8 (38.)
 Trefferlage 4.11 mm rechts, 3.24 mm hoch
 Streuwert 8.17, horizontal: 8.39, vertikal: 7.95

Unterschrift des Schützen


Ergebnis: **341** (361.5)
 Serien: 84 87 84 86
 Zähler: 6 17 11 4 2 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3834 (9), 3356 (25), 2951 (13)
 beste Teiler 140.3 (37.) 270.7 (19.) 464.9 (21.)
 Trefferlage 6.22 mm links, 0.32 mm hoch
 Streuwert 11.57, horizontal: 11.44, vertikal: 11.69




Serie 1:
 8.5 → 7.8 ↙ 8.5 ↑ 9.8 ↗ 8.6 ←
 10.2 ↗ 9.7 ↙ 10.1 ↘ 6.2 ← 9.1 ↘
 beste Teiler 582.6 (6.) 697.4 (8.) 949.8 (4.)
 Trefferlage 5.84 mm links, 0.10 mm hoch
 Streuwert 13.67, horizontal: 15.39, vertikal: 11.70



Serie 2:
 9.3 ← 9.8 ↓ 7.3 ↙ 9.3 ↓ 9.2 ↘
 9.9 ↘ 8.8 ↘ 9.0 ↗ 10.6 * 8.4 ↙
 beste Teiler 270.7 (19.) 866.9 (16.) 925.5 (12.)
 Trefferlage 5.88 mm links, 2.53 mm tief
 Streuwert 10.87, horizontal: 8.34, vertikal: 12.92





Serie 3:
 10.4 * 8.7 ← 8.6 ↑ 7.7 ↘ 6.8 ↙
 9.5 ↘ 9.9 ↘ 9.7 ↗ 9.8 ↗ 9.8 ↙
 beste Teiler 464.9 (21.) 865.8 (27.) 902.5 (30.)
 Trefferlage 7.84 mm links, 1.52 mm hoch
 Streuwert 11.44, horizontal: 10.77, vertikal: 12.07




Serie 4:
 7.9 ↑ 9.3 ↙ 8.3 ← 8.7 ← 9.0 ↙
 10.3 ↓ 10.8 * 9.2 ↗ 8.5 ← 8.5 ↗
 beste Teiler 140.3 (37.) 526.4 (36.) 1289.1 (32.)
 Trefferlage 5.33 mm links, 2.22 mm hoch
 Streuwert 11.59, horizontal: 11.85, vertikal: 11.32

Unterschrift des Schützen


Ergebnis: **360** (379.3)
 Serien: 91 90 85 94
 Zähler: 12 20 4 4 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2588 (24), 2544 (25), 2486 (1)
 beste Teiler 44.9 (8.) 418.1 (4.) 450.3 (37.)
 Trefferlage 1.31 mm links, 2.05 mm hoch
 Streuwert 9.37, horizontal: 8.37, vertikal: 10.27




Serie 1:
 7.8 ↙ 9.3 ↗ 9.5 ↓ 10.4 * 8.8 ←
 9.1 → 10.0 ↑ 10.9 * 10.3 ↖ 9.0 ↘
 beste Teiler 44.9 (8.) 418.1 (4.) 511.5 (9.)
 Trefferlage 4.16 mm links, 1.13 mm hoch
 Streuwert 9.51, horizontal: 10.22, vertikal: 8.75



Serie 2:
 10.4 ↙ 9.6 ↗ 9.9 ↘ 8.9 ↓ 10.2 ↘
 9.3 ↑ 10.3 ↙ 9.6 → 7.9 ↓ 9.5 ↗
 beste Teiler 476.9 (11.) 486.5 (17.) 598.6 (15.)
 Trefferlage 0.37 mm rechts, 1.14 mm tief
 Streuwert 9.32, horizontal: 7.04, vertikal: 11.14



Serie 3:
 9.6 ↖ 9.7 ↖ 9.5 ↓ 7.7 ↑ 7.8 ↗
 9.1 ↓ 9.3 ↓ 9.8 ↑ 8.8 ↖ 9.9 ↑
 beste Teiler 870.1 (30.) 959.6 (28.) 981.8 (22.)
 Trefferlage 0.38 mm links, 4.74 mm hoch
 Streuwert 11.28, horizontal: 9.31, vertikal: 12.95





Serie 4:
 10.3 ↓ 9.4 → 10.1 ↓ 8.5 ↑ 10.2 ↖
 9.6 ↑ 10.4 * 10.2 ↖ 9.7 ↑ 9.0 ←
 beste Teiler 450.3 (37.) 527.0 (31.) 606.3 (38.)
 Trefferlage 1.10 mm links, 3.49 mm hoch
 Streuwert 7.61, horizontal: 7.07, vertikal: 8.12


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (382.4)
 Serien: 90 96 91 87
 Zähler: 14 18 6 2 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2831 (35), 2504 (26), 2103 (31)
 beste Teiler 139.6 (14.) 219.3 (3.) 376.3 (15.)
 Trefferlage 0.24 mm rechts, 3.43 mm hoch
 Streuwert 8.74, horizontal: 6.24, vertikal: 10.67




Serie 1:
 9.5 ↘ 9.0 ↗ 10.7 * 9.4 ↓ 9.9 ↓
 8.8 ↙ 9.2 ↓ 10.4 * 9.7 ↘ 8.8 ↑
 beste Teiler 219.3 (3.) 463.7 (8.) 877.2 (5.)
 Trefferlage 1.34 mm rechts, 3.44 mm tief
 Streuwert 8.74, horizontal: 7.33, vertikal: 9.96



Serie 2:
 10.0 ↑ 10.2 ↑ 9.3 ↘ 10.8 * 10.5 *
 10.5 * 9.9 ↓ 9.7 ↓ 9.4 ↑ 10.1 ↑
 beste Teiler 139.6 (14.) 376.3 (15.) 380.0 (16.)
 Trefferlage 0.68 mm rechts, 1.07 mm hoch
 Streuwert 5.97, horizontal: 4.35, vertikal: 7.24



Serie 3:
 8.6 ↑ 10.2 ↓ 10.0 ↙ 9.9 ↗ 10.2 ↗
 7.8 ↑ 9.7 ↙ 9.6 ↑ 10.5 * 9.2 ←
 beste Teiler 385.7 (29.) 566.6 (25.) 603.0 (22.)
 Trefferlage 0.06 mm links, 4.36 mm hoch
 Streuwert 8.87, horizontal: 6.08, vertikal: 10.97





Serie 4:
 8.3 ↖ 8.5 ↑ 9.0 ↗ 9.7 → 7.4 ↑
 8.9 ↑ 10.0 ↗ 9.3 ↘ 9.6 ↑ 10.2 ←
 beste Teiler 589.9 (40.) 792.2 (37.) 1034.3 (34.)
 Trefferlage 0.97 mm links, 11.76 mm hoch
 Streuwert 8.36, horizontal: 7.45, vertikal: 9.18


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **356** (373.0)
 Serien: 90 91 83 92
 Zähler: 11 16 11 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2950 (25), 2495 (27), 2396 (4)
 beste Teiler 86.4 (22.) 128.6 (34.) 138.5 (40.)
 Trefferlage 3.21 mm links, 0.36 mm tief
 Streuwert 10.31, horizontal: 10.97, vertikal: 9.61




Serie 1:
 10.1 ↓ 10.2 ↖ 8.4 ↖ 8.0 ↙ 9.5 ↗
 10.4 * 8.2 ↙ 9.1 ↗ 9.4 ↖ 9.3 ↖
 beste Teiler 427.2 (6.) 622.4 (2.) 712.8 (1.)
 Trefferlage 6.14 mm links, 0.75 mm tief
 Streuwert 10.21, horizontal: 11.60, vertikal: 8.61



Serie 2:
 9.8 ↙ 9.5 ↗ 9.9 ↓ 8.1 ↗ 9.5 ↗
 10.2 ↙ 8.4 ↙ 10.2 ↑ 9.5 → 10.0 ↖
 beste Teiler 594.4 (16.) 604.7 (18.) 790.6 (20.)
 Trefferlage 0.88 mm rechts, 1.13 mm hoch
 Streuwert 9.44, horizontal: 9.01, vertikal: 9.86



Serie 3:
 9.3 ↓ 10.8 * 9.4 ↖ 8.3 ↗ 7.3 ↖
 9.0 ↖ 7.8 ↑ 8.9 ↖ 8.6 ↖ 8.6 →
 beste Teiler 86.4 (22.) 1245.0 (23.) 1303.3 (21.)
 Trefferlage 4.39 mm links, 3.54 mm hoch
 Streuwert 13.28, horizontal: 15.60, vertikal: 10.47





Serie 4:
 10.1 ↓ 8.5 ↙ 10.3 ↙ 10.8 * 9.3 ↖
 9.9 ↘ 9.2 ↓ 9.8 ↖ 8.6 ↙ 10.8 *
 beste Teiler 128.6 (34.) 138.5 (40.) 529.5 (33.)
 Trefferlage 3.21 mm links, 5.38 mm tief
 Streuwert 7.22, horizontal: 5.71, vertikal: 8.46


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (390.3)
 Serien: 96 92 92 92
 Zähler: 18 17 4 1 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2416 (32), 2234 (26), 1985 (17)
 beste Teiler 119.3 (8.) 140.7 (18.) 171.1 (2.)
 Trefferlage 0.21 mm links, 0.08 mm hoch
 Streuwert 8.00, horizontal: 6.93, vertikal: 8.94




Serie 1:
 10.0 → 10.7 * 9.9 ↖ 9.7 ↗ 10.5 *
 10.0 → 9.9 ↘ 10.8 * 10.3 ↖ 9.6 ↗
 beste Teiler 119.3 (8.) 171.1 (2.) 379.9 (5.)
 Trefferlage 2.85 mm rechts, 1.84 mm hoch
 Streuwert 4.57, horizontal: 5.41, vertikal: 3.54



Serie 2:
 8.8 ↗ 9.1 ↓ 9.1 ↖ 10.0 ↓ 9.4 ↓
 9.5 ↗ 8.5 ↑ 10.8 * 10.3 ↓ 10.5 *
 beste Teiler 140.7 (18.) 343.2 (20.) 521.1 (19.)
 Trefferlage 0.34 mm rechts, 1.31 mm tief
 Streuwert 9.17, horizontal: 7.21, vertikal: 10.77



Serie 3:
 9.1 ↑ 9.8 ↖ 10.7 * 10.1 ↖ 10.4 *
 8.2 ↖ 8.9 ↖ 9.8 ↖ 10.3 ↗ 9.8 ↖
 beste Teiler 215.0 (23.) 443.6 (25.) 541.6 (29.)
 Trefferlage 3.31 mm links, 2.68 mm hoch
 Streuwert 8.06, horizontal: 6.15, vertikal: 9.59





Serie 4:
 10.1 ↖ 7.9 ↓ 9.8 ↗ 9.0 ↘ 10.6 *
 9.2 ↖ 10.4 * 9.2 ↘ 10.6 * 9.0 ↖
 beste Teiler 301.8 (39.) 311.6 (35.) 413.5 (37.)
 Trefferlage 0.73 mm links, 2.86 mm tief
 Streuwert 9.23, horizontal: 8.21, vertikal: 10.15


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **341** (362.7)
 Serien: 88 81 84 88
 Zähler: 2 23 9 6 0 0 0 0 0 0
 Innenzehner: 0
 weiteste: 2855 (20), 2703 (15), 2646 (13)
 beste Teiler 476.7 (7.) 604.4 (25.) 823.4 (27.)
 Trefferlage 5.90 mm links, 4.98 mm hoch
 Streuwert 10.22, horizontal: 10.84, vertikal: 9.55




Serie 1:
 9.6 ↘ 9.7 ← 9.7 ← 8.8 ↗ 8.8 ←
 9.6 ↑ 10.4 → 8.4 ↘ 9.8 ↓ 9.3 ↑
 beste Teiler 476.7 (7.) 899.0 (9.) 967.1 (3.)
 Trefferlage 4.79 mm links, 2.79 mm hoch
 Streuwert 8.87, horizontal: 9.06, vertikal: 8.68



Serie 2:
 8.9 ← 9.2 ↗ 7.6 ↘ 9.0 ↖ 7.6 ↘
 8.5 ↘ 9.0 ↗ 9.0 ↓ 8.9 ↑ 7.4 ←
 beste Teiler 1424.2 (12.) 1537.9 (17.) 1541.1 (18.)
 Trefferlage 6.73 mm links, 3.77 mm hoch
 Streuwert 13.95, horizontal: 14.27, vertikal: 13.62



Serie 3:
 7.9 ↑ 8.9 ← 9.8 ↘ 7.8 ← 10.2 ↑
 9.9 ← 9.9 ↘ 7.7 ↘ 9.2 → 9.2 →
 beste Teiler 604.4 (25.) 823.4 (27.) 860.1 (26.)
 Trefferlage 6.27 mm links, 7.54 mm hoch
 Streuwert 10.18, horizontal: 12.58, vertikal: 7.01





Serie 4:
 9.7 ← 8.8 ← 9.4 ↗ 9.3 ↑ 9.9 ←
 9.3 ← 9.9 ← 9.2 ↘ 8.5 ↑ 9.0 ↗
 beste Teiler 824.1 (35.) 860.1 (37.) 1019.4 (31.)
 Trefferlage 5.82 mm links, 5.81 mm hoch
 Streuwert 8.18, horizontal: 7.95, vertikal: 8.41


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (373.6)
 Serien: 91 87 90 90
 Zähler: 9 22 7 2 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3138 (16), 2423 (36), 2367 (28)
 beste Teiler 162.6 (32.) 319.5 (35.) 324.4 (29.)
 Trefferlage 1.23 mm links, 4.69 mm tief
 Streuwert 9.71, horizontal: 10.86, vertikal: 8.40




Serie 1:
 9.0 ↓ 9.7 ↘ 8.7 ↑ 9.1 ↓ 9.0 ↘
 10.4 * 9.2 ↓ 10.5 * 9.9 ↙ 9.8 ←
 beste Teiler 367.7 (8.) 475.6 (6.) 878.6 (9.)
 Trefferlage 2.23 mm links, 1.65 mm tief
 Streuwert 8.97, horizontal: 6.28, vertikal: 11.02



Serie 2:
 9.1 ↓ 8.5 ← 10.1 ↓ 9.4 ↓ 9.9 →
 7.0 → 9.1 ↖ 9.3 ↗ 8.7 ↓ 9.7 ↘
 beste Teiler 678.9 (13.) 858.6 (15.) 984.0 (20.)
 Trefferlage 2.30 mm rechts, 4.69 mm tief
 Streuwert 11.56, horizontal: 14.12, vertikal: 8.22



Serie 3:
 9.3 → 10.0 → 9.7 ↓ 9.0 ↘ 8.1 ↖
 8.6 ↓ 10.1 → 8.0 ← 10.5 * 9.6 ↗
 beste Teiler 324.4 (29.) 654.5 (27.) 724.0 (22.)
 Trefferlage 0.24 mm rechts, 4.92 mm tief
 Streuwert 10.48, horizontal: 12.77, vertikal: 7.51





Serie 4:
 9.5 ← 10.7 * 9.4 ↘ 9.6 ↓ 10.6 *
 7.9 ← 10.1 ← 9.2 ↓ 8.3 ↓ 9.3 ↓
 beste Teiler 162.6 (32.) 319.5 (35.) 698.2 (37.)
 Trefferlage 5.24 mm links, 7.50 mm tief
 Streuwert 7.59, horizontal: 8.60, vertikal: 6.42


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **337** (351.7)
 Serien: 86 86 80 85
 Zähler: 7 17 9 4 1 1 0 1 0 0
 Innenzehner: 1
 weiteste: 6341 (23), 4583 (11), 3803 (7)
 beste Teiler 117.1 (14.) 526.0 (13.) 569.6 (18.)
 Trefferlage 2.18 mm rechts, 1.68 mm hoch
 Streuwert 14.73, horizontal: 15.04, vertikal: 14.41




Serie 1:
 9.3 ← 8.1 ↘ 10.1 → 9.0 → 10.1 ↗
 7.7 ↑ 6.2 ↑ 9.7 ← 9.5 ↘ 9.5 ↑
 beste Teiler 658.6 (5.) 685.2 (3.) 1020.0 (8.)
 Trefferlage 1.05 mm links, 10.74 mm hoch
 Streuwert 11.44, horizontal: 10.01, vertikal: 12.72



Serie 2:
 5.2 ↘ 9.5 ↓ 10.3 ↓ 10.8 * 9.8 ↘
 9.9 ↓ 8.3 ↘ 10.2 ↗ 7.9 ↘ 9.3 →
 beste Teiler 117.1 (14.) 526.0 (13.) 569.6 (18.)
 Trefferlage 5.67 mm rechts, 5.95 mm tief
 Streuwert 12.91, horizontal: 15.06, vertikal: 10.32



Serie 3:
 9.7 ↘ 8.0 ↗ 3.0 → 9.1 ↑ 9.2 ↘
 7.4 ↑ 10.1 ↗ 9.1 → 9.3 ↑ 7.2 ↘
 beste Teiler 686.0 (27.) 966.2 (21.) 1326.0 (29.)
 Trefferlage 5.68 mm rechts, 4.07 mm hoch
 Streuwert 19.34, horizontal: 21.47, vertikal: 16.94





Serie 4:
 9.2 ↗ 8.4 ↘ 8.4 ↘ 8.4 ↘ 8.9 ↘
 8.7 ↗ 8.5 ↘ 9.1 ↑ 9.5 ← 10.1 ←
 beste Teiler 664.6 (40.) 1173.0 (39.) 1378.8 (31.)
 Trefferlage 1.55 mm links, 2.13 mm tief
 Streuwert 12.33, horizontal: 11.75, vertikal: 12.87


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	366	(382.3)
Serien:	94 88 91 93	
Zähler:	12 22 6 0 0 0 0 0 0 0	
Innenzehner:	5	
weiteste:	2165 (29), 2127 (19), 2104 (14)	
beste Teiler	204.3 (26.) 336.2 (1.) 342.4 (9.)	
Trefferlage	1.66 mm links, 0.82 mm tief	
Streuwert	8.66, horizontal: 8.56, vertikal: 8.77	




Serie 1:	10.5 *	9.3 ↘	9.8 →	10.1 ↖	9.5 ↘
	10.0 ↑	9.4 ←	9.9 ↖	10.5 *	9.3 ↗
beste Teiler	336.2 (1.)	342.4 (9.)	688.3 (4.)		
Trefferlage	4.36 mm links, 3.98 mm hoch				
Streuwert	5.67, horizontal: 6.60, vertikal: 4.56				



Serie 2:	9.2 ↗	8.4 ←	9.7 ↑	8.3 ↙	9.7 ↘
	9.4 ↘	10.4 *	9.7 ←	8.3 ↘	9.4 ↙
beste Teiler	425.6 (17.)	977.9 (13.)	1001.5 (15.)		
Trefferlage	5.64 mm links, 0.33 mm hoch				
Streuwert	10.07, horizontal: 10.02, vertikal: 10.12				



Serie 3:	9.8 ↘	9.2 →	10.3 ↖	10.2 ↘	9.5 ↓
	10.7 *	9.1 ↘	9.5 ↓	8.2 ↓	8.8 →
beste Teiler	204.3 (26.)	557.7 (23.)	593.0 (24.)		
Trefferlage	3.59 mm rechts, 4.42 mm tief				
Streuwert	8.46, horizontal: 8.00, vertikal: 8.89				



Serie 4:	9.8 ↓	10.0 ↓	10.1 ↗	10.2 ↗	9.1 ↘
	8.9 ↙	9.3 ↘	9.1 ↓	9.3 →	10.4 *
beste Teiler	456.3 (40.)	577.4 (34.)	643.5 (33.)		
Trefferlage	0.23 mm links, 3.21 mm tief				
Streuwert	8.18, horizontal: 7.14, vertikal: 9.10				

Unterschrift des Schützen

Meyton Elektronik