





Ergebnis: **363** (383.5)
 Serien: 93 92 88 90
 Zähler: 11 22 6 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2468 (19), 2308 (21), 2038 (37)
 beste Teiler 118.1 (10.) 201.4 (34.) 258.3 (5.)
 Trefferlage 2.58 mm rechts, 0.61 mm tief
 Streuwert 8.52, horizontal: 9.13, vertikal: 7.87




Serie 1:
 9.8 ↓ 8.7 ↖ 9.4 ← 9.4 ↙ 10.6 *
 9.8 ↓ 9.5 ↘ 10.5 * 10.0 ↑ 10.8 *
 beste Teiler 118.1 (10.) 258.3 (5.) 388.1 (8.)
 Trefferlage 1.84 mm links, 1.09 mm tief
 Streuwert 7.34, horizontal: 6.72, vertikal: 7.92



Serie 2:
 9.5 ↘ 10.4 * 9.2 ↘ 10.0 ↑ 9.4 →
 9.0 ↘ 9.4 ↑ 10.0 ↙ 7.9 ↗ 10.5 *
 beste Teiler 326.6 (20.) 418.8 (12.) 749.3 (18.)
 Trefferlage 5.90 mm rechts, 0.28 mm hoch
 Streuwert 8.39, horizontal: 8.43, vertikal: 8.36



Serie 3:
 8.1 ↘ 8.9 → 9.9 ↖ 10.0 ↙ 9.6 ↙
 9.9 ↓ 8.9 → 10.3 → 8.6 ↗ 9.9 ↖
 beste Teiler 513.4 (28.) 758.8 (24.) 822.5 (23.)
 Trefferlage 4.29 mm rechts, 0.48 mm tief
 Streuwert 9.64, horizontal: 10.36, vertikal: 8.86





Serie 4:
 9.1 ↓ 9.9 ↙ 9.4 ← 10.7 * 9.8 ←
 9.2 → 8.4 ↗ 9.7 ↗ 9.5 → 9.9 ↙
 beste Teiler 201.4 (34.) 845.1 (40.) 869.3 (32.)
 Trefferlage 1.98 mm rechts, 1.17 mm tief
 Streuwert 8.83, horizontal: 9.99, vertikal: 7.49


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	375	(392.6)
Serien:	97	94 95 89
Zähler:	22	11 7 0 0 0 0 0 0 0
Innenzehner:	10	
weiteste:	2042 (36),	1862 (40), 1763 (38)
beste Teiler	175.7 (3.)	234.7 (22.) 310.4 (13.)
Trefferlage	2.49 mm links, 0.41 mm tief	
Streuwert	7.29, horizontal: 7.00, vertikal: 7.58	




Serie 1:	8.8 ↘	10.5 *	10.7 *	10.3 ↗	10.3 →
	10.3 ↑	10.3 ↓	10.2 ←	10.0 →	9.1 ↗
beste Teiler	175.7 (3.) 322.9 (2.) 481.0 (5.)				
Trefferlage	0.00 mm , 2.05 mm hoch				
Streuwert	6.23, horizontal: 6.94, vertikal: 5.42				



Serie 2:	9.3 ←	9.7 ↓	10.6 *	8.9 ↙	10.0 ↓
	10.1 ↑	8.8 ↑	10.5 *	10.5 *	10.1 ↑
beste Teiler	310.4 (13.) 331.0 (18.) 386.4 (19.)				
Trefferlage	3.54 mm links, 0.22 mm tief				
Streuwert	6.99, horizontal: 5.61, vertikal: 8.14				



Serie 3:	10.5 *	10.7 *	9.8 ↑	10.1 ↓	9.4 ↗
	9.6 ↑	9.5 ↘	9.1 ↙	10.6 *	10.4 *
beste Teiler	234.7 (22.) 315.9 (29.) 375.6 (21.)				
Trefferlage	2.36 mm links, 1.28 mm hoch				
Streuwert	6.43, horizontal: 5.06, vertikal: 7.56				





Serie 4:	10.1 ←	10.4 *	10.2 ↙	8.9 ↘	9.6 ↓
	8.4 ↓	9.4 ↙	8.7 ↙	9.6 →	8.6 ←
beste Teiler	441.4 (32.) 605.2 (33.) 700.3 (31.)				
Trefferlage	4.09 mm links, 4.77 mm tief				
Streuwert	8.97, horizontal: 9.80, vertikal: 8.06				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **356** (376.0)
 Serien: 91 91 86 88
 Zähler: 9 20 9 2 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2913 (30), 2590 (34), 1970 (24)
 beste Teiler 137.5 (20.) 324.0 (10.) 354.8 (32.)
 Trefferlage 1.34 mm rechts, 2.66 mm hoch
 Streuwert 9.65, horizontal: 9.27, vertikal: 10.01




Serie 1:
 9.9 ↘ 9.9 ↙ 9.3 ↗ 9.7 ↖ 8.6 ↗
 9.3 → 9.4 ← 9.1 ↗ 10.2 ↘ 10.5 *
 beste Teiler 324.0 (10.) 610.8 (9.) 804.0 (2.)
 Trefferlage 1.80 mm rechts, 3.10 mm hoch
 Streuwert 8.34, horizontal: 9.74, vertikal: 6.67



Serie 2:
 9.7 ↗ 9.7 ← 9.7 ↓ 9.0 ↘ 8.8 ↗
 9.7 ↘ 10.1 ↘ 9.0 ↗ 9.1 ↗ 10.8 *
 beste Teiler 137.5 (20.) 652.5 (17.) 963.4 (11.)
 Trefferlage 0.90 mm rechts, 4.66 mm hoch
 Streuwert 8.20, horizontal: 7.05, vertikal: 9.21



Serie 3:
 10.4 * 9.1 ↓ 8.9 → 8.5 ↓ 8.6 ↗
 8.7 ↑ 10.3 ↗ 9.7 ↖ 9.5 → 7.3 ↓
 beste Teiler 451.0 (21.) 554.1 (27.) 967.8 (28.)
 Trefferlage 0.54 mm links, 0.45 mm tief
 Streuwert 12.19, horizontal: 10.34, vertikal: 13.80





Serie 4:
 10.4 * 10.5 * 9.9 → 7.7 ↑ 8.6 ←
 10.2 ↘ 8.6 → 9.3 ↑ 9.5 ↖ 8.8 ↘
 beste Teiler 354.8 (32.) 428.1 (31.) 590.2 (36.)
 Trefferlage 3.20 mm rechts, 3.34 mm hoch
 Streuwert 10.28, horizontal: 10.64, vertikal: 9.91

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	359	(377.7)			
Serien:	95	90	85	89	
Zähler:	11	19	8	2	0 0 0 0 0 0
Innenzehner:	6				
weiteste:	2690 (38), 2484 (14), 2312 (30)				
beste Teiler	301.8 (9.) 393.8 (33.) 398.6 (7.)				
Trefferlage	2.28 mm rechts, 2.93 mm hoch				
Streuwert	9.40, horizontal: 9.21, vertikal: 9.58				




Serie 1:

10.2 ↗	9.1 ↑	10.2 ↘	9.8 →	10.0 →
9.7 ←	10.5 *	9.1 ↘	10.6 *	9.8 ↗
beste Teiler	301.8 (9.) 398.6 (7.) 585.5 (3.)			
Trefferlage	3.35 mm rechts, 1.83 mm hoch			
Streuwert	6.23, horizontal: 5.95, vertikal: 6.51			




Serie 2:

10.4 *	10.4 *	8.9 ↘	7.8 ↓	9.9 ↓
9.5 ←	9.0 →	8.1 ↑	10.1 ↗	10.4 *
beste Teiler	402.3 (20.) 431.7 (12.) 470.6 (11.)			
Trefferlage	2.43 mm rechts, 0.51 mm tief			
Streuwert	10.29, horizontal: 9.17, vertikal: 11.31			



Serie 3:

9.4 →	9.7 ↘	9.7 ↑	8.8 ↙	8.1 ↑
8.5 ↓	9.1 ↗	8.7 ↘	9.7 ↑	8.1 →
beste Teiler	996.4 (23.) 1009.6 (22.) 1010.9 (29.)			
Trefferlage	1.56 mm rechts, 5.76 mm hoch			
Streuwert	11.50, horizontal: 10.72, vertikal: 12.23			





Serie 4:


10.3 ↗	9.7 →	10.5 *	9.9 →	9.4 ↗
9.7 ↘	9.7 ↑	7.6 ↗	8.5 ↙	9.1 ↘
beste Teiler	393.8 (33.) 543.3 (31.) 845.0 (34.)			
Trefferlage	1.78 mm rechts, 4.66 mm hoch			
Streuwert	9.55, horizontal: 11.44, vertikal: 7.18			

Unterschrift des Schützen


Ergebnis: **357** (376.6)
 Serien: 92 90 87 88
 Zähler: 13 15 8 4 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2779 (29), 2743 (34), 2570 (36)
 beste Teiler 174.2 (10.) 296.3 (16.) 378.3 (1.)
 Trefferlage 0.30 mm links, 5.13 mm hoch
 Streuwert 9.30, horizontal: 9.70, vertikal: 8.88




Serie 1:
 10.5 * 9.7 ↑ 9.2 ↑ 10.0 ↘ 10.0 ↑
 9.8 ↙ 8.6 → 8.7 → 9.7 ↑ 10.7 *
 beste Teiler 174.2 (10.) 378.3 (1.) 732.4 (4.)
 Trefferlage 3.84 mm rechts, 6.09 mm hoch
 Streuwert 6.40, horizontal: 7.85, vertikal: 4.51



Serie 2:
 10.2 ↙ 10.0 → 9.7 ↑ 9.5 → 9.0 ↑
 10.6 * 8.9 → 7.8 ↓ 10.1 ↙ 8.7 ←
 beste Teiler 296.3 (16.) 567.4 (11.) 651.0 (19.)
 Trefferlage 0.54 mm links, 0.70 mm hoch
 Streuwert 10.10, horizontal: 10.11, vertikal: 10.09





Serie 3:
 9.5 ↑ 9.4 ↑ 8.8 ↑ 10.0 ↑ 10.0 ↑
 9.9 ↗ 9.9 ↗ 8.4 ↘ 7.5 → 8.8 ↓
 beste Teiler 732.9 (25.) 733.8 (24.) 829.5 (26.)
 Trefferlage 3.39 mm rechts, 6.78 mm hoch
 Streuwert 9.84, horizontal: 10.55, vertikal: 9.07




Serie 4:
 10.5 * 9.0 ↙ 10.4 * 7.5 ↘ 10.4 *
 7.7 ↘ 9.1 ↑ 8.8 ↙ 9.7 ↘ 9.9 ←
 beste Teiler 399.3 (31.) 422.8 (33.) 434.1 (35.)
 Trefferlage 7.89 mm links, 6.95 mm hoch
 Streuwert 8.44, horizontal: 5.85, vertikal: 10.40

Unterschrift des Schützen


Ergebnis: **338** (355.3)
 Serien: 87 88 81 82
 Zähler: 5 14 18 1 1 1 0 0 0 0
 Innenzehner: 3
 weiteste: 4460 (39), 3233 (23), 2775 (21)
 beste Teiler 284.9 (19.) 355.1 (34.) 360.5 (15.)
 Trefferlage 0.44 mm links, 0.08 mm tief
 Streuwert 13.15, horizontal: 13.53, vertikal: 12.76




Serie 1:
 8.3 ↗ 8.1 ↘ 9.7 ↖ 9.2 → 8.7 →
 9.8 ↘ 9.8 ↑ 10.1 ↓ 9.2 ← 8.5 ↑
 beste Teiler 642.0 (8.) 908.7 (6.) 912.2 (7.)
 Trefferlage 5.44 mm rechts, 2.53 mm hoch
 Streuwert 10.56, horizontal: 11.61, vertikal: 9.39



Serie 2:
 9.5 ↙ 10.0 ↑ 8.0 ↑ 8.5 ← 10.5 *
 8.2 ↘ 8.3 ↘ 8.4 ↓ 10.6 * 9.0 ←
 beste Teiler 284.9 (19.) 360.5 (15.) 759.4 (12.)
 Trefferlage 2.61 mm links, 0.16 mm hoch
 Streuwert 12.29, horizontal: 11.90, vertikal: 12.67





Serie 3:
 7.5 ↗ 9.7 ↖ 6.9 ↓ 8.9 ← 9.9 ↘
 9.3 ↖ 8.6 ↘ 8.6 ← 8.5 ← 9.2 ↘
 beste Teiler 835.9 (25.) 1026.5 (22.) 1288.4 (26.)
 Trefferlage 5.14 mm links, 4.07 mm tief
 Streuwert 13.48, horizontal: 13.56, vertikal: 13.40




Serie 4:
 8.5 ↘ 8.4 ← 8.4 ↗ 10.5 * 9.3 ↖
 9.5 ← 9.1 ↘ 8.1 ← 5.4 ↗ 8.6 ↘
 beste Teiler 355.1 (34.) 1184.9 (36.) 1339.5 (35.)
 Trefferlage 0.55 mm rechts, 1.04 mm hoch
 Streuwert 16.02, horizontal: 16.24, vertikal: 15.81

Unterschrift des Schützen


Ergebnis: **368** (387.7)
 Serien: 90 94 90 94
 Zähler: 12 24 4 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2079 (9), 1796 (24), 1796 (29)
 beste Teiler 156.6 (5.) 256.1 (17.) 290.8 (12.)
 Trefferlage 1.02 mm links, 0.57 mm hoch
 Streuwert 7.87, horizontal: 8.07, vertikal: 7.66




Serie 1:
 9.6 ↓ 9.4 → 10.1 → 9.6 ← 10.8 *
 9.0 ↙ 9.6 ↙ 8.7 ↑ 8.4 ← 9.6 ↑
 beste Teiler 156.6 (5.) 669.2 (3.) 1066.8 (1.)
 Trefferlage 2.35 mm links, 0.83 mm hoch
 Streuwert 9.47, horizontal: 10.53, vertikal: 8.26



Serie 2:
 10.1 ↖ 10.6 * 9.8 → 9.0 ← 10.5 *
 9.9 → 10.6 * 9.7 ↗ 9.5 ↘ 9.7 ↓
 beste Teiler 256.1 (17.) 290.8 (12.) 378.3 (15.)
 Trefferlage 0.55 mm links, 1.72 mm tief
 Streuwert 6.50, horizontal: 7.90, vertikal: 4.70



Serie 3:
 10.3 ↖ 9.9 ↗ 10.0 ↓ 8.7 ↓ 9.1 ↓
 9.3 ← 9.7 ↖ 9.4 ← 8.7 ↗ 9.9 ←
 beste Teiler 519.7 (21.) 800.4 (23.) 833.3 (30.)
 Trefferlage 2.40 mm links, 1.16 mm tief
 Streuwert 8.96, horizontal: 7.83, vertikal: 9.96





Serie 4:
 10.5 * 9.3 ↗ 9.4 ↖ 10.5 * 9.8 ↖
 9.4 ↑ 10.1 ↓ 10.1 ← 9.5 → 9.9 →
 beste Teiler 363.7 (34.) 371.0 (31.) 702.0 (38.)
 Trefferlage 1.22 mm rechts, 4.35 mm hoch
 Streuwert 6.22, horizontal: 6.14, vertikal: 6.30


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (397.0)
 Serien: 94 93 95 95
 Zähler: 23 11 6 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 2159 (2), 1986 (36), 1813 (23)
 beste Teiler 102.0 (1.) 115.7 (12.) 216.4 (29.)
 Trefferlage 0.02 mm links, 1.78 mm tief
 Streuwert 6.95, horizontal: 7.06, vertikal: 6.84




Serie 1:
 10.8 * 8.3 ↓ 10.2 ← 9.8 ↘ 8.9 →
 10.5 * 10.5 * 9.1 ↖ 10.1 ↓ 10.4 →
 beste Teiler 102.0 (1.) 379.6 (7.) 383.7 (6.)
 Trefferlage 0.74 mm rechts, 1.83 mm tief
 Streuwert 8.01, horizontal: 7.29, vertikal: 8.68



Serie 2:
 10.5 * 10.8 * 10.0 ↘ 10.5 * 9.8 ↓
 8.9 ↗ 10.5 * 8.9 ← 9.9 → 9.2 ↖
 beste Teiler 115.7 (12.) 351.1 (17.) 378.8 (14.)
 Trefferlage 1.43 mm links, 0.39 mm tief
 Streuwert 7.43, horizontal: 7.86, vertikal: 6.98



Serie 3:
 9.9 ↓ 9.2 ← 8.7 → 10.5 * 10.4 *
 9.7 → 10.3 ↖ 10.6 * 10.7 * 10.3 →
 beste Teiler 216.4 (29.) 279.7 (28.) 383.2 (24.)
 Trefferlage 1.29 mm rechts, 1.17 mm tief
 Streuwert 6.61, horizontal: 8.46, vertikal: 3.97





Serie 4:
 9.7 ↓ 10.1 ↖ 10.6 * 9.9 ↓ 10.1 ↑
 8.5 ↖ 9.8 ↓ 10.2 ↘ 10.0 ↗ 10.2 ↘
 beste Teiler 254.1 (33.) 593.2 (38.) 615.0 (40.)
 Trefferlage 0.71 mm links, 3.73 mm tief
 Streuwert 6.33, horizontal: 4.88, vertikal: 7.51


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **356** (373.7)
 Serien: 88 92 91 85
 Zähler: 11 17 9 3 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3152 (6), 2916 (32), 2486 (22)
 beste Teiler 336.4 (11.) 365.9 (17.) 380.5 (13.)
 Trefferlage 0.89 mm links, 4.38 mm tief
 Streuwert 9.92, horizontal: 8.86, vertikal: 10.88




Serie 1:
 9.4 ↗ 8.9 ↘ 9.1 ↖ 10.1 ↗ 9.7 ↘
 7.0 ← 10.4 * 9.8 ↗ 9.5 ↓ 8.2 ↘
 beste Teiler 409.0 (7.) 692.2 (4.) 897.2 (8.)
 Trefferlage 0.06 mm rechts, 1.04 mm tief
 Streuwert 11.76, horizontal: 12.50, vertikal: 10.97



Serie 2:
 10.5 * 9.8 ↗ 10.5 * 10.3 ↑ 8.7 ←
 9.2 ↓ 10.5 * 9.0 ↓ 8.9 ← 9.6 ↓
 beste Teiler 336.4 (11.) 365.9 (17.) 380.5 (13.)
 Trefferlage 2.50 mm links, 2.55 mm tief
 Streuwert 7.97, horizontal: 8.12, vertikal: 7.82



Serie 3:
 9.1 ↖ 7.8 ↓ 9.1 ↓ 9.5 ↗ 9.1 ↓
 10.1 ↘ 8.9 ↖ 10.3 ↓ 10.2 ↑ 10.0 ↘
 beste Teiler 555.6 (28.) 586.4 (29.) 658.7 (26.)
 Trefferlage 0.97 mm links, 7.85 mm tief
 Streuwert 8.21, horizontal: 6.52, vertikal: 9.60





Serie 4:
 9.8 ← 7.3 ↓ 9.7 ↓ 9.8 ↗ 9.9 ↓
 10.2 → 8.0 ↑ 8.9 ↓ 8.3 ↘ 8.6 ↓
 beste Teiler 605.9 (36.) 879.9 (35.) 922.6 (31.)
 Trefferlage 0.17 mm links, 6.10 mm tief
 Streuwert 11.78, horizontal: 8.43, vertikal: 14.36


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361** (380.4)
 Serien: 87 91 91 92
 Zähler: 10 22 7 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2445 (24), 2155 (18), 2057 (17)
 beste Teiler 209.8 (29.) 309.2 (12.) 360.7 (26.)
 Trefferlage 2.93 mm rechts, 0.26 mm tief
 Streuwert 8.95, horizontal: 8.30, vertikal: 9.55




Serie 1:
 9.3 → 8.6 ↗ 9.9 ↙ 9.7 ↓ 9.6 ↘
 9.2 ↑ 9.6 ↑ 9.5 ↘ 8.9 ↗ 8.5 ↓
 beste Teiler 868.5 (3.) 1013.2 (4.) 1092.6 (7.)
 Trefferlage 5.91 mm rechts, 0.92 mm tief
 Streuwert 9.44, horizontal: 8.05, vertikal: 10.65



Serie 2:
 9.8 ↙ 10.6 * 9.4 ← 9.8 → 10.4 *
 9.0 ↘ 8.4 ↑ 8.3 ↓ 9.2 → 10.4 *
 beste Teiler 309.2 (12.) 430.0 (15.) 443.7 (20.)
 Trefferlage 2.05 mm rechts, 2.83 mm tief
 Streuwert 9.40, horizontal: 7.50, vertikal: 10.97



Serie 3:
 9.1 ↑ 8.8 ↘ 9.1 ↓ 7.9 ↖ 9.9 ↓
 10.5 * 10.1 ↑ 9.3 ↘ 10.7 * 10.5 *
 beste Teiler 209.8 (29.) 360.7 (26.) 372.5 (30.)
 Trefferlage 0.66 mm rechts, 0.09 mm tief
 Streuwert 9.56, horizontal: 8.09, vertikal: 10.84





Serie 4:
 9.1 ↗ 9.5 ↖ 9.6 → 9.6 → 10.1 →
 9.9 ↖ 10.3 ↑ 10.1 ↖ 9.8 ↙ 8.4 ↘
 beste Teiler 529.9 (37.) 642.3 (38.) 663.8 (35.)
 Trefferlage 3.10 mm rechts, 2.79 mm hoch
 Streuwert 7.80, horizontal: 9.77, vertikal: 5.12


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **345** (364.0)
 Serien: 89 90 85 81
 Zähler: 9 17 8 4 1 0 1 0 0 0
 Innenzehner: 7
 weiteste: 5282 (40), 3837 (29), 2767 (34)
 beste Teiler 143.3 (21.) 289.9 (2.) 325.8 (19.)
 Trefferlage 2.85 mm rechts, 3.85 mm hoch
 Streuwert 12.26, horizontal: 12.16, vertikal: 12.36




Serie 1:
 10.5 * 10.6 * 9.4 ← 8.2 ↗ 8.8 ↙
 8.8 ↗ 9.0 ↑ 9.3 ↙ 9.8 ↑ 9.9 ←
 beste Teiler 289.9 (2.) 326.5 (1.) 857.6 (10.)
 Trefferlage 0.00 mm , 1.73 mm hoch
 Streuwert 9.90, horizontal: 10.32, vertikal: 9.46



Serie 2:
 10.2 ↖ 9.8 ↖ 9.0 ↗ 9.5 ↓ 7.8 ↑
 10.4 * 9.4 → 8.8 ↗ 10.5 * 9.4 ↓
 beste Teiler 325.8 (19.) 434.4 (16.) 584.7 (11.)
 Trefferlage 4.72 mm rechts, 3.02 mm hoch
 Streuwert 8.98, horizontal: 6.77, vertikal: 10.74





Serie 3:
 10.8 * 9.0 ↙ 9.0 ↗ 10.4 * 9.8 ↓
 7.6 ↑ 9.1 ↑ 8.9 ↑ 6.2 → 8.3 ↘
 beste Teiler 143.3 (21.) 443.4 (24.) 919.9 (25.)
 Trefferlage 5.96 mm rechts, 4.04 mm hoch
 Streuwert 13.29, horizontal: 14.32, vertikal: 12.18




Serie 4:
 8.8 → 9.8 → 8.8 ↖ 7.5 ↗ 10.4 *
 10.0 ↘ 9.2 ← 9.5 ← 7.5 ↙ 4.3 ↑
 beste Teiler 471.0 (35.) 745.3 (36.) 914.8 (32.)
 Trefferlage 0.72 mm rechts, 6.60 mm hoch
 Streuwert 16.55, horizontal: 15.94, vertikal: 17.15

Unterschrift des Schützen


Ergebnis: **365** (382.7)
 Serien: 91 88 95 91
 Zähler: 16 14 9 1 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2597 (18), 2372 (12), 2338 (15)
 beste Teiler 101.5 (22.) 262.5 (9.) 305.4 (4.)
 Trefferlage 1.10 mm links, 1.73 mm hoch
 Streuwert 9.15, horizontal: 8.65, vertikal: 9.62




Serie 1:
 9.0 ↓ 8.2 ← 9.6 ↑ 10.6 * 9.7 ↗
 10.2 ↑ 10.4 * 8.5 ↑ 10.6 * 8.9 →
 beste Teiler 262.5 (9.) 305.4 (4.) 428.0 (7.)
 Trefferlage 0.98 mm rechts, 2.55 mm hoch
 Streuwert 9.46, horizontal: 9.48, vertikal: 9.43



Serie 2:
 10.4 * 8.0 ↑ 9.8 ↑ 9.7 ↙ 8.0 ↙
 10.4 * 10.0 ↗ 7.7 ↑ 9.9 ← 8.3 ←
 beste Teiler 445.1 (16.) 465.9 (11.) 786.7 (17.)
 Trefferlage 3.92 mm links, 2.90 mm hoch
 Streuwert 11.51, horizontal: 9.05, vertikal: 13.54



Serie 3:
 9.5 ↙ 10.8 * 9.5 ↙ 9.5 ↓ 10.2 ↙
 10.2 ↘ 10.4 * 10.1 ↙ 8.9 ↘ 10.3 ↓
 beste Teiler 101.5 (22.) 457.9 (27.) 512.1 (30.)
 Trefferlage 4.72 mm links, 2.38 mm tief
 Streuwert 5.53, horizontal: 4.41, vertikal: 6.45





Serie 4:
 10.4 * 8.6 ↙ 9.3 → 9.0 ↗ 9.9 ↘
 9.2 ↑ 9.7 ↘ 10.4 * 10.4 * 8.5 →
 beste Teiler 413.2 (38.) 438.4 (39.) 457.1 (31.)
 Trefferlage 3.23 mm rechts, 3.86 mm hoch
 Streuwert 8.51, horizontal: 9.17, vertikal: 7.80


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	356	(372.3)
Serien:	92 88 86 90	
Zähler:	11 16 11 2 0 0 0 0 0 0	
Innenzehner:	3	
weiteste:	2477 (2), 2477 (27), 2368 (28)	
beste Teiler	358.1 (5.) 414.0 (12.) 436.6 (35.)	
Trefferlage	1.48 mm links, 1.11 mm hoch	
Streuwert	10.34, horizontal: 8.82, vertikal: 11.66	




Serie 1:	10.1 ↗	7.9 ↖	10.0 ↘	9.2 ↙	10.5 *
	9.8 ↙	9.6 ↖	9.3 ↑	9.3 ↖	10.3 ↙
beste Teiler	358.1 (5.)	525.0 (10.)	692.2 (1.)		
Trefferlage	5.19 mm links, 6.01 mm hoch				
Streuwert	6.86, horizontal: 4.51, vertikal: 8.59				



Serie 2:	9.0 →	10.4 *	8.8 ↑	10.2 ↘	9.5 ↖
	8.3 ↘	9.2 ↘	8.9 ↗	8.0 ↗	9.7 ←
beste Teiler	414.0 (12.)	606.0 (14.)	1033.9 (20.)		
Trefferlage	4.35 mm rechts, 3.32 mm hoch				
Streuwert	10.54, horizontal: 10.15, vertikal: 10.91				





Serie 3:	10.2 ↘	8.2 ↖	9.4 ↘	8.6 ↘	10.2 ↘
	8.6 ↙	7.9 ↖	8.0 ↗	9.1 ↖	9.4 ↓
beste Teiler	571.1 (21.)	610.0 (25.)	1270.9 (23.)		
Trefferlage	0.81 mm links, 0.51 mm hoch				
Streuwert	12.83, horizontal: 10.59, vertikal: 14.74				




Serie 4:	10.2 ↘	8.8 ↓	9.5 ←	10.2 ↘	10.4 *
	8.5 ↙	9.4 ↓	9.9 ↓	8.4 ↓	9.4 ↖
beste Teiler	436.6 (35.)	579.3 (34.)	585.1 (31.)		
Trefferlage	4.26 mm links, 5.41 mm tief				
Streuwert	8.31, horizontal: 6.27, vertikal: 9.95				

Unterschrift des Schützen


Ergebnis: **361** (379.2)
 Serien: 89 88 94 90
 Zähler: 14 15 9 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2814 (33), 2431 (10), 2210 (19)
 beste Teiler 306.5 (34.) 338.1 (23.) 379.4 (15.)
 Trefferlage 0.05 mm rechts, 0.19 mm hoch
 Streuwert 9.59, horizontal: 9.67, vertikal: 9.51




Serie 1:
 9.8 → 10.2 ↑ 9.5 ↖ 9.5 ↘ 9.6 ←
 10.3 ↗ 8.3 ↙ 8.4 ↘ 10.2 ↘ 7.9 →
 beste Teiler 514.6 (6.) 586.3 (9.) 634.9 (2.)
 Trefferlage 1.35 mm links, 0.34 mm hoch
 Streuwert 10.57, horizontal: 12.28, vertikal: 8.53



Serie 2:
 8.9 ↘ 9.9 ↗ 10.1 ↘ 9.1 ↑ 10.5 *
 8.9 ↑ 10.3 ← 8.6 ↓ 8.2 → 8.8 →
 beste Teiler 379.4 (15.) 537.5 (17.) 691.8 (13.)
 Trefferlage 5.88 mm rechts, 1.60 mm hoch
 Streuwert 9.74, horizontal: 8.20, vertikal: 11.08





Serie 3:
 9.3 ↙ 9.0 ↑ 10.5 * 9.5 ↘ 10.1 ↘
 8.9 ↙ 10.1 ← 9.8 ↘ 10.3 → 10.2 ←
 beste Teiler 338.1 (23.) 530.0 (29.) 625.8 (30.)
 Trefferlage 3.40 mm links, 0.46 mm tief
 Streuwert 7.40, horizontal: 7.31, vertikal: 7.49




Serie 4:
 9.4 → 9.6 → 7.4 ↘ 10.6 * 9.9 ←
 10.4 * 8.8 ↑ 9.2 ↘ 10.2 ↘ 9.0 ↘
 beste Teiler 306.5 (34.) 474.2 (36.) 602.9 (39.)
 Trefferlage 0.89 mm links, 0.70 mm tief
 Streuwert 10.39, horizontal: 8.90, vertikal: 11.68

Unterschrift des Schützen


Ergebnis: **370** (389.8)
 Serien: 93 92 93 92
 Zähler: 14 22 4 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2038 (15), 1869 (21), 1745 (38)
 beste Teiler 129.1 (11.) 199.0 (13.) 232.1 (6.)
 Trefferlage 0.78 mm rechts, 0.91 mm tief
 Streuwert 7.57, horizontal: 8.26, vertikal: 6.82




Serie 1:
 10.6 * 10.2 ↓ 9.8 ↑ 9.9 ↙ 8.9 →
 10.7 * 9.7 ↙ 9.5 ← 9.5 ↘ 10.0 →
 beste Teiler 232.1 (6.) 319.3 (1.) 589.9 (2.)
 Trefferlage 0.89 mm rechts, 1.41 mm tief
 Streuwert 6.91, horizontal: 8.38, vertikal: 5.03



Serie 2:
 10.8 * 9.8 ↖ 10.7 * 9.7 → 8.4 ↘
 9.3 ↘ 10.2 → 9.1 ↘ 9.5 ↓ 9.8 ↖
 beste Teiler 129.1 (11.) 199.0 (13.) 589.1 (17.)
 Trefferlage 3.89 mm rechts, 1.88 mm tief
 Streuwert 7.76, horizontal: 8.35, vertikal: 7.12



Serie 3:
 8.6 ↖ 9.8 ↖ 10.5 * 9.0 ↙ 9.6 ←
 10.0 ↓ 10.5 * 9.5 → 9.5 ↘ 10.1 ↖
 beste Teiler 321.0 (23.) 327.9 (27.) 641.1 (30.)
 Trefferlage 0.88 mm links, 0.27 mm hoch
 Streuwert 8.02, horizontal: 7.64, vertikal: 8.39





Serie 4:
 9.6 ← 9.9 → 9.7 ↘ 9.4 ↓ 10.0 ↖
 10.2 ↗ 10.3 ↑ 8.8 ← 9.7 ↙ 9.0 ↗
 beste Teiler 484.7 (37.) 587.4 (36.) 729.6 (35.)
 Trefferlage 0.78 mm links, 0.61 mm tief
 Streuwert 8.15, horizontal: 8.98, vertikal: 7.22


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (392.0)
 Serien: 96 89 93 95
 Zähler: 15 24 0 1 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2740 (12), 1508 (39), 1490 (36)
 beste Teiler 256.9 (38.) 260.6 (27.) 273.2 (2.)
 Trefferlage 0.40 mm links, 1.79 mm tief
 Streuwert 7.33, horizontal: 8.38, vertikal: 6.11




Serie 1:
 9.9 ↓ 10.6 * 10.4 * 10.0 ↘ 10.4 *
 10.0 ← 9.6 ↙ 9.6 ← 9.6 ↗ 10.3 ↖
 beste Teiler 273.2 (2.) 427.0 (5.) 440.6 (3.)
 Trefferlage 1.48 mm links, 1.26 mm tief
 Streuwert 5.66, horizontal: 5.98, vertikal: 5.33



Serie 2:
 9.4 ↘ 7.5 ← 9.3 ↘ 9.8 ↖ 10.5 *
 9.8 ← 9.9 ← 9.3 → 9.9 ↗ 9.7 ↘
 beste Teiler 383.4 (15.) 841.4 (17.) 873.6 (19.)
 Trefferlage 0.08 mm links, 0.66 mm tief
 Streuwert 9.65, horizontal: 12.39, vertikal: 5.74



Serie 3:
 10.4 ↓ 9.4 ↓ 9.6 ↓ 9.9 ↑ 9.2 ↗
 10.4 * 10.6 * 9.7 ↘ 9.5 ↖ 9.3 ←
 beste Teiler 260.6 (27.) 469.4 (26.) 478.2 (21.)
 Trefferlage 0.10 mm rechts, 1.24 mm tief
 Streuwert 7.43, horizontal: 6.81, vertikal: 8.01





Serie 4:
 9.1 ↘ 10.4 * 10.6 * 9.8 ↘ 10.1 ↙
 9.1 ↙ 9.4 → 10.6 * 9.1 ← 10.3 ←
 beste Teiler 256.9 (38.) 306.0 (33.) 471.3 (32.)
 Trefferlage 0.17 mm links, 4.01 mm tief
 Streuwert 6.92, horizontal: 8.17, vertikal: 5.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **356** (375.9)
 Serien: 89 89 90 88
 Zähler: 11 17 9 3 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2639 (32), 2582 (40), 2494 (27)
 beste Teiler 250.1 (31.) 407.8 (30.) 468.2 (29.)
 Trefferlage 1.95 mm rechts, 1.56 mm hoch
 Streuwert 9.75, horizontal: 9.03, vertikal: 10.42




Serie 1:
 8.8 ↙ 9.8 ↑ 9.2 ↘ 9.1 ↙ 8.5 ↗
 9.2 ↗ 10.2 ↓ 9.9 ↘ 9.4 ↗ 9.9 ↙
 beste Teiler 578.4 (7.) 825.3 (8.) 857.8 (10.)
 Trefferlage 1.54 mm links, 2.72 mm hoch
 Streuwert 9.47, horizontal: 9.60, vertikal: 9.34



Serie 2:
 9.7 → 10.0 → 9.9 ↑ 8.9 ↗ 9.7 ↓
 8.4 ↘ 10.0 ↙ 9.4 ↑ 9.9 ↖ 8.4 ↙
 beste Teiler 736.9 (17.) 773.1 (12.) 814.7 (13.)
 Trefferlage 1.74 mm rechts, 0.58 mm tief
 Streuwert 9.62, horizontal: 6.70, vertikal: 11.84



Serie 3:
 9.3 ↙ 9.9 ↘ 10.0 ↘ 9.5 ↓ 9.6 ↘
 8.5 ↘ 7.8 ↑ 9.5 → 10.4 * 10.4 *
 beste Teiler 407.8 (30.) 468.2 (29.) 726.9 (23.)
 Trefferlage 4.06 mm rechts, 1.66 mm tief
 Streuwert 9.30, horizontal: 7.56, vertikal: 10.77





Serie 4:
 10.6 * 7.7 → 10.0 ↘ 10.3 ↑ 8.6 →
 8.6 ↑ 8.9 ↘ 10.3 ← 10.0 ↓ 7.7 ↑
 beste Teiler 250.1 (31.) 505.1 (34.) 530.1 (38.)
 Trefferlage 3.56 mm rechts, 5.77 mm hoch
 Streuwert 10.66, horizontal: 11.74, vertikal: 9.45

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: **358** (377.7)
 Serien: 90 86 92 90
 Zähler: 9 21 9 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2947 (20), 2359 (17), 2196 (10)
 beste Teiler 306.1 (32.) 378.6 (28.) 407.3 (30.)
 Trefferlage 0.97 mm links, 0.68 mm hoch
 Streuwert 9.61, horizontal: 10.35, vertikal: 8.81




Serie 1:
 9.7 ← 9.5 ↘ 9.8 ↙ 9.4 ↗ 9.7 ↓
 9.7 → 9.8 ↓ 9.4 ↑ 10.3 → 8.2 ↖

beste Teiler 550.0 (9.) 916.7 (7.) 937.9 (3.)
 Trefferlage 1.25 mm links, 2.76 mm hoch
 Streuwert 8.66, horizontal: 8.03, vertikal: 9.25




Serie 2:
 10.4 * 9.5 → 9.7 ↗ 9.2 → 8.5 ↗
 9.4 ↓ 8.0 ↖ 8.8 ↙ 9.5 ↘ 7.3 →

beste Teiler 463.0 (11.) 992.3 (13.) 1139.2 (19.)
 Trefferlage 2.97 mm rechts, 3.19 mm hoch
 Streuwert 12.18, horizontal: 14.65, vertikal: 9.06



Serie 3:
 9.4 → 8.4 ← 10.1 ↗ 8.6 ↓ 10.0 ←
 9.7 ↙ 9.3 ↓ 10.5 * 9.9 ↖ 10.4 *

beste Teiler 378.6 (28.) 407.3 (30.) 689.5 (23.)
 Trefferlage 3.79 mm links, 3.67 mm tief
 Streuwert 7.98, horizontal: 8.80, vertikal: 7.07





Serie 4:
 10.2 ↙ 10.6 * 8.5 → 10.2 ↑ 9.7 ←
 8.9 ↑ 9.6 ↓ 9.4 ↑ 8.6 ↙ 9.9 ↖

beste Teiler 306.1 (32.) 595.6 (34.) 602.4 (31.)
 Trefferlage 1.83 mm links, 0.43 mm hoch
 Streuwert 9.13, horizontal: 8.99, vertikal: 9.27


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **355** (372.3)
 Serien: 89 87 91 88
 Zähler: 6 23 11 0 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2266 (31), 2240 (30), 2117 (38)
 beste Teiler 380.1 (24.) 429.4 (17.) 642.5 (4.)
 Trefferlage 5.63 mm links, 2.38 mm hoch
 Streuwert 9.08, horizontal: 8.66, vertikal: 9.48




Serie 1:
 8.4 ↘ 8.8 ↘ 9.8 ↑ 10.1 → 9.3 ↘
 9.0 ↘ 9.2 ↘ 9.9 ↘ 9.5 ↑ 9.1 ↘
 beste Teiler 642.5 (4.) 827.3 (8.) 904.7 (3.)
 Trefferlage 7.31 mm links, 9.27 mm hoch
 Streuwert 5.24, horizontal: 6.81, vertikal: 2.90



Serie 2:
 9.0 ↑ 9.4 ← 8.4 ← 8.4 ↓ 8.4 ↑
 9.6 ↙ 10.4 * 9.5 ↘ 8.9 ↘ 9.9 ←
 beste Teiler 429.4 (17.) 802.8 (20.) 1056.6 (16.)
 Trefferlage 6.15 mm links, 1.78 mm tief
 Streuwert 10.04, horizontal: 7.54, vertikal: 12.03



Serie 3:
 9.9 ↙ 9.4 ↘ 9.4 ↙ 10.5 * 9.9 →
 9.9 ↓ 9.0 → 9.9 ↓ 10.1 ↙ 8.2 ↑
 beste Teiler 380.1 (24.) 645.6 (29.) 831.0 (25.)
 Trefferlage 1.89 mm links, 1.59 mm tief
 Streuwert 8.58, horizontal: 8.27, vertikal: 8.88





Serie 4:
 8.1 ← 8.7 → 8.9 ↑ 9.4 ↘ 10.1 →
 9.0 ↘ 9.1 ↙ 8.3 ← 10.0 ↘ 9.5 ↘
 beste Teiler 714.2 (35.) 797.6 (39.) 1155.1 (40.)
 Trefferlage 7.15 mm links, 3.62 mm hoch
 Streuwert 9.94, horizontal: 11.47, vertikal: 8.12


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (385.0)
 Serien: 95 93 89 90
 Zähler: 14 20 5 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2956 (24), 2327 (26), 2313 (1)
 beste Teiler 217.0 (36.) 239.1 (4.) 275.4 (33.)
 Trefferlage 1.94 mm rechts, 0.39 mm hoch
 Streuwert 8.62, horizontal: 8.63, vertikal: 8.62




Serie 1:
 8.1 ↙ 10.0 ↓ 9.2 ↘ 10.7 * 9.1 →
 10.2 → 10.3 → 9.5 → 10.4 * 10.0 ←
 beste Teiler 239.1 (4.) 464.1 (9.) 533.2 (7.)
 Trefferlage 0.02 mm rechts, 1.19 mm tief
 Streuwert 8.44, horizontal: 9.14, vertikal: 7.69



Serie 2:
 9.9 ↘ 9.7 ↓ 10.4 * 10.3 ↓ 9.8 ↓
 9.4 ↑ 9.9 ↙ 9.2 ↙ 10.0 → 9.7 ↘
 beste Teiler 448.2 (13.) 528.3 (14.) 748.2 (19.)
 Trefferlage 1.58 mm links, 3.40 mm tief
 Streuwert 6.37, horizontal: 4.54, vertikal: 7.77



Serie 3:
 9.5 ↗ 10.4 * 10.3 ↓ 7.3 ↗ 9.3 →
 8.0 → 9.5 ↘ 9.8 ↑ 9.9 ↑ 9.8 ↑
 beste Teiler 464.3 (22.) 531.6 (23.) 826.0 (29.)
 Trefferlage 6.91 mm rechts, 5.85 mm hoch
 Streuwert 8.51, horizontal: 8.65, vertikal: 8.37





Serie 4:
 10.0 ↙ 8.3 → 10.6 * 9.5 ↘ 9.6 ↘
 10.7 * 8.4 ↗ 9.9 → 8.9 ↓ 9.5 ←
 beste Teiler 217.0 (36.) 275.4 (33.) 798.9 (31.)
 Trefferlage 2.42 mm rechts, 0.33 mm hoch
 Streuwert 9.44, horizontal: 9.90, vertikal: 8.96


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **350** (368.3)
 Serien: 85 90 91 84
 Zähler: 8 19 8 5 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3200 (31), 3166 (34), 3055 (20)
 beste Teiler 247.9 (17.) 307.0 (28.) 328.8 (16.)
 Trefferlage 4.57 mm links, 0.47 mm hoch
 Streuwert 10.91, horizontal: 8.57, vertikal: 12.83




Serie 1:
 10.3 ↘ 9.8 ↖ 9.1 ↑ 9.5 ↙ 8.4 ↑
 8.0 ↓ 8.5 ← 7.9 ↓ 8.6 ↖ 9.6 ↓
 beste Teiler 540.3 (1.) 937.5 (2.) 1070.5 (10.)
 Trefferlage 6.95 mm links, 1.20 mm tief
 Streuwert 11.51, horizontal: 7.21, vertikal: 14.59



Serie 2:
 9.2 ↘ 9.5 ↖ 9.7 ← 9.3 ↘ 9.6 ↑
 10.5 * 10.6 * 9.9 ↓ 9.5 ← 7.1 ↖
 beste Teiler 247.9 (17.) 328.8 (16.) 871.8 (18.)
 Trefferlage 3.98 mm links, 3.34 mm hoch
 Streuwert 9.51, horizontal: 6.84, vertikal: 11.59



Serie 3:
 10.0 → 9.5 ↘ 9.5 ↓ 7.9 ← 10.3 ↗
 9.7 → 8.3 ↑ 10.6 * 10.1 ← 9.9 ↘
 beste Teiler 307.0 (28.) 527.1 (25.) 709.1 (29.)
 Trefferlage 1.70 mm links, 0.68 mm hoch
 Streuwert 9.40, horizontal: 10.27, vertikal: 8.43





Serie 4:
 7.0 ↗ 9.8 ↘ 9.1 ↑ 7.0 ↓ 8.7 ↓
 8.2 ← 10.2 ↘ 8.9 ↓ 9.8 ↖ 9.2 ↘
 beste Teiler 571.3 (37.) 893.2 (32.) 947.5 (39.)
 Trefferlage 5.66 mm links, 0.92 mm tief
 Streuwert 13.73, horizontal: 9.84, vertikal: 16.74


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (373.0)
 Serien: 86 89 93 89
 Zähler: 11 19 7 2 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3694 (7), 2899 (6), 2576 (38)
 beste Teiler 168.1 (1.) 174.3 (13.) 308.3 (24.)
 Trefferlage 2.25 mm rechts, 3.06 mm tief
 Streuwert 10.47, horizontal: 11.55, vertikal: 9.27




Serie 1:
 10.7 * 9.4 ↘ 8.4 ↓ 10.1 ← 9.3 ↓
 7.3 ↓ 6.3 → 9.0 ← 8.1 → 10.3 ↖
 beste Teiler 168.1 (1.) 481.7 (10.) 673.5 (4.)
 Trefferlage 5.26 mm rechts, 5.88 mm tief
 Streuwert 13.30, horizontal: 15.05, vertikal: 11.28



Serie 2:
 9.4 ↘ 8.6 ↓ 10.7 * 9.8 ← 9.5 ↗
 9.6 ↙ 9.8 ↗ 8.3 ↗ 9.1 → 9.3 ↗
 beste Teiler 174.3 (13.) 915.0 (14.) 946.8 (17.)
 Trefferlage 5.10 mm rechts, 0.00 mm
 Streuwert 9.11, horizontal: 7.98, vertikal: 10.11



Serie 3:
 9.5 ↘ 9.0 ↓ 8.3 ↙ 10.6 * 10.0 ↗
 9.9 ↓ 9.9 ← 10.3 ↘ 9.0 ← 10.4 *
 beste Teiler 308.3 (24.) 447.0 (30.) 526.4 (28.)
 Trefferlage 4.44 mm links, 3.55 mm tief
 Streuwert 7.45, horizontal: 7.70, vertikal: 7.20





Serie 4:
 9.7 ↗ 9.5 ↑ 9.1 ↘ 9.4 ↓ 10.3 ↙
 10.2 ↙ 10.5 * 7.7 → 8.4 ↙ 8.3 →
 beste Teiler 392.4 (37.) 530.8 (35.) 565.6 (36.)
 Trefferlage 3.09 mm rechts, 2.82 mm tief
 Streuwert 10.72, horizontal: 12.60, vertikal: 8.43


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **351** (365.0)
 Serien: 86 90 86 89
 Zähler: 10 18 8 2 1 1 0 0 0 0
 Innenzehner: 6
 weiteste: 4655 (21), 3262 (3), 3050 (20)
 beste Teiler 263.1 (10.) 298.6 (35.) 326.3 (6.)
 Trefferlage 1.20 mm rechts, 3.46 mm hoch
 Streuwert 11.91, horizontal: 13.04, vertikal: 10.67




Serie 1:
 9.4 ↘ 7.7 ↗ 6.9 → 9.9 ↘ 8.4 ↖
 10.5 * 9.3 ← 9.0 → 9.0 ↘ 10.6 *
 beste Teiler 263.1 (10.) 326.3 (6.) 824.2 (4.)
 Trefferlage 3.93 mm rechts, 4.18 mm hoch
 Streuwert 12.42, horizontal: 14.63, vertikal: 9.72



Serie 2:
 9.7 ↗ 10.0 ← 10.1 ↑ 9.0 ↙ 9.4 ↘
 10.5 * 9.0 ↑ 9.9 → 8.5 ↓ 7.1 ↗
 beste Teiler 394.5 (16.) 667.3 (13.) 777.4 (12.)
 Trefferlage 0.65 mm rechts, 3.44 mm hoch
 Streuwert 10.87, horizontal: 9.25, vertikal: 12.29



Serie 3:
 5.1 ↙ 10.5 * 9.0 ↘ 9.0 → 8.7 ↘
 8.5 ↘ 9.4 ↘ 8.6 ↑ 10.0 ↙ 10.4 *
 beste Teiler 370.8 (22.) 412.1 (30.) 731.2 (29.)
 Trefferlage 3.44 mm links, 2.73 mm hoch
 Streuwert 14.43, horizontal: 16.40, vertikal: 12.15





Serie 4:
 8.4 ↘ 9.4 → 8.2 → 9.0 ↑ 10.6 *
 9.5 → 9.1 ← 10.1 ↖ 9.1 ↓ 8.5 ↑
 beste Teiler 298.6 (35.) 695.5 (38.) 1162.8 (36.)
 Trefferlage 3.65 mm rechts, 3.49 mm hoch
 Streuwert 10.67, horizontal: 11.33, vertikal: 9.97


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **352** (369.7)
 Serien: 88 87 89 88
 Zähler: 9 19 8 3 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3330 (39), 3073 (25), 2689 (4)
 beste Teiler 226.3 (38.) 310.7 (9.) 366.0 (27.)
 Trefferlage 3.34 mm links, 4.15 mm tief
 Streuwert 10.40, horizontal: 10.91, vertikal: 9.86




Serie 1:
 8.3 ← 10.2 ↓ 9.9 ↓ 7.6 ← 8.8 →
 9.3 ← 9.6 ← 10.1 ← 10.6 * 8.8 ↓
 beste Teiler 310.7 (9.) 617.3 (2.) 689.4 (8.)
 Trefferlage 6.47 mm links, 4.07 mm tief
 Streuwert 9.46, horizontal: 11.64, vertikal: 6.59



Serie 2:
 7.9 ↓ 9.3 ↓ 8.8 ↑ 9.1 ↓ 8.7 ←
 9.1 ↓ 10.1 → 8.4 ↘ 9.7 ↑ 10.3 ↘
 beste Teiler 546.3 (20.) 641.3 (17.) 965.9 (19.)
 Trefferlage 0.19 mm links, 5.36 mm tief
 Streuwert 10.93, horizontal: 7.99, vertikal: 13.22



Serie 3:
 9.7 ← 9.8 ↗ 9.1 ← 8.7 ↓ 7.1 →
 9.0 ↑ 10.5 * 9.4 ← 10.4 * 9.1 ↓
 beste Teiler 366.0 (27.) 442.7 (29.) 900.3 (22.)
 Trefferlage 0.54 mm links, 2.05 mm tief
 Streuwert 11.23, horizontal: 12.72, vertikal: 9.50



Serie 4:
 9.0 ↗ 9.7 ↓ 9.0 ← 9.7 ← 9.9 ↑
 9.0 ← 8.2 ← 10.7 * 6.8 ← 10.3 ↘
 beste Teiler 226.3 (38.) 485.0 (40.) 816.3 (35.)
 Trefferlage 6.16 mm links, 5.11 mm tief
 Streuwert 10.50, horizontal: 10.74, vertikal: 10.25

Unterschrift des Schützen

Meyton Elektronik