





Ergebnis:	380	(398.7)
Serien:	93 95 96 96	
Zähler:	21 18 1 0 0 0 0 0 0 0	
Innenzehner:	12	
weiteste:	1715 (5), 1385 (11), 1379 (38)	
beste Teiler	203.7 (23.) 291.5 (1.) 293.0 (25.)	
Trefferlage	0.60 mm links, 3.60 mm hoch	
Streuwert	5.65, horizontal: 6.23, vertikal: 5.00	




Serie 1:	10.6 *	10.4 *	9.3 ←	9.9 ←	8.8 ↗
	9.7 ↗	10.5 *	9.4 ←	9.7 ↑	10.0 ↘
beste Teiler	291.5 (1.)	323.1 (7.)	458.9 (2.)		
Trefferlage	1.95 mm links, 4.05 mm hoch				
Streuwert	6.75, horizontal: 8.47, vertikal: 4.40				



Serie 2:	9.2 ↘	9.9 ↑	10.5 *	10.4 *	9.3 →
	10.1 ↙	9.5 ↑	9.8 ↗	10.1 ↓	10.5 *
beste Teiler	384.0 (13.)	386.4 (20.)	469.5 (14.)		
Trefferlage	1.35 mm rechts, 3.00 mm hoch				
Streuwert	6.26, horizontal: 6.12, vertikal: 6.39				



Serie 3:	9.7 ←	10.5 *	10.7 *	9.9 ↑	10.6 *
	10.4 *	10.0 →	9.7 ↗	9.9 ←	10.4 *
beste Teiler	203.7 (23.)	293.0 (25.)	354.0 (22.)		
Trefferlage	0.03 mm links, 3.21 mm hoch				
Streuwert	4.43, horizontal: 5.39, vertikal: 3.18				





Serie 4:	10.1 ↑	9.8 ↘	10.0 ↙	10.1 ↑	10.4 *
	9.5 ↗	10.2 ↘	9.2 ↘	9.9 ↘	10.1 ↙
beste Teiler	436.5 (35.)	564.7 (37.)	653.0 (34.)		
Trefferlage	1.79 mm links, 4.14 mm hoch				
Streuwert	5.40, horizontal: 4.66, vertikal: 6.06				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	385	(402.2)
Serien:	97	96 95 97
Zähler:	26	13 1 0 0 0 0 0 0 0
Innenzehner:	16	
weiteste:	1714	(11), 1405 (29), 1264 (12)
beste Teiler	106.5	(35.) 229.4 (9.) 291.0 (19.)
Trefferlage	2.12 mm	rechts, 0.23 mm tief
Streuwert	5.56,	horizontal: 5.46, vertikal: 5.67




Serie 1:	10.4 *	9.7 ↘	10.6 *	10.4 *	9.9 →
	9.8 ↘	10.3 *	10.3 *	10.7 *	10.1 ↘
beste Teiler	229.4	(9.) 318.1 (3.)	448.0 (4.)		
Trefferlage	1.46 mm	rechts, 3.62 mm	tief		
Streuwert	3.80,	horizontal: 4.05, vertikal: 3.53			



Serie 2:	8.8 ↑	9.4 ↘	10.2 ↗	10.0 ↘	10.3 *
	10.1 ↘	9.7 ↖	10.1 ↑	10.6 *	10.1 ←
beste Teiler	291.0	(19.) 488.4 (15.)	622.7 (13.)		
Trefferlage	1.54 mm	links, 2.68 mm	hoch		
Streuwert	6.40,	horizontal: 5.49, vertikal: 7.19			



Serie 3:	10.2 ↓	10.5 *	9.6 ↑	10.2 ↑	9.4 →
	10.4 *	10.5 *	9.8 ↘	9.2 ↘	9.6 →
beste Teiler	336.9	(27.) 398.7 (22.)	456.1 (26.)		
Trefferlage	3.93 mm	rechts, 0.10 mm	tief		
Streuwert	6.03,	horizontal: 6.07, vertikal: 5.98			





Serie 4:	9.7 ↗	10.5 *	9.6 →	10.5 *	10.8 *
	9.5 ↘	10.0 ↗	10.0 →	10.4 *	10.3 *
beste Teiler	106.5	(35.) 333.9 (32.)	395.3 (34.)		
Trefferlage	4.64 mm	rechts, 0.08 mm	hoch		
Streuwert	4.27,	horizontal: 4.41, vertikal: 4.13			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (392.3)
 Serien: 91 93 93 95
 Zähler: 18 16 6 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 2196 (8), 2104 (4), 2026 (15)
 beste Teiler 88.2 (6.) 100.6 (25.) 280.8 (16.)
 Trefferlage 4.16 mm links, 3.90 mm hoch
 Streuwert 6.41, horizontal: 6.80, vertikal: 6.00




Serie 1:
 9.6 ← 10.4 * 9.3 ↘ 8.3 ↖ 10.2 ↑
 10.8 * 9.4 ↗ 8.2 ← 8.8 ↑ 10.6 *
 beste Teiler 88.2 (6.) 294.3 (10.) 409.2 (2.)
 Trefferlage 7.35 mm links, 6.31 mm hoch
 Streuwert 6.61, horizontal: 6.70, vertikal: 6.52



Serie 2:
 8.5 ← 9.1 ↘ 10.3 * 9.9 → 8.4 ↖
 10.6 * 10.3 * 10.0 ↑ 9.4 ↘ 10.3 *
 beste Teiler 280.8 (16.) 486.2 (20.) 497.8 (13.)
 Trefferlage 3.99 mm links, 4.63 mm hoch
 Streuwert 7.43, horizontal: 8.50, vertikal: 6.17





Serie 3:
 9.9 ↑ 10.3 ↙ 10.2 ↑ 9.7 ↘ 10.8 *
 9.4 ← 8.9 ↘ 9.5 ↘ 9.9 ↑ 10.3 *
 beste Teiler 100.6 (25.) 529.4 (30.) 538.0 (22.)
 Trefferlage 4.19 mm links, 4.76 mm hoch
 Streuwert 5.13, horizontal: 5.15, vertikal: 5.11




Serie 4:
 10.0 ↘ 10.4 * 10.4 * 10.5 * 9.9 ↖
 9.9 ↘ 9.9 ← 9.7 ↘ 10.4 * 9.9 ↑
 beste Teiler 335.4 (34.) 436.0 (33.) 451.4 (32.)
 Trefferlage 1.10 mm links, 0.10 mm tief
 Streuwert 5.39, horizontal: 5.89, vertikal: 4.84

Unterschrift des Schützen


Ergebnis: **369** (385.0)
 Serien: 90 92 93 94
 Zähler: 15 20 4 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2433 (6), 1940 (13), 1880 (4)
 beste Teiler 304.0 (7.) 390.1 (22.) 409.6 (39.)
 Trefferlage 0.02 mm rechts, 1.67 mm tief
 Streuwert 8.23, horizontal: 7.35, vertikal: 9.02




Serie 1:
 10.1 ↘ 9.2 ↓ 9.1 ↙ 8.6 ↘ 10.1 ↓
 7.9 ↖ 10.6 * 9.2 ← 9.1 ↑ 9.4 ↙
 beste Teiler 304.0 (7.) 647.3 (5.) 664.1 (1.)
 Trefferlage 4.83 mm links, 3.52 mm tief
 Streuwert 9.56, horizontal: 9.35, vertikal: 9.76



Serie 2:
 10.0 ↓ 9.9 ↓ 8.5 ↘ 9.2 ↘ 9.7 →
 10.0 ↘ 9.8 ↓ 10.0 ↗ 9.7 ← 9.0 ↑
 beste Teiler 724.2 (11.) 755.2 (18.) 758.0 (16.)
 Trefferlage 2.98 mm rechts, 3.06 mm tief
 Streuwert 8.04, horizontal: 6.32, vertikal: 9.46



Serie 3:
 10.4 * 10.5 * 9.2 ↖ 9.5 ↓ 9.4 ↗
 10.2 ↘ 10.2 ↗ 9.4 ↗ 8.7 ↖ 9.3 ↑
 beste Teiler 390.1 (22.) 416.3 (21.) 565.0 (26.)
 Trefferlage 0.23 mm rechts, 4.45 mm hoch
 Streuwert 7.62, horizontal: 6.95, vertikal: 8.23





Serie 4:
 9.8 ↗ 9.7 → 10.4 * 8.8 ↓ 10.0 ↓
 10.1 ↓ 9.7 ↘ 10.3 * 10.4 * 9.9 ↙
 beste Teiler 409.6 (39.) 428.1 (33.) 501.4 (38.)
 Trefferlage 1.72 mm rechts, 4.58 mm tief
 Streuwert 5.56, horizontal: 4.37, vertikal: 6.54


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	381	(399.6)
Serien:	92 96 98 95	
Zähler:	22 17 1 0 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	1663 (32), 1524 (24), 1399 (10)	
beste Teiler	146.7 (36.) 149.2 (3.) 207.6 (37.)	
Trefferlage	3.02 mm links, 0.29 mm tief	
Streuwert	5.85, horizontal: 5.39, vertikal: 6.27	




Serie 1:	9.5 ↙	9.4 ↙	10.8 *	9.4 ↙	9.9 ←
	10.3 *	9.7 ↘	9.9 ↓	9.7 ←	9.2 ↙
beste Teiler	149.2 (3.)	507.7 (6.)	804.0 (8.)		
Trefferlage	4.56 mm links, 5.49 mm tief				
Streuwert	5.34, horizontal: 5.88, vertikal: 4.73				



Serie 2:	10.1 ↑	10.2 ↘	9.4 ↖	10.3 *	9.5 ↙
	10.4 *	9.8 ↖	10.1 ↗	9.5 ↙	10.0 →
beste Teiler	463.7 (16.)	530.0 (14.)	586.3 (12.)		
Trefferlage	1.29 mm links, 2.68 mm hoch				
Streuwert	6.03, horizontal: 5.68, vertikal: 6.37				



Serie 3:	10.6 *	10.4 *	10.4 *	9.0 ↙	10.3 *
	10.4 *	10.4 *	9.8 ↙	10.1 ↗	10.0 ↙
beste Teiler	269.4 (21.)	470.0 (23.)	471.7 (26.)		
Trefferlage	3.83 mm links, 1.62 mm tief				
Streuwert	4.53, horizontal: 4.01, vertikal: 4.99				





Serie 4:	10.6 *	8.9 ↘	9.8 ↑	10.5 *	10.5 *
	10.8 *	10.7 *	10.4 *	9.2 ↘	9.7 ←
beste Teiler	146.7 (36.)	207.6 (37.)	269.1 (31.)		
Trefferlage	2.38 mm links, 3.25 mm hoch				
Streuwert	5.59, horizontal: 5.99, vertikal: 5.14				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (386.2)
 Serien: 92 92 92 88
 Zähler: 11 22 7 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1974 (31), 1907 (26), 1862 (8)
 beste Teiler 227.7 (20.) 295.3 (4.) 339.5 (15.)
 Trefferlage 1.04 mm links, 2.14 mm hoch
 Streuwert 7.99, horizontal: 6.60, vertikal: 9.16




Serie 1:
 10.2 ↑ 9.6 ↓ 9.9 ↖ 10.6 * 8.6 ↓
 9.6 ↘ 10.0 ↙ 8.6 ↓ 10.2 ← 9.8 →
 beste Teiler 295.3 (4.) 566.1 (1.) 573.8 (9.)
 Trefferlage 0.01 mm rechts, 3.16 mm tief
 Streuwert 7.79, horizontal: 5.51, vertikal: 9.53



Serie 2:
 10.4 * 9.6 ↘ 9.7 ↑ 9.8 ↖ 10.5 *
 9.7 ↗ 9.8 ↓ 8.8 ← 9.2 ↗ 10.7 *
 beste Teiler 227.7 (20.) 339.5 (15.) 460.6 (11.)
 Trefferlage 3.54 mm links, 2.26 mm hoch
 Streuwert 6.89, horizontal: 7.28, vertikal: 6.49



Serie 3:
 9.9 ↗ 9.8 ↗ 9.7 ← 10.2 ↓ 10.4 *
 8.6 ↓ 8.8 ↑ 9.9 ← 10.5 * 10.1 ↑
 beste Teiler 383.2 (29.) 459.9 (25.) 622.0 (24.)
 Trefferlage 0.88 mm links, 1.64 mm hoch
 Streuwert 7.72, horizontal: 5.87, vertikal: 9.21





Serie 4:
 8.5 ↑ 9.9 → 8.8 ↘ 9.2 → 9.6 →
 9.9 ↘ 9.7 ↓ 9.1 ↘ 9.3 ↑ 9.0 ↘
 beste Teiler 816.3 (36.) 855.7 (32.) 1038.3 (37.)
 Trefferlage 0.23 mm rechts, 7.83 mm hoch
 Streuwert 8.36, horizontal: 7.82, vertikal: 8.86


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **388** (408.2)
 Serien: 97 97 97 97
 Zähler: 29 10 1 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 1713 (18), 1307 (34), 1148 (33)
 beste Teiler 135.6 (10.) 196.3 (5.) 212.0 (27.)
 Trefferlage 0.85 mm links, 0.92 mm tief
 Streuwert 4.81, horizontal: 5.50, vertikal: 4.01




Serie 1:
 10.6 * 10.2 ↘ 10.4 * 9.9 ↓ 10.7 *
 9.8 ← 9.8 ↘ 10.2 ↗ 10.4 * 10.8 *
 beste Teiler 135.6 (10.) 196.3 (5.) 297.1 (1.)
 Trefferlage 0.26 mm rechts, 2.14 mm tief
 Streuwert 4.09, horizontal: 3.96, vertikal: 4.22



Serie 2:
 9.9 → 10.4 * 10.5 * 10.3 → 10.6 *
 10.4 * 10.0 ↘ 8.8 ← 10.0 ↗ 10.3 *
 beste Teiler 295.3 (15.) 398.5 (13.) 413.8 (12.)
 Trefferlage 0.05 mm links, 0.95 mm tief
 Streuwert 5.66, horizontal: 7.06, vertikal: 3.78



Serie 3:
 10.3 * 9.7 ↓ 9.8 → 10.7 * 10.1 ↘
 10.7 * 10.7 * 10.6 * 10.1 ← 9.6 ←
 beste Teiler 212.0 (27.) 219.4 (26.) 227.0 (24.)
 Trefferlage 1.36 mm links, 1.03 mm tief
 Streuwert 4.79, horizontal: 5.87, vertikal: 3.40





Serie 4:
 10.4 * 10.4 * 9.5 ↘ 9.3 ← 10.6 *
 10.3 ↓ 10.5 * 10.6 * 9.9 ↗ 10.4 *
 beste Teiler 300.6 (35.) 308.0 (38.) 322.2 (37.)
 Trefferlage 2.25 mm links, 0.44 mm hoch
 Streuwert 4.93, horizontal: 5.15, vertikal: 4.71


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **385** (385.0)^{MAN}
 Serien: 93 96 100 96
 Zähler: 37 0 0 0 2 0 0 1 0 0
 Innenzehner: 0
 weiteste: 6321 (10), 3921 (20), 3921 (40)
 beste Teiler 721.0 (1.) 721.0 (2.) 721.0 (3.)
 Trefferlage 10.21 mm rechts, 0.00 mm
 Streuwert 7.86, horizontal: 11.12, vertikal: 0.00




Serie 1:
 10.0 → 10.0 → 10.0 → 10.0 → 10.0 →
 10.0 →_{IBJ} 10.0 →_{IBJ} 10.0 →_{IBJ} 10.0 →_{IBJ} 3.0 →_{IBJ}
 beste Teiler 721.0 (1.) 721.0 (2.) 721.0 (3.)
 Trefferlage 12.81 mm rechts, 0.00 mm
 Streuwert 12.52, horizontal: 17.71, vertikal: 0.00



Serie 2:
 10.0 → 10.0 → 10.0 → 10.0 → 10.0 →
 10.0 →_{IBJ} 10.0 →_{IBJ} 10.0 →_{IBJ} 10.0 →_{IBJ} 6.0 →_{IBJ}
 beste Teiler 721.0 (11.) 721.0 (12.) 721.0 (13.)
 Trefferlage 10.41 mm rechts, 0.00 mm
 Streuwert 7.16, horizontal: 10.12, vertikal: 0.00



Serie 3:
 10.0 → 10.0 → 10.0 → 10.0 → 10.0 →
 10.0 →_{IBJ} 10.0 →_{IBJ} 10.0 →_{IBJ} 10.0 →_{IBJ} 10.0 →_{IBJ}
 beste Teiler 721.0 (21.) 721.0 (22.) 721.0 (23.)
 Trefferlage 7.21 mm rechts, 0.00 mm
 Streuwert 0.00, horizontal: 0.00, vertikal: 0.00



Serie 4:
 10.0 → 10.0 → 10.0 → 10.0 → 10.0 →
 10.0 →_{IBJ} 10.0 →_{IBJ} 10.0 →_{IBJ} 10.0 →_{IBJ} 6.0 →_{IBJ}
 beste Teiler 721.0 (31.) 721.0 (32.) 721.0 (33.)
 Trefferlage 10.41 mm rechts, 0.00 mm
 Streuwert 7.16, horizontal: 10.12, vertikal: 0.00

IBJ – Treffer wurde vom Kampfgericht manuell eingefügt
 MAN – Ergebnis wurde manuell erfasst

Unterschrift des Schützen

Meyton Elektronik