





Ergebnis:	379	(397.7)
Serien:	91 95 97 96	
Zähler:	22 15 3 0 0 0 0 0 0 0	
Innenzehner:	9	
weiteste:	2208 (3), 2105 (5), 1664 (12)	
beste Teiler	194.7 (26.) 212.2 (32.) 214.1 (17.)	
Trefferlage	2.90 mm rechts, 1.09 mm tief	
Streuwert	6.31, horizontal: 7.39, vertikal: 5.00	




Serie 1:	10.0 →	9.4 ↘	8.2 →	9.9 ↘	8.3 ↓
	9.9 ↙	10.0 ↓	9.4 →	10.3 ↗	9.8 →
beste Teiler	556.9 (9.)	745.3 (1.)	752.6 (7.)		
Trefferlage	7.62 mm rechts, 3.98 mm tief				
Streuwert	6.88, horizontal: 7.30, vertikal: 6.44				



Serie 2:	9.9 →	8.9 ←	10.3 ↘	10.4 *	10.6 *
	9.7 ↘	10.7 *	10.6 *	9.0 ↗	10.1 ↓
beste Teiler	214.1 (17.)	262.8 (18.)	295.4 (15.)		
Trefferlage	1.39 mm rechts, 1.27 mm tief				
Streuwert	6.66, horizontal: 8.05, vertikal: 4.88				



Serie 3:	9.8 ↖	9.8 ←	10.0 ↘	10.3 ↖	10.5 *
	10.7 *	9.9 ↘	10.6 *	10.1 →	10.2 →
beste Teiler	194.7 (26.)	277.6 (28.)	330.8 (25.)		
Trefferlage	1.18 mm rechts, 0.38 mm hoch				
Streuwert	4.78, horizontal: 5.90, vertikal: 3.31				





Serie 4:	9.1 ←	10.7 *	10.0 →	10.1 ↘	9.9 ↓
	9.8 →	10.6 *	10.2 ↘	9.9 →	10.1 ↑
beste Teiler	212.2 (32.)	273.7 (37.)	597.4 (38.)		
Trefferlage	1.44 mm rechts, 0.51 mm hoch				
Streuwert	5.85, horizontal: 7.14, vertikal: 4.19				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (385.8)
 Serien: 90 91 94 93
 Zähler: 15 20 3 2 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3003 (17), 2436 (3), 2004 (4)
 beste Teiler 205.0 (16.) 278.6 (1.) 481.0 (9.)
 Trefferlage 1.35 mm links, 0.80 mm tief
 Streuwert 8.37, horizontal: 9.31, vertikal: 7.30




Serie 1:
 10.6 * 8.7 ↖ 7.9 ↘ 8.4 ↑ 10.2 ↑
 9.5 ↖ 9.8 ↓ 10.2 → 10.3 * 9.5 ↘
 beste Teiler 278.6 (1.) 481.0 (9.) 581.8 (8.)
 Trefferlage 0.76 mm rechts, 0.43 mm hoch
 Streuwert 9.94, horizontal: 9.10, vertikal: 10.71



Serie 2:
 9.3 ← 10.3 * 9.1 ↖ 9.7 ↙ 9.7 →
 10.7 * 7.2 → 9.4 ↘ 10.0 ↓ 9.7 ↙
 beste Teiler 205.0 (16.) 494.9 (12.) 736.3 (19.)
 Trefferlage 0.73 mm rechts, 0.88 mm tief
 Streuwert 10.11, horizontal: 13.03, vertikal: 5.87



Serie 3:
 9.4 ↓ 10.1 ↖ 9.7 ↖ 9.9 ← 10.0 ↑
 9.7 ↖ 9.8 ↖ 10.2 ← 10.0 ↓ 9.8 ←
 beste Teiler 597.1 (28.) 704.8 (22.) 771.8 (25.)
 Trefferlage 4.31 mm links, 0.94 mm hoch
 Streuwert 5.81, horizontal: 4.88, vertikal: 6.61





Serie 4:
 9.7 ↓ 10.2 ↘ 8.9 ← 10.1 ↙ 10.3 *
 10.1 ↘ 9.5 ↖ 9.5 ↙ 9.1 ↘ 9.6 ↙
 beste Teiler 518.7 (35.) 591.4 (32.) 703.4 (34.)
 Trefferlage 2.60 mm links, 3.69 mm tief
 Streuwert 7.12, horizontal: 8.81, vertikal: 4.88


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (384.4)
 Serien: 88 93 92 93
 Zähler: 18 17 2 1 1 0 1 0 0 0
 Innenzehner: 7
 weiteste: 4925 (8), 3573 (29), 2813 (37)
 beste Teiler 155.0 (34.) 258.1 (25.) 295.4 (6.)
 Trefferlage 1.36 mm rechts, 1.82 mm tief
 Streuwert 9.84, horizontal: 12.33, vertikal: 6.46




Serie 1:
 9.8 ↖ 9.8 ← 9.3 ↘ 10.3 * 9.9 ↗
 10.6 * 8.4 → 4.8 → 10.2 ↗ 10.0 ↘
 beste Teiler 295.4 (6.) 507.1 (4.) 585.7 (9.)
 Trefferlage 3.39 mm rechts, 0.83 mm hoch
 Streuwert 13.41, horizontal: 17.80, vertikal: 6.56



Serie 2:
 9.6 ↗ 9.9 ↙ 9.3 ↓ 10.1 ↖ 9.7 ←
 9.8 ↓ 8.9 ↓ 10.2 ↙ 10.3 ↘ 10.1 ←
 beste Teiler 539.3 (19.) 625.4 (18.) 646.7 (20.)
 Trefferlage 0.33 mm links, 4.15 mm tief
 Streuwert 6.71, horizontal: 6.57, vertikal: 6.84



Serie 3:
 10.5 * 9.6 ↖ 9.7 ↖ 9.7 ↗ 10.6 *
 10.3 * 10.1 ↓ 9.8 ↖ 6.5 → 10.1 ↓
 beste Teiler 258.1 (25.) 395.1 (21.) 483.5 (26.)
 Trefferlage 1.30 mm rechts, 0.98 mm hoch
 Streuwert 9.89, horizontal: 12.85, vertikal: 5.52





Serie 4:
 9.3 ← 10.2 ↓ 9.0 ← 10.8 * 9.3 →
 10.2 ↖ 7.4 ↘ 10.5 * 10.3 ↓ 9.5 ↓
 beste Teiler 155.0 (34.) 344.0 (38.) 535.1 (39.)
 Trefferlage 1.10 mm rechts, 4.97 mm tief
 Streuwert 8.75, horizontal: 11.23, vertikal: 5.18


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (389.1)
 Serien: 92 91 92 95
 Zähler: 17 18 4 0 1 0 0 0 0 0
 Innenzehner: 8
 weiteste: 3312 (15), 2246 (24), 1959 (8)
 beste Teiler 98.8 (10.) 157.8 (39.) 165.0 (36.)
 Trefferlage 0.37 mm links, 0.29 mm tief
 Streuwert 8.28, horizontal: 9.09, vertikal: 7.39




Serie 1:
 9.8 ↗ 8.6 → 9.8 ↘ 10.0 ✓ 9.2 ↙
 9.9 ↑ 10.3 ↙ 8.5 ↘ 10.0 ↓ 10.8 *
 beste Teiler 98.8 (10.) 558.0 (7.) 784.2 (9.)
 Trefferlage 1.64 mm rechts, 2.94 mm tief
 Streuwert 8.16, horizontal: 9.53, vertikal: 6.51



Serie 2:
 9.7 → 10.1 → 9.0 ↓ 9.5 ↘ 6.8 ←
 10.0 ↘ 9.7 ↗ 10.1 ← 9.9 ↓ 10.6 *
 beste Teiler 287.7 (20.) 645.8 (12.) 701.0 (18.)
 Trefferlage 0.30 mm links, 2.48 mm tief
 Streuwert 10.09, horizontal: 12.83, vertikal: 6.23





Serie 3:
 10.4 * 9.4 → 10.1 → 8.1 ↘ 8.5 ↑
 9.4 ↙ 10.6 * 10.6 * 9.9 ↗ 9.4 ↓
 beste Teiler 269.1 (27.) 285.4 (28.) 462.5 (21.)
 Trefferlage 0.25 mm links, 1.97 mm hoch
 Streuwert 8.99, horizontal: 8.18, vertikal: 9.73




Serie 4:
 9.9 ↘ 9.6 ↑ 9.3 ↙ 10.2 ← 10.5 *
 10.7 * 9.6 ↑ 9.8 ↘ 10.8 * 10.0 ↘
 beste Teiler 157.8 (39.) 165.0 (36.) 394.6 (35.)
 Trefferlage 2.60 mm links, 2.25 mm hoch
 Streuwert 5.49, horizontal: 5.04, vertikal: 5.90

Unterschrift des Schützen


Ergebnis: **358** (378.2)
 Serien: 86 94 86 92
 Zähler: 12 18 8 1 0 1 0 0 0 0
 Innenzehner: 7
 weiteste: 4342 (10), 2615 (21), 1976 (26)
 beste Teiler 203.9 (29.) 297.6 (36.) 325.1 (38.)
 Trefferlage 1.02 mm rechts, 1.20 mm tief
 Streuwert 10.02, horizontal: 11.49, vertikal: 8.29




Serie 1:
 9.5 ↓ 9.7 → 8.7 ↖ 9.7 ↓ 9.9 ↘
 8.9 → 10.4 * 9.4 ↖ 10.5 * 5.5 →
 beste Teiler 354.6 (9.) 405.5 (7.) 801.8 (5.)
 Trefferlage 4.97 mm rechts, 0.45 mm hoch
 Streuwert 12.52, horizontal: 16.10, vertikal: 7.35



Serie 2:
 10.3 ↗ 10.1 ↖ 9.1 ↙ 9.6 ↑ 9.5 ↗
 9.6 ↑ 10.1 ↙ 9.0 → 10.4 * 9.7 ←
 beste Teiler 447.3 (19.) 547.7 (11.) 667.7 (17.)
 Trefferlage 0.18 mm links, 3.05 mm hoch
 Streuwert 7.40, horizontal: 8.20, vertikal: 6.49



Serie 3:
 7.7 ↓ 10.3 * 9.3 ↖ 9.7 ↘ 9.5 →
 8.5 ↘ 8.7 → 8.8 ↙ 10.7 * 8.8 ↘
 beste Teiler 203.9 (29.) 508.5 (22.) 995.4 (24.)
 Trefferlage 3.95 mm rechts, 6.04 mm tief
 Streuwert 10.30, horizontal: 10.36, vertikal: 10.23





Serie 4:
 9.1 ↘ 10.0 ↓ 9.1 ↖ 10.3 ↘ 9.9 ↙
 10.6 * 8.8 ← 10.5 * 9.7 ↑ 8.6 ←
 beste Teiler 297.6 (36.) 325.1 (38.) 549.7 (34.)
 Trefferlage 4.64 mm links, 2.27 mm tief
 Streuwert 7.76, horizontal: 8.60, vertikal: 6.82


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (386.7)
 Serien: 89 91 94 94
 Zähler: 14 22 2 2 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2951 (16), 2729 (1), 1938 (4)
 beste Teiler 89.9 (18.) 96.1 (9.) 209.4 (13.)
 Trefferlage 0.00 mm , 0.61 mm tief
 Streuwert 8.55, horizontal: 8.65, vertikal: 8.44




Serie 1:
 7.5 ↘ 9.9 ↓ 9.6 → 8.5 ↗ 9.2 →
 9.3 ↘ 10.3 * 9.7 ↑ 10.8 * 9.5 ↗
 beste Teiler 96.1 (9.) 510.1 (7.) 856.4 (2.)
 Trefferlage 5.85 mm rechts, 1.14 mm hoch
 Streuwert 9.35, horizontal: 7.08, vertikal: 11.17



Serie 2:
 9.9 ↑ 9.7 ↖ 10.7 * 9.5 ↘ 9.9 →
 7.3 ← 9.3 ↙ 10.8 * 10.3 ↙ 9.4 ↘
 beste Teiler 89.9 (18.) 209.4 (13.) 555.8 (19.)
 Trefferlage 1.15 mm links, 1.62 mm tief
 Streuwert 9.31, horizontal: 11.38, vertikal: 6.63





Serie 3:
 9.6 ↘ 9.5 ↖ 9.1 ↖ 10.4 * 9.2 ↘
 9.1 ↑ 10.5 * 9.6 ↘ 10.4 * 10.1 ↙
 beste Teiler 386.7 (27.) 457.6 (29.) 480.5 (24.)
 Trefferlage 3.00 mm links, 0.85 mm tief
 Streuwert 7.50, horizontal: 7.37, vertikal: 7.62




Serie 4:
 9.5 ↘ 8.7 ↘ 9.4 ↗ 9.6 ↙ 10.4 *
 10.3 * 10.1 ↓ 9.1 ↓ 10.7 * 10.3 ↙
 beste Teiler 220.6 (39.) 451.8 (35.) 487.6 (36.)
 Trefferlage 1.67 mm links, 1.10 mm tief
 Streuwert 7.56, horizontal: 6.13, vertikal: 8.76

Unterschrift des Schützen


Ergebnis:	367	(386.0)
Serien:	93 94 92 88	
Zähler:	12 24 3 1 0 0 0 0 0 0	
Innenzehner:	7	
weiteste:	2499 (36), 2159 (26), 2156 (34)	
beste Teiler	172.2 (15.) 335.9 (8.) 343.6 (13.)	
Trefferlage	0.36 mm rechts, 0.84 mm tief	
Streuwert	8.28, horizontal: 8.88, vertikal: 7.64	




Serie 1:	9.4 ↑	9.3 ↓	9.9 ←	10.4 *	9.2 ↖
	9.6 ↘	9.2 ↙	10.5 *	9.9 ↘	10.2 ↓
beste Teiler	335.9 (8.)	444.0 (4.)	568.9 (10.)		
Trefferlage	2.60 mm links, 2.24 mm tief				
Streuwert	7.11, horizontal: 6.70, vertikal: 7.49				



Serie 2:	9.5 ←	9.4 ←	10.5 *	9.3 →	10.7 *
	9.8 ←	10.2 ↓	10.2 ↓	9.3 ↓	9.8 ↓
beste Teiler	172.2 (15.)	343.6 (13.)	579.6 (18.)		
Trefferlage	2.49 mm links, 2.96 mm tief				
Streuwert	6.50, horizontal: 7.84, vertikal: 4.79				



Serie 3:	10.1 ←	10.3 *	9.7 ↙	9.7 ↗	10.0 ↖
	8.3 ↗	8.4 ↑	9.2 →	9.9 ↑	10.5 *
beste Teiler	369.8 (30.)	507.0 (22.)	711.6 (21.)		
Trefferlage	0.94 mm rechts, 5.00 mm hoch				
Streuwert	8.24, horizontal: 8.09, vertikal: 8.40				





Serie 4:	9.8 ↓	9.9 ↘	9.5 ↓	8.3 →	9.4 ↓
	7.8 →	10.5 *	9.7 ↓	9.4 ↖	9.3 →
beste Teiler	381.0 (37.)	861.8 (32.)	890.3 (31.)		
Trefferlage	5.61 mm rechts, 3.18 mm tief				
Streuwert	9.28, horizontal: 10.97, vertikal: 7.21				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **328** (345.4)
 Serien: 82 82 84 80
 Zähler: 7 14 8 5 3 3 0 0 0 0
 Innenzehner: 5
 weiteste: 4352 (14), 4278 (22), 4203 (34)
 beste Teiler 278.3 (2.) 392.0 (17.) 461.5 (29.)
 Trefferlage 2.78 mm links, 0.50 mm tief
 Streuwert 15.47, horizontal: 18.72, vertikal: 11.31




Serie 1:
 6.5 ↘ 10.6 * 7.9 ↖ 9.7 ↓ 8.7 ↙
 9.3 ↓ 8.1 ↙ 10.3 * 7.1 ↖ 8.7 →
 beste Teiler 278.3 (2.) 499.1 (8.) 1020.4 (4.)
 Trefferlage 8.34 mm links, 4.73 mm tief
 Streuwert 13.75, horizontal: 15.63, vertikal: 11.57



Serie 2:
 10.1 ↘ 9.9 ← 7.3 → 5.5 → 6.6 ↗
 8.8 ↑ 10.5 * 9.7 ↑ 9.2 ↘ 9.2 ↑
 beste Teiler 392.0 (17.) 713.4 (11.) 807.8 (12.)
 Trefferlage 7.28 mm rechts, 5.91 mm hoch
 Streuwert 14.92, horizontal: 18.85, vertikal: 9.48



Serie 3:
 8.1 ↘ 5.6 ↘ 7.2 ↘ 9.4 → 10.1 ↗
 9.9 ↓ 9.4 ↘ 9.4 ↘ 10.4 * 8.6 ←
 beste Teiler 461.5 (29.) 706.9 (25.) 807.9 (26.)
 Trefferlage 2.03 mm links, 1.64 mm tief
 Streuwert 15.12, horizontal: 17.13, vertikal: 12.79





Serie 4:
 8.4 → 9.6 ↘ 8.3 ↙ 5.7 ↖ 6.1 ↖
 10.4 * 7.8 ↘ 9.1 ↓ 9.2 ↘ 9.0 →
 beste Teiler 472.1 (36.) 1066.3 (32.) 1385.5 (39.)
 Trefferlage 8.05 mm links, 1.57 mm tief
 Streuwert 16.52, horizontal: 21.14, vertikal: 9.94


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	376	(394.6)
Serien:	94 94 94 94	
Zähler:	17 22 1 0 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	2034 (29), 1600 (17), 1468 (25)	
beste Teiler	264.7 (9.) 308.4 (26.) 321.4 (27.)	
Trefferlage	0.23 mm links, 0.52 mm hoch	
Streuwert	6.84, horizontal: 7.99, vertikal: 5.45	




Serie 1:	9.6 ↘	9.4 ↖	10.0 ↘	9.8 ←	10.4 *
	9.6 →	10.4 *	9.6 ↗	10.6 *	9.3 ←
beste Teiler	264.7 (9.) 406.1 (7.) 456.8 (5.)				
Trefferlage	1.29 mm rechts, 0.55 mm hoch				
Streuwert	6.86, horizontal: 8.38, vertikal: 4.89				



Serie 2:	9.7 ←	10.5 *	9.6 ↖	10.1 ↖	9.5 ↖
	9.8 ↗	9.0 ↘	10.1 ↖	9.7 ←	10.2 ↓
beste Teiler	347.8 (12.) 611.3 (20.) 650.7 (14.)				
Trefferlage	2.43 mm links, 1.60 mm hoch				
Streuwert	6.82, horizontal: 7.42, vertikal: 6.16				



Serie 3:	10.5 *	10.3 ↖	9.7 →	9.7 ↘	9.1 ↖
	10.6 *	10.5 *	10.2 ↖	8.4 →	9.4 ↘
beste Teiler	308.4 (26.) 321.4 (27.) 387.2 (21.)				
Trefferlage	2.31 mm rechts, 1.16 mm hoch				
Streuwert	7.51, horizontal: 8.91, vertikal: 5.79				



Serie 4:	9.4 ↘	10.5 *	9.7 ←	10.5 *	9.8 ←
	9.5 ↖	10.2 ←	9.6 ←	10.5 *	9.6 ↘
beste Teiler	347.6 (39.) 359.4 (32.) 384.8 (34.)				
Trefferlage	2.09 mm links, 1.22 mm tief				
Streuwert	6.35, horizontal: 7.26, vertikal: 5.30				

Unterschrift des Schützen

Meyton Elektronik