




Ergebnis:	<b>361</b>	(377.5)			
Serien:	89	89	91	92	
Zähler:	14	14	11	1	0 0 0 0 0 0
Innenzehner:	6				
weiteste:	2790 (8), 2264 (17), 2198 (16)				
beste Teiler	257.4 (10.) 263.0 (24.) 390.6 (36.)				
Trefferlage	0.99 mm rechts, 3.14 mm tief				
Streuwert	9.41, horizontal: 12.03, vertikal: 5.69				




Serie 1:

10.3 *	8.6 ↘	9.2 ↘	10.0 ↘	8.4 →
10.2 →	8.8 →	7.5 ↘	9.2 ←	10.6 *
beste Teiler	257.4 (10.) 504.6 (1.) 609.4 (6.)			
Trefferlage	7.14 mm rechts, 4.81 mm tief			
Streuwert	9.51, horizontal: 11.47, vertikal: 7.02			




Serie 2:

8.8 ↘	10.0 ↙	8.6 ↘	9.3 ↘	10.1 ↗
8.2 ←	8.1 →	10.2 →	9.3 ↗	9.4 ↘
beste Teiler	625.2 (18.) 691.6 (15.) 738.7 (12.)			
Trefferlage	2.77 mm rechts, 3.41 mm tief			
Streuwert	10.78, horizontal: 13.52, vertikal: 7.04			



Serie 3:

8.6 ↘	10.0 ↘	9.2 ←	10.6 *	9.4 ←
8.7 ←	10.4 *	9.7 ↘	9.4 ↘	9.9 ←
beste Teiler	263.0 (24.) 476.3 (27.) 772.0 (22.)			
Trefferlage	2.87 mm links, 2.19 mm tief			
Streuwert	8.44, horizontal: 11.02, vertikal: 4.57			





Serie 4:

8.7 →	9.3 ←	9.8 ←	10.3 *	9.6 ←
10.5 *	9.9 ↓	8.5 ←	10.1 →	10.1 ↘
beste Teiler	390.6 (36.) 485.9 (34.) 650.5 (40.)			
Trefferlage	3.05 mm links, 2.17 mm tief			
Streuwert	7.95, horizontal: 10.54, vertikal: 3.92			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>364</b>	(384.4)
Serien:	94 89 94 87	
Zähler:	14 18 6 2 0 0 0 0 0 0	
Innenzehner:	9	
weiteste:	2683 (13), 2603 (38), 2012 (6)	
beste Teiler	110.0 (4.) 270.9 (2.) 271.3 (28.)	
Trefferlage	2.24 mm rechts, 0.77 mm tief	
Streuwert	8.66, horizontal: 10.43, vertikal: 6.40	




Serie 1:	10.0 ↑	10.6 *	10.1 ↗	10.8 *	10.4 *
	8.4 ↙	9.7 →	8.9 →	9.4 ↘	10.1 ↓
beste Teiler	110.0 (4.) 270.9 (2.) 428.0 (5.)				
Trefferlage	1.95 mm rechts, 1.10 mm tief				
Streuwert	7.62, horizontal: 9.36, vertikal: 5.35				



Serie 2:	8.8 ↗	9.1 ↓	7.6 →	9.1 →	9.1 ↗
	10.4 *	10.2 ↓	9.9 ↘	9.9 →	9.2 ←
beste Teiler	402.9 (16.) 614.7 (17.) 816.1 (19.)				
Trefferlage	6.02 mm rechts, 0.66 mm hoch				
Streuwert	9.71, horizontal: 10.66, vertikal: 8.66				



Serie 3:	9.3 ↘	10.3 *	9.8 ↙	9.2 ←	9.8 →
	9.8 ↘	10.5 *	10.6 *	9.7 ←	10.6 *
beste Teiler	271.3 (28.) 291.2 (30.) 381.7 (27.)				
Trefferlage	0.97 mm links, 2.16 mm tief				
Streuwert	6.28, horizontal: 7.81, vertikal: 4.24				





Serie 4:	9.6 →	8.6 ↘	9.4 ↙	8.7 ↘	8.8 →
	10.2 ←	9.7 ←	7.7 →	9.8 ←	10.6 *
beste Teiler	286.0 (40.) 561.3 (36.) 922.9 (39.)				
Trefferlage	1.97 mm rechts, 0.48 mm tief				
Streuwert	10.80, horizontal: 13.49, vertikal: 7.16				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (384.3)  
 Serien: 91 90 93 93  
 Zähler: 15 18 6 1 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2790 (5), 2276 (4), 2261 (40)  
 beste Teiler 201.5 (30.) 284.0 (12.) 311.7 (28.)  
 Trefferlage 2.34 mm rechts, 0.10 mm tief  
 Streuwert 8.69, horizontal: 10.77, vertikal: 5.94




Serie 1:  
 9.6 → 10.2 ↘ 9.9 ↗ 8.1 → 7.5 →  
 9.9 ↑ 10.5 \* 9.6 ↘ 10.2 ↑ 10.2 ↙  
 beste Teiler 399.4 (7.) 577.1 (10.) 624.9 (2.)  
 Trefferlage 7.24 mm rechts, 0.30 mm hoch  
 Streuwert 8.38, horizontal: 10.07, vertikal: 6.25



Serie 2:  
 10.2 ↑ 10.6 \* 10.1 ↗ 8.8 → 9.7 →  
 8.2 ↖ 9.7 ↘ 8.4 ← 9.8 ↘ 9.9 ↑  
 beste Teiler 284.0 (12.) 578.7 (11.) 713.3 (13.)  
 Trefferlage 0.24 mm rechts, 0.85 mm hoch  
 Streuwert 9.56, horizontal: 12.04, vertikal: 6.15





Serie 3:  
 8.6 ← 9.9 ↑ 9.5 ↘ 9.5 ↖ 9.2 ↗  
 10.2 → 9.0 → 10.6 \* 10.3 \* 10.7 \*  
 beste Teiler 201.5 (30.) 311.7 (28.) 521.0 (29.)  
 Trefferlage 0.33 mm links, 1.06 mm tief  
 Streuwert 8.11, horizontal: 9.99, vertikal: 5.63




Serie 4:  
 9.4 ↘ 9.5 ↘ 9.0 → 10.1 ↓ 10.1 ↙  
 10.2 → 9.4 → 10.4 \* 9.5 ↗ 8.1 ←  
 beste Teiler 422.6 (38.) 570.5 (36.) 642.7 (34.)  
 Trefferlage 2.22 mm rechts, 0.51 mm tief  
 Streuwert 8.89, horizontal: 10.78, vertikal: 6.46

Unterschrift des Schützen


Ergebnis: **380** (396.1)  
 Serien: 98 94 95 93  
 Zähler: 25 10 5 0 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 2046 (39), 1845 (36), 1836 (17)  
 beste Teiler 101.3 (5.) 268.4 (31.) 277.2 (9.)  
 Trefferlage 0.41 mm links, 0.05 mm hoch  
 Streuwert 6.90, horizontal: 7.42, vertikal: 6.33




Serie 1:  
 10.6 \*                      10.4 \*                      10.4 \*                      10.5 \*                      10.8 \*  
 10.1 ↗                      10.2 ↕                      10.5 \*                      10.6 \*                      8.9 ↘  
 beste Teiler 101.3 (5.) 277.2 (9.) 292.3 (1.)  
 Trefferlage 2.36 mm links, 2.29 mm hoch  
 Streuwert 4.33, horizontal: 4.98, vertikal: 3.56



Serie 2:  
 10.0 ↘                      8.9 →                      10.0 ↙                      10.4 \*                      9.8 ↓  
 10.0 ↗                      8.7 →                      10.0 ↑                      10.3 \*                      9.5 ↗  
 beste Teiler 477.1 (14.) 526.2 (19.) 734.0 (16.)  
 Trefferlage 4.04 mm rechts, 2.27 mm hoch  
 Streuwert 6.97, horizontal: 8.46, vertikal: 5.05



Serie 3:  
 10.1 ↓                      10.1 →                      9.5 ↑                      10.3 \*                      9.7 ↑  
 10.0 ←                      10.6 \*                      9.7 ↙                      9.2 ←                      9.7 ↙  
 beste Teiler 309.2 (27.) 485.5 (24.) 679.2 (22.)  
 Trefferlage 3.61 mm links, 0.80 mm tief  
 Streuwert 6.18, horizontal: 5.78, vertikal: 6.54





Serie 4:  
 10.6 \*                      10.0 ↗                      9.7 ↗                      9.4 ↓                      10.2 ↘  
 8.6 ←                      9.3 ↓                      10.1 →                      8.4 ↙                      10.3 \*  
 beste Teiler 268.4 (31.) 498.6 (40.) 639.5 (35.)  
 Trefferlage 0.27 mm rechts, 3.53 mm tief  
 Streuwert 8.28, horizontal: 8.42, vertikal: 8.14


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (387.7)  
 Serien: 94 92 94 92  
 Zähler: 16 20 4 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 2300 (3), 2201 (24), 2045 (18)  
 beste Teiler 270.8 (38.) 285.0 (4.) 350.0 (35.)  
 Trefferlage 0.20 mm rechts, 1.55 mm hoch  
 Streuwert 8.04, horizontal: 8.79, vertikal: 7.21




Serie 1:  
 10.1 ←                      9.7 ↘                      8.1 →                      10.6 \*                      9.3 →  
 10.3 ↘                      9.9 →                      9.4 →                      10.0 ↖                      10.2 ↘  
 beste Teiler 285.0 (4.) 544.4 (6.) 623.3 (10.)  
 Trefferlage 3.92 mm rechts, 1.71 mm tief  
 Streuwert 7.57, horizontal: 9.54, vertikal: 4.84



Serie 2:  
 9.7 ↘                      10.0 ↗                      9.4 ↖                      10.4 \*                      9.4 ↑  
 9.2 ↘                      10.3 \*                      8.4 ↑                      9.0 ↘                      9.5 →  
 beste Teiler 448.6 (14.) 517.9 (17.) 796.4 (12.)  
 Trefferlage 0.60 mm rechts, 3.12 mm hoch  
 Streuwert 8.90, horizontal: 8.17, vertikal: 9.58



Serie 3:  
 10.4 \*                      10.4 \*                      10.4 \*                      8.2 ↘                      10.0 →  
 10.1 ↘                      10.3 ↘                      9.4 ↑                      9.2 ←                      8.6 ↘  
 beste Teiler 427.7 (23.) 465.1 (22.) 478.2 (21.)  
 Trefferlage 3.37 mm links, 5.03 mm hoch  
 Streuwert 7.53, horizontal: 8.51, vertikal: 6.41





Serie 4:  
 9.3 →                      9.1 ←                      9.5 →                      9.5 ↑                      10.5 \*  
 9.8 ↖                      9.8 ↓                      10.6 \*                      9.9 ↑                      9.8 ←  
 beste Teiler 270.8 (38.) 350.0 (35.) 856.1 (39.)  
 Trefferlage 0.33 mm links, 0.20 mm tief  
 Streuwert 7.49, horizontal: 8.63, vertikal: 6.12


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **385** (402.5)  
 Serien: 93 96 100 96  
 Zähler: 26 13 1 0 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 1664 (8), 1424 (9), 1412 (10)  
 beste Teiler 63.0 (15.) 107.1 (29.) 136.7 (12.)  
 Trefferlage 1.19 mm rechts, 0.38 mm tief  
 Streuwert 5.76, horizontal: 6.08, vertikal: 5.44




Serie 1:  
 9.5 ↘ 9.8 ↓ 9.3 ↘ 10.2 ↙ 10.0 →  
 10.5 \* 10.0 ↖ 8.9 ↘ 9.2 → 9.2 ↘  
 beste Teiler 332.3 (6.) 582.7 (4.) 732.7 (5.)  
 Trefferlage 5.10 mm rechts, 4.39 mm tief  
 Streuwert 6.60, horizontal: 6.94, vertikal: 6.23



Serie 2:  
 9.2 ↖ 10.8 \* 9.9 → 10.2 ↙ 10.9 \*  
 9.7 ↖ 10.1 ↑ 10.2 ↙ 9.3 ↘ 10.7 \*  
 beste Teiler 63.0 (15.) 136.7 (12.) 183.2 (20.)  
 Trefferlage 0.89 mm links, 0.53 mm hoch  
 Streuwert 6.07, horizontal: 6.18, vertikal: 5.95



Serie 3:  
 10.8 \* 10.4 \* 10.2 ↖ 10.4 \* 10.5 \*  
 10.0 ↑ 10.2 ← 10.1 → 10.8 \* 10.5 \*  
 beste Teiler 107.1 (29.) 146.5 (21.) 341.9 (30.)  
 Trefferlage 0.19 mm rechts, 1.12 mm hoch  
 Streuwert 3.59, horizontal: 4.16, vertikal: 2.92





Serie 4:  
 10.4 \* 10.2 ↖ 10.2 → 9.8 → 9.7 ←  
 10.3 ↗ 9.9 ↘ 9.9 ↑ 10.4 \* 10.2 ←  
 beste Teiler 405.1 (39.) 480.4 (31.) 537.0 (36.)  
 Trefferlage 0.39 mm rechts, 1.18 mm hoch  
 Streuwert 5.19, horizontal: 5.72, vertikal: 4.60


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>367</b>	(385.0)
Serien:	94 94 94 85	
Zähler:	17 21 1 0 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	2034 (29), 1600 (17), 1468 (25)	
beste Teiler	264.7 (9.) 308.4 (26.) 321.4 (27.)	
Trefferlage	0.35 mm links, 0.78 mm hoch	
Streuwert	6.80, horizontal: 8.05, vertikal: 5.27	




Serie 1:	9.6 ↘	9.4 ↖	10.0 ↘	9.8 ←	10.4 *
	9.6 →	10.4 *	9.6 ↗	10.6 *	9.3 ←
beste Teiler	264.7 (9.) 406.1 (7.) 456.8 (5.)				
Trefferlage	1.29 mm rechts, 0.55 mm hoch				
Streuwert	6.86, horizontal: 8.38, vertikal: 4.89				



Serie 2:	9.7 ←	10.5 *	9.6 ↖	10.1 ↖	9.5 ↖
	9.8 ↗	9.0 ↘	10.1 ↖	9.7 ←	10.2 ↓
beste Teiler	347.8 (12.) 611.3 (20.) 650.7 (14.)				
Trefferlage	2.43 mm links, 1.60 mm hoch				
Streuwert	6.82, horizontal: 7.42, vertikal: 6.16				



Serie 3:	10.5 *	10.3 ↖	9.7 →	9.7 ↘	9.1 ↖
	10.6 *	10.5 *	10.2 ↖	8.4 →	9.4 ↘
beste Teiler	308.4 (26.) 321.4 (27.) 387.2 (21.)				
Trefferlage	2.31 mm rechts, 1.16 mm hoch				
Streuwert	7.51, horizontal: 8.91, vertikal: 5.79				



Serie 4:	9.4 ↘	10.5 *	9.7 ←	10.5 *	9.8 ←
	9.5 ↖	10.2 ←	9.6 ←	10.5 *	
beste Teiler	347.6 (39.) 359.4 (32.) 384.8 (34.)				
Trefferlage	2.85 mm links, 0.30 mm tief				
Streuwert	6.12, horizontal: 7.27, vertikal: 4.71				

Unterschrift des Schützen