

Ergebnis: **610.0** (584)

Serien: 97.4 103.6 101.6 102.5 102.7 102.2

Zähler: 45 14 1 0 0 0 0 0 0



Innenzehner: 30

weiteste: 1821 (7), 1538 (15), 1388 (37)

beste Teiler 43.8 (12.) 83.1 (31.) 93.8 (20.)

Trefferlage 1.40 mm rechts, 0.31 mm tief

Streuwert 5.19, horizontal: 5.16, vertikal: 5.23




Serie 1:

10.1 ↙	10.0 ↘	9.3 ←	9.6 ↘	9.3 ↑
9.6 ↙	8.7 ↘	10.6 *	9.8 ↓	10.4 *

beste Teiler 277.0 (8.) 458.4 (10.) 709.9 (1.)

Trefferlage 2.69 mm links, 1.31 mm tief

Streuwert 7.67, horizontal: 7.80, vertikal: 7.53




Serie 2:

10.4 *	10.9 *	10.3 ↘	10.1 ↓	9.0 ↓
10.2 →	10.7 *	10.6 *	10.6 *	10.8 *

beste Teiler 43.8 (12.) 93.8 (20.) 212.4 (17.)

Trefferlage 0.46 mm rechts, 2.22 mm tief

Streuwert 4.29, horizontal: 2.66, vertikal: 5.46




Serie 3:

10.8 *	10.5 *	10.0 ↓	9.7 ↗	9.2 ↗
10.6 *	10.0 ↗	10.4 *	10.4 *	10.0 ↗

beste Teiler 143.9 (21.) 271.6 (26.) 344.4 (22.)

Trefferlage 3.83 mm rechts, 1.09 mm hoch

Streuwert 4.54, horizontal: 4.07, vertikal: 4.96




Serie 4:

10.8 *	10.6 *	10.6 *	10.2 ↖	9.7 ↘
10.2 ↗	9.2 →	10.2 ↙	10.3 *	10.7 *

beste Teiler 83.1 (31.) 184.7 (40.) 248.0 (32.)

Trefferlage 2.71 mm rechts, 1.23 mm tief

Streuwert 4.45, horizontal: 5.00, vertikal: 3.82




Serie 5:

10.4 *	10.4 *	10.3 *	10.0 →	10.4 *
10.6 *	10.2 ↑	10.6 *	9.7 ↘	10.1 ↗

beste Teiler 286.5 (48.) 307.1 (46.) 421.5 (42.)

Trefferlage 2.71 mm rechts, 0.90 mm hoch

Streuwert 3.83, horizontal: 3.34, vertikal: 4.27



Serie 6:

10.6 *	10.5 *	9.5 ↙	10.4 *	10.1 ↑
10.8 *	10.4 *	9.8 ↗	10.4 *	9.7 →

beste Teiler 125.9 (56.) 291.2 (51.) 370.0 (52.)

Trefferlage 1.35 mm rechts, 0.89 mm hoch

Streuwert 4.86, horizontal: 4.85, vertikal: 4.88

Meyton Elektronik

KK liegend – Wertung – **Senioren_1m**

StandNr: 5

Gufler,, Hannes #70119024

StartNr: 1

13. Juli 2019 10:12

SG_Umhausen

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **612.6** (586)

Serien: 103.6 100.7 101.8 101.6 103.4 101.5

Zähler: 46 14 0 0 0 0 0 0 0 0



Innenzehner: 29

weiteste: 1350 (30), 1159 (25), 1091 (1)

beste Teiler 97.0 (8.) 107.7 (21.) 191.0 (56.)

Trefferlage 1.07 mm rechts, 0.47 mm hoch

Streuwert 4.60, horizontal: 5.19, vertikal: 3.92




Serie 1:

9.6 →	9.9 ↗	10.7 *	10.4 *	10.6 *
10.2 ↗	10.6 *	10.8 *	10.6 *	10.2 →

beste Teiler 97.0 (8.) 220.7 (3.) 288.4 (5.)

Trefferlage 3.47 mm rechts, 1.11 mm hoch

Streuwert 3.22, horizontal: 3.65, vertikal: 2.72




Serie 2:

9.6 ↗	9.9 ↖	10.0 ←	9.7 ↗	10.7 *
10.1 ↑	10.5 *	10.4 *	10.1 ↗	9.7 →

beste Teiler 191.8 (15.) 360.0 (17.) 425.6 (18.)

Trefferlage 2.08 mm rechts, 2.63 mm hoch

Streuwert 4.97, horizontal: 5.72, vertikal: 4.08




Serie 3:

10.8 *	10.5 *	10.3 *	10.6 *	9.5 ↗
9.8 →	10.6 *	10.2 →	10.2 ↖	9.3 →

beste Teiler 107.7 (21.) 261.2 (27.) 304.6 (24.)

Trefferlage 2.38 mm rechts, 0.63 mm hoch

Streuwert 5.09, horizontal: 6.10, vertikal: 3.81




Serie 4:

10.1 ↓	9.8 →	10.2 ←	10.3 *	10.3 *
10.3 *	10.0 ←	10.3 ↑	10.0 ↖	10.3 ↖

beste Teiler 487.1 (36.) 506.7 (35.) 524.8 (34.)

Trefferlage 1.77 mm links, 1.27 mm tief

Streuwert 4.57, horizontal: 4.78, vertikal: 4.35




Serie 5:

10.4 *	10.4 *	10.3 *	10.4 *	10.5 *
10.4 *	10.4 *	9.9 ↖	10.4 *	10.3 ↑

beste Teiler 336.5 (45.) 401.5 (44.) 435.7 (41.)

Trefferlage 2.69 mm links, 0.03 mm hoch

Streuwert 3.26, horizontal: 3.55, vertikal: 2.94



Serie 6:

9.8 ↓	10.5 *	9.6 →	10.4 *	9.8 ↗
10.7 *	10.0 ↗	10.6 *	10.1 ↖	10.0 ↗

beste Teiler 191.0 (56.) 305.9 (58.) 335.8 (52.)

Trefferlage 2.97 mm rechts, 0.31 mm tief

Streuwert 4.69, horizontal: 4.40, vertikal: 4.95

Meyton Elektronik

KK liegend – Wertung – **Senioren_1m**

StandNr: 6

Melmer,, Christof #70108105

StartNr: 2

13. Juli 2019 10:03

SG_Mieming

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **612.8** (586)

Serien: 101.7 100.4 103.2 103.4 103.1 101.0

Zähler: 47 12 1 0 0 0 0 0 0



Innenzehner: 31

weiteste: 1644 (58), 1462 (11), 1307 (19)

beste Teiler 55.0 (9.) 117.1 (57.) 203.0 (54.)

Trefferlage 0.40 mm links, 0.52 mm hoch

Streuwert 4.82, horizontal: 5.23, vertikal: 4.38




Serie 1:

10.0 ↘	10.0 ↖	10.3 ↖	9.8 ↖	10.2 ↗
10.7 *	10.6 *	9.7 ←	10.9 *	9.5 ←

beste Teiler 55.0 (9.) 224.5 (6.) 287.2 (7.)

Trefferlage 3.35 mm links, 0.91 mm hoch

Streuwert 4.74, horizontal: 5.19, vertikal: 4.23




Serie 2:

9.1 ←	10.5 *	10.2 ↘	10.6 *	10.5 *
10.4 *	9.8 ↘	10.3 *	9.3 →	9.7 →

beste Teiler 241.8 (14.) 334.5 (12.) 351.5 (15.)

Trefferlage 2.82 mm rechts, 0.46 mm tief

Streuwert 5.78, horizontal: 7.27, vertikal: 3.75




Serie 3:

10.2 ↘	10.4 *	10.6 *	10.2 ↗	10.3 ↘
10.4 *	10.6 *	9.9 ↘	10.3 *	10.3 *

beste Teiler 290.3 (27.) 306.4 (23.) 448.5 (22.)

Trefferlage 1.35 mm links, 2.94 mm tief

Streuwert 3.13, horizontal: 3.05, vertikal: 3.21




Serie 4:

10.7 *	10.6 *	10.1 ↘	10.2 ↗	10.3 ↘
9.6 ↖	10.4 *	10.5 *	10.5 *	10.5 *

beste Teiler 240.3 (31.) 292.2 (32.) 367.7 (38.)

Trefferlage 0.84 mm rechts, 0.38 mm hoch

Streuwert 4.02, horizontal: 3.44, vertikal: 4.53




Serie 5:

10.5 *	10.2 ↖	10.6 *	10.5 *	9.4 ↗
10.5 *	10.7 *	10.4 *	10.0 ↑	10.3 *

beste Teiler 235.3 (47.) 318.0 (43.) 326.9 (41.)

Trefferlage 0.50 mm rechts, 1.81 mm hoch

Streuwert 4.08, horizontal: 4.00, vertikal: 4.17



Serie 6:

10.2 ↗	10.1 ↖	10.0 ↑	10.7 *	10.5 *
10.4 *	10.8 *	8.9 ↖	9.6 ↑	9.8 ↗

beste Teiler 117.1 (57.) 203.0 (54.) 400.1 (55.)

Trefferlage 1.89 mm links, 3.43 mm hoch

Streuwert 5.23, horizontal: 5.94, vertikal: 4.41

Meyton Elektronik

KK liegend – Wertung – **Senioren_1m**

StandNr: 7

Mair., Franz #70605046

StartNr: 3



13. Juli 2019 10:16

SG_Hochpustertal


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	602.0	(576)
Serien:	100.2 101.5 100.7 99.3 100.9 99.4	
Zähler:	38 20 2 0 0 0 0 0 0 0	
Innenzehner:	23	
weiteste:	2069 (7), 1634 (31), 1574 (56)	
beste Teiler	124.3 (28.) 134.0 (45.) 204.4 (32.)	
Trefferlage	0.85 mm links, 1.50 mm hoch	
Streuwert	5.88, horizontal: 5.52, vertikal: 6.22	




Serie 1:					
9.9 ↓	9.9 ↓	10.0 ↑	10.6 *	10.3 *	
10.5 *	8.4 ↑	10.2 ↙	10.7 *	9.7 ↗	
beste Teiler	231.4 (9.)	305.0 (4.)	341.4 (6.)		
Trefferlage	0.85 mm rechts, 1.96 mm hoch				
Streuwert	6.59, horizontal: 3.59, vertikal: 8.59				




Serie 2:					
10.4 *	10.3 *	10.2 ↘	10.2 ↖	9.8 ↓	
9.4 ↖	10.5 *	10.3 *	10.3 ↓	10.1 ↗	
beste Teiler	396.3 (17.)	426.1 (11.)	493.8 (12.)		
Trefferlage	0.45 mm links, 0.72 mm hoch				
Streuwert	5.02, horizontal: 4.84, vertikal: 5.20				




Serie 3:					
9.3 ↖	10.2 ↙	9.4 ↖	10.6 *	10.1 ↓	
10.2 →	9.7 ↘	10.8 *	10.3 *	10.1 ↓	
beste Teiler	124.3 (28.)	303.5 (24.)	509.2 (29.)		
Trefferlage	1.16 mm links, 2.42 mm hoch				
Streuwert	5.63, horizontal: 4.45, vertikal: 6.60				



Serie 4:					
8.9 ↗	10.7 *	9.8 ↙	10.0 ←	10.1 →	
9.0 ↖	9.8 →	10.6 *	9.8 ↓	10.6 *	
beste Teiler	204.4 (32.)	305.0 (38.)	320.9 (40.)		
Trefferlage	0.41 mm rechts, 0.32 mm hoch				
Streuwert	6.97, horizontal: 8.04, vertikal: 5.71				



Serie 5:					
10.1 ↗	10.5 *	10.2 ↙	9.8 ←	10.8 *	
10.2 ↖	9.1 ↘	10.4 *	9.4 ↖	10.4 *	
beste Teiler	134.0 (45.)	369.7 (42.)	427.3 (48.)		
Trefferlage	4.44 mm links, 2.86 mm hoch				
Streuwert	4.40, horizontal: 4.62, vertikal: 4.16				



Serie 6:					
10.4 *	10.3 *	9.9 ↖	9.3 ↗	9.6 ←	
9.0 ↓	10.5 *	10.4 *	9.7 ↓	10.3 *	
beste Teiler	382.4 (57.)	443.6 (51.)	455.5 (58.)		
Trefferlage	0.31 mm links, 0.74 mm hoch				
Streuwert	6.74, horizontal: 6.11, vertikal: 7.31				

Meyton Elektronik

KK liegend – Wertung – **Senioren_1m**

StandNr: 8

Flunger,, Guido #70102006

StartNr: 4

13. Juli 2019 9:59

SG_Haiming

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **600.6** (573)

Serien: 100.7 96.1 101.4 99.7 102.6 100.1

Zähler: 36 21 3 0 0 0 0 0 0 0



Innenzehner: 22

weiteste: 2049 (14), 1922 (11), 1639 (40)

beste Teiler 125.3 (21.) 182.3 (10.) 275.5 (42.)

Trefferlage 1.47 mm rechts, 0.95 mm tief

Streuwert 5.96, horizontal: 6.75, vertikal: 5.04




Serie 1:

9.2 →	10.5 *	9.6 ↘	9.6 ←	10.4 *
10.2 ↖	10.1 ↓	10.2 ↘	10.2 ↗	10.7 *

beste Teiler 182.3 (10.) 344.5 (2.) 451.5 (5.)

Trefferlage 1.41 mm rechts, 0.44 mm tief

Streuwert 5.70, horizontal: 6.22, vertikal: 5.13




Serie 2:

8.5 ↗	9.9 ←	9.6 ↑	8.4 ←	10.5 *
9.7 ←	9.9 ←	10.2 ↘	9.7 →	9.7 ↗

beste Teiler 374.9 (15.) 639.7 (18.) 846.5 (17.)

Trefferlage 1.97 mm links, 3.37 mm hoch

Streuwert 8.34, horizontal: 10.21, vertikal: 5.91




Serie 3:

10.8 *	10.0 ←	10.3 *	10.2 →	9.3 →
10.6 *	9.9 ←	10.1 ←	10.5 *	9.7 →

beste Teiler 125.3 (21.) 313.3 (26.) 347.9 (29.)

Trefferlage 1.95 mm rechts, 0.00 mm

Streuwert 5.22, horizontal: 7.15, vertikal: 1.83




Serie 4:

10.5 *	9.9 →	10.3 *	9.1 ↘	10.4 *
9.4 ↓	10.2 ↓	10.5 *	10.5 *	8.9 ↘

beste Teiler 348.1 (31.) 374.6 (38.) 388.3 (39.)

Trefferlage 5.14 mm rechts, 4.55 mm tief

Streuwert 4.56, horizontal: 4.21, vertikal: 4.89




Serie 5:

10.4 *	10.6 *	10.1 ↓	10.4 *	9.7 ↘
10.5 *	10.4 *	10.3 *	10.1 ↖	10.1 ↓

beste Teiler 275.5 (42.) 383.5 (46.) 420.0 (47.)

Trefferlage 0.93 mm rechts, 1.51 mm tief

Streuwert 4.14, horizontal: 3.53, vertikal: 4.68



Serie 6:

10.1 ↗	9.3 ←	10.5 *	9.6 ↓	10.4 *
10.1 →	9.9 →	9.9 ↓	9.8 ↘	10.5 *

beste Teiler 353.3 (53.) 388.9 (60.) 410.6 (55.)

Trefferlage 1.36 mm rechts, 2.62 mm tief

Streuwert 5.59, horizontal: 6.79, vertikal: 4.04

Meyton Elektronik

KK liegend – Wertung – **Senioren_1m**

StandNr: 9

Floriani,, Meinhard #70102004

StartNr: 5



13. Juli 2019 9:59

SG_Haiming


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **614.9** (589)
 Serien: 101.3 101.0 103.4 101.4 103.9 103.9
 Zähler: 49 11 0 0 0 0 0 0 0
 Innenzehner: 29
 weiteste: 1418 (9), 1302 (16), 1105 (32)
 beste Teiler 65.1 (12.) 80.8 (28.) 125.8 (46.)
 Trefferlage 0.24 mm rechts, 0.23 mm tief
 Streuwert 4.55, horizontal: 4.79, vertikal: 4.30



Serie 1:
 10.3 ← 10.1 → 10.5 * 10.3 * 10.2 ↑
 10.1 ↑ 10.7 * 9.9 ← 9.2 ↖ 10.0 ↘
 beste Teiler 203.2 (7.) 353.1 (3.) 520.2 (4.)
 Trefferlage 1.99 mm links, 1.68 mm hoch
 Streuwert 5.07, horizontal: 6.12, vertikal: 3.73




Serie 2:
 10.7 * 10.9 * 10.1 ↑ 10.4 * 10.1 ←
 9.3 ↘ 9.9 ↖ 10.0 ↗ 9.7 ↗ 9.9 →
 beste Teiler 65.1 (12.) 172.0 (11.) 455.3 (14.)
 Trefferlage 0.22 mm links, 3.61 mm hoch
 Streuwert 5.02, horizontal: 5.81, vertikal: 4.09




Serie 3:
 10.6 * 10.4 * 9.9 ↘ 10.3 * 10.2 ↘
 10.5 * 10.3 * 10.9 * 10.1 ↓ 10.2 ↘
 beste Teiler 80.8 (28.) 242.3 (21.) 337.5 (26.)
 Trefferlage 2.13 mm rechts, 3.42 mm tief
 Streuwert 2.57, horizontal: 2.93, vertikal: 2.15



Serie 4:
 10.7 * 9.6 ↘ 9.9 ↘ 10.2 ↘ 10.1 ←
 10.2 ← 10.0 ↘ 10.0 ↘ 10.7 * 10.0 ↓
 beste Teiler 184.3 (39.) 226.0 (31.) 586.2 (34.)
 Trefferlage 1.96 mm rechts, 3.58 mm tief
 Streuwert 4.29, horizontal: 5.66, vertikal: 2.18



Serie 5:
 10.2 ↘ 10.0 ↘ 10.4 * 9.6 ↖ 10.5 *
 10.8 * 10.5 * 10.7 * 10.4 * 10.8 *
 beste Teiler 125.8 (46.) 159.1 (50.) 224.1 (48.)
 Trefferlage 0.07 mm links, 0.97 mm tief
 Streuwert 3.89, horizontal: 3.98, vertikal: 3.79



Serie 6:
 10.7 * 10.8 * 10.0 ↖ 10.7 * 10.3 *
 9.6 ↑ 10.3 * 10.5 * 10.7 * 10.3 *
 beste Teiler 135.5 (52.) 165.3 (51.) 201.2 (54.)
 Trefferlage 0.33 mm links, 1.28 mm hoch
 Streuwert 3.76, horizontal: 3.00, vertikal: 4.39

Meyton Elektronik

KK liegend – Wertung – **Senioren_1m**

StandNr: 11

Steinlechner,, Joachim #70201078

StartNr: 7



13. Juli 2019 10:00

SG_Absam


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	603.3	(574)							
Serien:	101.1	100.2	99.2	98.6	102.1	102.1			
Zähler:	35	24	1	0	0	0	0	0	0
Innenzehner:	19								
weiteste:	1618 (19), 1445 (37), 1347 (27)								
beste Teiler	86.3 (48.)	104.5 (56.)	150.8 (58.)						
Trefferlage	0.35 mm links, 1.23 mm hoch								
Streuwert	5.63, horizontal: 6.06, vertikal: 5.17								




Serie 1:	9.8 ↑	9.6 →	10.0 ↗	10.5 *	10.5 *
	10.5 *	9.6 ↗	10.5 *	9.9 ↑	10.2 ↘
beste Teiler	325.6 (4.)	331.9 (8.)	369.4 (6.)		
Trefferlage	1.23 mm rechts, 4.17 mm hoch				
Streuwert	4.44, horizontal: 5.38, vertikal: 3.24				




Serie 2:	10.6 *	10.0 ←	10.6 *	9.7 ↑	9.8 ↘
	10.3 →	10.5 *	10.2 ↘	8.9 ↘	9.6 →
beste Teiler	292.5 (13.)	309.3 (11.)	357.0 (17.)		
Trefferlage	0.72 mm links, 1.88 mm hoch				
Streuwert	6.11, horizontal: 6.91, vertikal: 5.18				




Serie 3:	10.0 ←	10.6 *	9.5 ↗	9.7 ↗	10.3 ↗
	9.8 ↓	9.3 →	10.0 ↗	9.6 ←	10.4 *
beste Teiler	285.7 (22.)	464.5 (30.)	539.3 (25.)		
Trefferlage	2.43 mm rechts, 1.86 mm hoch				
Streuwert	6.20, horizontal: 6.86, vertikal: 5.46				



Serie 4:	9.3 ↘	10.6 *	10.4 *	10.1 ↓	9.7 ↓
	10.1 ↘	9.1 ↘	10.1 ↗	9.9 ↘	9.3 ←
beste Teiler	288.4 (32.)	453.3 (33.)	656.2 (34.)		
Trefferlage	3.01 mm links, 0.56 mm hoch				
Streuwert	6.64, horizontal: 7.36, vertikal: 5.82				



Serie 5:	9.9 ↘	10.0 ↗	9.9 ←	9.8 ↓	10.3 ↗
	10.4 *	10.6 *	10.8 *	10.2 ↓	10.2 ↘
beste Teiler	86.3 (48.)	292.7 (47.)	411.1 (46.)		
Trefferlage	0.58 mm rechts, 1.37 mm tief				
Streuwert	4.73, horizontal: 4.21, vertikal: 5.19				



Serie 6:	9.6 ←	9.9 ↑	10.8 *	10.4 *	10.3 *
	10.8 *	10.1 ↘	10.8 *	9.5 ↓	9.9 ↘
beste Teiler	104.5 (56.)	150.8 (58.)	158.4 (53.)		
Trefferlage	2.67 mm links, 0.25 mm hoch				
Streuwert	4.80, horizontal: 4.32, vertikal: 5.24				

Meyton Elektronik

KK liegend – Wertung – **Senioren_1m**

StandNr: 12

Profanter,, Hartwig #70201138

StartNr: 8

13. Juli 2019 10:07

SG_Absam

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **602.8** (578)

Serien: 101.0 99.8 100.4 101.8 99.9 99.9

Zähler: 39 20 1 0 0 0 0 0 0 0



Innenzehner: 20

weiteste: 1801 (16), 1421 (8), 1364 (2)

beste Teiler 96.8 (12.) 131.8 (38.) 275.7 (31.)

Trefferlage 0.18 mm links, 0.75 mm hoch

Streuwert 5.70, horizontal: 5.33, vertikal: 6.05




Serie 1:

10.5 *	9.2 ↘	9.9 ←	10.1 ↓	10.6 *
10.6 *	10.3 ↙	9.2 ←	10.4 *	10.2 ↙

beste Teiler 293.5 (6.) 297.6 (5.) 377.6 (1.)

Trefferlage 2.41 mm links, 3.67 mm tief

Streuwert 4.88, horizontal: 6.08, vertikal: 3.25




Serie 2:

10.0 ↑	10.8 *	10.0 ↗	10.3 ↑	10.4 *
8.7 ↑	9.6 ↖	9.7 ↖	10.0 ↑	10.3 *

beste Teiler 96.8 (12.) 477.6 (15.) 508.1 (20.)

Trefferlage 1.78 mm links, 5.42 mm hoch

Streuwert 5.20, horizontal: 4.94, vertikal: 5.45




Serie 3:

10.3 *	10.0 ↓	9.5 →	10.3 *	10.2 ↘
9.6 ↑	10.3 *	10.6 *	9.7 →	9.9 →

beste Teiler 294.8 (28.) 491.1 (27.) 499.5 (24.)

Trefferlage 4.27 mm rechts, 1.21 mm hoch

Streuwert 4.75, horizontal: 4.31, vertikal: 5.15




Serie 4:

10.6 *	10.1 ↘	10.3 *	10.4 *	9.8 ↓
9.3 ↘	10.1 →	10.8 *	10.2 ←	10.2 ↙

beste Teiler 131.8 (38.) 275.7 (31.) 448.2 (34.)

Trefferlage 1.53 mm rechts, 2.44 mm tief

Streuwert 4.70, horizontal: 5.23, vertikal: 4.11




Serie 5:

10.5 *	9.4 ↖	9.9 ↑	10.3 ←	10.0 ↖
9.7 ↙	9.7 ↖	9.7 ↑	10.4 *	10.3 *

beste Teiler 397.4 (41.) 460.2 (49.) 522.5 (50.)

Trefferlage 3.18 mm links, 2.68 mm hoch

Streuwert 5.26, horizontal: 3.91, vertikal: 6.32



Serie 6:

10.2 ↓	9.8 ↓	9.3 ↑	10.2 ↙	10.5 *
10.1 ↘	10.6 *	9.7 ↑	10.0 ↑	9.5 ↗

beste Teiler 309.0 (57.) 381.4 (55.) 579.4 (54.)

Trefferlage 0.49 mm rechts, 1.29 mm hoch

Streuwert 6.07, horizontal: 4.44, vertikal: 7.35

Meyton Elektronik

KK liegend – Wertung – **Senioren_1m**
StandNr: 13
Fischer,, Helmut #70425002

StartNr: 9
13. Juli 2019 9:59
SG_Wörgl

Unterschrift des Schützen

Meyton Elektronik