





Ergebnis:	362	(380.0)
Serien:	88 88 94 92	
Zähler:	12 19 8 1 0 0 0 0 0 0	
Innenzehner:	3	
weiteste:	2760 (9), 2254 (36), 2213 (3)	
beste Teiler	181.6 (2.) 259.1 (24.) 299.1 (18.)	
Trefferlage	2.44 mm rechts, 3.38 mm tief	
Streuwert	8.86, horizontal: 11.05, vertikal: 5.92	




Serie 1:	10.0 ←	10.7 *	8.2 ↙	8.9 ↙	9.7 →
	10.0 →	8.6 →	9.5 →	7.5 →	9.8 ↙
beste Teiler	181.6 (2.)	781.5 (6.)	788.5 (1.)		
Trefferlage	3.17 mm rechts, 5.53 mm tief				
Streuwert	10.30, horizontal: 13.63, vertikal: 5.11				



Serie 2:	9.1 ←	8.5 ↘	8.8 ↘	9.7 ↓	9.1 →
	9.9 ↑	10.2 →	10.6 *	8.4 ↘	8.2 →
beste Teiler	299.1 (18.)	626.0 (17.)	830.7 (16.)		
Trefferlage	7.12 mm rechts, 5.33 mm tief				
Streuwert	9.01, horizontal: 10.95, vertikal: 6.53				





Serie 3:	9.6 →	9.7 ↓	9.5 ↘	10.6 *	10.2 →
	10.2 →	10.1 →	9.7 →	9.2 ↘	9.1 ↓
beste Teiler	259.1 (24.)	611.8 (25.)	622.5 (26.)		
Trefferlage	3.81 mm rechts, 2.75 mm tief				
Streuwert	6.58, horizontal: 6.82, vertikal: 6.32				



Serie 4:	9.5 ↘	9.9 ←	9.8 ←	9.4 ←	10.1 ↑
	8.1 ←	10.2 ↘	9.9 ↓	10.1 →	9.7 →
beste Teiler	605.5 (37.)	689.6 (39.)	691.6 (35.)		
Trefferlage	4.35 mm links, 0.06 mm hoch				
Streuwert	7.70, horizontal: 9.92, vertikal: 4.47				

Unterschrift des Schützen


Ergebnis:	363	(380.4)
Serien:	90 91 89 93	
Zähler:	11 22 6 1 0 0 0 0 0 0	
Innenzehner:	8	
weiteste:	2451 (6), 2345 (36), 2000 (21)	
beste Teiler	254.4 (5.) 257.6 (29.) 266.5 (10.)	
Trefferlage	0.66 mm rechts, 2.46 mm tief	
Streuwert	9.05, horizontal: 10.98, vertikal: 6.57	



Serie 1:

10.3 *	9.3 ↓	8.7 →	10.2 ↘	10.6 *
7.9 →	8.7 ↘	9.0 ←	9.9 ↖	10.6 *


beste Teiler 254.4 (5.) 266.5 (10.) 485.9 (1.)
 Trefferlage 3.84 mm rechts, 2.68 mm tief
 Streuwert 9.41, horizontal: 12.17, vertikal: 5.39



Serie 2:

9.0 ←	9.7 →	9.0 →	9.3 ↘	10.3 *
9.6 ↓	9.3 →	9.4 ↘	9.6 ↓	9.2 ↓


beste Teiler 526.0 (15.) 994.1 (12.) 1041.7 (19.)
 Trefferlage 6.20 mm rechts, 4.16 mm tief
 Streuwert 7.50, horizontal: 9.35, vertikal: 5.00



Serie 3:

8.5 ←	9.0 ↘	8.6 ↗	9.9 ↖	10.6 *
8.5 ←	9.0 ↖	9.4 ↗	10.6 *	9.7 ↓

beste Teiler 257.6 (29.) 266.8 (25.) 810.5 (24.)
 Trefferlage 4.29 mm links, 1.42 mm hoch
 Streuwert 9.90, horizontal: 11.41, vertikal: 8.10



Serie 4:



9.9 ↗	10.4 *	9.8 ↓	10.4 *	10.1 ↓
8.0 ←	10.2 ←	9.3 ←	9.6 ↓	9.3 ↓

beste Teiler 404.0 (32.) 404.0 (34.) 575.9 (37.)
 Trefferlage 3.07 mm links, 4.43 mm tief
 Streuwert 7.48, horizontal: 8.29, vertikal: 6.56

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	365	(382.7)
Serien:	91 88 94 92	
Zähler:	14 19 5 2 0 0 0 0 0 0	
Innenzehner:	8	
weiteste:	2802 (13), 2794 (39), 2309 (22)	
beste Teiler	267.0 (5.) 280.2 (30.) 301.6 (28.)	
Trefferlage	2.38 mm rechts, 1.60 mm tief	
Streuwert	8.99, horizontal: 11.53, vertikal: 5.36	



Serie 1:

9.3 ↙	9.5 →	8.4 ↘	10.1 ↑	10.6 *
9.8 ↘	9.1 →	9.6 ←	9.8 ↘	9.5 ↙


beste Teiler 267.0 (5.) 709.6 (4.) 923.6 (9.)
 Trefferlage 0.86 mm rechts, 2.95 mm tief
 Streuwert 8.69, horizontal: 9.95, vertikal: 7.21



Serie 2:

9.7 →	8.5 →	7.4 →	10.5 *	9.7 →
8.1 →	10.0 ↘	9.5 ←	9.4 →	9.4 ←


beste Teiler 344.9 (14.) 737.7 (17.) 977.6 (11.)
 Trefferlage 8.76 mm rechts, 1.38 mm tief
 Streuwert 9.49, horizontal: 13.16, vertikal: 2.64



Serie 3:

9.8 ↙	8.1 ↙	10.5 *	9.6 ↘	9.8 ←
9.5 →	10.1 ↙	10.6 *	10.0 ↙	10.6 *

beste Teiler 280.2 (30.) 301.6 (28.) 359.4 (23.)
 Trefferlage 3.85 mm links, 2.97 mm tief
 Streuwert 6.91, horizontal: 7.84, vertikal: 5.84



Serie 4:



10.4 *	10.5 *	10.1 →	10.2 →	9.3 ↘
8.5 ←	9.5 →	9.8 →	7.5 →	10.4 *

beste Teiler 378.4 (32.) 410.9 (31.) 430.4 (40.)
 Trefferlage 3.76 mm rechts, 0.88 mm hoch
 Streuwert 9.20, horizontal: 12.20, vertikal: 4.52


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	363	(381.8)
Serien:	94 91 87 91	
Zähler:	11 21 8 0 0 0 0 0 0 0	
Innenzehner:	6	
weiteste:	2269 (12), 2227 (7), 2073 (22)	
beste Teiler	372.1 (19.) 380.0 (10.) 455.3 (39.)	
Trefferlage	2.62 mm rechts, 0.97 mm tief	
Streuwert	8.64, horizontal: 10.71, vertikal: 5.88	




Serie 1:					
	9.9 ↙	9.5 ↘	9.0 →	10.3 *	10.3 *
	9.5 →	8.2 →	10.2 ↙	10.3 *	10.5 *
beste Teiler	380.0 (10.) 513.7 (5.) 517.5 (9.)				
Trefferlage	2.06 mm rechts, 0.72 mm tief				
Streuwert	8.01, horizontal: 10.29, vertikal: 4.73				



Serie 2:					
	8.4 →	8.1 →	10.0 ↘	9.7 ↘	9.1 ↘
	9.5 →	9.5 ←	10.2 ↓	10.5 *	9.6 →
beste Teiler	372.1 (19.) 564.7 (18.) 741.7 (13.)				
Trefferlage	6.48 mm rechts, 1.83 mm tief				
Streuwert	8.43, horizontal: 10.49, vertikal: 5.66				



Serie 3:					
	9.7 ↗	8.4 →	8.9 →	9.7 →	8.4 ←
	10.1 ↘	9.6 ↓	9.8 →	9.9 ←	8.9 →
beste Teiler	707.2 (26.) 844.9 (29.) 924.1 (28.)				
Trefferlage	5.65 mm rechts, 2.10 mm tief				
Streuwert	9.25, horizontal: 11.62, vertikal: 6.03				





Serie 4:					
	9.8 ←	10.1 →	9.2 ←	9.8 ←	8.6 ↓
	9.7 →	9.2 ↘	9.9 ↖	10.4 *	9.4 ←
beste Teiler	455.3 (39.) 704.0 (32.) 851.9 (38.)				
Trefferlage	3.68 mm links, 0.74 mm hoch				
Streuwert	8.01, horizontal: 8.66, vertikal: 7.31				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	382	(400.4)
Serien:	95	94 97 96
Zähler:	23	16 1 0 0 0 0 0 0 0
Innenzehner:	13	
weiteste:	1690	(25), 1579 (13), 1559 (2)
beste Teiler	96.0	(4.) 105.4 (30.) 133.7 (3.)
Trefferlage	2.11 mm	links, 1.15 mm tief
Streuwert	5.94,	horizontal: 6.49, vertikal: 5.34




Serie 1:	10.1 ↙	9.0 ↙	10.8 *	10.8 *	9.7 ↖
	9.9 →	10.5 *	9.4 ↘	10.2 →	9.9 ↓
beste Teiler	96.0	(4.) 133.7 (3.)	322.9 (7.)		
Trefferlage	0.01 mm	links, 2.65 mm	tief		
Streuwert	6.13,	horizontal: 7.13, vertikal: 4.93			



Serie 2:	10.4 *	9.7 ↓	9.0 ←	10.3 *	9.7 ↖
	9.6 ↘	9.8 ↗	9.7 ←	10.1 ←	10.5 *
beste Teiler	391.9	(20.) 449.3 (11.)	525.4 (14.)		
Trefferlage	3.28 mm	links, 0.48 mm	hoch		
Streuwert	6.52,	horizontal: 6.92, vertikal: 6.09			



Serie 3:	10.7 *	10.5 *	10.3 ↙	10.4 *	8.8 ↖
	10.0 ↘	9.0 ←	10.1 ↘	10.0 →	10.8 *
beste Teiler	105.4	(30.) 220.7 (21.)	378.1 (22.)		
Trefferlage	2.31 mm	links, 0.34 mm	hoch		
Streuwert	6.18,	horizontal: 7.28, vertikal: 4.84			





Serie 4:	10.4 *	9.3 ↙	9.8 ←	10.1 ↖	10.5 *
	10.3 →	9.7 ↘	9.9 ↓	10.7 *	10.0 ↙
beste Teiler	239.5	(39.) 362.5 (35.)	430.5 (31.)		
Trefferlage	2.83 mm	links, 2.77 mm	tief		
Streuwert	5.08,	horizontal: 4.86, vertikal: 5.28			

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	365	(382.3)
Serien:	91 90 92 92	
Zähler:	14 19 5 2 0 0 0 0 0 0	
Innenzehner:	9	
weiteste:	2838 (16), 2431 (10), 2314 (30)	
beste Teiler	274.4 (4.) 291.8 (22.) 298.8 (27.)	
Trefferlage	3.13 mm rechts, 1.06 mm tief	
Streuwert	8.95, horizontal: 10.52, vertikal: 7.05	




Serie 1:

9.2 ↓	9.3 ↘	10.5 *	10.6 *	10.5 *
10.3 →	9.9 →	8.6 ←	9.9 →	7.9 ↗
beste Teiler	274.4 (4.)	366.9 (3.)	372.2 (5.)	
Trefferlage	2.97 mm rechts, 0.55 mm tief			
Streuwert	8.95, horizontal: 8.76, vertikal: 9.13			




Serie 2:

9.3 ↑	8.3 →	10.3 *	10.3 ↓	9.9 →
7.4 ←	9.9 →	10.1 ↑	10.0 ↘	8.4 ↘
beste Teiler	498.9 (13.)	532.7 (14.)	654.9 (18.)	
Trefferlage	2.56 mm rechts, 1.69 mm tief			
Streuwert	10.69, horizontal: 12.74, vertikal: 8.15			



Serie 3:

9.6 ↘	10.6 *	9.3 →	9.1 →	8.5 →
10.4 *	10.6 *	10.0 →	9.5 ↓	8.1 →
beste Teiler	291.8 (22.)	298.8 (27.)	418.9 (26.)	
Trefferlage	8.46 mm rechts, 2.17 mm tief			
Streuwert	6.99, horizontal: 8.79, vertikal: 4.52			





Serie 4:


9.8 ←	9.3 ↑	9.3 ←	9.3 →	10.6 *
9.2 →	9.1 ←	10.5 *	9.2 ↖	9.7 ↘
beste Teiler	300.1 (35.)	360.9 (38.)	932.9 (31.)	
Trefferlage	1.45 mm links, 0.16 mm hoch			
Streuwert	8.63, horizontal: 10.38, vertikal: 6.43			

Unterschrift des Schützen


Ergebnis: **355** (372.0)
 Serien: 87 86 91 91
 Zähler: 12 16 8 3 1 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3570 (11), 3080 (10), 3028 (20)
 beste Teiler 126.6 (33.) 287.9 (13.) 458.7 (23.)
 Trefferlage 0.50 mm links, 1.80 mm tief
 Streuwert 10.86, horizontal: 12.70, vertikal: 8.63




Serie 1:
 9.8 ↗ 9.6 ← 9.8 ↗ 10.0 ↘ 9.0 ↘
 8.9 ↓ 9.1 ↓ 8.5 ← 9.7 ↗ 7.1 ←
 beste Teiler 766.4 (4.) 915.9 (3.) 920.3 (1.)
 Trefferlage 4.08 mm links, 3.31 mm tief
 Streuwert 11.05, horizontal: 12.79, vertikal: 8.98



Serie 2:
 6.5 ← 8.5 ← 10.6 * 9.2 ↑ 9.5 →
 8.5 ↘ 10.3 * 10.3 * 9.7 ↓ 7.2 →
 beste Teiler 287.9 (13.) 504.7 (17.) 506.7 (18.)
 Trefferlage 3.36 mm links, 1.25 mm tief
 Streuwert 13.58, horizontal: 16.68, vertikal: 9.52



Serie 3:
 10.0 ↘ 9.5 ↘ 10.4 * 10.2 → 9.8 ↘
 9.3 ← 10.1 ← 8.8 ↗ 9.4 ← 7.9 ↘
 beste Teiler 458.7 (23.) 617.9 (24.) 664.7 (27.)
 Trefferlage 0.02 mm links, 0.93 mm hoch
 Streuwert 9.38, horizontal: 9.33, vertikal: 9.42



Serie 4:
 8.8 → 10.3 * 10.8 * 9.9 ← 10.1 ↓
 8.1 ↘ 9.0 → 8.3 ↘ 9.5 → 10.0 ←
 beste Teiler 126.6 (33.) 517.4 (32.) 689.7 (35.)
 Trefferlage 5.43 mm rechts, 3.56 mm tief
 Streuwert 8.81, horizontal: 10.37, vertikal: 6.92

Unterschrift des Schützen