

Ergebnis: **365** (386.2)

Serien: 91 89 91 94

Zähler: 12 21 7 0 0 0 0 0 0 0



Innenzehner: 9

weiteste: 2350 (1), 2231 (17), 2164 (20)

beste Teiler 53.0 (23.) 84.5 (11.) 267.5 (38.)

Trefferlage 2.70 mm links, 2.36 mm hoch

Streuwert 8.07, horizontal: 10.28, vertikal: 4.97




Serie 1:

8.0 ↖	9.2 ↖	9.7 ↙	9.7 ←	10.5 *
8.8 →	10.2 →	10.1 →	9.8 ↗	9.7 ↗

beste Teiler 345.2 (5.) 633.1 (7.) 685.7 (8.)

Trefferlage 0.35 mm links, 1.61 mm hoch

Streuwert 9.12, horizontal: 12.07, vertikal: 4.54




Serie 2:

10.8 *	9.5 ↖	10.6 *	9.7 ↓	9.5 ↗
8.6 →	8.2 ←	9.4 ↖	9.5 ←	8.2 ↖

beste Teiler 84.5 (11.) 274.4 (13.) 1003.3 (14.)

Trefferlage 4.42 mm links, 1.64 mm hoch

Streuwert 9.85, horizontal: 12.81, vertikal: 5.48




Serie 3:

8.9 ↖	9.9 ←	10.9 *	9.9 ↗	9.9 ↖
9.8 ↙	10.4 *	9.2 ↑	9.6 ←	9.9 ←

beste Teiler 53.0 (23.) 455.0 (27.) 817.4 (22.)

Trefferlage 4.66 mm links, 2.98 mm hoch

Streuwert 6.11, horizontal: 6.57, vertikal: 5.60



Serie 4:

8.5 ↖	9.4 ↖	10.4 *	9.7 ↘	9.1 ↖
10.4 *	9.5 →	10.6 *	10.5 *	10.0 ↗

beste Teiler 267.5 (38.) 397.0 (39.) 452.8 (36.)



Trefferlage 1.39 mm links, 3.22 mm hoch

Streuwert 7.46, horizontal: 9.43, vertikal: 4.74


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **384** (404.7)  
 Serien: 98 98 93 95  
 Zähler: 24 16 0 0 0 0 0 0 0 0  
 Innenzehner: 16  
 weiteste: 1372 (25), 1354 (39), 1341 (35)  
 beste Teiler 52.9 (17.) 69.3 (12.) 105.3 (13.)  
 Trefferlage 1.26 mm links, 0.01 mm hoch  
 Streuwert 5.39, horizontal: 6.04, vertikal: 4.64




Serie 1:  
 10.5 \*                      10.2 ↖                      10.6 \*                      10.2 ↗                      10.6 \*  
 9.8 ↙                      10.1 ↘                      10.0 ↓                      9.9 ↓                      10.6 \*  
 beste Teiler 282.0 (10.) 308.5 (5.) 308.7 (3.)  
 Trefferlage 0.37 mm links, 2.32 mm tief  
 Streuwert 4.15, horizontal: 3.05, vertikal: 5.02



Serie 2:  
 9.6 ↗                      10.9 \*                      10.8 \*                      10.7 \*                      10.1 ↘  
 10.5 \*                      10.9 \*                      10.6 \*                      9.9 ↙                      10.3 \*  
 beste Teiler 52.9 (17.) 69.3 (12.) 105.3 (13.)  
 Trefferlage 0.34 mm rechts, 0.36 mm tief  
 Streuwert 3.92, horizontal: 3.05, vertikal: 4.63



Serie 3:  
 9.4 →                      10.0 ↘                      9.9 →                      10.0 ↗                      9.2 ↖  
 10.7 \*                      9.9 →                      9.7 ↖                      9.6 ←                      9.6 ↖  
 beste Teiler 232.5 (26.) 731.4 (24.) 789.7 (22.)  
 Trefferlage 0.95 mm links, 1.90 mm hoch  
 Streuwert 7.03, horizontal: 8.86, vertikal: 4.51





Serie 4:  
 9.7 ↖                      10.5 \*                      10.4 \*                      9.9 ↓                      9.3 ↖  
 9.7 ←                      10.5 \*                      10.1 →                      9.3 ←                      10.5 \*  
 beste Teiler 363.0 (37.) 392.7 (40.) 396.9 (32.)  
 Trefferlage 4.09 mm links, 0.83 mm hoch  
 Streuwert 5.63, horizontal: 6.93, vertikal: 3.94


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>367</b>	(387.9)
Serien:	92 91 92 92	
Zähler:	13 21 6 0 0 0 0 0 0 0	
Innenzehner:	8	
weiteste:	2011 (13), 1933 (27), 1775 (29)	
beste Teiler	107.0 (15.) 151.7 (23.) 265.5 (24.)	
Trefferlage	2.95 mm links, 3.18 mm hoch	
Streuwert	7.42, horizontal: 8.26, vertikal: 6.47	




Serie 1:				
10.4 *	9.0 →	8.9 ↘	9.9 ↓	9.4 →
10.3 ↗	9.9 ↙	10.6 *	9.9 ↖	9.1 ↖
beste Teiler	289.3 (8.) 478.6 (1.) 540.5 (6.)			
Trefferlage	2.53 mm rechts, 0.67 mm tief			
Streuwert	7.81, horizontal: 8.88, vertikal: 6.58			



Serie 2:				
10.5 *	9.9 ↑	8.4 ↖	9.3 ↖	10.8 *
9.8 ↖	9.1 ↑	9.7 ↓	9.5 ↖	9.6 ←
beste Teiler	107.0 (15.) 368.5 (11.) 857.2 (12.)			
Trefferlage	5.21 mm links, 4.70 mm hoch			
Streuwert	6.82, horizontal: 5.97, vertikal: 7.56			



Serie 3:				
9.7 →	10.2 ↖	10.8 *	10.6 *	10.1 ↖
9.7 ↙	8.5 ←	8.8 ←	8.7 ←	10.4 *
beste Teiler	151.7 (23.) 265.5 (24.) 427.1 (30.)			
Trefferlage	6.34 mm links, 1.65 mm hoch			
Streuwert	6.93, horizontal: 9.18, vertikal: 3.43			





Serie 4:				
10.5 *	9.5 ↖	9.2 ↑	10.2 ↖	9.9 ←
8.8 ↑	10.1 ↖	9.4 ←	9.2 ↗	9.6 ↖
beste Teiler	384.0 (31.) 568.9 (34.) 649.0 (37.)			
Trefferlage	2.79 mm links, 7.06 mm hoch			
Streuwert	6.17, horizontal: 6.72, vertikal: 5.55			

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>374</b>	(393.9)
Serien:	93 91 96 94	
Zähler:	18 18 4 0 0 0 0 0 0 0	
Innenzehner:	12	
weiteste:	2341 (11), 1974 (33), 1891 (3)	
beste Teiler	90.1 (29.) 93.0 (40.) 115.8 (28.)	
Trefferlage	1.55 mm rechts, 2.24 mm tief	
Streuwert	7.07, horizontal: 8.66, vertikal: 5.02	




Serie 1:

10.0 ↘	10.1 ↓	8.6 ←	9.9 ←	10.4 *
9.1 ↘	10.5 *	9.2 →	9.7 ↓	9.8 →
beste Teiler	362.5 (7.) 465.4 (5.) 696.0 (2.)			
Trefferlage	0.60 mm rechts, 2.81 mm tief			
Streuwert	7.74, horizontal: 9.39, vertikal: 5.63			




Serie 2:

8.0 →	9.8 →	9.8 ←	9.9 →	10.3 *
9.1 ↘	9.9 →	9.5 ←	10.3 *	9.0 ↘
beste Teiler	494.5 (19.) 506.2 (15.) 826.6 (17.)			
Trefferlage	4.08 mm rechts, 3.32 mm tief			
Streuwert	8.32, horizontal: 10.76, vertikal: 4.76			



Serie 3:

10.3 →	10.7 *	10.4 *	9.6 ←	9.6 ↘
10.1 ↗	8.9 ↘	10.8 *	10.8 *	10.2 →
beste Teiler	90.1 (29.) 115.8 (28.) 197.6 (22.)			
Trefferlage	1.79 mm rechts, 1.29 mm tief			
Streuwert	5.67, horizontal: 6.84, vertikal: 4.19			





Serie 4:

10.4 *	9.8 ↓	8.5 →	10.2 ↖	9.4 ←
9.7 ↓	9.9 ↖	10.4 *	10.5 *	10.8 *
beste Teiler	93.0 (40.) 379.1 (39.) 451.9 (31.)			
Trefferlage	0.25 mm links, 1.54 mm tief			
Streuwert	6.93, horizontal: 7.88, vertikal: 5.83			

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>361</b>	(378.5)
Serien:	90	87 93 91
Zähler:	9	26 2 3 0 0 0 0 0 0
Innenzehner:	4	
weiteste:	3182 (13),	2508 (6), 2423 (2)
beste Teiler	405.7 (11.)	409.8 (5.) 467.8 (23.)
Trefferlage	3.71 mm rechts, 2.15 mm hoch	
Streuwert	8.94, horizontal: 10.88, vertikal: 6.43	




Serie 1:

9.7 ←	7.9 ↘	9.1 ↗	9.1 ↗	10.4 *
7.8 →	10.1 ↑	10.2 ↘	10.3 ↘	9.9 ↑
beste Teiler	409.8 (5.) 553.2 (9.) 621.0 (8.)			
Trefferlage	2.64 mm rechts, 4.65 mm hoch			
Streuwert	9.61, horizontal: 11.73, vertikal: 6.87			




Serie 2:

10.4 *	9.5 ↘	7.0 →	9.3 ↗	9.2 ↑
8.6 ↘	9.7 ↘	9.8 ↘	8.5 →	9.9 ↗
beste Teiler	405.7 (11.) 869.0 (20.) 892.4 (18.)			
Trefferlage	8.97 mm rechts, 0.50 mm hoch			
Streuwert	9.70, horizontal: 10.87, vertikal: 8.37			



Serie 3:

9.0 ←	9.1 ←	10.4 *	9.3 ↗	9.9 ↗
10.2 ↑	10.0 →	9.5 →	9.1 →	9.0 →
beste Teiler	467.8 (23.) 587.4 (26.) 760.2 (27.)			
Trefferlage	2.99 mm rechts, 1.89 mm hoch			
Streuwert	8.40, horizontal: 11.11, vertikal: 4.22			





Serie 4:

9.7 ↘	9.9 ↗	9.4 ↘	9.4 ↘	10.3 *
9.9 ←	9.6 ↑	9.5 ←	9.6 →	9.3 ←
beste Teiler	528.6 (35.) 844.7 (32.) 876.0 (36.)			
Trefferlage	0.25 mm rechts, 1.54 mm hoch			
Streuwert	7.81, horizontal: 9.40, vertikal: 5.82			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>369</b>	(389.4)
Serien:	93 90 92 94	
Zähler:	15 19 6 0 0 0 0 0 0 0	
Innenzehner:	9	
weiteste:	2332 (19), 1891 (20), 1812 (2)	
beste Teiler	132.6 (6.) 178.9 (36.) 320.9 (35.)	
Trefferlage	1.09 mm links, 1.29 mm tief	
Streuwert	7.76, horizontal: 9.73, vertikal: 5.07	




Serie 1:	9.7 ↙	8.7 ↘	10.0 ↓	10.3 *	9.6 →
	10.8 *	9.9 ↓	10.0 →	10.2 ↙	8.9 →
beste Teiler	132.6 (6.)	523.2 (4.)	567.5 (9.)		
Trefferlage	1.33 mm rechts, 1.14 mm tief				
Streuwert	7.61, horizontal: 9.40, vertikal: 5.24				



Serie 2:	10.3 *	9.5 →	9.8 ↘	9.8 ↘	9.9 ↘
	10.5 *	10.4 *	8.9 ←	8.0 ↙	8.6 ←
beste Teiler	379.1 (16.)	423.5 (17.)	530.6 (11.)		
Trefferlage	2.57 mm links, 2.34 mm tief				
Streuwert	9.06, horizontal: 12.18, vertikal: 3.97				





Serie 3:	9.7 ↑	10.4 *	10.2 ↓	9.3 ↗	9.0 ←
	8.8 ←	9.1 ↗	9.8 ↓	9.2 ←	10.3 →
beste Teiler	446.5 (22.)	536.6 (30.)	583.1 (23.)		
Trefferlage	1.18 mm links, 1.82 mm hoch				
Streuwert	8.68, horizontal: 10.94, vertikal: 5.56				




Serie 4:	9.8 ↘	9.2 ←	10.1 ↙	9.4 ↘	10.6 *
	10.7 *	9.9 ↙	9.7 ↙	10.5 *	9.9 →
beste Teiler	178.9 (36.)	320.9 (35.)	398.6 (39.)		
Trefferlage	1.95 mm links, 3.53 mm tief				
Streuwert	5.66, horizontal: 6.67, vertikal: 4.43				

Unterschrift des Schützen


Ergebnis: **332** (349.1)  
 Serien: 84 79 79 90  
 Zähler: 9 11 9 6 4 1 0 0 0 0  
 Innenzehner: 4  
 weiteste: 4006 (21), 3837 (16), 3639 (4)  
 beste Teiler 353.1 (39.) 363.5 (19.) 452.2 (35.)  
 Trefferlage 0.82 mm links, 2.18 mm hoch  
 Streuwert 14.59, horizontal: 18.28, vertikal: 9.58




Serie 1:  
 10.3 ↗ 8.2 ↗ 9.6 ↘ 6.4 → 8.9 ↘  
 8.0 → 9.3 ↓ 9.0 ↙ 8.9 ↗ 9.2 ↖  
 beste Teiler 556.5 (1.) 1043.4 (3.) 1306.2 (7.)  
 Trefferlage 7.58 mm rechts, 0.72 mm tief  
 Streuwert 13.02, horizontal: 15.01, vertikal: 10.67



Serie 2:  
 6.6 → 8.4 ↑ 10.2 ↖ 7.7 ↘ 7.5 ↘  
 6.2 ← 10.1 → 8.5 ↘ 10.5 \* 7.5 ←  
 beste Teiler 363.5 (19.) 578.0 (13.) 714.0 (17.)  
 Trefferlage 3.90 mm rechts, 1.56 mm tief  
 Streuwert 17.62, horizontal: 23.11, vertikal: 9.33





Serie 3:  
 5.9 ← 7.8 ↑ 10.0 ↖ 7.2 ← 9.4 ↘  
 6.8 ← 10.1 ↙ 8.1 ↖ 9.8 ↑ 8.5 ↑  
 beste Teiler 704.5 (27.) 795.4 (23.) 945.7 (29.)  
 Trefferlage 13.82 mm links, 7.75 mm hoch  
 Streuwert 12.85, horizontal: 15.32, vertikal: 9.78




Serie 4:  
 10.4 \* 7.8 → 8.1 ← 9.5 ↗ 10.4 \*  
 9.2 ↖ 9.1 ↑ 9.7 → 10.5 \* 9.8 ←  
 beste Teiler 353.1 (39.) 452.2 (35.) 458.9 (31.)  
 Trefferlage 0.97 mm links, 3.27 mm hoch  
 Streuwert 10.07, horizontal: 12.75, vertikal: 6.35

Unterschrift des Schützen


Ergebnis: **311** (329.1)  
 Serien: 78 82 73 78  
 Zähler: 3 16 7 6 3 2 2 1 0 0  
 Innenzehner: 1  
 weiteste: 5681 (35), 4904 (5), 4847 (31)  
 beste Teiler 352.8 (37.) 726.2 (18.) 744.9 (28.)  
 Trefferlage 4.04 mm links, 1.66 mm tief  
 Streuwert 17.88, horizontal: 22.74, vertikal: 11.07




Serie 1:  
 7.2 ←                      6.0 ←                      9.3 ↗                      9.5 ↗                      4.8 ↖  
 8.6 ←                      9.0 ↖                      9.9 ↓                      8.4 ↓                      9.3 →  
 beste Teiler 809.3 (8.) 1198.3 (4.) 1329.7 (3.)  
 Trefferlage 11.02 mm links, 2.86 mm hoch  
 Streuwert 16.97, horizontal: 20.63, vertikal: 12.26



Serie 2:  
 6.4 ↖                      8.5 ↖                      9.3 ↑                      8.6 ←                      9.4 ↖  
 9.3 ↑                      8.0 ↙                      10.0 ↑                      8.5 ←                      7.6 ↖  
 beste Teiler 726.2 (18.) 1230.8 (15.) 1297.3 (16.)  
 Trefferlage 13.03 mm links, 4.52 mm hoch  
 Streuwert 11.42, horizontal: 11.42, vertikal: 11.42



Serie 3:  
 9.4 →                      7.2 ↘                      7.7 ↙                      5.9 ←                      8.0 →  
 5.7 ←                      7.5 ↘                      10.0 ↙                      9.5 →                      6.5 ←  
 beste Teiler 744.9 (28.) 1173.9 (29.) 1249.7 (21.)  
 Trefferlage 4.47 mm links, 7.87 mm tief  
 Streuwert 19.80, horizontal: 26.64, vertikal: 8.64





Serie 4:  
 4.9 →                      7.5 ↘                      9.3 ↓                      9.1 ↘                      3.8 →  
 9.9 ←                      10.5 \*                      9.9 ↓                      9.3 ↘                      9.9 ←  
 beste Teiler 352.8 (37.) 802.0 (38.) 844.5 (40.)  
 Trefferlage 12.37 mm rechts, 6.16 mm tief  
 Streuwert 16.98, horizontal: 23.07, vertikal: 6.68

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **371** (390.1)  
 Serien: 91 90 97 93  
 Zähler: 15 22 2 1 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 2458 (18), 1737 (3), 1688 (14)  
 beste Teiler 104.0 (21.) 231.2 (1.) 294.7 (15.)  
 Trefferlage 0.01 mm links, 1.38 mm tief  
 Streuwert 7.68, horizontal: 9.46, vertikal: 5.34




Serie 1:  
 10.7 \*                      9.2 →                      8.8 ←                      9.9 ←                      9.8 ↘  
 9.9 →                      9.6 →                      9.2 ←                      9.5 ↓                      10.6 \*  
 beste Teiler 231.2 (1.) 308.6 (10.) 848.2 (6.)  
 Trefferlage 0.06 mm rechts, 2.37 mm tief  
 Streuwert 8.01, horizontal: 10.52, vertikal: 4.20



Serie 2:  
 9.8 ↓                      9.3 ←                      9.9 ←                      8.8 →                      10.6 \*  
 9.5 ←                      10.0 ↙                      7.9 →                      10.5 \*                      9.2 ↘  
 beste Teiler 294.7 (15.) 380.6 (19.) 736.3 (17.)  
 Trefferlage 0.19 mm links, 2.86 mm tief  
 Streuwert 9.28, horizontal: 12.19, vertikal: 4.88



Serie 3:  
 10.8 \*                      10.2 →                      10.5 \*                      10.0 ↘                      9.4 ←  
 10.1 ←                      10.4 \*                      9.8 ↙                      10.4 \*                      9.2 ↘  
 beste Teiler 104.0 (21.) 343.0 (23.) 422.5 (27.)  
 Trefferlage 2.63 mm links, 1.66 mm tief  
 Streuwert 5.46, horizontal: 6.17, vertikal: 4.64





Serie 4:  
 10.2 ↘                      10.2 ↑                      9.7 ↑                      9.5 ↘                      9.0 →  
 10.2 ←                      9.6 ←                      9.1 →                      9.5 ↑                      9.6 →  
 beste Teiler 603.2 (31.) 639.6 (36.) 640.1 (32.)  
 Trefferlage 2.69 mm rechts, 1.37 mm hoch  
 Streuwert 7.85, horizontal: 8.63, vertikal: 6.97

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>335</b>	(354.5)
Serien:	82 86 81 86	
Zähler:	11 13 5 4 5 2 0 0 0 0	
Innenzehner:	8	
weiteste:	4592 (23), 4239 (3), 3861 (35)	
beste Teiler	123.6 (31.) 205.7 (10.) 275.5 (15.)	
Trefferlage	2.92 mm links, 0.32 mm tief	
Streuwert	14.64, horizontal: 19.16, vertikal: 7.86	



Serie 1:

9.8 ←	8.6 ←	5.7 →	7.4 →	10.5 *
8.5 →	9.8 ↓	8.9 ↑	8.3 ↖	10.7 *


beste Teiler 205.7 (10.) 376.6 (5.) 899.4 (7.)  
 Trefferlage 4.81 mm rechts, 0.09 mm hoch  
 Streuwert 14.93, horizontal: 19.50, vertikal: 8.10



Serie 2:

7.6 ↖	10.5 *	7.2 ←	9.1 ←	10.6 *
10.3 *	9.9 ←	8.7 →	7.7 ↖	9.6 ↖


beste Teiler 275.5 (15.) 359.9 (12.) 498.2 (16.)  
 Trefferlage 8.88 mm links, 2.39 mm hoch  
 Streuwert 11.14, horizontal: 14.18, vertikal: 6.88



Serie 3:

10.0 ↗	10.6 *	5.2 →	6.8 →	6.5 ←
9.5 ↙	10.1 ↖	6.5 ←	9.0 ↖	10.3 *

beste Teiler 311.2 (22.) 502.4 (30.) 674.4 (27.)  
 Trefferlage 0.26 mm links, 1.19 mm tief  
 Streuwert 18.59, horizontal: 24.87, vertikal: 8.52



Serie 4:

10.8 *	10.2 ↖	9.3 →	9.9 →	6.1 ←
9.7 ↓	9.0 ↙	9.5 ↙	9.3 ↙	6.8 ↖

beste Teiler 123.6 (31.) 564.7 (32.) 827.5 (34.)  
 Trefferlage 7.34 mm links, 2.59 mm tief  
 Streuwert 12.69, horizontal: 15.98, vertikal: 8.17

Unterschrift des Schützen

Meyton Elektronik