





Ergebnis: **377** (396.0)
 Serien: 96 95 93 93
 Zähler: 19 19 2 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 1759 (19), 1674 (32), 1569 (5)
 beste Teiler 173.2 (15.) 195.0 (16.) 220.4 (38.)
 Trefferlage 0.75 mm links, 0.93 mm hoch
 Streuwert 6.69, horizontal: 7.88, vertikal: 5.22




Serie 1:
 9.5 ↘ 9.4 ↘ 10.3 * 10.0 ↗ 9.0 →
 10.1 ↙ 10.4 * 9.3 ↓ 10.2 ↖ 10.4 *
 beste Teiler 411.1 (7.) 471.0 (10.) 482.7 (3.)
 Trefferlage 0.01 mm links, 0.68 mm tief
 Streuwert 7.16, horizontal: 8.06, vertikal: 6.12



Serie 2:
 10.1 ↘ 10.5 * 10.4 * 9.2 → 10.7 *
 10.7 * 9.3 ↑ 9.9 ↗ 8.8 ← 10.5 *
 beste Teiler 173.2 (15.) 195.0 (16.) 355.9 (12.)
 Trefferlage 0.05 mm links, 2.98 mm hoch
 Streuwert 6.53, horizontal: 7.88, vertikal: 4.81



Serie 3:
 10.0 ↗ 9.4 ← 9.6 ↘ 9.8 ← 10.1 ↘
 9.4 ↗ 9.3 ↗ 9.8 → 10.3 * 9.7 ←
 beste Teiler 518.8 (29.) 683.0 (25.) 786.6 (21.)
 Trefferlage 0.42 mm rechts, 1.02 mm hoch
 Streuwert 7.38, horizontal: 8.66, vertikal: 5.82





Serie 4:
 9.8 ↘ 8.9 ← 10.3 * 9.9 ← 9.8 ↗
 10.5 * 9.8 ↖ 10.7 * 10.6 * 9.6 ←
 beste Teiler 220.4 (38.) 268.4 (39.) 362.6 (36.)
 Trefferlage 3.37 mm links, 0.43 mm hoch
 Streuwert 6.03, horizontal: 7.54, vertikal: 3.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **353** (370.8)
 Serien: 90 92 87 84
 Zähler: 12 13 12 2 1 0 0 0 0 0
 Innenzehner: 7
 weiteste: 3285 (24), 3154 (32), 2779 (9)
 beste Teiler 146.9 (35.) 330.3 (13.) 353.8 (19.)
 Trefferlage 6.24 mm links, 1.26 mm tief
 Streuwert 10.09, horizontal: 12.33, vertikal: 7.17




Serie 1:
 10.0 ↗ 9.9 ← 9.6 ↙ 10.3 * 8.3 ←
 10.0 → 9.8 ← 9.8 ↘ 7.5 ↙ 9.6 ↓
 beste Teiler 502.5 (4.) 748.1 (6.) 772.6 (1.)
 Trefferlage 5.28 mm links, 3.97 mm tief
 Streuwert 8.86, horizontal: 10.98, vertikal: 6.05



Serie 2:
 10.2 ↓ 8.0 ← 10.5 * 10.5 * 9.2 ↙
 8.7 ↘ 8.5 ↘ 10.3 * 10.5 * 9.2 →
 beste Teiler 330.3 (13.) 353.8 (19.) 365.3 (14.)
 Trefferlage 0.43 mm rechts, 4.03 mm tief
 Streuwert 9.45, horizontal: 12.78, vertikal: 3.89



Serie 3:
 8.6 ↙ 10.2 ↗ 8.9 ↘ 6.8 ← 10.4 *
 9.5 ↖ 10.0 ← 8.7 ← 9.3 → 9.0 ←
 beste Teiler 472.4 (25.) 561.2 (22.) 761.2 (27.)
 Trefferlage 8.84 mm links, 0.20 mm hoch
 Streuwert 10.28, horizontal: 12.74, vertikal: 7.02





Serie 4:
 9.5 ↘ 7.0 ↖ 8.6 ← 8.8 ← 10.8 *
 8.8 ↖ 9.4 ← 8.6 ↓ 9.5 ↗ 8.0 ↖
 beste Teiler 146.9 (35.) 1182.6 (31.) 1183.9 (39.)
 Trefferlage 11.29 mm links, 2.76 mm hoch
 Streuwert 10.27, horizontal: 11.23, vertikal: 9.21


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (396.4)
 Serien: 94 93 95 95
 Zähler: 18 21 1 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1891 (3), 1419 (15), 1344 (5)
 beste Teiler 78.1 (27.) 203.3 (22.) 232.0 (2.)
 Trefferlage 1.26 mm links, 0.61 mm hoch
 Streuwert 6.45, horizontal: 7.18, vertikal: 5.61




Serie 1:
 9.3 ↘ 10.7 * 8.6 → 10.4 * 9.3 ↗
 9.4 ↙ 10.4 * 9.7 ↘ 10.3 * 10.1 ↑
 beste Teiler 232.0 (2.) 449.2 (7.) 471.4 (4.)
 Trefferlage 0.76 mm rechts, 0.98 mm hoch
 Streuwert 7.71, horizontal: 9.61, vertikal: 5.14



Serie 2:
 9.7 ↓ 9.8 ↘ 10.1 ↑ 9.4 ↑ 9.2 ↖
 10.0 ↓ 9.7 ← 10.1 ↙ 9.7 ← 9.5 ↖
 beste Teiler 679.5 (18.) 690.7 (13.) 759.5 (16.)
 Trefferlage 3.32 mm links, 0.99 mm hoch
 Streuwert 7.15, horizontal: 6.40, vertikal: 7.82



Serie 3:
 10.4 * 10.7 * 10.0 → 9.8 ↗ 9.4 ←
 9.9 ← 10.9 * 9.9 ↑ 9.7 ↖ 10.3 *
 beste Teiler 78.1 (27.) 203.3 (22.) 447.5 (21.)
 Trefferlage 2.01 mm links, 2.61 mm hoch
 Streuwert 5.16, horizontal: 5.88, vertikal: 4.33





Serie 4:
 10.3 * 9.9 ↓ 10.4 * 10.0 ↘ 10.1 ↗
 9.7 → 9.8 ↙ 10.1 ↓ 9.9 ← 9.8 ←
 beste Teiler 430.8 (33.) 493.5 (31.) 653.5 (38.)
 Trefferlage 0.50 mm links, 2.13 mm tief
 Streuwert 5.57, horizontal: 6.71, vertikal: 4.11


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	366	(385.1)
Serien:	93 91 92 90	
Zähler:	14 20 5 0 1 0 0 0 0 0	
Innenzehner:	9	
weiteste:	3418 (36), 2371 (32), 1976 (11)	
beste Teiler	132.3 (12.) 218.5 (3.) 276.2 (4.)	
Trefferlage	0.00 mm , 2.16 mm hoch	
Streuwert	8.71, horizontal: 10.85, vertikal: 5.83	




Serie 1:	9.8 ↗	10.4 *	10.7 *	10.6 *	9.0 →
	8.8 ↘	9.3 ↗	10.3 ↖	9.8 ←	9.4 →
beste Teiler	218.5 (3.) 276.2 (4.) 402.2 (2.)				
Trefferlage	2.07 mm rechts, 2.67 mm hoch				
Streuwert	7.40, horizontal: 9.31, vertikal: 4.79				



Serie 2:	8.5 →	10.8 *	9.7 ↘	9.3 ↑	9.1 ↖
	9.8 →	9.8 ↘	9.5 ↘	9.2 ↑	10.1 →
beste Teiler	132.3 (12.) 711.8 (20.) 883.6 (16.)				
Trefferlage	2.58 mm rechts, 5.86 mm hoch				
Streuwert	7.51, horizontal: 8.00, vertikal: 6.98				





Serie 3:	9.5 ↘	8.9 ←	9.9 ↖	9.3 ↘	9.6 ←
	9.3 ←	10.4 *	10.6 *	10.0 ↘	9.3 ↘
beste Teiler	301.4 (28.) 452.1 (27.) 788.3 (29.)				
Trefferlage	3.81 mm links, 1.24 mm hoch				
Streuwert	7.58, horizontal: 9.45, vertikal: 5.06				




Serie 4:	10.1 ↑	8.0 ←	10.0 ←	10.4 *	9.9 ↗
	6.7 →	9.6 →	10.3 *	8.8 ←	10.6 *
beste Teiler	314.8 (40.) 427.0 (34.) 508.9 (38.)				
Trefferlage	0.84 mm links, 1.12 mm tief				
Streuwert	11.45, horizontal: 15.51, vertikal: 4.63				

Unterschrift des Schützen


Ergebnis: **370** (386.8)
 Serien: 93 88 94 95
 Zähler: 19 14 5 2 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2606 (2), 2442 (21), 2214 (10)
 beste Teiler 101.4 (34.) 149.4 (35.) 202.7 (6.)
 Trefferlage 1.56 mm links, 0.46 mm tief
 Streuwert 8.46, horizontal: 10.66, vertikal: 5.45




Serie 1:
 10.0 ↑ 7.7 ← 9.7 ↗ 10.5 * 10.0 ↑
 10.7 * 10.5 * 10.1 → 9.4 → 8.2 →
 beste Teiler 202.7 (6.) 334.5 (7.) 378.8 (4.)
 Trefferlage 1.21 mm rechts, 0.96 mm hoch
 Streuwert 9.38, horizontal: 12.26, vertikal: 5.06



Serie 2:
 9.7 ↗ 9.2 ← 8.8 ↘ 9.7 ↗ 8.6 →
 8.4 → 10.1 ↘ 8.7 ← 9.5 ↘ 10.4 *
 beste Teiler 427.2 (20.) 644.3 (17.) 997.8 (14.)
 Trefferlage 0.36 mm links, 0.19 mm hoch
 Streuwert 10.52, horizontal: 13.46, vertikal: 6.33



Serie 3:
 7.9 ← 10.2 ↘ 10.5 * 10.2 ↘ 10.2 ←
 9.5 ↘ 9.7 ↘ 9.5 ↘ 10.2 ↓ 10.1 ↓
 beste Teiler 363.2 (23.) 582.2 (22.) 604.3 (29.)
 Trefferlage 4.43 mm links, 4.68 mm tief
 Streuwert 6.42, horizontal: 8.38, vertikal: 3.50





Serie 4:
 9.0 ↘ 9.8 ← 10.1 ↑ 10.8 * 10.8 *
 10.1 ↘ 10.1 ↓ 9.6 ↘ 9.5 → 9.1 ←
 beste Teiler 101.4 (34.) 149.4 (35.) 680.7 (36.)
 Trefferlage 2.68 mm links, 1.68 mm hoch
 Streuwert 6.81, horizontal: 8.35, vertikal: 4.81


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **384** (403.1)
 Serien: 95 97 96 96
 Zähler: 25 14 1 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 1629 (15), 1442 (18), 1245 (37)
 beste Teiler 180.4 (1.) 231.3 (38.) 251.2 (17.)
 Trefferlage 0.15 mm rechts, 2.58 mm hoch
 Streuwert 5.29, horizontal: 6.08, vertikal: 4.36




Serie 1:
 10.7 * 9.8 ↖ 10.5 * 9.9 → 10.6 *
 9.8 ↑ 10.2 ↖ 9.5 ↖ 10.5 * 9.9 ↑
 beste Teiler 180.4 (1.) 261.6 (5.) 375.0 (9.)
 Trefferlage 1.16 mm links, 3.45 mm hoch
 Streuwert 4.67, horizontal: 5.30, vertikal: 3.95



Serie 2:
 10.2 ↙ 10.5 * 10.5 * 10.2 ↖ 8.9 ↗
 10.4 * 10.6 * 9.1 ← 10.0 → 10.3 *
 beste Teiler 251.2 (17.) 327.8 (12.) 366.5 (13.)
 Trefferlage 0.73 mm links, 1.30 mm hoch
 Streuwert 6.06, horizontal: 7.12, vertikal: 4.78



Serie 3:
 10.4 * 9.6 → 10.6 * 9.8 → 10.3 *
 9.6 ↑ 10.2 ↑ 10.1 ↘ 10.1 → 9.7 ↗
 beste Teiler 276.9 (23.) 464.3 (21.) 527.6 (25.)
 Trefferlage 2.66 mm rechts, 2.86 mm hoch
 Streuwert 5.06, horizontal: 5.47, vertikal: 4.62



Serie 4:
 10.0 ← 9.9 ↖ 10.3 * 10.3 ↙ 9.8 ↖
 9.5 ↗ 9.4 → 10.7 * 10.5 * 10.2 ↗
 beste Teiler 231.3 (38.) 380.6 (39.) 481.4 (33.)
 Trefferlage 0.15 mm links, 2.71 mm hoch
 Streuwert 5.56, horizontal: 6.47, vertikal: 4.47

Unterschrift des Schützen

Meyton Elektronik