





Ergebnis:	378	(395.4)
Serien:	92 94 94 98	
Zähler:	22 14 4 0 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	2361 (5), 2273 (19), 2178 (9)	
beste Teiler	198.9 (40.) 216.3 (37.) 216.6 (32.)	
Trefferlage	0.57 mm links, 0.55 mm hoch	
Streuwert	7.20, horizontal: 8.80, vertikal: 5.13	




Serie 1:	10.0 ↖	9.5 ←	9.3 ←	10.6 *	8.0 ↘
	9.6 ↘	10.0 →	10.0 ↘	8.2 ↖	9.6 →
beste Teiler	309.2 (4.)	741.0 (1.)	783.4 (7.)		
Trefferlage	0.48 mm rechts, 1.28 mm tief				
Streuwert	9.82, horizontal: 12.36, vertikal: 6.34				



Serie 2:	10.7 *	9.9 ↘	9.4 ←	10.1 ↖	9.2 →
	10.2 →	10.5 *	10.0 →	8.1 ↖	9.9 ↘
beste Teiler	218.7 (11.)	359.0 (17.)	631.9 (16.)		
Trefferlage	0.42 mm links, 0.21 mm hoch				
Streuwert	8.04, horizontal: 10.31, vertikal: 4.78				





Serie 3:	9.8 ←	9.7 ←	9.9 ↘	10.3 *	10.1 ←
	9.9 ↖	10.7 *	10.3 ↗	10.1 ↗	8.7 ↖
beste Teiler	221.9 (27.)	510.3 (24.)	550.0 (28.)		
Trefferlage	2.46 mm links, 2.62 mm hoch				
Streuwert	6.23, horizontal: 7.26, vertikal: 4.98				




Serie 4:	10.0 ↖	10.7 *	10.5 *	10.4 *	10.2 ↘
	10.1 ↖	10.7 *	9.9 ↘	9.9 ↗	10.7 *
beste Teiler	198.9 (40.)	216.3 (37.)	216.6 (32.)		
Trefferlage	0.09 mm rechts, 0.64 mm hoch				
Streuwert	4.18, horizontal: 4.20, vertikal: 4.16				

Unterschrift des Schützen


Ergebnis: **372** (391.7)
 Serien: 92 92 95 93
 Zähler: 16 20 4 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2376 (37), 2219 (13), 1663 (10)
 beste Teiler 96.5 (25.) 108.7 (8.) 163.6 (40.)
 Trefferlage 0.77 mm links, 0.64 mm hoch
 Streuwert 7.53, horizontal: 9.34, vertikal: 5.11




Serie 1:
 9.8 → 9.6 ↗ 9.6 ↖ 9.9 ↓ 10.2 ←
 9.6 ↘ 9.7 ↙ 10.8 * 10.0 ↑ 8.9 →
 beste Teiler 108.7 (8.) 614.1 (5.) 724.1 (9.)
 Trefferlage 1.93 mm rechts, 0.70 mm tief
 Streuwert 7.22, horizontal: 8.53, vertikal: 5.61



Serie 2:
 9.5 → 10.0 ← 8.2 ← 9.6 ← 10.0 ↖
 10.3 * 9.3 ↗ 9.6 → 9.9 ↖ 9.9 ↓
 beste Teiler 529.6 (16.) 770.1 (12.) 782.7 (15.)
 Trefferlage 3.10 mm links, 1.68 mm hoch
 Streuwert 8.18, horizontal: 10.21, vertikal: 5.44



Serie 3:
 10.7 * 9.9 ↖ 10.6 * 10.3 * 10.8 *
 10.2 → 9.6 → 9.2 → 9.3 ↗ 9.2 →
 beste Teiler 96.5 (25.) 209.4 (21.) 266.1 (23.)
 Trefferlage 5.27 mm rechts, 0.87 mm hoch
 Streuwert 5.56, horizontal: 6.20, vertikal: 4.83





Serie 4:
 9.8 ↑ 10.6 * 10.1 ← 9.6 ← 9.5 ↙
 10.0 ↖ 8.0 ← 8.9 ← 10.3 ↓ 10.7 *
 beste Teiler 163.6 (40.) 257.9 (32.) 541.6 (39.)
 Trefferlage 7.18 mm links, 0.73 mm hoch
 Streuwert 6.61, horizontal: 7.87, vertikal: 5.04


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (379.5)
 Serien: 90 95 90 87
 Zähler: 15 16 6 2 1 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3468 (5), 3140 (32), 2492 (22)
 beste Teiler 47.1 (3.) 269.2 (10.) 294.4 (27.)
 Trefferlage 2.52 mm rechts, 0.45 mm tief
 Streuwert 9.71, horizontal: 10.79, vertikal: 8.50




Serie 1:
 8.7 ↗ 9.5 ↑ 10.9 * 10.1 ↘ 6.6 ↘
 10.3 * 10.1 ↙ 8.7 ↙ 9.5 → 10.6 *
 beste Teiler 47.1 (3.) 269.2 (10.) 521.2 (6.)
 Trefferlage 4.16 mm rechts, 0.35 mm tief
 Streuwert 10.73, horizontal: 12.03, vertikal: 9.25



Serie 2:
 9.9 ↗ 10.2 ↗ 10.3 ↘ 10.1 ↓ 9.6 ↙
 9.7 ↘ 9.2 → 10.0 → 10.1 ↘ 9.9 →
 beste Teiler 544.5 (13.) 580.7 (12.) 696.9 (19.)
 Trefferlage 2.62 mm rechts, 0.56 mm tief
 Streuwert 6.23, horizontal: 6.50, vertikal: 5.95



Serie 3:
 10.0 ↘ 7.8 ↘ 9.0 ↘ 9.5 ↘ 10.3 *
 9.7 → 10.6 * 8.9 ↓ 9.2 → 9.0 →
 beste Teiler 294.4 (27.) 489.2 (25.) 733.7 (21.)
 Trefferlage 7.58 mm rechts, 4.01 mm tief
 Streuwert 8.12, horizontal: 9.47, vertikal: 6.51





Serie 4:
 9.9 ↘ 7.0 ↘ 10.2 → 9.5 ↘ 9.7 ↘
 9.2 ↗ 8.8 ↘ 8.6 ↘ 8.1 ← 10.5 *
 beste Teiler 375.6 (40.) 571.1 (33.) 806.5 (31.)
 Trefferlage 4.29 mm links, 3.10 mm hoch
 Streuwert 11.53, horizontal: 12.03, vertikal: 11.02


Unterschrift des Schützen

Meyton Elektronik

Ergebnis:	380	(396.3)
Serien:	91 98 96 95	
Zähler:	21 18 1 0 0 0 0 0 0 0	
Innenzehner:	11	
weiteste:	1744 (4), 1467 (10), 1434 (36)	
beste Teiler	72.1 (29.) 206.1 (20.) 231.3 (26.)	
Trefferlage	1.11 mm links, 0.42 mm tief	
Streuwert	6.59, horizontal: 6.46, vertikal: 6.72	




Serie 1:					
	10.0 ↓	9.6 ↓	10.0 ↙	8.8 ↘	9.3 ↘
	9.5 ↘	9.8 ←	9.9 ↓	9.3 ↓	9.1 →
beste Teiler	767.9 (1.)	782.7 (3.)	817.3 (8.)		
Trefferlage	0.41 mm links, 3.09 mm tief				
Streuwert	8.45, horizontal: 8.00, vertikal: 8.88				



Serie 2:					
	10.4 *	10.1 ←	10.5 *	10.3 ↘	10.2 ↘
	9.5 ↑	10.4 *	10.4 *	9.5 ↓	10.7 *
beste Teiler	206.1 (20.)	321.7 (13.)	432.6 (11.)		
Trefferlage	1.48 mm links, 0.05 mm hoch				
Streuwert	4.89, horizontal: 3.74, vertikal: 5.81				



Serie 3:					
	10.0 ↓	9.5 ↘	10.4 *	10.0 ↘	10.1 ↗
	10.7 *	9.3 ↘	9.7 →	10.9 *	9.2 ↘
beste Teiler	72.1 (29.)	231.3 (26.)	453.8 (23.)		
Trefferlage	0.61 mm links, 0.94 mm hoch				
Streuwert	6.55, horizontal: 6.92, vertikal: 6.15				





Serie 4:					
	9.5 ↘	10.5 *	9.6 ←	10.0 ↑	9.3 ↘
	9.2 ↘	10.6 *	10.5 *	9.9 ←	10.1 ↘
beste Teiler	296.0 (37.)	334.0 (38.)	373.4 (32.)		
Trefferlage	1.93 mm links, 0.39 mm hoch				
Streuwert	6.60, horizontal: 7.29, vertikal: 5.83				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369** (386.7)
 Serien: 93 91 90 95
 Zähler: 17 17 4 2 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2834 (15), 2568 (6), 2131 (27)
 beste Teiler 108.5 (37.) 112.3 (33.) 167.0 (12.)
 Trefferlage 1.97 mm links, 1.53 mm hoch
 Streuwert 8.43, horizontal: 8.69, vertikal: 8.16




Serie 1:
 9.8 ↖ 10.3 * 10.7 * 10.0 ↗ 10.7 *
 7.7 ↘ 10.1 ↘ 9.5 ↓ 9.3 ↗ 9.0 ↗
 beste Teiler 220.4 (5.) 238.0 (3.) 516.2 (2.)
 Trefferlage 0.20 mm rechts, 4.11 mm hoch
 Streuwert 8.41, horizontal: 6.89, vertikal: 9.69



Serie 2:
 9.1 ↗ 10.7 * 10.2 ↓ 10.1 ← 7.4 ↘
 9.3 ← 9.5 ↑ 9.8 ↓ 9.9 ↓ 9.2 ←
 beste Teiler 167.0 (12.) 578.9 (13.) 645.5 (14.)
 Trefferlage 0.90 mm links, 2.59 mm tief
 Streuwert 9.74, horizontal: 9.61, vertikal: 9.87





Serie 3:
 8.8 ↖ 10.4 * 10.2 ↗ 9.3 → 9.9 ↖
 9.4 → 8.3 ← 9.5 ↖ 10.4 * 8.9 ←
 beste Teiler 413.0 (22.) 446.7 (29.) 600.7 (23.)
 Trefferlage 3.87 mm links, 3.52 mm hoch
 Streuwert 8.58, horizontal: 11.60, vertikal: 3.53




Serie 4:
 9.7 ↖ 10.1 ↗ 10.8 * 10.6 * 9.1 ↗
 8.9 ← 10.8 * 10.2 ← 10.1 ↓ 9.0 ↗
 beste Teiler 108.5 (37.) 112.3 (33.) 280.4 (34.)
 Trefferlage 3.33 mm links, 1.09 mm hoch
 Streuwert 6.84, horizontal: 6.32, vertikal: 7.32

Unterschrift des Schützen


Ergebnis: **378** (395.5)
 Serien: 92 95 94 97
 Zähler: 22 15 2 1 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 2438 (21), 1782 (10), 1644 (7)
 beste Teiler 67.4 (3.) 75.0 (33.) 249.5 (17.)
 Trefferlage 1.20 mm links, 4.16 mm tief
 Streuwert 6.37, horizontal: 5.24, vertikal: 7.32




Serie 1:
 9.3 ↖ 10.4 * 10.9 * 9.2 ↙ 10.6 *
 9.8 ↘ 8.9 ↓ 10.0 ↗ 9.4 ↓ 8.7 ↙
 beste Teiler 67.4 (3.) 309.7 (5.) 451.6 (2.)
 Trefferlage 3.43 mm links, 5.59 mm tief
 Streuwert 6.84, horizontal: 4.54, vertikal: 8.54



Serie 2:
 9.3 ↓ 10.6 * 9.6 ↙ 10.0 ↖ 9.2 ↑
 10.5 * 10.6 * 9.5 ↙ 9.5 ↓ 10.0 ↓
 beste Teiler 249.5 (17.) 280.8 (12.) 346.7 (16.)
 Trefferlage 2.52 mm links, 3.94 mm tief
 Streuwert 6.16, horizontal: 2.99, vertikal: 8.19



Serie 3:
 7.9 ↓ 10.3 * 10.2 ↓ 9.7 ↙ 10.3 ↓
 10.5 * 10.2 ↙ 9.9 ← 10.1 ↖ 9.5 ↙
 beste Teiler 361.3 (26.) 503.9 (22.) 532.6 (25.)
 Trefferlage 3.03 mm links, 5.41 mm tief
 Streuwert 6.21, horizontal: 4.57, vertikal: 7.50





Serie 4:
 10.4 * 10.1 → 10.9 * 10.4 * 10.0 →
 9.0 ↗ 9.3 ↓ 10.5 * 10.4 * 9.9 →
 beste Teiler 75.0 (33.) 331.3 (38.) 430.0 (34.)
 Trefferlage 4.15 mm rechts, 1.69 mm tief
 Streuwert 5.05, horizontal: 5.06, vertikal: 5.04


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **384** (401.0)
 Serien: 96 98 95 95
 Zähler: 25 14 1 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 2003 (9), 1586 (26), 1564 (13)
 beste Teiler 145.6 (3.) 172.4 (7.) 191.8 (17.)
 Trefferlage 0.65 mm links, 3.25 mm tief
 Streuwert 5.70, horizontal: 5.84, vertikal: 5.55




Serie 1:
 10.3 * 9.6 ↘ 10.8 * 10.6 * 9.8 ↓
 10.5 * 10.7 * 10.1 → 8.4 ↙ 10.0 →
 beste Teiler 145.6 (3.) 172.4 (7.) 282.1 (4.)
 Trefferlage 0.00 mm , 2.34 mm tief
 Streuwert 6.26, horizontal: 7.66, vertikal: 4.44



Serie 2:
 10.5 * 9.8 ↘ 9.0 ↓ 10.1 ↓ 10.4 *
 10.4 * 10.7 * 10.1 ← 10.5 * 10.1 ↘
 beste Teiler 191.8 (17.) 362.5 (11.) 390.2 (19.)
 Trefferlage 0.46 mm links, 2.10 mm tief
 Streuwert 5.25, horizontal: 4.09, vertikal: 6.20



Serie 3:
 10.0 → 10.2 ↓ 9.1 ↙ 9.8 ← 10.2 ↓
 9.0 ↘ 10.1 ↓ 9.6 ↑ 9.8 ↓ 10.0 ↓
 beste Teiler 617.3 (22.) 639.9 (25.) 674.6 (27.)
 Trefferlage 0.21 mm links, 4.77 mm tief
 Streuwert 6.50, horizontal: 6.92, vertikal: 6.05





Serie 4:
 9.2 ↓ 9.6 ↙ 9.4 ↓ 10.7 * 9.9 ↙
 10.6 * 10.7 * 9.9 ↓ 10.6 * 10.2 →
 beste Teiler 192.7 (37.) 197.2 (34.) 265.3 (36.)
 Trefferlage 1.94 mm links, 3.80 mm tief
 Streuwert 5.26, horizontal: 4.68, vertikal: 5.78


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **389** (408.2)
 Serien: 96 99 95 99
 Zähler: 29 11 0 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 1334 (34), 1181 (22), 1101 (23)
 beste Teiler 146.7 (10.) 239.2 (19.) 243.0 (32.)
 Trefferlage 0.22 mm rechts, 0.61 mm hoch
 Streuwert 4.70, horizontal: 4.97, vertikal: 4.40




Serie 1:
 10.3 * 10.4 * 9.9 → 9.9 ← 9.9 ↖
 10.6 * 10.4 * 10.2 ↓ 9.9 ↓ 10.8 *
 beste Teiler 146.7 (10.) 289.6 (6.) 432.8 (2.)
 Trefferlage 1.78 mm links, 0.46 mm tief
 Streuwert 4.44, horizontal: 4.38, vertikal: 4.49



Serie 2:
 10.3 * 10.2 → 10.5 * 10.5 * 10.2 →
 10.1 ↗ 10.4 * 10.4 * 10.7 * 9.8 ↓
 beste Teiler 239.2 (19.) 377.1 (13.) 397.1 (14.)
 Trefferlage 1.62 mm rechts, 0.50 mm tief
 Streuwert 3.87, horizontal: 3.62, vertikal: 4.11



Serie 3:
 10.3 → 9.5 → 9.6 → 9.6 ↙ 9.9 →
 10.6 * 10.6 * 10.4 * 10.5 * 9.8 ↖
 beste Teiler 267.1 (26.) 307.5 (27.) 329.4 (29.)
 Trefferlage 3.28 mm rechts, 0.24 mm tief
 Streuwert 5.20, horizontal: 5.88, vertikal: 4.43





Serie 4:
 10.3 ↖ 10.6 * 10.2 ↘ 9.3 ↖ 10.2 ↑
 10.5 * 10.1 ← 10.1 ← 10.2 ↖ 10.5 *
 beste Teiler 243.0 (32.) 378.7 (40.) 386.1 (36.)
 Trefferlage 2.23 mm links, 3.66 mm hoch
 Streuwert 3.87, horizontal: 4.07, vertikal: 3.67


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (398.4)
 Serien: 94 96 96 92
 Zähler: 21 16 3 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 1908 (33), 1776 (16), 1754 (1)
 beste Teiler 128.5 (10.) 164.1 (15.) 219.2 (12.)
 Trefferlage 0.74 mm links, 1.90 mm hoch
 Streuwert 6.29, horizontal: 6.75, vertikal: 5.79




Serie 1:
 8.8 ← 10.1 → 9.5 ↘ 9.9 ↑ 9.8 ↓
 10.2 → 10.4 * 10.3 → 9.6 ↗ 10.8 *
 beste Teiler 128.5 (10.) 457.8 (7.) 553.8 (8.)
 Trefferlage 0.10 mm rechts, 1.89 mm hoch
 Streuwert 6.66, horizontal: 7.51, vertikal: 5.69



Serie 2:
 10.1 ↗ 10.7 * 10.5 * 10.5 * 10.7 *
 8.7 ↓ 10.2 ↘ 9.9 → 9.9 ↗ 10.0 ↗
 beste Teiler 164.1 (15.) 219.2 (12.) 334.6 (13.)
 Trefferlage 1.33 mm rechts, 0.70 mm hoch
 Streuwert 5.82, horizontal: 5.27, vertikal: 6.32



Serie 3:
 10.2 ← 10.0 ↘ 9.3 ↙ 9.9 → 10.2 ←
 9.7 ↘ 10.4 * 10.7 * 10.0 ↓ 9.3 ↑
 beste Teiler 228.0 (28.) 448.9 (27.) 588.2 (25.)
 Trefferlage 3.31 mm links, 1.20 mm hoch
 Streuwert 5.84, horizontal: 4.91, vertikal: 6.64





Serie 4:
 9.9 ↖ 10.4 * 8.6 → 9.3 ↖ 10.6 *
 9.5 ↑ 10.4 * 9.9 ↑ 9.7 ← 9.8 ↑
 beste Teiler 278.0 (35.) 403.2 (37.) 434.5 (32.)
 Trefferlage 1.10 mm links, 3.82 mm hoch
 Streuwert 7.03, horizontal: 8.71, vertikal: 4.77


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **349** (367.0)
 Serien: 84 86 87 92
 Zähler: 8 18 12 0 1 1 0 0 0 0
 Innenzehner: 4
 weiteste: 4109 (29), 3673 (6), 2303 (16)
 beste Teiler 162.1 (36.) 281.1 (1.) 355.7 (21.)
 Trefferlage 0.51 mm links, 4.52 mm hoch
 Streuwert 11.24, horizontal: 14.05, vertikal: 7.43




Serie 1:
 10.6 * 8.4 ↗ 8.6 ← 8.2 ↘ 10.3 ↓
 6.4 → 9.1 → 8.7 → 9.9 ↗ 8.2 ↘
 beste Teiler 281.1 (1.) 552.5 (5.) 867.0 (9.)
 Trefferlage 2.60 mm rechts, 6.42 mm hoch
 Streuwert 13.50, horizontal: 17.72, vertikal: 7.10



Serie 2:
 8.6 → 8.7 ↑ 8.9 ↘ 10.1 ↖ 9.5 ←
 8.1 ↖ 9.0 → 8.5 ← 9.3 ↘ 9.8 ↘
 beste Teiler 659.0 (14.) 904.7 (20.) 1139.4 (15.)
 Trefferlage 3.41 mm links, 5.01 mm hoch
 Streuwert 11.01, horizontal: 13.87, vertikal: 7.09



Serie 3:
 10.5 * 9.0 ↗ 9.3 ↘ 9.5 ↗ 8.9 ↗
 10.0 ↑ 9.8 ↑ 9.8 ↘ 5.8 ← 9.4 ↓
 beste Teiler 355.7 (21.) 758.0 (26.) 907.9 (28.)
 Trefferlage 1.92 mm links, 5.15 mm hoch
 Streuwert 12.01, horizontal: 15.32, vertikal: 7.33





Serie 4:
 9.1 → 9.9 ↓ 9.2 ← 9.1 ← 10.2 ↘
 10.7 * 8.2 ↑ 9.3 → 9.9 ↓ 10.5 *
 beste Teiler 162.1 (36.) 364.1 (40.) 580.4 (35.)
 Trefferlage 0.68 mm rechts, 1.49 mm hoch
 Streuwert 8.96, horizontal: 9.54, vertikal: 8.35


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (391.9)
 Serien: 92 94 94 95
 Zähler: 20 15 5 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1916 (2), 1907 (27), 1840 (35)
 beste Teiler 77.4 (21.) 200.5 (36.) 219.1 (37.)
 Trefferlage 0.53 mm rechts, 0.58 mm tief
 Streuwert 7.48, horizontal: 8.25, vertikal: 6.62




Serie 1:
 9.8 ↘ 8.6 ← 9.7 ↘ 10.5 * 10.4 *
 9.6 ↘ 10.2 ↗ 8.7 ↓ 10.1 ↓ 9.7 ←
 beste Teiler 371.5 (4.) 432.9 (5.) 635.9 (7.)
 Trefferlage 4.17 mm links, 2.42 mm tief
 Streuwert 7.38, horizontal: 7.22, vertikal: 7.53



Serie 2:
 9.4 → 10.0 ← 10.2 ← 9.3 → 8.7 →
 10.6 * 9.2 ← 9.0 ↘ 10.2 ↘ 10.1 ↓
 beste Teiler 270.2 (16.) 589.8 (19.) 614.1 (13.)
 Trefferlage 3.56 mm rechts, 1.99 mm tief
 Streuwert 7.83, horizontal: 10.43, vertikal: 3.72



Serie 3:
 10.9 * 10.0 ↘ 10.1 ↓ 9.1 ↗ 9.9 ↑
 9.7 ↑ 8.6 ↘ 9.5 → 10.1 ← 10.4 *
 beste Teiler 77.4 (21.) 405.5 (30.) 669.8 (23.)
 Trefferlage 3.47 mm rechts, 1.16 mm hoch
 Streuwert 7.17, horizontal: 6.69, vertikal: 7.62





Serie 4:
 10.1 ← 9.6 ← 10.1 ↗ 9.5 ↘ 8.7 ↗
 10.7 * 10.7 * 10.2 ↓ 10.1 ← 9.9 ↘
 beste Teiler 200.5 (36.) 219.1 (37.) 640.3 (38.)
 Trefferlage 0.73 mm links, 0.90 mm hoch
 Streuwert 6.77, horizontal: 6.53, vertikal: 7.01


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (388.9)
 Serien: 92 92 94 94
 Zähler: 17 20 2 0 1 0 0 0 0 0
 Innenzehner: 11
 weiteste: 3232 (22), 1798 (12), 1776 (34)
 beste Teiler 266.5 (33.) 308.6 (25.) 309.8 (13.)
 Trefferlage 2.33 mm links, 0.71 mm tief
 Streuwert 7.93, horizontal: 9.03, vertikal: 6.65




Serie 1:
 10.1 → 9.9 ↗ 9.5 ← 9.7 ↘ 9.6 ↗
 9.0 ↘ 9.1 ↖ 9.2 ↓ 10.6 * 9.7 ↖
 beste Teiler 318.7 (9.) 643.7 (1.) 846.4 (2.)
 Trefferlage 2.47 mm links, 3.13 mm hoch
 Streuwert 7.62, horizontal: 7.36, vertikal: 7.87



Serie 2:
 10.4 * 8.7 ↘ 10.6 * 9.2 ↖ 9.5 ↗
 9.0 ← 9.5 → 9.4 ↘ 9.2 ↙ 10.5 *
 beste Teiler 309.8 (13.) 382.1 (20.) 472.4 (11.)
 Trefferlage 0.91 mm links, 0.67 mm tief
 Streuwert 8.80, horizontal: 10.06, vertikal: 7.33



Serie 3:
 10.5 * 6.9 ← 9.8 ↘ 10.5 * 10.6 *
 10.4 * 9.6 ↙ 10.3 → 10.0 ↘ 10.5 *
 beste Teiler 308.6 (25.) 327.2 (24.) 340.0 (30.)
 Trefferlage 1.17 mm links, 2.14 mm tief
 Streuwert 8.60, horizontal: 11.47, vertikal: 4.03





Serie 4:
 9.0 ↖ 10.1 ← 10.6 * 8.7 ← 10.0 ↓
 9.6 ↙ 9.8 ↓ 10.5 * 9.1 ↘ 10.0 ←
 beste Teiler 266.5 (33.) 383.4 (38.) 644.9 (32.)
 Trefferlage 4.76 mm links, 3.17 mm tief
 Streuwert 6.73, horizontal: 7.50, vertikal: 5.86


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	384	(400.6)			
Serien:	95	96	96	97	
Zähler:	25	14	1	0	0 0 0 0 0 0
Innenzehner:	12				
weiteste:	1684 (3),	1581 (38),	1529 (2)		
beste Teiler	68.6 (6.)	166.0 (26.)	255.5 (33.)		
Trefferlage	1.18 mm links, 2.09 mm hoch				
Streuwert	5.77, horizontal: 5.86, vertikal: 5.67				




Serie 1:	9.6 ↖	9.0 ↖	8.8 ↖	10.1 ←	10.3 *
	10.9 *	10.3 ↘	9.5 ↘	10.5 *	10.1 ↘
beste Teiler	68.6 (6.) 358.9 (9.) 509.2 (5.)				
Trefferlage	2.15 mm links, 2.94 mm hoch				
Streuwert	6.69, horizontal: 5.28, vertikal: 7.85				



Serie 2:	10.3 *	9.8 →	9.9 ↖	9.9 →	10.1 ↖
	9.9 →	10.5 *	10.2 ↑	10.2 ←	10.0 →
beste Teiler	392.3 (17.) 490.5 (11.) 632.4 (19.)				
Trefferlage	2.42 mm rechts, 1.49 mm hoch				
Streuwert	4.94, horizontal: 5.76, vertikal: 3.97				



Serie 3:	10.4 *	9.9 ←	10.0 ↙	10.2 →	9.9 →
	10.7 *	10.1 ↑	9.9 ↘	10.0 ↘	9.6 ↖
beste Teiler	166.0 (26.) 480.7 (21.) 626.2 (24.)				
Trefferlage	1.58 mm links, 0.40 mm hoch				
Streuwert	5.48, horizontal: 5.93, vertikal: 4.98				





Serie 4:	10.4 *	10.4 *	10.6 *	10.4 *	10.3 ↖
	10.4 *	9.4 ↘	9.0 ↘	9.1 ↑	10.0 →
beste Teiler	255.5 (33.) 439.9 (34.) 446.5 (32.)				
Trefferlage	3.40 mm links, 3.55 mm hoch				
Streuwert	5.55, horizontal: 5.60, vertikal: 5.51				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (371.0)
 Serien: 86 88 88 92
 Zähler: 9 19 9 3 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3053 (7), 2736 (21), 2442 (15)
 beste Teiler 398.5 (16.) 489.3 (13.) 611.0 (26.)
 Trefferlage 3.01 mm links, 2.37 mm tief
 Streuwert 10.21, horizontal: 12.23, vertikal: 7.68




Serie 1:
 9.3 → 8.9 → 8.3 ← 8.6 → 8.1 ↘
 9.9 ↘ 7.1 ← 10.1 ↓ 10.1 ↙ 9.9 ↘
 beste Teiler 664.0 (9.) 671.4 (8.) 823.0 (6.)
 Trefferlage 0.56 mm links, 1.03 mm tief
 Streuwert 12.71, horizontal: 16.08, vertikal: 8.02



Serie 2:
 8.9 ↘ 10.1 ↖ 10.3 * 9.6 ↗ 7.9 ←
 10.5 * 9.4 ↙ 8.3 ↘ 8.8 ← 9.5 ↙
 beste Teiler 398.5 (16.) 489.3 (13.) 711.9 (12.)
 Trefferlage 4.71 mm links, 1.97 mm tief
 Streuwert 10.11, horizontal: 12.55, vertikal: 6.85



Serie 3:
 7.5 ↘ 10.0 ↙ 9.8 ← 9.0 ↓ 8.9 ↙
 10.2 ↙ 8.1 ↘ 9.4 ← 9.4 ↖ 9.7 ←
 beste Teiler 611.0 (26.) 743.9 (22.) 904.1 (23.)
 Trefferlage 4.38 mm links, 3.65 mm tief
 Streuwert 10.59, horizontal: 11.86, vertikal: 9.16





Serie 4:
 9.4 ↗ 10.1 ↘ 9.1 ↙ 9.4 ↓ 9.2 ←
 10.0 ↙ 9.9 ← 9.0 ← 9.6 ↑ 9.7 ↘
 beste Teiler 708.7 (32.) 781.3 (36.) 867.6 (37.)
 Trefferlage 2.38 mm links, 2.81 mm tief
 Streuwert 8.21, horizontal: 8.88, vertikal: 7.50


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (390.3)
 Serien: 92 95 89 96
 Zähler: 17 20 1 2 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2657 (22), 2467 (3), 1816 (26)
 beste Teiler 83.6 (6.) 242.1 (19.) 398.8 (20.)
 Trefferlage 2.74 mm links, 0.13 mm tief
 Streuwert 7.47, horizontal: 8.27, vertikal: 6.58




Serie 1:
 10.0 ↙ 9.4 → 7.9 ↙ 10.4 * 9.8 ↘
 10.8 * 10.4 * 9.2 ↙ 9.9 ↘ 9.6 ↙
 beste Teiler 83.6 (6.) 404.5 (4.) 463.3 (7.)
 Trefferlage 4.50 mm links, 3.75 mm tief
 Streuwert 7.40, horizontal: 9.31, vertikal: 4.77



Serie 2:
 10.0 ↗ 9.4 → 9.6 ↙ 9.3 ↓ 10.0 ↓
 9.7 ← 9.9 ← 10.0 ↗ 10.6 * 10.5 *
 beste Teiler 242.1 (19.) 398.8 (20.) 740.5 (11.)
 Trefferlage 1.57 mm links, 2.32 mm tief
 Streuwert 6.39, horizontal: 6.95, vertikal: 5.78



Serie 3:
 9.9 → 7.6 → 9.2 ↑ 9.3 ← 9.8 ↘
 8.7 ↘ 9.0 ↓ 10.0 ↘ 10.3 ↗ 9.8 ←
 beste Teiler 556.1 (29.) 739.2 (28.) 858.1 (21.)
 Trefferlage 0.87 mm links, 2.96 mm hoch
 Streuwert 10.17, horizontal: 11.21, vertikal: 9.01





Serie 4:
 10.0 ← 9.7 ↗ 10.2 ↖ 10.1 ← 9.8 ↙
 10.4 * 9.9 ↘ 10.3 * 10.0 ↘ 9.9 ↘
 beste Teiler 405.5 (36.) 490.4 (38.) 608.6 (33.)
 Trefferlage 4.00 mm links, 2.58 mm hoch
 Streuwert 4.26, horizontal: 5.00, vertikal: 3.36


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **350** (369.1)
 Serien: 88 87 89 86
 Zähler: 4 25 9 1 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3989 (20), 2500 (5), 2343 (35)
 beste Teiler 43.7 (13.) 50.9 (31.) 183.0 (14.)
 Trefferlage 1.22 mm links, 0.64 mm hoch
 Streuwert 10.96, horizontal: 12.14, vertikal: 9.63




Serie 1:
 9.4 ↗ 9.7 ← 9.3 ← 9.4 ← 7.8 ←
 9.0 ↗ 9.5 ↓ 9.9 ↘ 9.2 → 9.2 →
 beste Teiler 853.7 (8.) 968.2 (2.) 1146.0 (7.)
 Trefferlage 0.89 mm links, 0.26 mm hoch
 Streuwert 10.57, horizontal: 13.24, vertikal: 6.93



Serie 2:
 8.8 ↘ 8.6 ↘ 10.9 * 10.7 * 9.8 ←
 9.0 → 8.7 ↗ 10.6 * 9.2 ↖ 6.0 ←
 beste Teiler 43.7 (13.) 183.0 (14.) 308.5 (18.)
 Trefferlage 0.19 mm links, 0.56 mm tief
 Streuwert 13.11, horizontal: 16.60, vertikal: 8.25



Serie 3:
 9.4 ↖ 9.4 ↓ 9.3 ↓ 9.4 ↗ 9.0 ↑
 9.5 ↘ 8.8 → 9.6 ↑ 9.0 ↓ 9.5 ↘
 beste Teiler 1092.8 (28.) 1154.3 (26.) 1183.6 (30.)
 Trefferlage 3.04 mm rechts, 3.32 mm tief
 Streuwert 9.49, horizontal: 8.62, vertikal: 10.29





Serie 4:
 10.9 * 9.8 ↗ 8.7 ↖ 9.1 ← 8.0 ↖
 9.8 ↘ 8.6 ↓ 8.2 ↑ 8.9 ↖ 9.5 ↖
 beste Teiler 50.9 (31.) 889.5 (36.) 958.4 (32.)
 Trefferlage 6.87 mm links, 6.20 mm hoch
 Streuwert 9.57, horizontal: 7.53, vertikal: 11.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (384.2)
 Serien: 89 95 89 93
 Zähler: 13 21 5 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2791 (22), 2174 (4), 2046 (28)
 beste Teiler 119.9 (2.) 241.8 (17.) 295.6 (21.)
 Trefferlage 1.86 mm rechts, 0.50 mm tief
 Streuwert 8.51, horizontal: 9.93, vertikal: 6.80




Serie 1:
 8.9 ↗ 10.8 * 9.1 ↓ 8.2 → 9.8 ↖
 9.0 ← 9.1 → 9.5 → 9.0 → 9.8 ↗
 beste Teiler 119.9 (2.) 887.6 (10.) 909.3 (5.)
 Trefferlage 6.08 mm rechts, 0.80 mm hoch
 Streuwert 9.35, horizontal: 11.04, vertikal: 7.28



Serie 2:
 9.3 ↓ 10.1 ↗ 9.6 ← 10.3 * 9.5 ←
 9.7 ↑ 10.6 * 10.0 → 9.9 ↘ 10.4 *
 beste Teiler 241.8 (17.) 411.4 (20.) 489.5 (14.)
 Trefferlage 1.52 mm links, 1.41 mm tief
 Streuwert 6.18, horizontal: 6.35, vertikal: 6.01



Serie 3:
 10.6 * 7.5 → 8.9 ↖ 9.9 ← 10.6 *
 10.1 ↖ 9.5 ↘ 8.4 ↖ 9.7 ↑ 9.9 →
 beste Teiler 295.6 (21.) 298.3 (25.) 657.1 (26.)
 Trefferlage 1.00 mm rechts, 0.61 mm hoch
 Streuwert 10.25, horizontal: 11.58, vertikal: 8.71





Serie 4:
 9.3 ↘ 10.1 ↗ 10.1 ↘ 10.1 ↓ 10.1 →
 9.8 ↑ 9.7 ← 8.8 ← 9.0 → 9.5 →
 beste Teiler 646.1 (33.) 683.3 (32.) 697.6 (35.)
 Trefferlage 1.88 mm rechts, 1.99 mm tief
 Streuwert 7.95, horizontal: 9.87, vertikal: 5.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	376	(395.5)
Serien:	92 95 97 92	
Zähler:	20 16 4 0 0 0 0 0 0 0	
Innenzehner:	11	
weiteste:	2041 (40), 1959 (17), 1938 (4)	
beste Teiler	86.2 (18.) 108.0 (14.) 243.8 (13.)	
Trefferlage	1.52 mm rechts, 1.55 mm hoch	
Streuwert	6.82, horizontal: 8.55, vertikal: 4.45	




Serie 1:					
	9.9 →	9.7 →	10.0 ↗	8.5 ↗	10.6 *
	9.4 ↖	9.9 ←	9.1 ←	10.4 *	9.9 ↗
beste Teiler	306.6 (5.) 439.8 (9.) 791.3 (3.)				
Trefferlage	1.30 mm rechts, 3.18 mm hoch				
Streuwert	7.58, horizontal: 9.83, vertikal: 4.28				



Serie 2:					
	9.3 →	9.4 →	10.6 *	10.8 *	10.4 *
	9.9 ↖	8.5 ↗	10.8 *	10.4 *	10.1 →
beste Teiler	86.2 (18.) 108.0 (14.) 243.8 (13.)				
Trefferlage	4.81 mm rechts, 1.11 mm hoch				
Streuwert	5.91, horizontal: 7.34, vertikal: 4.00				



Serie 3:					
	10.6 *	10.1 ←	9.3 →	10.1 ↑	10.1 ↘
	10.4 *	9.9 ↖	10.2 ←	9.8 ←	10.3 ↘
beste Teiler	318.2 (21.) 411.3 (26.) 538.7 (30.)				
Trefferlage	1.42 mm links, 0.84 mm tief				
Streuwert	5.42, horizontal: 6.76, vertikal: 3.62				



Serie 4:					
	8.9 →	10.0 →	10.4 *	9.8 ↗	9.8 ↗
	9.4 ↗	10.6 *	9.7 ↖	10.1 ↖	8.4 ←
beste Teiler	265.4 (37.) 479.2 (33.) 651.4 (39.)				
Trefferlage	1.39 mm rechts, 2.78 mm hoch				
Streuwert	7.95, horizontal: 9.96, vertikal: 5.21				

Unterschrift des Schützen

Meyton Elektronik