





Ergebnis: **393** (410.1)
 Serien: 98 99 97 99
 Zähler: 33 7 0 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 1453 (24), 1177 (27), 1067 (8)
 beste Teiler 68.9 (4.) 97.4 (1.) 102.9 (7.)
 Trefferlage 0.49 mm links, 0.80 mm hoch
 Streuwert 4.51, horizontal: 4.05, vertikal: 4.93




Serie 1:
 10.8 * 10.1 ← 9.7 ↙ 10.9 * 10.1 ↘
 10.6 * 10.8 * 9.6 ↙ 10.2 ↓ 10.3 *
 beste Teiler 68.9 (4.) 97.4 (1.) 102.9 (7.)
 Trefferlage 3.35 mm links, 2.44 mm tief
 Streuwert 3.36, horizontal: 3.32, vertikal: 3.41



Serie 2:
 10.2 ↓ 10.2 ↘ 10.3 * 10.5 * 10.3 *
 10.7 * 9.9 ↙ 10.0 ↑ 10.0 ↘ 10.0 ↘
 beste Teiler 164.7 (16.) 334.2 (14.) 530.2 (15.)
 Trefferlage 0.72 mm links, 0.05 mm hoch
 Streuwert 4.62, horizontal: 4.08, vertikal: 5.09



Serie 3:
 10.2 ↗ 10.7 * 10.5 * 9.1 ↗ 10.3 ↑
 10.3 * 9.5 ↑ 9.8 → 10.3 ↑ 10.7 *
 beste Teiler 167.5 (30.) 232.6 (22.) 390.6 (23.)
 Trefferlage 1.87 mm rechts, 4.16 mm hoch
 Streuwert 4.54, horizontal: 4.13, vertikal: 4.92





Serie 4:
 10.6 * 10.3 * 10.5 * 10.2 ↘ 9.7 ↑
 10.2 ↘ 10.7 * 10.6 * 10.6 * 10.1 ↗
 beste Teiler 233.6 (37.) 273.3 (39.) 297.3 (31.)
 Trefferlage 0.21 mm rechts, 1.45 mm hoch
 Streuwert 3.79, horizontal: 3.24, vertikal: 4.27


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (388.4)
 Serien: 93 95 89 93
 Zähler: 16 18 6 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2214 (3), 2178 (1), 1865 (28)
 beste Teiler 335.8 (7.) 368.4 (34.) 421.0 (39.)
 Trefferlage 2.46 mm links, 0.79 mm tief
 Streuwert 7.65, horizontal: 7.62, vertikal: 7.68




Serie 1:
 8.2 ↘ 10.3 ↗ 8.2 ↗ 10.3 * 9.5 ↘
 9.8 ↓ 10.5 * 10.0 ↘ 9.9 ↑ 10.3 ←
 beste Teiler 335.8 (7.) 525.3 (4.) 548.0 (2.)
 Trefferlage 0.10 mm links, 5.11 mm tief
 Streuwert 8.00, horizontal: 8.22, vertikal: 7.78



Serie 2:
 10.1 ↓ 9.4 ↖ 10.2 ↑ 10.4 * 8.9 ↗
 10.1 ↑ 8.8 ↗ 10.0 ← 10.1 ← 10.1 ↗
 beste Teiler 421.5 (14.) 625.6 (13.) 641.9 (16.)
 Trefferlage 2.80 mm links, 1.09 mm hoch
 Streuwert 7.09, horizontal: 7.37, vertikal: 6.81



Serie 3:
 9.8 → 9.3 ↘ 9.9 ↓ 9.8 ↘ 9.9 ↑
 9.4 ← 10.3 ← 8.6 ↗ 9.6 ← 8.7 ↘
 beste Teiler 540.1 (27.) 870.5 (23.) 871.2 (25.)
 Trefferlage 4.64 mm links, 0.76 mm hoch
 Streuwert 8.32, horizontal: 7.82, vertikal: 8.78





Serie 4:
 9.6 ↘ 9.9 ← 9.0 ↘ 10.5 * 9.3 ↘
 9.5 ↘ 9.9 ← 10.1 ← 10.4 * 9.8 ↗
 beste Teiler 368.4 (34.) 421.0 (39.) 669.0 (38.)
 Trefferlage 2.30 mm links, 0.09 mm hoch
 Streuwert 7.07, horizontal: 7.55, vertikal: 6.56


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (395.6)
 Serien: 95 93 95 95
 Zähler: 21 16 3 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 2112 (21), 1985 (8), 1954 (38)
 beste Teiler 105.3 (30.) 110.4 (36.) 194.6 (35.)
 Trefferlage 5.23 mm links, 2.11 mm tief
 Streuwert 5.82, horizontal: 5.18, vertikal: 6.39




Serie 1:
 9.2 ↙ 10.5 * 10.3 ↘ 10.7 * 10.1 ↙
 9.5 ↙ 9.7 ↘ 8.5 ↙ 10.3 ↘ 10.5 *
 beste Teiler 211.4 (4.) 357.1 (2.) 397.7 (10.)
 Trefferlage 6.09 mm links, 4.58 mm tief
 Streuwert 4.68, horizontal: 4.84, vertikal: 4.51



Serie 2:
 9.5 ↘ 10.6 * 9.6 ↙ 9.2 ↖ 9.5 ↖
 9.4 ↓ 9.6 ← 10.0 ↓ 9.3 ↘ 10.4 *
 beste Teiler 273.1 (12.) 455.2 (20.) 723.2 (18.)
 Trefferlage 6.47 mm links, 2.21 mm tief
 Streuwert 5.94, horizontal: 4.93, vertikal: 6.80



Serie 3:
 8.3 ↙ 10.0 ↖ 9.6 ↘ 10.3 ↖ 9.0 ↖
 10.3 ↖ 10.1 ↖ 9.7 ← 10.0 ↖ 10.8 *
 beste Teiler 105.3 (30.) 535.3 (26.) 537.0 (24.)
 Trefferlage 7.59 mm links, 3.09 mm tief
 Streuwert 5.04, horizontal: 4.46, vertikal: 5.57





Serie 4:
 10.5 * 10.3 * 9.7 ↘ 9.9 ↖ 10.7 *
 10.8 * 9.9 ↑ 8.5 ↑ 10.3 * 10.5 *
 beste Teiler 110.4 (36.) 194.6 (35.) 347.1 (40.)
 Trefferlage 0.78 mm links, 1.45 mm hoch
 Streuwert 6.13, horizontal: 4.21, vertikal: 7.58


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	389	(405.8)
Serien:	94 99 98 98	
Zähler:	29 11 0 0 0 0 0 0 0 0	
Innenzehner:	17	
weiteste:	1411 (4), 1364 (10), 1336 (8)	
beste Teiler	159.5 (9.) 168.6 (24.) 197.8 (11.)	
Trefferlage	1.12 mm links, 0.97 mm hoch	
Streuwert	5.11, horizontal: 4.57, vertikal: 5.60	




Serie 1:				
9.9 ↗	9.8 ↖	10.0 →	9.2 ↑	10.1 ↖
10.6 *	9.3 ↘	9.3 ↖	10.8 *	9.2 ↖
beste Teiler	159.5 (9.)	276.3 (6.)	697.2 (5.)	
Trefferlage	2.00 mm links, 6.94 mm hoch			
Streuwert	5.17, horizontal: 5.56, vertikal: 4.74			



Serie 2:				
10.7 *	9.7 ↙	10.3 ←	10.6 *	10.2 ↙
10.0 ↗	10.3 ↗	10.3 ↙	10.3 *	10.2 ↙
beste Teiler	197.8 (11.)	263.4 (14.)	481.0 (19.)	
Trefferlage	1.73 mm links, 0.96 mm tief			
Streuwert	4.13, horizontal: 4.21, vertikal: 4.05			



Serie 3:				
10.3 *	9.7 ←	10.5 *	10.7 *	10.2 ←
10.5 *	10.5 *	10.6 *	9.4 ↓	10.6 *
beste Teiler	168.6 (24.)	251.4 (28.)	301.2 (30.)	
Trefferlage	2.32 mm links, 0.25 mm tief			
Streuwert	4.14, horizontal: 3.70, vertikal: 4.54			





Serie 4:				
10.1 →	10.3 *	10.6 *	10.3 *	10.4 *
9.6 ↘	10.2 ↓	10.0 ↑	9.9 ↙	10.6 *
beste Teiler	270.0 (40.)	315.6 (33.)	461.1 (35.)	
Trefferlage	1.56 mm rechts, 1.81 mm tief			
Streuwert	4.44, horizontal: 4.16, vertikal: 4.70			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (391.8)
 Serien: 92 96 92 92
 Zähler: 13 26 1 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 1613 (34), 1586 (14), 1526 (26)
 beste Teiler 236.5 (15.) 383.0 (7.) 422.9 (16.)
 Trefferlage 0.91 mm rechts, 2.53 mm tief
 Streuwert 6.75, horizontal: 6.75, vertikal: 6.76




Serie 1:
 9.9 ↖ 9.6 ↘ 10.1 ↑ 9.5 → 9.7 ↑
 9.9 → 10.5 * 9.7 ↘ 9.7 ↖ 9.6 ↓
 beste Teiler 383.0 (7.) 665.7 (3.) 831.3 (6.)
 Trefferlage 1.99 mm rechts, 1.15 mm hoch
 Streuwert 6.78, horizontal: 6.75, vertikal: 6.81



Serie 2:
 10.1 ↓ 10.1 ← 9.4 ↙ 9.0 ↙ 10.7 *
 10.4 * 10.2 ↙ 10.2 ← 9.4 ↘ 9.5 ↘
 beste Teiler 236.5 (15.) 422.9 (16.) 598.6 (18.)
 Trefferlage 2.00 mm links, 4.64 mm tief
 Streuwert 5.93, horizontal: 7.01, vertikal: 4.59



Serie 3:
 9.8 ↖ 9.7 ↓ 10.2 ↘ 10.1 ↘ 9.2 ↓
 9.0 ↓ 9.9 ← 9.5 ↘ 9.8 → 9.2 ↓
 beste Teiler 636.4 (23.) 669.9 (24.) 847.5 (27.)
 Trefferlage 2.51 mm rechts, 6.27 mm tief
 Streuwert 6.28, horizontal: 5.42, vertikal: 7.03





Serie 4:
 10.2 ↗ 10.1 ↑ 9.9 ↘ 8.9 ← 9.5 ↗
 10.3 ↓ 9.8 ↘ 9.9 ↖ 9.8 → 9.8 ↘
 beste Teiler 537.2 (36.) 593.1 (31.) 691.8 (32.)
 Trefferlage 1.13 mm rechts, 0.38 mm tief
 Streuwert 7.07, horizontal: 7.72, vertikal: 6.35


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369** (388.2)
 Serien: 91 92 94 92
 Zähler: 14 21 5 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2270 (32), 2083 (4), 2059 (33)
 beste Teiler 259.5 (40.) 340.2 (19.) 356.5 (24.)
 Trefferlage 2.59 mm rechts, 1.09 mm hoch
 Streuwert 7.61, horizontal: 5.42, vertikal: 9.30




Serie 1:
 10.1 ↖ 9.3 ↑ 9.8 ↘ 8.3 ↘ 9.9 ↘
 9.7 ↓ 8.7 ↓ 9.6 ↓ 10.1 ↗ 10.0 ↖
 beste Teiler 695.0 (1.) 698.4 (9.) 781.4 (10.)
 Trefferlage 1.03 mm rechts, 4.39 mm tief
 Streuwert 8.28, horizontal: 3.94, vertikal: 11.02



Serie 2:
 8.8 ↑ 9.4 ↗ 9.5 ↑ 10.1 ↗ 9.7 →
 9.1 → 9.9 ↘ 10.1 ← 10.5 * 9.9 ↗
 beste Teiler 340.2 (19.) 706.9 (14.) 714.1 (18.)
 Trefferlage 4.86 mm rechts, 3.68 mm hoch
 Streuwert 6.57, horizontal: 6.40, vertikal: 6.74



Serie 3:
 9.9 ↖ 9.5 → 9.4 ↗ 10.5 * 10.3 *
 9.9 ↙ 9.4 ↑ 10.3 * 10.4 * 9.8 ↑
 beste Teiler 356.5 (24.) 447.7 (29.) 487.1 (28.)
 Trefferlage 1.63 mm rechts, 3.70 mm hoch
 Streuwert 5.59, horizontal: 5.66, vertikal: 5.53





Serie 4:
 10.3 * 8.1 ↑ 8.4 ↗ 9.7 ↘ 9.1 ↗
 10.2 ↓ 9.9 ↓ 10.3 ↓ 9.7 ↘ 10.6 *
 beste Teiler 259.5 (40.) 509.8 (31.) 546.4 (38.)
 Trefferlage 2.83 mm rechts, 1.38 mm hoch
 Streuwert 8.89, horizontal: 5.41, vertikal: 11.35


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (395.8)
 Serien: 96 93 93 93
 Zähler: 17 21 2 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2034 (34), 1676 (23), 1455 (27)
 beste Teiler 13.8 (8.) 271.0 (6.) 307.3 (11.)
 Trefferlage 0.07 mm links, 0.38 mm tief
 Streuwert 6.77, horizontal: 7.08, vertikal: 6.44




Serie 1:
 9.2 ↖ 10.3 ↑ 10.3 * 9.7 ↗ 10.5 *
 10.6 * 10.0 ↘ 10.9 * 9.8 ↙ 9.7 ↓
 beste Teiler 13.8 (8.) 271.0 (6.) 344.4 (5.)
 Trefferlage 0.44 mm links, 0.53 mm hoch
 Streuwert 5.84, horizontal: 6.43, vertikal: 5.18



Serie 2:
 10.6 * 9.9 ↙ 9.9 ↓ 9.6 ↖ 9.6 ↗
 9.6 → 10.2 ↘ 10.5 * 9.6 → 9.8 ↙
 beste Teiler 307.3 (11.) 321.0 (18.) 629.0 (17.)
 Trefferlage 0.91 mm links, 1.74 mm tief
 Streuwert 6.32, horizontal: 7.30, vertikal: 5.14



Serie 3:
 9.3 → 10.4 * 8.9 ↘ 10.1 ↗ 10.1 ↓
 9.6 ↓ 9.1 ↗ 9.6 ↙ 9.3 → 10.5 *
 beste Teiler 393.9 (30.) 468.2 (22.) 690.9 (25.)
 Trefferlage 3.77 mm rechts, 0.70 mm tief
 Streuwert 7.68, horizontal: 7.52, vertikal: 7.84



Serie 4:
 10.4 * 9.7 ↗ 10.3 ↖ 8.4 ↓ 9.5 ↖
 9.9 ↙ 9.8 ↖ 9.7 ↗ 10.5 * 10.4 *
 beste Teiler 321.0 (39.) 427.7 (40.) 446.9 (31.)
 Trefferlage 2.71 mm links, 0.36 mm hoch
 Streuwert 7.13, horizontal: 6.38, vertikal: 7.82

Unterschrift des Schützen

Meyton Elektronik