





Ergebnis: **376** (394.4)
 Serien: 94 99 89 94
 Zähler: 21 14 5 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2361 (28), 2092 (38), 1841 (8)
 beste Teiler 75.6 (33.) 104.6 (19.) 145.3 (15.)
 Trefferlage 0.35 mm links, 0.25 mm tief
 Streuwert 7.32, horizontal: 8.95, vertikal: 5.20




Serie 1:
 10.0 ↘ 10.6 * 9.3 ↗ 9.6 ↗ 10.2 ↗
 10.2 → 9.7 ↘ 8.6 → 10.7 * 9.3 ←
 beste Teiler 238.0 (9.) 273.3 (2.) 598.8 (5.)
 Trefferlage 3.12 mm rechts, 1.03 mm tief
 Streuwert 7.20, horizontal: 8.39, vertikal: 5.76



Serie 2:
 10.6 * 10.1 ↖ 10.6 * 10.2 ↖ 10.8 *
 10.0 ↙ 9.7 ↓ 10.6 * 10.8 * 10.1 →
 beste Teiler 104.6 (19.) 145.3 (15.) 252.0 (13.)
 Trefferlage 1.04 mm links, 1.20 mm tief
 Streuwert 4.00, horizontal: 3.25, vertikal: 4.62



Serie 3:
 9.9 ↖ 10.0 ← 9.9 → 9.6 ← 10.2 →
 8.8 ↙ 9.8 ↘ 8.0 → 8.9 → 9.9 ←
 beste Teiler 608.1 (25.) 762.6 (22.) 820.1 (23.)
 Trefferlage 1.08 mm rechts, 0.61 mm tief
 Streuwert 9.48, horizontal: 12.15, vertikal: 5.67





Serie 4:
 10.4 * 10.2 ↙ 10.9 * 9.4 → 10.0 ↖
 9.3 ← 9.3 ← 8.3 ← 10.3 * 9.6 ↖
 beste Teiler 75.6 (33.) 435.6 (31.) 499.0 (39.)
 Trefferlage 4.56 mm links, 1.81 mm hoch
 Streuwert 7.28, horizontal: 9.07, vertikal: 4.87


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **384** (401.0)
 Serien: 97 94 98 95
 Zähler: 25 14 1 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 1703 (17), 1518 (13), 1495 (38)
 beste Teiler 44.1 (25.) 169.0 (1.) 183.3 (29.)
 Trefferlage 1.65 mm links, 2.21 mm hoch
 Streuwert 5.77, horizontal: 5.47, vertikal: 6.06




Serie 1:
 10.7 * 9.5 ↘ 10.3 * 10.6 * 10.5 *
 9.5 ← 9.8 ↘ 10.5 * 10.5 * 10.1 ↘
 beste Teiler 169.0 (1.) 275.0 (4.) 363.1 (8.)
 Trefferlage 2.59 mm links, 0.39 mm hoch
 Streuwert 4.85, horizontal: 4.74, vertikal: 4.96



Serie 2:
 9.9 ↓ 10.1 ↑ 9.1 ↘ 10.2 ← 9.9 ↑
 10.7 * 8.8 ← 10.1 ↘ 9.2 ↑ 10.7 *
 beste Teiler 187.0 (16.) 195.7 (20.) 633.0 (14.)
 Trefferlage 2.11 mm links, 3.46 mm hoch
 Streuwert 6.76, horizontal: 6.32, vertikal: 7.17



Serie 3:
 10.2 ↘ 10.0 ↘ 10.3 * 10.1 ↓ 10.9 *
 9.5 ← 9.4 ↗ 10.3 * 10.7 * 10.0 ↑
 beste Teiler 44.1 (25.) 183.3 (29.) 515.3 (23.)
 Trefferlage 1.69 mm links, 2.96 mm hoch
 Streuwert 4.91, horizontal: 5.72, vertikal: 3.94





Serie 4:
 9.3 ↘ 10.5 * 9.9 ← 10.2 ↓ 9.2 ↘
 10.1 → 10.4 * 9.1 ↑ 10.3 * 9.9 ↘
 beste Teiler 333.0 (32.) 442.7 (37.) 504.0 (39.)
 Trefferlage 0.23 mm links, 2.03 mm hoch
 Streuwert 6.80, horizontal: 5.57, vertikal: 7.84


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **329** (346.3)
 Serien: 74 88 82 85
 Zähler: 8 11 9 8 2 2 0 0 0 0
 Innenzehner: 2
 weiteste: 4656 (9), 4088 (10), 3954 (27)
 beste Teiler 283.3 (12.) 463.4 (6.) 555.4 (28.)
 Trefferlage 3.96 mm rechts, 4.29 mm hoch
 Streuwert 14.52, horizontal: 18.47, vertikal: 8.98




Serie 1:
 7.6 → 8.6 ← 8.4 ↗ 8.0 ↙ 7.2 →
 10.4 * 9.0 ↑ 7.9 ↗ 5.1 → 5.8 ←
 beste Teiler 463.4 (6.) 1577.9 (7.) 1865.1 (2.)
 Trefferlage 5.28 mm rechts, 7.09 mm hoch
 Streuwert 19.56, horizontal: 25.93, vertikal: 9.61



Serie 2:
 9.5 → 10.6 * 9.2 ↗ 9.4 ↗ 9.3 ↖
 10.0 → 8.5 → 8.8 ← 7.5 ↖ 9.9 ↓
 beste Teiler 283.3 (12.) 743.7 (16.) 829.8 (20.)
 Trefferlage 0.60 mm rechts, 3.99 mm hoch
 Streuwert 10.70, horizontal: 12.40, vertikal: 8.67



Serie 3:
 9.9 → 7.5 → 10.1 ↘ 7.9 → 9.2 →
 8.9 ↗ 6.0 ↗ 10.3 ↓ 9.3 ← 7.8 ←
 beste Teiler 555.4 (28.) 708.1 (23.) 840.5 (21.)
 Trefferlage 8.15 mm rechts, 2.52 mm hoch
 Streuwert 14.15, horizontal: 17.91, vertikal: 8.94





Serie 4:
 9.6 ↑ 8.4 ↗ 10.1 ↖ 8.8 ↘ 9.1 ↖
 8.6 ↖ 10.0 → 7.1 ↙ 6.9 → 10.1 ↗
 beste Teiler 693.8 (40.) 698.7 (33.) 785.1 (37.)
 Trefferlage 1.80 mm rechts, 3.57 mm hoch
 Streuwert 13.79, horizontal: 17.07, vertikal: 9.43


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (391.2)
 Serien: 89 93 95 95
 Zähler: 17 19 3 1 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2896 (10), 1885 (5), 1790 (15)
 beste Teiler 182.0 (28.) 204.1 (27.) 224.6 (35.)
 Trefferlage 3.15 mm links, 0.19 mm hoch
 Streuwert 7.36, horizontal: 8.72, vertikal: 5.69




Serie 1:
 8.8 ↘ 10.4 * 9.6 ← 9.4 ← 8.6 ←
 10.2 → 9.8 ↓ 9.6 ↖ 10.6 * 7.3 ←
 beste Teiler 270.3 (9.) 421.5 (2.) 599.8 (6.)
 Trefferlage 5.37 mm links, 0.26 mm tief
 Streuwert 9.83, horizontal: 12.37, vertikal: 6.34



Serie 2:
 9.8 ↗ 10.0 ↘ 9.3 ↓ 10.5 * 8.7 ↖
 10.2 ← 10.0 → 9.6 ↓ 9.3 ↗ 9.0 ↖
 beste Teiler 366.2 (14.) 629.3 (16.) 740.5 (17.)
 Trefferlage 2.03 mm links, 1.50 mm tief
 Streuwert 8.19, horizontal: 8.66, vertikal: 7.69



Serie 3:
 10.4 * 10.0 ↖ 9.8 ↓ 9.7 → 9.4 ←
 9.8 ← 10.7 * 10.7 * 9.3 ↖ 10.5 *
 beste Teiler 182.0 (28.) 204.1 (27.) 351.6 (30.)
 Trefferlage 2.27 mm links, 0.31 mm tief
 Streuwert 6.04, horizontal: 7.10, vertikal: 4.74





Serie 4:
 10.2 ← 9.8 ← 10.1 ↖ 9.9 ← 10.7 *
 10.1 ↑ 9.5 → 10.5 * 9.8 ↖ 9.6 ←
 beste Teiler 224.6 (35.) 322.1 (38.) 580.4 (31.)
 Trefferlage 2.92 mm links, 2.85 mm hoch
 Streuwert 5.01, horizontal: 6.58, vertikal: 2.64


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (385.4)
 Serien: 94 91 86 94
 Zähler: 12 21 7 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2366 (21), 1871 (28), 1794 (40)
 beste Teiler 160.8 (13.) 216.4 (7.) 254.7 (25.)
 Trefferlage 0.37 mm links, 0.16 mm tief
 Streuwert 8.43, horizontal: 9.72, vertikal: 6.89




Serie 1:
 10.3 * 9.6 ↙ 9.4 ↑ 9.7 ↘ 10.1 →
 9.6 ↓ 10.7 * 9.9 ↘ 10.5 * 9.8 ↙
 beste Teiler 216.4 (7.) 391.3 (9.) 512.6 (1.)
 Trefferlage 2.01 mm links, 0.18 mm tief
 Streuwert 6.23, horizontal: 5.88, vertikal: 6.55



Serie 2:
 9.5 → 9.6 → 10.8 * 9.0 ↙ 9.9 ↘
 9.3 ↑ 10.1 ↗ 8.9 ↙ 9.7 → 9.5 →
 beste Teiler 160.8 (13.) 665.3 (17.) 843.9 (15.)
 Trefferlage 2.10 mm rechts, 0.83 mm tief
 Streuwert 8.29, horizontal: 8.57, vertikal: 8.00



Serie 3:
 8.0 ↘ 8.9 ↘ 9.1 ↘ 8.9 ↙ 10.6 *
 9.0 ← 9.1 → 8.6 ↘ 8.7 ↘ 9.7 ↘
 beste Teiler 254.7 (25.) 1033.2 (30.) 1450.3 (27.)
 Trefferlage 4.46 mm links, 0.62 mm hoch
 Streuwert 11.42, horizontal: 13.36, vertikal: 9.08





Serie 4:
 10.6 * 10.4 * 9.9 ↘ 10.3 * 9.7 →
 9.6 → 10.2 ← 9.0 ↘ 10.5 * 8.7 →
 beste Teiler 268.4 (31.) 388.0 (39.) 469.2 (32.)
 Trefferlage 2.87 mm rechts, 0.27 mm tief
 Streuwert 7.01, horizontal: 9.10, vertikal: 3.93


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (397.6)
 Serien: 94 97 93 93
 Zähler: 19 19 2 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 1752 (23), 1617 (9), 1564 (2)
 beste Teiler 46.8 (18.) 115.3 (12.) 168.9 (14.)
 Trefferlage 1.25 mm links, 0.13 mm tief
 Streuwert 6.50, horizontal: 7.09, vertikal: 5.85




Serie 1:
 9.9 ↙ 9.0 ↖ 9.6 ↗ 10.6 * 9.9 ←
 10.1 ↖ 10.1 ↗ 10.4 * 8.9 ↘ 10.6 *
 beste Teiler 277.7 (10.) 317.1 (4.) 407.5 (8.)
 Trefferlage 2.30 mm links, 0.06 mm tief
 Streuwert 6.85, horizontal: 7.20, vertikal: 6.47



Serie 2:
 10.3 * 10.8 * 9.7 ↙ 10.7 * 10.2 ↖
 9.6 ↗ 9.8 ↙ 10.9 * 10.2 ← 10.5 *
 beste Teiler 46.8 (18.) 115.3 (12.) 168.9 (14.)
 Trefferlage 2.60 mm links, 0.44 mm tief
 Streuwert 4.39, horizontal: 4.76, vertikal: 3.98



Serie 3:
 9.9 ← 10.2 ↗ 8.8 → 9.6 → 10.3 *
 9.2 ↑ 9.0 ← 10.4 * 9.8 ↓ 10.1 ↖
 beste Teiler 468.9 (28.) 490.8 (25.) 597.4 (22.)
 Trefferlage 0.51 mm rechts, 0.63 mm hoch
 Streuwert 7.94, horizontal: 9.58, vertikal: 5.86





Serie 4:
 10.5 * 9.4 ↖ 9.7 ↘ 10.6 * 9.7 ↘
 9.9 → 9.4 ↓ 9.2 ↙ 9.7 ↑ 10.4 *
 beste Teiler 253.4 (34.) 346.7 (31.) 424.3 (40.)
 Trefferlage 0.61 mm links, 0.66 mm tief
 Streuwert 7.04, horizontal: 6.65, vertikal: 7.41


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **388** (405.6)
 Serien: 98 95 97 98
 Zähler: 28 12 0 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 1588 (22), 1586 (30), 1266 (9)
 beste Teiler 95.6 (29.) 123.6 (37.) 130.7 (6.)
 Trefferlage 0.25 mm links, 0.37 mm tief
 Streuwert 5.36, horizontal: 5.02, vertikal: 5.68




Serie 1:
 10.3 * 10.5 * 10.4 * 10.4 * 9.9 ↘
 10.8 * 10.5 * 10.4 * 9.4 ↘ 10.0 ↑
 beste Teiler 130.7 (6.) 327.5 (2.) 397.6 (7.)
 Trefferlage 0.59 mm rechts, 0.36 mm tief
 Streuwert 4.67, horizontal: 4.25, vertikal: 5.05



Serie 2:
 9.5 ↘ 9.7 ↘ 9.4 ← 10.1 ← 9.9 ↓
 10.3 ↗ 10.1 ↓ 9.9 ↘ 10.3 * 10.4 *
 beste Teiler 437.3 (20.) 502.0 (19.) 544.6 (16.)
 Trefferlage 0.75 mm links, 4.28 mm tief
 Streuwert 5.33, horizontal: 6.25, vertikal: 4.23



Serie 3:
 10.0 ↘ 9.0 ↑ 10.6 * 10.5 * 10.0 ↗
 10.5 * 9.5 → 10.2 ↗ 10.8 * 9.0 ↘
 beste Teiler 95.6 (29.) 272.6 (23.) 337.5 (26.)
 Trefferlage 0.90 mm links, 2.03 mm hoch
 Streuwert 6.59, horizontal: 5.64, vertikal: 7.42





Serie 4:
 10.2 ↓ 10.2 ↗ 10.3 * 9.9 ↗ 10.5 *
 10.6 * 10.8 * 10.8 * 10.2 → 9.8 ←
 beste Teiler 123.6 (37.) 152.8 (38.) 300.1 (36.)
 Trefferlage 0.04 mm rechts, 1.10 mm hoch
 Streuwert 4.14, horizontal: 4.32, vertikal: 3.95


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383** (402.6)
 Serien: 96 97 94 96
 Zähler: 23 17 0 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 1430 (39), 1193 (12), 1179 (7)
 beste Teiler 106.7 (6.) 212.0 (9.) 222.6 (37.)
 Trefferlage 0.42 mm rechts, 2.00 mm tief
 Streuwert 5.42, horizontal: 5.97, vertikal: 4.82




Serie 1:
 10.1 ↘ 10.5 * 9.8 ← 9.5 ↓ 10.4 *
 10.8 * 9.5 → 10.1 ↙ 10.7 * 9.8 ↘
 beste Teiler 106.7 (6.) 212.0 (9.) 378.3 (2.)
 Trefferlage 0.61 mm rechts, 2.93 mm tief
 Streuwert 5.21, horizontal: 5.94, vertikal: 4.36



Serie 2:
 10.3 * 9.5 ↘ 9.9 ← 10.2 ↖ 10.6 *
 10.5 * 9.5 ↘ 10.1 ↑ 10.6 * 10.1 →
 beste Teiler 281.4 (15.) 300.1 (19.) 397.2 (16.)
 Trefferlage 0.14 mm rechts, 1.08 mm tief
 Streuwert 5.30, horizontal: 5.35, vertikal: 5.25



Serie 3:
 10.1 ↘ 9.6 → 9.6 → 9.7 ↘ 10.6 *
 10.0 ↘ 9.5 ← 9.7 ↖ 9.8 ↓ 10.4 *
 beste Teiler 319.8 (25.) 455.6 (30.) 648.6 (21.)
 Trefferlage 0.66 mm rechts, 0.87 mm tief
 Streuwert 6.47, horizontal: 7.46, vertikal: 5.30





Serie 4:
 10.1 ↓ 10.1 ↘ 9.6 ↓ 9.8 ↖ 10.6 *
 9.9 ← 10.7 * 10.5 * 9.2 ↘ 10.6 *
 beste Teiler 222.6 (37.) 279.1 (40.) 307.7 (35.)
 Trefferlage 0.27 mm rechts, 3.11 mm tief
 Streuwert 5.28, horizontal: 5.87, vertikal: 4.62


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369** (390.2)
 Serien: 92 96 90 91
 Zähler: 16 17 7 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2198 (33), 2047 (36), 1747 (29)
 beste Teiler 117.1 (12.) 205.5 (23.) 244.1 (7.)
 Trefferlage 3.65 mm rechts, 0.10 mm tief
 Streuwert 7.37, horizontal: 8.56, vertikal: 5.95




Serie 1:
 9.7 ↗ 9.1 → 8.8 ↗ 9.8 ↑ 9.7 →
 10.5 * 10.6 * 9.8 → 10.1 ↑ 9.1 →
 beste Teiler 244.1 (7.) 366.4 (6.) 688.6 (9.)
 Trefferlage 6.71 mm rechts, 3.66 mm hoch
 Streuwert 5.62, horizontal: 6.02, vertikal: 5.18



Serie 2:
 9.9 ↖ 10.8 * 9.4 ↗ 10.1 ↓ 10.6 *
 9.9 ↖ 10.1 ↘ 9.9 ↖ 10.4 * 10.2 →
 beste Teiler 117.1 (12.) 275.5 (15.) 465.3 (19.)
 Trefferlage 0.48 mm rechts, 0.46 mm hoch
 Streuwert 5.46, horizontal: 6.35, vertikal: 4.40





Serie 3:
 9.9 ↗ 9.5 ↖ 10.7 * 8.9 ↘ 9.8 ↘
 10.3 * 8.9 ↘ 10.3 * 8.8 ↙ 9.7 ←
 beste Teiler 205.5 (23.) 491.7 (28.) 515.3 (26.)
 Trefferlage 1.58 mm rechts, 0.94 mm tief
 Streuwert 8.39, horizontal: 9.40, vertikal: 7.25




Serie 4:
 9.0 ↖ 10.4 * 8.2 → 8.9 ↘ 9.7 ↘
 8.4 → 10.0 ↓ 10.5 * 10.2 ← 9.6 →
 beste Teiler 332.9 (38.) 411.4 (32.) 595.9 (39.)
 Trefferlage 5.85 mm rechts, 3.59 mm tief
 Streuwert 8.52, horizontal: 11.00, vertikal: 4.92

Unterschrift des Schützen


Ergebnis: **381** (400.3)
 Serien: 98 94 97 92
 Zähler: 22 17 1 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1860 (31), 1561 (27), 1352 (26)
 beste Teiler 72.1 (1.) 104.6 (16.) 219.1 (13.)
 Trefferlage 2.15 mm links, 1.74 mm hoch
 Streuwert 5.65, horizontal: 6.20, vertikal: 5.05




Serie 1:
 10.9 * 10.1 ← 10.3 ↓ 10.2 ← 9.7 ↘
 10.0 ↓ 10.5 * 9.9 ↘ 10.2 ← 10.5 *
 beste Teiler 72.1 (1.) 376.2 (10.) 394.2 (7.)
 Trefferlage 3.75 mm links, 0.61 mm tief
 Streuwert 3.77, horizontal: 3.40, vertikal: 4.11



Serie 2:
 9.9 ↖ 9.5 ← 10.7 * 10.4 * 10.1 ←
 10.8 * 9.8 ↑ 9.5 ← 9.9 ↗ 9.7 ↘
 beste Teiler 104.6 (16.) 219.1 (13.) 426.5 (14.)
 Trefferlage 5.15 mm links, 1.67 mm hoch
 Streuwert 4.58, horizontal: 4.61, vertikal: 4.55



Serie 3:
 9.8 ↓ 10.4 * 10.1 ← 10.1 ← 10.5 *
 9.3 ↖ 9.0 ↑ 10.0 ↑ 10.6 * 10.3 *
 beste Teiler 302.0 (29.) 374.6 (25.) 428.3 (22.)
 Trefferlage 3.16 mm links, 2.66 mm hoch
 Streuwert 5.57, horizontal: 5.28, vertikal: 5.84





Serie 4:
 8.6 → 9.9 ↑ 9.6 ↘ 9.8 ↗ 10.0 ←
 10.2 → 9.8 ↑ 9.8 → 9.9 ↘ 10.0 ↑
 beste Teiler 593.0 (36.) 737.7 (35.) 759.3 (40.)
 Trefferlage 3.45 mm rechts, 3.26 mm hoch
 Streuwert 6.56, horizontal: 7.55, vertikal: 5.39


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (389.7)
 Serien: 95 91 94 91
 Zähler: 15 22 2 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2442 (16), 2206 (33), 1992 (38)
 beste Teiler 149.4 (18.) 192.5 (30.) 214.3 (6.)
 Trefferlage 3.07 mm rechts, 0.25 mm tief
 Streuwert 7.45, horizontal: 7.70, vertikal: 7.19




Serie 1:
 9.1 ↘ 10.5 * 9.7 ↓ 9.7 → 10.3 ←
 10.7 * 9.3 ↖ 9.7 ↘ 10.0 ↓ 10.1 ↖
 beste Teiler 214.3 (6.) 347.0 (2.) 546.8 (5.)
 Trefferlage 1.77 mm rechts, 0.93 mm tief
 Streuwert 6.64, horizontal: 6.64, vertikal: 6.64



Serie 2:
 9.7 ↑ 10.6 * 9.7 ↘ 9.8 ↘ 9.7 ↘
 7.9 → 9.3 ↘ 10.8 * 10.1 ↓ 9.4 ↑
 beste Teiler 149.4 (18.) 277.6 (12.) 689.4 (19.)
 Trefferlage 6.41 mm rechts, 0.86 mm tief
 Streuwert 7.20, horizontal: 7.44, vertikal: 6.95



Serie 3:
 9.5 ↑ 9.5 ↘ 9.3 ↓ 10.0 ↘ 9.9 ←
 9.4 ↖ 10.2 ↘ 10.2 ← 9.4 ← 10.7 *
 beste Teiler 192.5 (30.) 562.5 (28.) 593.0 (27.)
 Trefferlage 1.06 mm links, 0.67 mm tief
 Streuwert 7.26, horizontal: 7.27, vertikal: 7.26





Serie 4:
 9.1 ↗ 10.1 ↗ 8.2 ↗ 9.8 → 9.8 ←
 10.2 → 10.2 ↗ 8.5 ↓ 9.8 ↗ 9.8 ↑
 beste Teiler 623.5 (37.) 635.9 (36.) 669.0 (32.)
 Trefferlage 5.18 mm rechts, 1.46 mm hoch
 Streuwert 8.40, horizontal: 8.15, vertikal: 8.64


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (382.0)
 Serien: 89 91 90 97
 Zähler: 16 16 7 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2792 (11), 2191 (5), 2111 (2)
 beste Teiler 345.4 (35.) 453.2 (39.) 481.0 (10.)
 Trefferlage 1.14 mm links, 1.35 mm hoch
 Streuwert 9.00, horizontal: 10.88, vertikal: 6.61




Serie 1:
 8.7 ← 8.3 ↖ 8.4 ↗ 9.2 ↑ 8.2 →
 9.9 ↙ 9.9 ↓ 10.3 * 10.3 * 10.3 *
 beste Teiler 481.0 (10.) 499.0 (8.) 520.1 (9.)
 Trefferlage 0.67 mm links, 0.40 mm tief
 Streuwert 10.74, horizontal: 13.48, vertikal: 7.01



Serie 2:
 7.5 ↖ 10.3 * 10.0 ← 9.7 ↘ 9.7 ↖
 9.0 → 9.2 ← 10.1 ← 10.2 ↓ 8.5 ↗
 beste Teiler 487.7 (12.) 571.6 (19.) 702.9 (18.)
 Trefferlage 2.34 mm links, 0.51 mm hoch
 Streuwert 10.33, horizontal: 12.60, vertikal: 7.39



Serie 3:
 9.8 ↖ 10.1 → 9.7 → 8.6 ↖ 10.2 ↓
 9.2 ↗ 8.5 ↖ 9.2 ↖ 9.5 → 9.3 ←
 beste Teiler 638.4 (25.) 679.6 (22.) 903.0 (21.)
 Trefferlage 1.55 mm links, 5.22 mm hoch
 Streuwert 8.91, horizontal: 10.75, vertikal: 6.58





Serie 4:
 10.2 ↓ 9.7 ↘ 9.0 → 10.2 ↑ 10.5 *
 9.8 ← 10.0 ← 10.2 ← 10.4 * 10.2 ←
 beste Teiler 345.4 (35.) 453.2 (39.) 581.8 (31.)
 Trefferlage 0.02 mm links, 0.10 mm hoch
 Streuwert 6.04, horizontal: 7.30, vertikal: 4.43


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (385.9)
 Serien: 89 92 93 92
 Zähler: 14 18 8 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2307 (10), 2142 (1), 2049 (28)
 beste Teiler 173.9 (26.) 349.8 (2.) 350.1 (31.)
 Trefferlage 4.52 mm rechts, 1.81 mm tief
 Streuwert 7.65, horizontal: 9.13, vertikal: 5.80




Serie 1:
 8.3 ↗ 10.5 * 9.9 → 10.0 ↘ 8.9 ↙
 9.4 ↘ 10.1 ↑ 9.1 → 8.5 → 8.1 →
 beste Teiler 349.8 (2.) 688.4 (7.) 753.6 (4.)
 Trefferlage 8.60 mm rechts, 2.18 mm tief
 Streuwert 8.94, horizontal: 10.12, vertikal: 7.58



Serie 2:
 9.5 → 9.3 → 9.9 ↙ 9.9 → 10.1 ←
 10.4 * 9.7 ↓ 8.9 ← 10.1 ← 9.6 ↓
 beste Teiler 479.8 (16.) 641.8 (15.) 676.9 (19.)
 Trefferlage 0.34 mm links, 2.45 mm tief
 Streuwert 7.40, horizontal: 9.02, vertikal: 5.31





Serie 3:
 9.5 ↙ 9.6 ↗ 9.5 ↓ 10.2 → 10.3 ↗
 10.7 * 9.7 ↙ 8.4 → 9.8 ↓ 10.2 ↓
 beste Teiler 173.9 (26.) 556.2 (25.) 589.8 (24.)
 Trefferlage 2.35 mm rechts, 2.49 mm tief
 Streuwert 7.39, horizontal: 8.39, vertikal: 6.23




Serie 4:
 10.5 * 9.7 → 8.8 → 9.5 ↘ 10.1 →
 9.8 ↗ 9.9 → 10.3 * 8.7 → 10.5 *
 beste Teiler 350.1 (31.) 373.4 (40.) 489.7 (38.)
 Trefferlage 7.47 mm rechts, 0.12 mm tief
 Streuwert 5.68, horizontal: 6.88, vertikal: 4.14

Unterschrift des Schützen


Ergebnis: **383** (400.2)
 Serien: 94 98 94 97
 Zähler: 23 17 0 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1561 (32), 1502 (1), 1476 (39)
 beste Teiler 99.6 (22.) 257.3 (3.) 290.5 (6.)
 Trefferlage 0.41 mm links, 0.30 mm hoch
 Streuwert 6.05, horizontal: 6.49, vertikal: 5.57




Serie 1:
 9.1 → 9.5 → 10.6 * 9.9 ↙ 9.6 ↘
 10.6 * 9.4 ← 9.8 ↙ 10.2 ↑ 10.3 ←
 beste Teiler 257.3 (3.) 290.5 (6.) 546.6 (10.)
 Trefferlage 1.04 mm links, 1.98 mm tief
 Streuwert 6.77, horizontal: 8.56, vertikal: 4.27



Serie 2:
 10.2 ↙ 10.6 * 10.5 * 10.2 ↑ 10.3 ↘
 10.1 ↙ 9.9 ↑ 10.6 * 10.1 ↑ 9.3 ↘
 beste Teiler 296.5 (18.) 312.2 (12.) 389.6 (13.)
 Trefferlage 1.69 mm links, 2.10 mm hoch
 Streuwert 4.63, horizontal: 4.50, vertikal: 4.75



Serie 3:
 10.1 ← 10.8 * 9.2 ↑ 9.9 ← 9.7 ↘
 9.6 ↓ 10.3 * 9.8 → 10.3 → 9.7 ↘
 beste Teiler 99.6 (22.) 513.1 (27.) 549.0 (29.)
 Trefferlage 0.84 mm rechts, 1.19 mm tief
 Streuwert 6.44, horizontal: 6.69, vertikal: 6.18





Serie 4:
 10.5 * 9.0 → 9.6 ↙ 10.6 * 10.5 *
 10.2 ↑ 10.3 ↘ 10.1 → 9.1 ↘ 10.1 ↘
 beste Teiler 307.3 (34.) 337.3 (31.) 359.4 (35.)
 Trefferlage 0.23 mm rechts, 2.27 mm hoch
 Streuwert 6.28, horizontal: 6.31, vertikal: 6.25


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **393** (409.3)
 Serien: 99 98 99 97
 Zähler: 33 7 0 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 1428 (31), 1351 (15), 1126 (35)
 beste Teiler 126.1 (36.) 145.8 (14.) 169.1 (21.)
 Trefferlage 0.22 mm links, 1.17 mm hoch
 Streuwert 4.57, horizontal: 5.41, vertikal: 3.54




Serie 1:
 10.6 * 10.3 * 10.6 * 10.6 * 10.2 ↙
 10.0 → 10.2 ↘ 10.2 ↘ 9.7 ↑ 10.7 *
 beste Teiler 185.7 (10.) 257.0 (3.) 283.0 (1.)
 Trefferlage 0.22 mm rechts, 0.47 mm hoch
 Streuwert 4.14, horizontal: 4.04, vertikal: 4.24



Serie 2:
 10.4 * 10.1 ↘ 10.0 ← 10.8 * 9.3 ↗
 10.6 * 9.9 ← 10.3 → 10.1 ↑ 10.5 *
 beste Teiler 145.8 (14.) 279.9 (16.) 383.2 (20.)
 Trefferlage 1.01 mm links, 2.37 mm hoch
 Streuwert 4.79, horizontal: 6.16, vertikal: 2.83



Serie 3:
 10.7 * 10.2 ↘ 9.6 ↘ 10.0 ↘ 10.6 *
 10.3 ↘ 10.0 ↘ 10.2 ↘ 10.4 * 10.2 ↗
 beste Teiler 169.1 (21.) 307.7 (25.) 461.0 (29.)
 Trefferlage 2.43 mm links, 1.27 mm hoch
 Streuwert 4.17, horizontal: 4.61, vertikal: 3.69





Serie 4:
 9.2 → 10.6 * 9.9 ↗ 10.4 * 9.5 ↘
 10.8 * 10.3 * 10.2 → 10.5 * 10.6 *
 beste Teiler 126.1 (36.) 245.3 (32.) 261.4 (40.)
 Trefferlage 2.32 mm rechts, 0.55 mm hoch
 Streuwert 5.00, horizontal: 6.16, vertikal: 3.47


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381** (401.7)
 Serien: 94 96 94 97
 Zähler: 24 14 1 1 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 2533 (22), 1786 (7), 1450 (11)
 beste Teiler 54.2 (8.) 136.4 (3.) 208.1 (5.)
 Trefferlage 0.61 mm rechts, 2.50 mm tief
 Streuwert 5.94, horizontal: 5.99, vertikal: 5.89




Serie 1:
 10.5 * 10.4 * 10.8 * 9.7 ↘ 10.7 *
 9.4 → 8.7 ↙ 10.9 * 9.8 ← 9.8 →
 beste Teiler 54.2 (8.) 136.4 (3.) 208.1 (5.)
 Trefferlage 0.34 mm links, 1.78 mm tief
 Streuwert 6.44, horizontal: 6.85, vertikal: 6.01



Serie 2:
 9.1 → 10.2 ↙ 10.6 * 10.2 ↓ 9.6 →
 9.8 ← 10.2 ↓ 9.9 ↖ 10.1 ↓ 10.4 *
 beste Teiler 265.3 (13.) 437.4 (20.) 588.9 (14.)
 Trefferlage 0.61 mm rechts, 3.03 mm tief
 Streuwert 5.56, horizontal: 7.19, vertikal: 3.20



Serie 3:
 10.5 * 7.8 ↓ 10.4 * 10.6 * 10.1 →
 9.7 ↙ 9.9 ← 10.2 ↓ 9.9 ↑ 10.0 ↘
 beste Teiler 242.3 (24.) 369.1 (21.) 475.9 (23.)
 Trefferlage 0.86 mm rechts, 4.92 mm tief
 Streuwert 6.76, horizontal: 5.34, vertikal: 7.93





Serie 4:
 9.3 → 10.7 * 10.0 ↙ 10.7 * 10.5 *
 10.0 ↖ 10.7 * 9.8 ↑ 10.2 → 9.9 ↓
 beste Teiler 221.7 (37.) 224.0 (34.) 237.2 (32.)
 Trefferlage 1.31 mm rechts, 0.26 mm tief
 Streuwert 5.24, horizontal: 5.15, vertikal: 5.33


 Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (393.5)
 Serien: 97 92 92 94
 Zähler: 18 19 3 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 1873 (31), 1803 (18), 1681 (12)
 beste Teiler 56.2 (5.) 169.0 (2.) 280.0 (13.)
 Trefferlage 0.96 mm rechts, 0.87 mm tief
 Streuwert 7.17, horizontal: 7.36, vertikal: 6.98




Serie 1:
 10.5 * 10.7 * 10.3 ↙ 9.9 ↑ 10.9 *
 10.2 ↘ 10.2 ↑ 9.8 ← 9.5 ↙ 10.5 *
 beste Teiler 56.2 (5.) 169.0 (2.) 360.0 (1.)
 Trefferlage 1.56 mm links, 0.36 mm tief
 Streuwert 4.71, horizontal: 4.36, vertikal: 5.04



Serie 2:
 10.3 * 8.8 ↘ 10.6 * 10.6 * 9.1 ←
 9.1 ↖ 9.1 ↘ 8.7 ↘ 9.6 → 10.2 →
 beste Teiler 280.0 (13.) 312.6 (14.) 528.2 (11.)
 Trefferlage 1.13 mm rechts, 3.64 mm tief
 Streuwert 8.54, horizontal: 9.16, vertikal: 7.88



Serie 3:
 10.4 * 9.6 ↓ 9.0 ↗ 9.7 ↗ 9.9 ↗
 9.7 ↗ 9.1 → 9.7 ← 9.7 → 10.4 *
 beste Teiler 421.0 (30.) 465.3 (21.) 863.6 (25.)
 Trefferlage 2.92 mm rechts, 1.28 mm hoch
 Streuwert 7.37, horizontal: 8.12, vertikal: 6.53



Serie 4:
 8.6 ↓ 9.1 ↖ 10.0 → 10.3 ↑ 10.5 *
 9.0 ↘ 9.9 → 9.8 ↘ 10.3 * 10.2 ↙
 beste Teiler 390.0 (35.) 516.5 (39.) 557.9 (34.)
 Trefferlage 1.35 mm rechts, 0.77 mm tief
 Streuwert 7.80, horizontal: 7.39, vertikal: 8.18

Unterschrift des Schützen

Meyton Elektronik