





Ergebnis: **354** (370.7)  
 Serien: 92 90 84 88  
 Zähler: 9 20 8 2 1 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3743 (27), 2869 (29), 2434 (32)  
 beste Teiler 159.0 (25.) 159.2 (14.) 359.7 (19.)  
 Trefferlage 6.20 mm links, 1.78 mm hoch  
 Streuwert 10.00, horizontal: 11.14, vertikal: 8.71




Serie 1:  
 9.3 ↘ 10.0 ← 10.0 ↗ 9.2 → 8.7 ←  
 10.1 ↗ 9.2 ↘ 9.3 ↑ 9.5 ← 9.0 ←  
 beste Teiler 665.6 (6.) 728.0 (2.) 790.0 (3.)  
 Trefferlage 4.11 mm links, 3.33 mm hoch  
 Streuwert 8.57, horizontal: 9.73, vertikal: 7.21



Serie 2:  
 9.8 ← 10.0 → 8.2 ← 10.8 \* 9.3 ↘  
 8.1 ← 8.8 → 9.6 ← 10.5 \* 9.2 ↑  
 beste Teiler 159.2 (14.) 359.7 (19.) 761.7 (12.)  
 Trefferlage 4.57 mm links, 0.54 mm hoch  
 Streuwert 9.79, horizontal: 12.08, vertikal: 6.77



Serie 3:  
 9.9 ↓ 8.3 ↗ 8.9 ↘ 9.1 ← 10.8 \*  
 9.0 ← 6.3 ← 9.5 ↙ 7.4 ↙ 9.6 ←  
 beste Teiler 159.0 (25.) 857.3 (21.) 1106.0 (30.)  
 Trefferlage 9.95 mm links, 0.24 mm tief  
 Streuwert 12.34, horizontal: 13.83, vertikal: 10.65





Serie 4:  
 8.1 ↗ 7.9 ↘ 8.1 ↘ 10.5 \* 9.3 ←  
 9.6 ← 9.8 ↙ 9.8 ↙ 9.9 ← 10.3 ←  
 beste Teiler 362.8 (34.) 513.0 (40.) 816.6 (39.)  
 Trefferlage 6.18 mm links, 3.52 mm hoch  
 Streuwert 9.69, horizontal: 9.10, vertikal: 10.26


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (384.5)  
 Serien: 90 93 93 92  
 Zähler: 13 22 5 0 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 2240 (26), 2167 (31), 2150 (34)  
 beste Teiler 98.4 (27.) 248.2 (21.) 305.6 (8.)  
 Trefferlage 0.21 mm rechts, 2.53 mm tief  
 Streuwert 8.23, horizontal: 8.47, vertikal: 7.98




Serie 1:  
 9.4 ↖ 9.2 ↗ 9.2 ↘ 9.7 ↙ 9.5 →  
 9.9 ↘ 9.9 ↘ 10.6 \* 8.9 ↖ 9.7 ↖  
 beste Teiler 305.6 (8.) 829.8 (6.) 831.4 (7.)  
 Trefferlage 1.02 mm rechts, 1.23 mm hoch  
 Streuwert 8.35, horizontal: 6.81, vertikal: 9.65



Serie 2:  
 9.2 ↖ 10.0 → 10.0 ↘ 9.1 ↘ 9.1 ↓  
 9.6 ↙ 10.1 ↗ 9.9 ↘ 9.7 ↘ 9.9 ↖  
 beste Teiler 700.8 (17.) 730.6 (12.) 790.7 (13.)  
 Trefferlage 1.36 mm rechts, 3.59 mm tief  
 Streuwert 7.41, horizontal: 6.39, vertikal: 8.31





Serie 3:  
 10.6 \* 10.1 ↓ 9.2 → 10.2 ↘ 10.1 ↗  
 8.2 ← 10.8 \* 8.8 ↘ 9.0 ↖ 9.9 →  
 beste Teiler 98.4 (27.) 248.2 (21.) 617.0 (24.)  
 Trefferlage 0.81 mm rechts, 1.68 mm tief  
 Streuwert 8.85, horizontal: 11.19, vertikal: 5.62



Serie 4:  
 8.2 ↙ 9.3 ← 10.0 ↙ 8.3 ↘ 10.3 ↓  
 9.5 ← 10.2 ↙ 10.1 ↗ 9.9 ↗ 9.2 ↓  
 beste Teiler 543.8 (35.) 638.3 (37.) 694.2 (38.)  
 Trefferlage 2.34 mm links, 6.10 mm tief  
 Streuwert 8.32, horizontal: 9.42, vertikal: 7.05


Unterschrift des Schützen

Ergebnis: **358** (381.3)  
 Serien: 87 90 89 92  
 Zähler: 6 27 6 1 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2860 (2), 1922 (26), 1892 (22)  
 beste Teiler 158.7 (30.) 358.0 (28.) 359.0 (15.)  
 Trefferlage 0.11 mm rechts, 0.80 mm tief  
 Streuwert 8.90, horizontal: 8.71, vertikal: 9.10




Serie 1:  
 9.3 ←                      7.4 →                      10.5 \*                      9.9 ↑                      9.7 ↓  
 8.8 ↙                      9.9 ↘                      8.9 ↖                      9.9 ↗                      9.1 →

beste Teiler 360.2 (3.) 831.9 (4.) 849.7 (7.)  
 Trefferlage 0.17 mm rechts, 1.84 mm tief  
 Streuwert 10.73, horizontal: 12.38, vertikal: 8.79




Serie 2:  
 9.9 ↑                      9.6 ↗                      9.8 ←                      8.7 →                      10.5 \*  
 9.7 ↓                      9.6 ↓                      9.6 ↖                      9.5 ↑                      9.8 ↙

beste Teiler 359.0 (15.) 807.1 (11.) 924.8 (20.)  
 Trefferlage 0.69 mm links, 0.22 mm tief  
 Streuwert 8.03, horizontal: 7.99, vertikal: 8.07



Serie 3:  
 8.9 ↖                      8.6 ↑                      9.5 ↗                      9.0 ↑                      9.5 ↗  
 8.5 ↖                      9.8 ↓                      10.5 \*                      9.5 ↖                      10.8 \*

beste Teiler 158.7 (30.) 358.0 (28.) 895.6 (27.)  
 Trefferlage 1.19 mm links, 4.04 mm hoch  
 Streuwert 9.29, horizontal: 7.15, vertikal: 11.02





Serie 4:  
 9.2 ↓                      9.7 →                      10.4 \*                      9.0 →                      9.5 ↖  
 10.2 ↘                      9.8 ↖                      9.9 ↗                      9.4 ↓                      9.5 ↖

beste Teiler 448.2 (33.) 597.0 (36.) 855.6 (38.)  
 Trefferlage 2.18 mm rechts, 5.20 mm tief  
 Streuwert 7.02, horizontal: 7.27, vertikal: 6.76


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **353** (370.2)  
 Serien: 90 89 90 84  
 Zähler: 8 22 6 3 1 0 0 0 0 0  
 Innenzehner: 0  
 weiteste: 3259 (40), 2967 (36), 2635 (4)  
 beste Teiler 512.5 (18.) 518.6 (9.) 613.1 (1.)  
 Trefferlage 1.23 mm links, 1.49 mm hoch  
 Streuwert 10.70, horizontal: 11.97, vertikal: 9.27




Serie 1:  
 10.2 → 9.8 → 8.5 ↙ 7.7 ↘ 10.0 ←  
 10.0 ↑ 8.8 ← 9.5 ↙ 10.3 ↘ 9.9 ↙  
 beste Teiler 518.6 (9.) 613.1 (1.) 778.0 (5.)  
 Trefferlage 5.73 mm links, 0.76 mm tief  
 Streuwert 9.11, horizontal: 10.19, vertikal: 7.89



Serie 2:  
 8.6 ↗ 9.9 ↑ 10.1 ↙ 9.3 ↑ 7.7 ←  
 9.6 ↗ 9.6 ← 10.3 ↘ 8.4 ↙ 10.2 ↘  
 beste Teiler 512.5 (18.) 622.2 (20.) 649.0 (13.)  
 Trefferlage 3.02 mm links, 1.57 mm hoch  
 Streuwert 10.24, horizontal: 10.86, vertikal: 9.58





Serie 3:  
 9.2 ↗ 9.9 ↖ 9.7 ↖ 9.6 → 9.7 ↙  
 10.2 ↗ 9.5 → 8.5 → 9.0 ↗ 9.0 ←  
 beste Teiler 630.2 (26.) 801.0 (22.) 978.4 (23.)  
 Trefferlage 2.59 mm rechts, 2.53 mm hoch  
 Streuwert 9.06, horizontal: 11.49, vertikal: 5.67




Serie 4:  
 9.0 ↘ 9.1 ↙ 9.1 ↓ 9.8 ↑ 9.1 ↖  
 7.2 ↗ 9.5 ↓ 8.3 ↑ 9.5 → 6.9 ↖  
 beste Teiler 902.1 (34.) 1151.3 (37.) 1173.8 (39.)  
 Trefferlage 1.19 mm rechts, 2.64 mm hoch  
 Streuwert 14.06, horizontal: 14.76, vertikal: 13.33

Unterschrift des Schützen


Ergebnis: **359** (374.9)  
 Serien: 90 86 93 90  
 Zähler: 12 18 8 1 1 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3957 (20), 2444 (37), 2182 (15)  
 beste Teiler 108.2 (13.) 200.0 (31.) 336.5 (25.)  
 Trefferlage 0.89 mm rechts, 0.86 mm hoch  
 Streuwert 10.33, horizontal: 11.18, vertikal: 9.40




Serie 1:  
 8.9 ↘                      9.1 →                      8.6 ←                      10.0 ↑                      9.1 ↗  
 9.0 →                      9.8 ↓                      9.3 ↑                      10.0 ↓                      9.4 ←  
 beste Teiler 771.1 (4.) 771.9 (9.) 953.1 (7.)  
 Trefferlage 0.31 mm rechts, 1.33 mm hoch  
 Streuwert 10.06, horizontal: 11.60, vertikal: 8.24



Serie 2:  
 9.0 ↑                      9.9 ↙                      10.8 \*                      8.5 ↖                      8.2 →  
 10.2 →                      9.9 ↓                      8.8 ↖                      9.0 ↙                      6.0 ↘  
 beste Teiler 108.2 (13.) 603.2 (16.) 850.5 (17.)  
 Trefferlage 3.62 mm rechts, 3.69 mm hoch  
 Streuwert 13.15, horizontal: 13.67, vertikal: 12.61





Serie 3:  
 9.0 ↘                      9.4 ↖                      9.6 ↙                      9.8 ↙                      10.5 \*  
 10.0 ↑                      10.0 →                      8.5 ↗                      9.8 ↑                      10.3 ↑  
 beste Teiler 336.5 (25.) 500.3 (30.) 748.8 (27.)  
 Trefferlage 1.33 mm rechts, 1.51 mm hoch  
 Streuwert 8.02, horizontal: 8.42, vertikal: 7.59




Serie 4:  
 10.7 \*                      9.5 ↙                      10.1 ↘                      10.2 →                      10.4 \*  
 8.4 ↓                      7.9 ↗                      9.4 ←                      8.4 ←                      9.5 ←  
 beste Teiler 200.0 (31.) 401.3 (35.) 611.5 (34.)  
 Trefferlage 1.70 mm links, 3.07 mm tief  
 Streuwert 10.10, horizontal: 11.52, vertikal: 8.44

Unterschrift des Schützen


Ergebnis: **340** (355.3)  
 Serien: 78 85 90 87  
 Zähler: 7 15 12 3 3 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 3829 (27), 3682 (5), 3407 (7)  
 beste Teiler 167.0 (23.) 211.3 (38.) 265.9 (22.)  
 Trefferlage 4.32 mm rechts, 1.66 mm tief  
 Streuwert 13.10, horizontal: 14.17, vertikal: 11.93




Serie 1:  
 8.4 ↙                      9.2 →                      8.4 ←                      8.8 ↑                      6.3 ↗  
 8.6 ↘                      6.7 ↑                      9.0 →                      7.8 ↖                      9.2 ↘  
 beste Teiler 1393.0 (10.) 1438.4 (2.) 1534.8 (8.)  
 Trefferlage 1.21 mm rechts, 5.41 mm hoch  
 Streuwert 16.65, horizontal: 17.62, vertikal: 15.62



Serie 2:  
 8.2 ↙                      9.0 ↖                      9.1 ↗                      8.1 ↘                      9.2 →  
 7.4 ↗                      9.6 ↘                      8.2 ↓                      9.1 ↓                      9.2 ↑  
 beste Teiler 1078.7 (17.) 1368.5 (20.) 1430.3 (15.)  
 Trefferlage 3.72 mm rechts, 4.58 mm tief  
 Streuwert 13.20, horizontal: 13.81, vertikal: 12.56



Serie 3:  
 10.6 \*                      10.6 \*                      10.7 \*                      10.1 ↘                      9.5 ↘  
 9.7 ↓                      6.2 →                      9.3 ↖                      9.6 →                      8.7 ↓  
 beste Teiler 167.0 (23.) 265.9 (22.) 312.3 (21.)  
 Trefferlage 5.79 mm rechts, 2.97 mm tief  
 Streuwert 10.50, horizontal: 12.51, vertikal: 7.99





Serie 4:  
 10.0 ↗                      8.4 ↘                      9.7 →                      8.0 ↘                      7.4 ↘  
 10.5 \*                      8.1 ←                      10.7 \*                      8.2 →                      9.8 ↘  
 beste Teiler 211.3 (38.) 374.5 (36.) 781.0 (31.)  
 Trefferlage 6.57 mm rechts, 4.49 mm tief  
 Streuwert 11.58, horizontal: 13.89, vertikal: 8.67


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (376.9)  
 Serien: 87 90 91 91  
 Zähler: 12 19 5 4 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 3032 (8), 2671 (39), 2650 (22)  
 beste Teiler 250.4 (16.) 326.2 (29.) 434.0 (7.)  
 Trefferlage 1.53 mm rechts, 0.57 mm tief  
 Streuwert 10.10, horizontal: 8.79, vertikal: 11.25




Serie 1:  
 8.9 ↘                      9.0 ↗                      10.4 \*                      9.8 ↙                      9.7 ↗  
 8.5 →                      10.4 \*                      7.2 ↓                      7.8 ↘                      10.2 ↗  
 beste Teiler 434.0 (7.) 442.2 (3.) 603.4 (10.)  
 Trefferlage 0.71 mm rechts, 1.04 mm hoch  
 Streuwert 12.30, horizontal: 10.67, vertikal: 13.74



Serie 2:  
 8.0 ↘                      10.2 ↓                      8.5 ↗                      9.4 ↓                      9.6 ↓  
 10.6 \*                      8.0 →                      9.5 ↗                      10.1 ↘                      9.2 ↓  
 beste Teiler 250.4 (16.) 606.2 (12.) 660.6 (19.)  
 Trefferlage 2.93 mm rechts, 1.73 mm hoch  
 Streuwert 10.82, horizontal: 9.14, vertikal: 12.27



Serie 3:  
 9.3 ↗                      7.6 ↙                      10.4 \*                      9.7 ↓                      9.4 →  
 9.1 ↘                      10.4 \*                      9.9 ↓                      10.5 \*                      9.7 →  
 beste Teiler 326.2 (29.) 449.1 (23.) 464.5 (27.)  
 Trefferlage 1.35 mm rechts, 3.22 mm tief  
 Streuwert 8.97, horizontal: 9.83, vertikal: 8.03





Serie 4:  
 9.9 ↗                      10.0 ↓                      9.0 ↘                      10.2 ↑                      9.6 →  
 9.9 ←                      9.9 ↓                      10.0 ↑                      7.6 ↓                      9.8 ↑  
 beste Teiler 630.8 (34.) 735.1 (32.) 777.3 (38.)  
 Trefferlage 1.15 mm rechts, 1.87 mm tief  
 Streuwert 9.06, horizontal: 6.13, vertikal: 11.25


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (376.5)  
 Serien: 88 93 87 90  
 Zähler: 15 15 7 0 2 1 0 0 0 0  
 Innenzehner: 10  
 weiteste: 4791 (35), 3827 (21), 3236 (30)  
 beste Teiler 211.8 (38.) 231.7 (4.) 287.7 (23.)  
 Trefferlage 0.70 mm rechts, 1.36 mm tief  
 Streuwert 11.11, horizontal: 9.19, vertikal: 12.74




Serie 1:  
 8.7 ↖ 9.2 → 9.4 ↓ 10.7 \* 8.3 →  
 8.8 ↙ 10.5 \* 8.4 ↗ 10.4 \* 8.8 ↑  
 beste Teiler 231.7 (4.) 330.9 (7.) 471.9 (9.)  
 Trefferlage 1.76 mm rechts, 2.30 mm hoch  
 Streuwert 10.76, horizontal: 9.25, vertikal: 12.07



Serie 2:  
 9.8 ↖ 9.3 ↓ 10.4 \* 9.6 ↖ 9.8 ↖  
 10.6 \* 8.8 ← 10.0 → 10.0 ↖ 9.8 ↓  
 beste Teiler 290.6 (16.) 455.5 (13.) 756.4 (19.)  
 Trefferlage 3.59 mm links, 0.39 mm hoch  
 Streuwert 6.93, horizontal: 6.87, vertikal: 6.98



Serie 3:  
 6.2 ↘ 10.1 ← 10.6 \* 10.4 \* 10.3 ↑  
 9.2 ↓ 9.3 ↖ 9.5 ↗ 8.6 ↑ 6.9 ↙  
 beste Teiler 287.7 (23.) 418.0 (24.) 487.6 (25.)  
 Trefferlage 1.16 mm links, 3.40 mm tief  
 Streuwert 13.60, horizontal: 10.73, vertikal: 15.96



Serie 4:  
 9.4 ↗ 10.4 \* 9.6 ↗ 10.5 \* 5.0 ↓  
 9.1 ↘ 9.7 → 10.7 \* 9.7 ↑ 10.0 ↓  
 beste Teiler 211.8 (38.) 396.9 (34.) 414.2 (32.)  
 Trefferlage 5.83 mm rechts, 4.74 mm tief  
 Streuwert 11.87, horizontal: 7.95, vertikal: 14.79

Unterschrift des Schützen

Meyton Elektronik