





| | | |
|--------------|--|-------|
| Ergebnis: | 592.4 | (568) |
| Serien: | 98.9 99.3 98.9 100.6 99.1 95.6 | |
| Zähler: | 32 25 2 1 0 0 0 0 0 0 | |
| Innenzehner: | 14 | |
| weiteste: | 2434 (51), 1955 (32), 1691 (9) | |
| beste Teiler | 58.5 (15.) 68.0 (34.) 77.1 (22.) | |
| Trefferlage | 5.23 mm links, 1.06 mm tief | |
| Streuwert | 5.99, horizontal: 6.56, vertikal: 5.35 | |




| | | | | | |
|--------------|--|------------|------------|--------|--------|
| Serie 1: | 10.2 ↓ | 10.2 ↘ | 10.3 * | 10.0 ← | 9.6 ← |
| | 9.3 ← | 10.2 ↑ | 10.2 ↓ | 8.8 ← | 10.1 ↓ |
| beste Teiler | 497.5 (3.) | 575.4 (7.) | 581.3 (8.) | | |
| Trefferlage | 3.57 mm links, 2.50 mm tief | | | | |
| Streuwert | 6.03, horizontal: 7.71, vertikal: 3.63 | | | | |




| | | | | | |
|--------------|--|-------------|-------------|--------|--------|
| Serie 2: | 9.7 ↓ | 10.0 ↑ | 9.9 ← | 10.2 ↓ | 10.9 * |
| | 9.5 ↓ | 9.2 ↓ | 9.4 ← | 9.8 ↘ | 10.7 * |
| beste Teiler | 58.5 (15.) | 186.9 (20.) | 576.4 (14.) | | |
| Trefferlage | 2.31 mm links, 3.38 mm tief | | | | |
| Streuwert | 6.16, horizontal: 5.46, vertikal: 6.78 | | | | |




| | | | | | |
|--------------|--|-------------|-------------|--------|--------|
| Serie 3: | 10.0 ↘ | 10.9 * | 9.0 ← | 10.1 ← | 9.9 ← |
| | 10.1 ↓ | 10.1 ↖ | 9.1 ↘ | 9.1 ↘ | 10.6 * |
| beste Teiler | 77.1 (22.) | 258.8 (30.) | 647.0 (24.) | | |
| Trefferlage | 4.79 mm links, 0.29 mm tief | | | | |
| Streuwert | 6.40, horizontal: 6.19, vertikal: 6.60 | | | | |



| | | | | | |
|--------------|--|-------------|-------------|--------|--------|
| Serie 4: | 10.2 ↙ | 8.5 ← | 9.9 ↘ | 10.9 * | 10.1 ← |
| | 10.8 * | 10.6 * | 9.9 ↓ | 10.0 ← | 9.7 → |
| beste Teiler | 68.0 (34.) | 114.4 (36.) | 309.8 (37.) | | |
| Trefferlage | 3.76 mm links, 1.50 mm tief | | | | |
| Streuwert | 5.80, horizontal: 7.16, vertikal: 3.99 | | | | |



| | | | | | |
|--------------|--|-------------|-------------|--------|--------|
| Serie 5: | 10.6 * | 10.3 * | 9.1 ↘ | 10.0 ↘ | 9.1 ↘ |
| | 9.5 ↘ | 9.5 ↘ | 10.5 * | 10.2 ↘ | 10.3 ← |
| beste Teiler | 277.0 (41.) | 383.8 (48.) | 506.7 (42.) | | |
| Trefferlage | 7.31 mm links, 2.33 mm hoch | | | | |
| Streuwert | 4.06, horizontal: 3.81, vertikal: 4.30 | | | | |



| | | | | | |
|--------------|--|-------------|-------------|--------|-------|
| Serie 6: | 7.9 ↖ | 10.3 * | 9.5 ← | 10.7 * | 9.2 ↘ |
| | 9.3 ← | 9.5 ↙ | 9.6 ↙ | 10.6 * | 9.0 ← |
| beste Teiler | 172.8 (54.) | 246.0 (59.) | 492.9 (52.) | | |
| Trefferlage | 9.65 mm links, 1.01 mm tief | | | | |
| Streuwert | 6.16, horizontal: 6.88, vertikal: 5.34 | | | | |

Meyton Elektronik

ISSF Prone Men – Wertung – Senioren1_m

StandNr: 1

Schretter, Alois #70817324

StartNr: 1



29. Juli 2017 9:58

SG_Ehrwald


Unterschrift des Schützen

Meyton Elektronik


| | | |
|--------------|--|-------|
| Ergebnis: | 587.9 | (563) |
| Serien: | 94.1 98.8 100.0 97.6 97.2 100.2 | |
| Zähler: | 28 27 5 0 0 0 0 0 0 0 | |
| Innenzehner: | 13 | |
| weiteste: | 2043 (39), 1934 (1), 1869 (46) | |
| beste Teiler | 280.6 (42.) 315.9 (51.) 342.2 (21.) | |
| Trefferlage | 0.28 mm links, 0.13 mm tief | |
| Streuwert | 7.31, horizontal: 6.71, vertikal: 7.86 | |




| | | | | | |
|--------------|---|------------|------------|-------|-------|
| Serie 1: | 8.5 ↓ | 9.9 ↑ | 8.8 ↑ | 9.7 ↘ | 9.5 ↑ |
| | 9.9 ↗ | 9.3 ↑ | 9.4 → | 9.7 ↓ | 9.4 → |
| beste Teiler | 842.1 (6.) | 847.2 (2.) | 994.3 (9.) | | |
| Trefferlage | 4.57 mm rechts, 2.18 mm hoch | | | | |
| Streuwert | 8.86, horizontal: 4.82, vertikal: 11.57 | | | | |




| | | | | | |
|--------------|--|-------------|-------------|--------|--------|
| Serie 2: | 9.0 ↘ | 10.3 * | 9.6 → | 10.5 * | 10.0 ↓ |
| | 9.3 ← | 10.4 * | 9.1 ↖ | 10.4 * | 10.2 ← |
| beste Teiler | 358.5 (14.) | 409.0 (17.) | 436.3 (19.) | | |
| Trefferlage | 0.12 mm links, 1.56 mm tief | | | | |
| Streuwert | 7.00, horizontal: 8.72, vertikal: 4.71 | | | | |




| | | | | | |
|--------------|--|-------------|-------------|--------|-------|
| Serie 3: | 10.5 * | 10.5 * | 10.3 * | 10.5 * | 9.6 ↑ |
| | 10.0 ↑ | 10.5 * | 9.6 ↑ | 9.5 ↑ | 9.0 → |
| beste Teiler | 342.2 (21.) | 383.7 (22.) | 393.7 (24.) | | |
| Trefferlage | 3.06 mm rechts, 2.82 mm hoch | | | | |
| Streuwert | 5.63, horizontal: 4.56, vertikal: 6.53 | | | | |



| | | | | | |
|--------------|--|-------------|-------------|--------|--------|
| Serie 4: | 9.4 ↘ | 10.0 ↓ | 10.2 ↖ | 10.2 ↖ | 10.3 ↓ |
| | 10.3 ↓ | 10.1 ↓ | 9.7 ↖ | 8.4 ↓ | 9.0 ↘ |
| beste Teiler | 546.8 (35.) | 552.8 (36.) | 615.5 (33.) | | |
| Trefferlage | 2.83 mm links, 3.62 mm tief | | | | |
| Streuwert | 7.23, horizontal: 5.62, vertikal: 8.54 | | | | |



| | | | | | |
|--------------|--|-------------|-------------|-------|-------|
| Serie 5: | 9.8 ↗ | 10.6 * | 9.3 ↖ | 9.7 ↑ | 9.9 ↓ |
| | 8.6 ↓ | 10.4 * | 10.1 ↓ | 9.4 ↖ | 9.4 ← |
| beste Teiler | 280.6 (42.) | 427.6 (47.) | 668.3 (48.) | | |
| Trefferlage | 3.04 mm links, 0.64 mm tief | | | | |
| Streuwert | 7.68, horizontal: 6.39, vertikal: 8.79 | | | | |



| | | | | | |
|--------------|--|-------------|-------------|--------|--------|
| Serie 6: | 10.6 * | 9.8 ↖ | 10.2 ↘ | 10.1 ↘ | 8.9 ↖ |
| | 9.9 ← | 10.0 ↖ | 10.4 * | 10.0 ↗ | 10.3 ↓ |
| beste Teiler | 315.9 (51.) | 454.0 (58.) | 540.2 (60.) | | |
| Trefferlage | 3.33 mm links, 0.00 mm | | | | |
| Streuwert | 5.61, horizontal: 6.20, vertikal: 4.95 | | | | |

Meyton Elektronik

ISSF Prone Men – Wertung – Senioren1_m

StandNr: 2

Gstrein., Peter #70119074

StartNr: 2

22. Juni 2003 1:03

SG_Umhausen

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **598.1** (567)

Serien: 97.7 100.7 98.5 101.3 100.5 99.4

Zähler: 33 23 3 0 1 0 0 0 0 0



Innenzehner: 22

weiteste: 3723 (4), 1751 (56), 1712 (28)

beste Teiler 128.7 (5.) 167.0 (16.) 186.6 (52.)

Trefferlage 0.39 mm rechts, 2.01 mm hoch

Streuwert 6.71, horizontal: 6.79, vertikal: 6.62




Serie 1:

| | | | | |
|--------|-------|--------|--------|--------|
| 10.2 ← | 9.8 ← | 10.5 * | 6.3 ↖ | 10.8 * |
| 10.7 * | 9.9 ↖ | 9.4 ↑ | 10.5 * | 9.6 ↘ |

beste Teiler 128.7 (5.) 238.1 (6.) 367.3 (3.)

Trefferlage 3.17 mm links, 4.05 mm hoch

Streuwert 9.48, horizontal: 8.27, vertikal: 10.56




Serie 2:

| | | | | |
|--------|--------|--------|-------|--------|
| 10.5 * | 10.0 → | 10.5 * | 9.7 → | 9.3 ↑ |
| 10.7 * | 10.4 * | 9.7 ↑ | 9.5 ↘ | 10.4 * |

beste Teiler 167.0 (16.) 321.7 (11.) 338.8 (13.)

Trefferlage 3.35 mm rechts, 1.40 mm hoch

Streuwert 5.27, horizontal: 4.66, vertikal: 5.83




Serie 3:

| | | | | |
|--------|--------|--------|-------|--------|
| 10.3 ↙ | 10.0 ↖ | 10.2 ↘ | 9.9 ↖ | 8.9 ↖ |
| 10.0 ← | 9.9 ↑ | 8.8 ↑ | 9.9 ↑ | 10.6 * |

beste Teiler 298.7 (30.) 546.9 (21.) 563.8 (23.)

Trefferlage 3.00 mm links, 5.04 mm hoch

Streuwert 5.89, horizontal: 5.50, vertikal: 6.25




Serie 4:

| | | | | |
|--------|--------|-------|--------|--------|
| 10.5 * | 10.6 * | 9.1 ↘ | 10.4 * | 10.2 → |
| 9.9 ↗ | 9.9 ↑ | 9.5 ↗ | 10.6 * | 10.6 * |

beste Teiler 243.8 (32.) 254.9 (39.) 315.0 (40.)

Trefferlage 3.93 mm rechts, 1.96 mm hoch

Streuwert 4.63, horizontal: 3.40, vertikal: 5.60




Serie 5:

| | | | | |
|--------|-------|--------|--------|--------|
| 10.2 ↖ | 9.4 → | 9.7 → | 10.5 * | 9.7 ↖ |
| 10.3 * | 9.6 ↘ | 10.5 * | 10.6 * | 10.0 ↗ |

beste Teiler 255.1 (49.) 384.4 (44.) 393.3 (48.)

Trefferlage 3.05 mm rechts, 0.93 mm hoch

Streuwert 5.52, horizontal: 6.84, vertikal: 3.77



Serie 6:

| | | | | |
|--------|--------|--------|--------|-------|
| 10.3 * | 10.7 * | 10.0 ↙ | 10.1 ← | 9.3 → |
| 8.8 ↙ | 10.6 * | 9.9 → | 9.8 ↓ | 9.9 ← |

beste Teiler 186.6 (52.) 312.6 (57.) 515.7 (51.)

Trefferlage 1.82 mm links, 1.31 mm tief

Streuwert 6.63, horizontal: 7.70, vertikal: 5.35

Meyton Elektronik

ISSF Prone Men – Wertung – Senioren1_m

StandNr: 3

Kirchner,, Martin #70201110

StartNr: 3

29. Juli 2017 10:08

SG_Absam

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **599.4** (574)

Serien: 93.6 97.1 104.6 101.8 102.7 99.6

Zähler: 39 16 5 0 0 0 0 0 0 0



Innenzehner: 21

weiteste: 2274 (12), 2131 (7), 1967 (1)

beste Teiler 106.2 (51.) 175.9 (40.) 183.8 (54.)

Trefferlage 0.74 mm links, 1.12 mm tief

Streuwert 6.47, horizontal: 5.40, vertikal: 7.39




Serie 1:

| | | | | |
|-------|-------|-------|--------|--------|
| 8.5 ↖ | 8.5 ↓ | 9.8 ↓ | 10.2 ↓ | 10.2 ↗ |
| 9.5 ← | 8.3 ↙ | 9.8 ↓ | 9.5 ↖ | 9.3 ↖ |

beste Teiler 565.0 (4.) 599.7 (5.) 885.0 (3.)

Trefferlage 6.72 mm links, 3.08 mm tief

Streuwert 8.65, horizontal: 4.00, vertikal: 11.56




Serie 2:

| | | | | |
|--------|-------|--------|-------|--------|
| 10.1 ↗ | 8.1 ↓ | 10.0 ↓ | 9.9 ↘ | 10.0 ↓ |
| 10.2 ↑ | 9.3 ↘ | 10.0 ↑ | 9.5 ↘ | 10.0 ↗ |

beste Teiler 587.2 (16.) 708.8 (11.) 737.0 (15.)

Trefferlage 2.59 mm rechts, 4.24 mm tief

Streuwert 7.39, horizontal: 5.24, vertikal: 9.04




Serie 3:

| | | | | |
|--------|--------|--------|--------|--------|
| 10.4 * | 10.3 * | 10.6 * | 10.6 * | 10.3 ↗ |
| 10.6 * | 10.6 * | 10.0 → | 10.7 * | 10.5 * |

beste Teiler 237.3 (29.) 274.4 (24.) 283.3 (26.)

Trefferlage 1.20 mm rechts, 0.98 mm hoch

Streuwert 2.96, horizontal: 3.63, vertikal: 2.08




Serie 4:

| | | | | |
|--------|--------|--------|--------|--------|
| 10.5 * | 10.0 ↖ | 10.2 → | 10.6 * | 10.2 ↓ |
| 10.2 ↓ | 9.7 ↖ | 10.6 * | 9.1 ↗ | 10.7 * |

beste Teiler 175.9 (40.) 274.0 (38.) 279.5 (34.)

Trefferlage 0.38 mm rechts, 0.79 mm hoch

Streuwert 5.33, horizontal: 4.85, vertikal: 5.76




Serie 5:

| | | | | |
|--------|--------|--------|--------|--------|
| 10.6 * | 10.2 → | 10.6 * | 10.6 * | 10.4 * |
| 10.5 * | 9.5 ↘ | 10.3 * | 10.1 ↓ | 9.9 ↓ |

beste Teiler 277.0 (41.) 308.3 (43.) 309.5 (44.)

Trefferlage 0.12 mm links, 2.49 mm tief

Streuwert 4.25, horizontal: 4.72, vertikal: 3.72



Serie 6:

| | | | | |
|--------|--------|--------|--------|--------|
| 10.8 * | 10.1 ↖ | 10.2 ↗ | 10.7 * | 9.7 ↙ |
| 9.7 ↙ | 9.5 ↙ | 8.7 ↑ | 9.9 → | 10.3 * |

beste Teiler 106.2 (51.) 183.8 (54.) 510.4 (60.)

Trefferlage 1.82 mm links, 1.31 mm hoch

Streuwert 6.63, horizontal: 5.43, vertikal: 7.65

Meyton Elektronik

ISSF Prone Men – Wertung – Senioren1_m

StandNr: 4

Ladner,, Manfred #70503034

StartNr: 4



29. Juli 2017 10:10

SG_Kappl


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **611.2** (583)
 Serien: 99.6 102.1 103.2 104.2 100.2 101.9
 Zähler: 44 15 1 0 0 0 0 0 0
 Innenzehner: 27
 weiteste: 1638 (1), 1452 (45), 1182 (2)
 beste Teiler 42.3 (49.) 52.1 (38.) 124.3 (27.)
 Trefferlage 1.05 mm links, 1.71 mm tief
 Streuwert 4.71, horizontal: 4.63, vertikal: 4.79




Serie 1:
 8.9 ↑ 9.5 ← 9.7 ↘ 10.4 * 10.3 ↓
 10.3 ↙ 10.2 ← 10.1 ↓ 10.5 * 9.7 ↘
 beste Teiler 356.5 (9.) 448.1 (4.) 533.2 (5.)
 Trefferlage 3.38 mm links, 1.95 mm hoch
 Streuwert 5.89, horizontal: 3.90, vertikal: 7.36




Serie 2:
 10.3 * 10.6 * 9.6 ↗ 10.4 * 10.2 ←
 10.4 * 9.9 ↓ 10.3 ↙ 10.2 ↓ 10.2 ↘
 beste Teiler 266.5 (12.) 416.9 (14.) 434.2 (16.)
 Trefferlage 0.56 mm links, 1.22 mm tief
 Streuwert 4.64, horizontal: 4.54, vertikal: 4.73




Serie 3:
 10.3 * 10.2 → 10.5 * 10.6 * 10.4 *
 9.8 ↓ 10.8 * 10.1 ↘ 10.3 → 10.2 ↘
 beste Teiler 124.3 (27.) 296.1 (24.) 331.6 (23.)
 Trefferlage 0.15 mm rechts, 1.32 mm tief
 Streuwert 3.90, horizontal: 3.90, vertikal: 3.91



Serie 4:
 10.4 * 10.2 ↙ 10.7 * 10.6 * 10.2 ↓
 10.3 * 10.0 ← 10.9 * 10.5 * 10.4 *
 beste Teiler 52.1 (38.) 221.7 (33.) 289.0 (34.)
 Trefferlage 1.51 mm links, 2.53 mm tief
 Streuwert 2.80, horizontal: 3.10, vertikal: 2.46



Serie 5:
 9.9 ← 10.6 * 10.8 * 9.9 ↙ 9.1 ↘
 10.1 ← 9.7 ↓ 9.6 ↘ 10.9 * 9.6 ←
 beste Teiler 42.3 (49.) 139.2 (43.) 257.8 (42.)
 Trefferlage 1.00 mm links, 3.87 mm tief
 Streuwert 5.64, horizontal: 7.08, vertikal: 3.68



Serie 6:
 10.6 * 10.3 * 9.8 ↓ 9.7 ↙ 10.2 →
 10.3 * 10.4 * 9.7 ↓ 10.6 * 10.3 *
 beste Teiler 268.4 (59.) 293.3 (51.) 407.6 (57.)
 Trefferlage 0.03 mm links, 3.30 mm tief
 Streuwert 4.19, horizontal: 4.50, vertikal: 3.85

Meyton Elektronik

ISSF Prone Men – Wertung – Senioren1_m

StandNr: 5

Profanter,, Hartl #70212430

StartNr: 5



29. Juli 2017 10:07

SG_Innsbrucker–HG


Unterschrift des Schützen

Meyton Elektronik


| | | |
|--------------|--|-------|
| Ergebnis: | 598.4 | (571) |
| Serien: | 99.6 100.2 99.6 101.1 99.7 98.2 | |
| Zähler: | 34 23 3 0 0 0 0 0 0 0 | |
| Innenzehner: | 15 | |
| weiteste: | 1988 (2), 1931 (48), 1607 (39) | |
| beste Teiler | 37.0 (15.) 151.0 (50.) 175.3 (42.) | |
| Trefferlage | 2.66 mm rechts, 0.59 mm tief | |
| Streuwert | 5.95, horizontal: 5.38, vertikal: 6.48 | |




| | | | | | |
|--------------|--|------------|------------|--------|--------|
| Serie 1: | 10.2 ↓ | 8.5 → | 10.4 * | 9.8 ↑ | 10.3 * |
| | 9.8 → | 9.9 ↓ | 9.7 ↓ | 10.7 * | 10.3 ↘ |
| beste Teiler | 195.7 (9.) | 412.2 (3.) | 512.3 (5.) | | |
| Trefferlage | 4.36 mm rechts, 2.21 mm tief | | | | |
| Streuwert | 5.80, horizontal: 6.13, vertikal: 5.46 | | | | |




| | | | | | |
|--------------|--|-------------|-------------|--------|--------|
| Serie 2: | 9.9 ↙ | 10.0 ↙ | 9.5 ↗ | 10.1 ↖ | 10.9 * |
| | 10.4 * | 9.8 → | 9.1 ↗ | 10.4 * | 10.1 ↘ |
| beste Teiler | 37.0 (15.) | 415.5 (19.) | 419.2 (16.) | | |
| Trefferlage | 1.64 mm rechts, 1.52 mm hoch | | | | |
| Streuwert | 6.00, horizontal: 6.69, vertikal: 5.22 | | | | |




| | | | | | |
|--------------|--|-------------|-------------|-------|--------|
| Serie 3: | 10.3 * | 9.8 ↓ | 10.0 ↘ | 9.7 ↖ | 10.3 * |
| | 10.2 ↑ | 9.9 ↓ | 10.3 ↗ | 9.9 ↗ | 9.2 → |
| beste Teiler | 483.2 (21.) | 505.0 (25.) | 531.2 (28.) | | |
| Trefferlage | 2.97 mm rechts, 0.41 mm hoch | | | | |
| Streuwert | 5.82, horizontal: 5.14, vertikal: 6.42 | | | | |



| | | | | | |
|--------------|--|-------------|-------------|--------|--------|
| Serie 4: | 10.4 * | 10.3 ↗ | 10.1 ↑ | 10.5 * | 10.0 ↓ |
| | 9.8 ↘ | 10.5 * | 10.2 ↙ | 8.9 ↓ | 10.4 * |
| beste Teiler | 376.8 (34.) | 388.5 (37.) | 448.9 (31.) | | |
| Trefferlage | 0.27 mm rechts, 0.26 mm hoch | | | | |
| Streuwert | 5.71, horizontal: 3.52, vertikal: 7.26 | | | | |



| | | | | | |
|--------------|--|-------------|-------------|--------|--------|
| Serie 5: | 10.2 ↖ | 10.7 * | 9.9 → | 10.2 ↓ | 9.5 ↓ |
| | 9.1 ↓ | 10.7 * | 8.5 ↖ | 10.1 ↖ | 10.8 * |
| beste Teiler | 151.0 (50.) | 175.3 (42.) | 193.2 (47.) | | |
| Trefferlage | 2.06 mm rechts, 1.10 mm tief | | | | |
| Streuwert | 6.96, horizontal: 5.36, vertikal: 8.26 | | | | |



| | | | | | |
|--------------|--|-------------|-------------|--------|-------|
| Serie 6: | 10.1 ↘ | 10.1 ↗ | 9.5 ↘ | 10.2 ↑ | 9.9 ↙ |
| | 9.9 ↓ | 9.3 ↓ | 9.8 ↓ | 10.0 ↓ | 9.4 ↗ |
| beste Teiler | 572.1 (54.) | 683.5 (52.) | 717.8 (51.) | | |
| Trefferlage | 4.64 mm rechts, 2.45 mm tief | | | | |
| Streuwert | 5.75, horizontal: 4.93, vertikal: 6.47 | | | | |

Meyton Elektronik

ISSF Prone Men – Wertung – Senioren1_m

StandNr: 6

Floriani,, Meinhard #70102004

StartNr: 6



29. Juli 2017 9:59

SG_Haiming


Unterschrift des Schützen

Meyton Elektronik


| | | |
|--------------|--|-----------------------------|
| Ergebnis: | 600.1 | (572) |
| Serien: | 99.3 | 102.4 100.1 99.9 101.2 97.2 |
| Zähler: | 32 28 0 0 0 0 0 0 0 | |
| Innenzehner: | 18 | |
| weiteste: | 1536 (56), 1479 (35), 1416 (8) | |
| beste Teiler | 93.0 (38.) 187.5 (18.) 235.3 (3.) | |
| Trefferlage | 0.47 mm links, 1.18 mm tief | |
| Streuwert | 5.86, horizontal: 6.72, vertikal: 4.85 | |




| | | | | | |
|--------------|--|------------|------------|--------|-------|
| Serie 1: | 9.5 ← | 9.9 ← | 10.7 * | 9.9 ↑ | 9.7 ↖ |
| | 9.9 → | 10.5 * | 9.2 ↙ | 10.4 * | 9.6 ↗ |
| beste Teiler | 235.3 (3.) | 358.7 (7.) | 452.6 (9.) | | |
| Trefferlage | 4.09 mm links, 0.99 mm hoch | | | | |
| Streuwert | 5.84, horizontal: 7.24, vertikal: 3.97 | | | | |




| | | | | | |
|--------------|--|-------------|-------------|--------|--------|
| Serie 2: | 10.3 * | 10.1 → | 10.5 * | 10.1 ↓ | 10.2 ↓ |
| | 10.6 * | 10.0 → | 10.7 * | 10.1 → | 9.8 ↓ |
| beste Teiler | 187.5 (18.) | 246.2 (16.) | 340.1 (13.) | | |
| Trefferlage | 1.66 mm rechts, 1.59 mm tief | | | | |
| Streuwert | 4.17, horizontal: 4.00, vertikal: 4.34 | | | | |




| | | | | | |
|--------------|--|-------------|-------------|--------|-------|
| Serie 3: | 10.6 * | 10.5 * | 9.4 ↓ | 10.2 ↖ | 9.8 ↓ |
| | 10.5 * | 10.2 ↑ | 9.6 ← | 9.4 ↗ | 9.9 ↗ |
| beste Teiler | 319.9 (21.) | 357.7 (22.) | 366.2 (26.) | | |
| Trefferlage | 0.78 mm links, 2.25 mm tief | | | | |
| Streuwert | 5.96, horizontal: 5.58, vertikal: 6.31 | | | | |



| | | | | | |
|--------------|--|-------------|-------------|-------|--------|
| Serie 4: | 10.4 * | 9.4 ← | 10.1 ← | 9.8 ↓ | 9.1 → |
| | 10.5 * | 9.8 ↓ | 10.8 * | 9.8 ↖ | 10.2 → |
| beste Teiler | 93.0 (38.) | 336.5 (36.) | 468.0 (31.) | | |
| Trefferlage | 0.55 mm links, 1.74 mm tief | | | | |
| Streuwert | 6.28, horizontal: 7.32, vertikal: 5.01 | | | | |



| | | | | | |
|--------------|--|-------------|-------------|--------|--------|
| Serie 5: | 9.7 ← | 10.5 * | 10.3 * | 9.8 ← | 9.6 ↓ |
| | 10.4 * | 10.5 * | 10.1 → | 10.2 → | 10.1 ← |
| beste Teiler | 342.4 (47.) | 383.2 (42.) | 434.3 (46.) | | |
| Trefferlage | 0.74 mm links, 2.25 mm tief | | | | |
| Streuwert | 5.01, horizontal: 5.88, vertikal: 3.94 | | | | |



| | | | | | |
|--------------|--|-------------|-------------|--------|--------|
| Serie 6: | 9.7 → | 9.6 ↖ | 9.3 ↗ | 10.3 * | 9.9 ↓ |
| | 9.0 → | 9.8 ← | 9.3 ← | 10.1 → | 10.2 → |
| beste Teiler | 522.0 (54.) | 583.6 (60.) | 670.6 (59.) | | |
| Trefferlage | 1.65 mm rechts, 0.27 mm tief | | | | |
| Streuwert | 7.54, horizontal: 9.15, vertikal: 5.47 | | | | |

Meyton Elektronik

ISSF Prone Men – Wertung – Senioren1_m

StandNr: 7

Sailer,, Werner #70503074

StartNr: 7



29. Juli 2017 10:08

SG_Kappl


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **618.3** (588)
 Serien: 102.2 103.6 104.4 103.7 101.4 103.0
 Zähler: 48 12 0 0 0 0 0 0 0
 Innenzehner: 33
 weiteste: 1315 (54), 1034 (44), 976 (22)
 beste Teiler 66.7 (38.) 103.5 (16.) 122.4 (30.)
 Trefferlage 0.41 mm links, 0.39 mm hoch
 Streuwert 4.14, horizontal: 4.63, vertikal: 3.59




Serie 1:
 10.2 ↘ 10.1 → 10.4 * 10.4 * 10.3 ↖
 10.7 * 10.1 ↙ 9.9 → 10.2 ← 9.9 ↗
 beste Teiler 171.1 (6.) 423.3 (4.) 480.1 (3.)
 Trefferlage 1.25 mm links, 0.15 mm hoch
 Streuwert 4.48, horizontal: 5.34, vertikal: 3.42




Serie 2:
 9.8 ← 9.8 ↖ 10.4 * 10.4 * 10.6 *
 10.8 * 10.7 * 10.6 * 10.1 ↖ 10.4 *
 beste Teiler 103.5 (16.) 168.1 (17.) 285.2 (15.)
 Trefferlage 2.61 mm links, 1.09 mm hoch
 Streuwert 3.46, horizontal: 4.51, vertikal: 1.91




Serie 3:
 10.1 ← 9.7 ↑ 10.5 * 10.6 * 10.3 *
 10.7 * 10.6 * 10.6 * 10.5 * 10.8 *
 beste Teiler 122.4 (30.) 223.4 (26.) 264.1 (24.)
 Trefferlage 0.81 mm links, 1.32 mm hoch
 Streuwert 3.34, horizontal: 2.75, vertikal: 3.85



Serie 4:
 10.7 * 10.3 * 10.2 → 10.3 → 10.3 ↓
 10.2 ↖ 10.8 * 10.9 * 10.2 ↖ 9.8 ↘
 beste Teiler 66.7 (38.) 145.7 (37.) 172.1 (31.)
 Trefferlage 0.99 mm rechts, 0.61 mm tief
 Streuwert 3.91, horizontal: 4.42, vertikal: 3.31



Serie 5:
 10.1 ↘ 10.3 * 10.3 * 9.7 → 10.5 *
 10.6 * 9.9 ↘ 9.9 ↘ 9.8 ← 10.3 ↑
 beste Teiler 248.8 (46.) 332.9 (45.) 484.1 (43.)
 Trefferlage 1.50 mm rechts, 0.72 mm tief
 Streuwert 5.00, horizontal: 5.18, vertikal: 4.81



Serie 6:
 10.6 * 10.3 ↘ 10.3 * 9.3 ↖ 10.7 *
 10.4 * 9.9 → 10.4 * 10.3 * 10.8 *
 beste Teiler 125.8 (60.) 165.0 (55.) 303.2 (51.)
 Trefferlage 0.28 mm links, 1.12 mm hoch
 Streuwert 4.50, horizontal: 5.00, vertikal: 3.92

ISSF Prone Men – *Wertung* – **Senioren1_m**

StandNr: 29

Gufler,, Hannes #70119024

StartNr: 8



29. Juli 2017 10:10

SG_Umhausen


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **608.2** (582)
 Serien: 101.0 99.6 101.4 103.1 102.7 100.4
 Zähler: 43 16 1 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 1752 (28), 1307 (12), 1286 (60)
 beste Teiler 95.4 (17.) 118.0 (22.) 124.3 (38.)
 Trefferlage 1.18 mm rechts, 1.89 mm tief
 Streuwert 4.99, horizontal: 5.09, vertikal: 4.89




Serie 1:
 10.2 ↙ 10.3 * 10.4 * 9.4 → 10.0 →
 10.5 * 9.9 ← 10.0 ← 10.5 * 9.8 ↘
 beste Teiler 334.3 (6.) 342.1 (9.) 434.2 (3.)
 Trefferlage 1.39 mm rechts, 2.34 mm tief
 Streuwert 5.03, horizontal: 6.83, vertikal: 2.00




Serie 2:
 10.2 ↓ 9.3 ← 10.0 ↗ 9.7 ↖ 9.9 ↓
 9.6 ↘ 10.8 * 10.4 * 9.7 ↗ 10.0 ↘
 beste Teiler 95.4 (17.) 440.0 (18.) 624.7 (11.)
 Trefferlage 1.98 mm links, 3.25 mm tief
 Streuwert 5.78, horizontal: 6.07, vertikal: 5.46




Serie 3:
 10.4 * 10.8 * 10.2 ↗ 9.7 ↘ 10.7 *
 9.6 ↘ 10.5 * 8.8 ↓ 10.5 * 10.2 ↘
 beste Teiler 118.0 (22.) 228.3 (25.) 356.7 (27.)
 Trefferlage 3.30 mm rechts, 4.29 mm tief
 Streuwert 4.41, horizontal: 3.65, vertikal: 5.06



Serie 4:
 10.0 ↗ 10.6 * 10.2 ← 10.5 * 10.1 ↓
 10.2 ↑ 10.2 → 10.8 * 10.2 ↘ 10.3 *
 beste Teiler 124.3 (38.) 295.0 (32.) 328.6 (34.)
 Trefferlage 0.92 mm rechts, 0.53 mm tief
 Streuwert 4.01, horizontal: 3.74, vertikal: 4.27



Serie 5:
 10.2 ↘ 10.7 * 10.7 * 10.6 * 10.0 ↘
 10.6 * 10.2 ↗ 9.9 → 10.2 ↖ 9.6 →
 beste Teiler 187.0 (43.) 235.7 (42.) 272.6 (44.)
 Trefferlage 2.62 mm rechts, 1.70 mm tief
 Streuwert 3.98, horizontal: 4.97, vertikal: 2.66



Serie 6:
 10.5 * 10.1 → 10.1 ↓ 9.8 ↘ 9.8 ↘
 10.7 * 10.1 ↘ 9.6 ↘ 10.4 * 9.3 ↑
 beste Teiler 226.6 (56.) 322.0 (51.) 428.0 (59.)
 Trefferlage 0.87 mm rechts, 0.78 mm hoch
 Streuwert 5.87, horizontal: 3.94, vertikal: 7.31

Meyton Elektronik

ISSF Prone Men – Wertung – Senioren1_m

StandNr: 9

Melmer,, Christof #70108105

StartNr: 9

29. Juli 2017 10:02

SG_Mieming

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **592.6** (568)

Serien: 100.2 99.2 97.5 101.8 99.4 94.5

Zähler: 32 25 2 1 0 0 0 0 0 0



Innenzehner: 18

weiteste: 2820 (28), 1796 (60), 1757 (42)

beste Teiler 205.4 (44.) 208.4 (30.) 211.1 (3.)

Trefferlage 4.62 mm links, 1.36 mm hoch

Streuwert 6.26, horizontal: 6.10, vertikal: 6.41




Serie 1:

| | | | | |
|--------|--------|--------|-------|--------|
| 10.4 * | 9.9 ↓ | 10.7 * | 9.0 ↘ | 9.7 ↑ |
| 10.5 * | 10.6 * | 10.0 ↗ | 9.0 ← | 10.4 * |

beste Teiler 211.1 (3.) 293.2 (7.) 380.7 (6.)

Trefferlage 3.38 mm links, 1.25 mm hoch

Streuwert 6.04, horizontal: 6.40, vertikal: 5.65




Serie 2:

| | | | | |
|--------|--------|--------|--------|--------|
| 10.6 * | 9.6 ↘ | 10.1 ↘ | 10.5 * | 10.6 * |
| 9.0 ↑ | 10.2 ← | 10.2 ↘ | 9.3 ← | 9.1 ↘ |

beste Teiler 255.3 (15.) 259.5 (11.) 388.2 (14.)

Trefferlage 5.38 mm links, 5.04 mm hoch

Streuwert 4.52, horizontal: 3.71, vertikal: 5.21




Serie 3:

| | | | | |
|--------|--------|-------|-------|--------|
| 10.6 * | 10.3 ← | 9.7 ↘ | 9.8 ↗ | 10.1 ↗ |
| 9.7 ↑ | 9.7 ↘ | 7.4 ← | 9.5 ↗ | 10.7 * |

beste Teiler 208.4 (30.) 317.9 (21.) 560.6 (22.)

Trefferlage 6.84 mm links, 0.33 mm hoch

Streuwert 7.29, horizontal: 7.88, vertikal: 6.65




Serie 4:

| | | | | |
|--------|--------|--------|--------|--------|
| 10.0 ↗ | 10.6 * | 9.6 ↓ | 10.2 ↘ | 10.0 ↓ |
| 10.6 * | 10.2 ← | 10.6 * | 10.3 * | 9.7 ↘ |

beste Teiler 250.3 (32.) 266.4 (38.) 296.9 (36.)

Trefferlage 2.17 mm links, 1.31 mm tief

Streuwert 4.63, horizontal: 4.11, vertikal: 5.10




Serie 5:

| | | | | |
|--------|-------|--------|--------|--------|
| 10.1 ↗ | 8.8 ← | 10.4 * | 10.7 * | 9.7 ↘ |
| 9.6 ↓ | 9.5 ↘ | 10.4 * | 10.1 ↗ | 10.1 ← |

beste Teiler 205.4 (44.) 431.5 (43.) 477.8 (48.)

Trefferlage 3.69 mm links, 0.57 mm hoch

Streuwert 6.33, horizontal: 6.38, vertikal: 6.27



Serie 6:

| | | | | |
|--------|--------|-------|-------|-------|
| 9.2 ↘ | 10.4 * | 9.1 ↘ | 9.6 ↗ | 9.5 ↓ |
| 10.1 ↘ | 9.4 ← | 9.2 ← | 9.3 ↓ | 8.7 ↘ |

beste Teiler 413.0 (52.) 706.5 (56.) 1096.9 (54.)

Trefferlage 6.29 mm links, 2.31 mm hoch

Streuwert 7.94, horizontal: 7.13, vertikal: 8.67

Meyton Elektronik

ISSF Prone Men – Wertung – Senioren1_m

StandNr: 10

Flunger,, Guido #70102006

StartNr: 10



29. Juli 2017 9:53

SG_Haiming


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **597.5** (566)
 Serien: 97.3 98.8 104.0 101.0 99.4 97.0
 Zähler: 29 28 3 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 1883 (48), 1880 (33), 1795 (51)
 beste Teiler 106.0 (26.) 149.9 (23.) 278.0 (7.)
 Trefferlage 0.90 mm links, 0.84 mm tief
 Streuwert 6.31, horizontal: 5.69, vertikal: 6.88




Serie 1:
 9.8 ↖ 9.6 ↑ 9.3 ↙ 9.2 ↘ 9.3 ↘
 9.9 ↘ 10.6 * 9.6 ↑ 10.1 ↖ 9.9 ↘
 beste Teiler 278.0 (7.) 697.8 (9.) 816.3 (10.)
 Trefferlage 2.24 mm links, 1.16 mm tief
 Streuwert 7.49, horizontal: 6.38, vertikal: 8.45




Serie 2:
 9.8 ← 10.3 ↖ 10.1 ↙ 9.5 → 9.9 ←
 9.4 ↓ 9.8 ↙ 10.3 ↑ 9.9 ← 9.8 ↖
 beste Teiler 536.8 (12.) 560.3 (18.) 658.5 (13.)
 Trefferlage 3.31 mm links, 1.38 mm tief
 Streuwert 6.01, horizontal: 6.27, vertikal: 5.75




Serie 3:
 9.6 ← 10.6 * 10.8 * 10.5 * 10.5 *
 10.8 * 10.5 * 9.8 ↑ 10.3 → 10.6 *
 beste Teiler 106.0 (26.) 149.9 (23.) 292.6 (22.)
 Trefferlage 0.03 mm links, 0.55 mm hoch
 Streuwert 4.04, horizontal: 4.57, vertikal: 3.43



Serie 4:
 10.6 * 10.3 * 8.6 ↖ 10.2 ↖ 10.3 *
 10.0 ← 10.5 * 9.4 ↓ 10.5 * 10.6 *
 beste Teiler 292.1 (31.) 299.3 (40.) 332.7 (37.)
 Trefferlage 1.26 mm links, 0.09 mm tief
 Streuwert 6.14, horizontal: 4.75, vertikal: 7.27



Serie 5:
 10.3 ↙ 10.1 → 10.3 * 10.3 * 10.4 *
 9.7 ↓ 9.3 ↓ 8.6 ↙ 10.5 * 9.9 ↓
 beste Teiler 342.1 (49.) 403.0 (45.) 485.8 (43.)
 Trefferlage 0.94 mm rechts, 4.40 mm tief
 Streuwert 6.02, horizontal: 4.08, vertikal: 7.47



Serie 6:
 8.7 ↖ 10.2 → 9.3 ↘ 9.9 ↑ 9.7 ↘
 10.2 ← 9.9 ↓ 9.9 ↖ 9.6 ↙ 9.6 ↘
 beste Teiler 579.1 (52.) 583.4 (56.) 830.5 (57.)
 Trefferlage 0.47 mm rechts, 1.40 mm hoch
 Streuwert 7.72, horizontal: 7.52, vertikal: 7.90

Meyton Elektronik

ISSF Prone Men – Wertung – Senioren1_m

StandNr: 11

Wirtenberger,, Christoph #70201085

StartNr: 11



29. Juli 2017 10:13

SG_Absam


Unterschrift des Schützen

Meyton Elektronik


| | | |
|--------------|--|-------|
| Ergebnis: | 595.4 | (570) |
| Serien: | 100.6 98.6 100.2 97.0 101.4 97.6 | |
| Zähler: | 33 24 3 0 0 0 0 0 0 0 | |
| Innenzehner: | 17 | |
| weiteste: | 1874 (52), 1690 (54), 1606 (2) | |
| beste Teiler | 150.5 (21.) 205.7 (49.) 233.3 (17.) | |
| Trefferlage | 2.37 mm links, 0.30 mm hoch | |
| Streuwert | 6.37, horizontal: 6.78, vertikal: 5.93 | |




| | | | | | |
|--------------|--|------------|------------|--------|--------|
| Serie 1: | 10.5 * | 8.9 ↘ | 10.1 ↘ | 10.2 ↑ | 9.8 ↘ |
| | 9.2 ← | 10.4 * | 10.6 * | 10.6 * | 10.3 * |
| beste Teiler | 291.9 (8.) | 320.6 (9.) | 369.2 (1.) | | |
| Trefferlage | 4.14 mm links, 2.08 mm hoch | | | | |
| Streuwert | 5.15, horizontal: 5.46, vertikal: 4.81 | | | | |




| | | | | | |
|--------------|--|-------------|-------------|--------|--------|
| Serie 2: | 9.0 ↘ | 10.6 * | 10.2 ↘ | 9.2 ← | 9.3 ↘ |
| | 9.4 ← | 10.7 * | 9.6 ← | 10.3 ← | 10.3 * |
| beste Teiler | 233.3 (17.) | 271.2 (12.) | 524.3 (20.) | | |
| Trefferlage | 5.79 mm links, 0.03 mm hoch | | | | |
| Streuwert | 6.05, horizontal: 6.22, vertikal: 5.87 | | | | |




| | | | | | |
|--------------|--|-------------|-------------|--------|--------|
| Serie 3: | 10.8 * | 9.4 ← | 9.6 ↓ | 9.8 ← | 9.9 → |
| | 10.5 * | 9.8 ↓ | 9.5 ↘ | 10.6 * | 10.3 * |
| beste Teiler | 150.5 (21.) | 300.0 (29.) | 343.1 (26.) | | |
| Trefferlage | 2.35 mm links, 2.59 mm tief | | | | |
| Streuwert | 5.62, horizontal: 5.31, vertikal: 5.92 | | | | |



| | | | | | |
|--------------|--|-------------|-------------|-------|--------|
| Serie 4: | 9.7 ↓ | 9.3 ↑ | 10.2 ← | 9.2 ↑ | 10.2 ↘ |
| | 10.1 → | 9.7 ↘ | 10.2 ↓ | 9.3 → | 9.1 ↘ |
| beste Teiler | 561.5 (33.) | 568.5 (35.) | 583.9 (38.) | | |
| Trefferlage | 1.16 mm links, 2.81 mm hoch | | | | |
| Streuwert | 7.47, horizontal: 7.21, vertikal: 7.73 | | | | |



| | | | | | |
|--------------|--|-------------|-------------|--------|--------|
| Serie 5: | 10.2 ↓ | 10.0 ↗ | 9.2 ↘ | 10.2 ↑ | 10.4 * |
| | 10.6 * | 10.3 ↘ | 9.9 ↓ | 10.7 * | 9.9 → |
| beste Teiler | 205.7 (49.) | 279.5 (46.) | 454.4 (45.) | | |
| Trefferlage | 0.56 mm rechts, 0.97 mm hoch | | | | |
| Streuwert | 5.29, horizontal: 4.20, vertikal: 6.19 | | | | |



| | | | | | |
|--------------|---|-------------|-------------|-------|--------|
| Serie 6: | 9.6 ↗ | 8.6 ← | 10.5 * | 8.8 ← | 10.1 ← |
| | 10.0 ↗ | 10.0 ↘ | 10.6 * | 9.4 → | 10.0 ↓ |
| beste Teiler | 318.3 (58.) | 333.2 (53.) | 671.1 (55.) | | |
| Trefferlage | 1.34 mm links, 1.48 mm tief | | | | |
| Streuwert | 7.83, horizontal: 10.32, vertikal: 4.00 | | | | |

ISSF Prone Men – Wertung – Senioren1_m

StandNr: 12

Larcher,, Martin #70108048

StartNr: 12



29. Juli 2017 10:07

SG_Mieming


Unterschrift des Schützen

Meyton Elektronik


| | | |
|--------------|--------------|----------------------------------|
| Ergebnis: | 615.5 | (588) |
| Serien: | 101.7 | 101.7 104.5 102.8 101.0 103.8 |
| Zähler: | 48 | 12 0 0 0 0 0 0 0 0 |
| Innenzehner: | 34 | |
| weiteste: | 1441 | (9), 1216 (20), 1197 (50) |
| beste Teiler | 45.2 | (2.) 61.8 (47.) 69.4 (38.) |
| Trefferlage | 0.66 mm | links, 0.53 mm tief |
| Streuwert | 4.45, | horizontal: 4.38, vertikal: 4.52 |




| | | | | | |
|--------------|-----------|-------------------|----------------|--------|-------|
| Serie 1: | 10.6 * | 10.9 * | 9.9 ← | 10.7 * | 9.9 ← |
| | 10.5 * | 10.1 ← | 10.1 ← | 9.1 ← | 9.9 → |
| beste Teiler | 45.2 (2.) | 172.8 (4.) | 318.7 (1.) | | |
| Trefferlage | 3.98 mm | links, 1.28 mm | hoch | | |
| Streuwert | 4.41, | horizontal: 5.93, | vertikal: 1.93 | | |




| | | | | | |
|--------------|-------------|-------------------|----------------|--------|--------|
| Serie 2: | 10.1 ↖ | 10.6 * | 9.9 ↑ | 10.4 * | 10.1 ← |
| | 10.0 ↕ | 10.5 * | 10.2 ↘ | 10.5 * | 9.4 ↑ |
| beste Teiler | 319.0 (12.) | 332.6 (17.) | 344.2 (19.) | | |
| Trefferlage | 0.47 mm | links, 2.03 mm | hoch | | |
| Streuwert | 4.83, | horizontal: 3.98, | vertikal: 5.55 | | |




| | | | | | |
|--------------|------------|-------------------|----------------|--------|--------|
| Serie 3: | 9.5 ↘ | 10.6 * | 10.8 * | 10.2 ← | 10.8 * |
| | 10.6 * | 10.3 * | 10.8 * | 10.6 * | 10.3 * |
| beste Teiler | 84.1 (25.) | 140.8 (28.) | 159.4 (23.) | | |
| Trefferlage | 0.85 mm | links, 0.63 mm | tief | | |
| Streuwert | 3.59, | horizontal: 3.66, | vertikal: 3.52 | | |



| | | | | | |
|--------------|------------|-------------------|----------------|--------|--------|
| Serie 4: | 10.3 * | 10.4 * | 10.1 ↘ | 9.8 ↗ | 10.5 * |
| | 10.2 ↑ | 9.8 ↕ | 10.9 * | 10.3 * | 10.5 * |
| beste Teiler | 69.4 (38.) | 377.6 (35.) | 397.3 (40.) | | |
| Trefferlage | 1.26 mm | rechts, 0.29 mm | hoch | | |
| Streuwert | 4.32, | horizontal: 3.78, | vertikal: 4.80 | | |



| | | | | | |
|--------------|------------|-------------------|----------------|--------|--------|
| Serie 5: | 10.0 ↘ | 9.7 → | 10.7 * | 10.4 * | 10.3 * |
| | 10.0 ← | 10.9 * | 10.0 ↙ | 9.5 ↓ | 9.5 ↓ |
| beste Teiler | 61.8 (47.) | 166.4 (43.) | 427.3 (44.) | | |
| Trefferlage | 0.14 mm | links, 3.71 mm | tief | | |
| Streuwert | 4.96, | horizontal: 4.47, | vertikal: 5.41 | | |



| | | | | | |
|--------------|-------------|-------------------|----------------|--------|--------|
| Serie 6: | 10.2 ↖ | 10.3 * | 10.4 * | 10.4 * | 10.8 * |
| | 10.4 * | 10.4 * | 10.2 ↘ | 10.3 * | 10.4 * |
| beste Teiler | 160.6 (55.) | 423.3 (54.) | 425.2 (56.) | | |
| Trefferlage | 0.19 mm | rechts, 2.46 mm | tief | | |
| Streuwert | 2.92, | horizontal: 3.09, | vertikal: 2.74 | | |

Meyton Elektronik

ISSF Prone Men – *Wertung* – **Senioren1_m**

StandNr: 13

Mair, Franz #706009

StartNr: 13

29. Juli 2017 10:13

Bez._Lienz

Unterschrift des Schützen

Meyton Elektronik