





Ergebnis:	614.9	(586)
Serien:	103.3	100.8 104.1 103.1 101.6 102.0
Zähler:	46	14 0 0 0 0 0 0 0 0
Innenzehner:	34	
weiteste:	1547	(16), 1262 (60), 1214 (55)
beste Teiler	56.0	(37.) 69.7 (21.) 103.4 (10.)
Trefferlage	0.22 mm	links, 0.55 mm tief
Streuwert	4.59,	horizontal: 4.82, vertikal: 4.36




Serie 1:	10.5 *	10.5 *	9.9 ↘	10.5 *	9.6 ↘
	10.4 *	10.5 *	10.4 *	10.2 ↗	10.8 *
beste Teiler	103.4	(10.) 323.6	(7.) 327.1	(1.)	
Trefferlage	2.57 mm	rechts, 1.34 mm	tief		
Streuwert	3.56,	horizontal: 2.88,	vertikal: 4.13		




Serie 2:	10.6 *	10.3 *	9.9 ←	10.1 ↗	9.6 ↘
	9.0 ↗	10.3 *	10.2 ↑	10.7 *	10.1 ↑
beste Teiler	231.8	(19.) 287.1	(11.) 492.1	(12.)	
Trefferlage	1.49 mm	rechts, 2.42 mm	hoch		
Streuwert	5.47,	horizontal: 5.62,	vertikal: 5.33		




Serie 3:	10.9 *	10.5 *	10.6 *	9.8 ↘	10.5 *
	10.4 *	10.0 ↘	10.6 *	10.5 *	10.3 *
beste Teiler	69.7	(21.) 268.2	(28.) 273.0	(23.)	
Trefferlage	0.24 mm	rechts, 0.64 mm	tief		
Streuwert	3.65,	horizontal: 3.91,	vertikal: 3.37		



Serie 4:	10.3 *	10.4 *	10.3 ↖	9.9 ↑	10.1 ↘
	10.1 ↘	10.9 *	10.4 *	10.1 ↙	10.6 *
beste Teiler	56.0	(37.) 269.2	(40.) 435.9	(32.)	
Trefferlage	1.90 mm	links, 0.41 mm	hoch		
Streuwert	3.88,	horizontal: 2.86,	vertikal: 4.68		



Serie 5:	10.5 *	10.8 *	9.9 ↘	9.6 ←	10.6 *
	9.7 ↙	10.2 ↙	9.6 ←	10.6 *	10.1 ↙
beste Teiler	107.8	(42.) 270.1	(45.) 295.5	(49.)	
Trefferlage	2.45 mm	links, 1.97 mm	tief		
Streuwert	4.87,	horizontal: 5.76,	vertikal: 3.79		



Serie 6:	10.4 *	10.7 *	9.9 ↖	10.2 ↙	9.4 ←
	10.8 *	10.4 *	10.4 *	10.4 *	9.4 ↘
beste Teiler	154.4	(56.) 173.9	(52.) 405.2	(59.)	
Trefferlage	1.29 mm	links, 2.20 mm	tief		
Streuwert	4.91,	horizontal: 5.79,	vertikal: 3.83		

Meyton Elektronik

ISSF Prone Men – *Wertung* – **Senioren_1m**

StandNr: 35

Mair,, Franz #70606011

StartNr: 1

14. Juli 2018 10:18

SG_Hochpustertal

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **606.0** (580)

Serien: 101.5 100.9 102.2 102.0 99.0 100.4

Zähler: 41 18 1 0 0 0 0 0 0 0



Innenzehner: 26

weiteste: 1805 (12), 1400 (44), 1350 (15)

beste Teiler 69.8 (16.) 215.9 (2.) 233.0 (22.)

Trefferlage 0.25 mm rechts, 0.03 mm tief

Streuwert 5.51, horizontal: 5.77, vertikal: 5.23




Serie 1:

10.2 ←	10.7 *	10.2 ↘	9.7 ↓	9.7 →
9.5 →	10.5 *	10.5 *	10.5 *	10.0 ↓

beste Teiler 215.9 (2.) 332.5 (7.) 343.5 (9.)

Trefferlage 3.30 mm rechts, 1.35 mm tief

Streuwert 4.59, horizontal: 4.98, vertikal: 4.16




Serie 2:

10.1 ↓	8.7 ↖	10.1 ↓	10.6 *	9.3 ↙
10.9 *	10.3 *	10.6 *	9.9 ↓	10.4 *

beste Teiler 69.8 (16.) 297.5 (18.) 303.3 (14.)

Trefferlage 2.08 mm links, 0.95 mm tief

Streuwert 6.11, horizontal: 4.24, vertikal: 7.54




Serie 3:

9.4 →	10.7 *	10.4 *	10.1 ↑	10.3 *
10.3 *	10.3 *	10.6 *	10.6 *	9.5 ←

beste Teiler 233.0 (22.) 253.4 (28.) 298.2 (29.)

Trefferlage 0.04 mm rechts, 1.91 mm hoch

Streuwert 4.78, horizontal: 5.93, vertikal: 3.25




Serie 4:

10.3 *	10.5 *	9.9 ←	9.7 →	10.0 →
10.4 *	9.6 ↓	10.5 *	10.6 *	10.5 *

beste Teiler 280.6 (39.) 328.6 (32.) 360.0 (38.)

Trefferlage 0.27 mm rechts, 0.83 mm tief

Streuwert 4.87, horizontal: 5.56, vertikal: 4.06




Serie 5:

9.4 ↖	10.3 →	9.9 ↗	9.2 ↖	10.1 →
10.2 ↑	9.4 →	10.5 *	10.6 *	9.4 ↓

beste Teiler 252.2 (49.) 321.2 (48.) 560.4 (42.)

Trefferlage 0.77 mm rechts, 1.06 mm hoch

Streuwert 6.90, horizontal: 6.67, vertikal: 7.12



Serie 6:

9.3 ↖	10.2 ↖	10.2 ←	10.2 ↘	10.2 →
9.7 →	10.3 *	10.4 *	10.1 →	9.8 ↖

beste Teiler 453.7 (58.) 528.9 (57.) 562.3 (52.)

Trefferlage 0.77 mm links, 0.01 mm tief

Streuwert 5.74, horizontal: 6.87, vertikal: 4.32

Meyton Elektronik

ISSF Prone Men – Wertung – Senioren_1m

StandNr: 7

Kirchner,, Martin #800020

StartNr: 2



14. Juli 2018 10:19

SG_Absam


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	609.6	(584)
Serien:	102.2 99.4 100.8 103.1 101.8 102.3	
Zähler:	44 16 0 0 0 0 0 0 0	
Innenzehner:	26	
weiteste:	1519 (17), 1390 (12), 1307 (14)	
beste Teiler	23.5 (11.) 106.8 (36.) 107.1 (33.)	
Trefferlage	1.16 mm links, 0.62 mm hoch	
Streuwert	5.00, horizontal: 5.16, vertikal: 4.84	




Serie 1:	10.4 *	10.6 *	10.3 *	10.5 *	10.4 *
	9.5 ←	10.2 ←	10.4 *	9.6 ↑	10.3 *
beste Teiler	251.0 (2.) 322.4 (4.) 446.9 (1.)				
Trefferlage	0.34 mm rechts, 0.31 mm hoch				
Streuwert	4.77, horizontal: 5.38, vertikal: 4.06				




Serie 2:	10.9 *	9.2 ←	9.7 ↘	9.3 ↖	10.4 *
	9.7 ↘	9.1 ↓	10.6 *	10.3 *	10.2 ↘
beste Teiler	23.5 (11.) 308.0 (18.) 467.7 (15.)				
Trefferlage	2.97 mm links, 0.79 mm tief				
Streuwert	6.65, horizontal: 6.46, vertikal: 6.84				




Serie 3:	9.7 ↘	9.9 →	10.6 *	10.6 *	9.9 ↑
	10.3 *	9.8 ↙	10.3 ←	9.8 ↙	9.9 ↓
beste Teiler	270.0 (23.) 281.4 (24.) 496.4 (26.)				
Trefferlage	0.49 mm links, 2.20 mm tief				
Streuwert	5.27, horizontal: 6.11, vertikal: 4.28				



Serie 4:	10.2 ↑	10.2 ↑	10.8 *	10.6 *	9.7 ←
	10.8 *	10.6 *	10.2 ↘	10.0 ↗	10.0 →
beste Teiler	106.8 (36.) 107.1 (33.) 285.7 (37.)				
Trefferlage	0.12 mm links, 2.42 mm hoch				
Streuwert	3.96, horizontal: 4.76, vertikal: 2.94				



Serie 5:	10.1 ←	10.8 *	10.4 *	10.0 ↑	10.5 *
	10.1 ↘	10.2 →	9.4 ↖	10.1 ↘	10.2 ↙
beste Teiler	151.3 (42.) 381.1 (45.) 417.0 (43.)				
Trefferlage	2.54 mm links, 2.66 mm hoch				
Streuwert	4.28, horizontal: 4.49, vertikal: 4.06				



Serie 6:	9.6 ↑	10.0 ↑	10.3 ↗	10.6 *	10.5 *
	10.1 ←	10.1 ↙	10.3 *	10.4 *	10.4 *
beste Teiler	319.7 (54.) 367.7 (55.) 475.1 (59.)				
Trefferlage	1.19 mm links, 1.34 mm hoch				
Streuwert	4.51, horizontal: 3.74, vertikal: 5.17				

Meyton Elektronik

ISSF Prone Men – Wertung – Senioren_1m

StandNr: 5

Gstinig, Klaus #1000000293

StartNr: 3



14. Juli 2018 10:14

SG_Lienz_HSV


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **617.9** (589)
 Serien: 104.3 103.1 103.1 102.4 101.6 103.4
 Zähler: 49 11 0 0 0 0 0 0 0
 Innenzehner: 34
 weiteste: 1193 (50), 1165 (60), 1073 (41)
 beste Teiler 56.0 (6.) 63.0 (16.) 171.3 (27.)
 Trefferlage 0.48 mm links, 1.90 mm tief
 Streuwert 3.97, horizontal: 4.38, vertikal: 3.51




Serie 1:
 10.4 * 10.2 ↙ 10.5 * 10.2 ← 10.7 *
 10.9 * 10.2 ↘ 10.4 * 10.4 * 10.4 *
 beste Teiler 56.0 (6.) 219.8 (5.) 392.7 (3.)
 Trefferlage 0.10 mm links, 2.28 mm tief
 Streuwert 2.99, horizontal: 3.24, vertikal: 2.72




Serie 2:
 10.6 * 9.7 ↓ 10.5 * 9.9 ↗ 10.7 *
 10.9 * 9.9 ↘ 10.5 * 10.0 ↓ 10.4 *
 beste Teiler 63.0 (16.) 182.0 (15.) 278.6 (11.)
 Trefferlage 1.72 mm rechts, 2.34 mm tief
 Streuwert 3.81, horizontal: 3.56, vertikal: 4.04




Serie 3:
 10.6 * 9.8 ↓ 10.1 ← 10.3 * 10.6 *
 10.6 * 10.7 * 9.7 ↘ 10.5 * 10.2 →
 beste Teiler 171.3 (27.) 269.0 (25.) 287.4 (21.)
 Trefferlage 0.28 mm rechts, 2.87 mm tief
 Streuwert 3.70, horizontal: 3.84, vertikal: 3.56



Serie 4:
 10.2 ↘ 9.9 → 10.1 → 9.8 → 10.3 ↓
 10.3 ↙ 10.2 ↙ 10.5 * 10.5 * 10.6 *
 beste Teiler 261.5 (40.) 369.9 (38.) 379.0 (39.)
 Trefferlage 1.68 mm rechts, 1.64 mm tief
 Streuwert 4.18, horizontal: 5.10, vertikal: 2.97



Serie 5:
 9.6 ↙ 10.4 * 9.9 ← 10.7 * 10.4 *
 10.4 * 10.4 * 10.0 ← 10.3 * 9.5 ↓
 beste Teiler 226.2 (44.) 425.6 (47.) 432.5 (46.)
 Trefferlage 4.34 mm links, 2.09 mm tief
 Streuwert 3.89, horizontal: 2.99, vertikal: 4.63



Serie 6:
 10.4 * 10.5 * 10.5 * 10.7 * 10.2 ←
 10.3 ↑ 10.6 * 10.7 * 10.0 ← 9.5 ←
 beste Teiler 230.8 (54.) 234.8 (58.) 253.6 (57.)
 Trefferlage 2.15 mm links, 0.20 mm tief
 Streuwert 3.94, horizontal: 4.65, vertikal: 3.07

Meyton Elektronik

ISSF Prone Men – Wertung – Senioren_1m

StandNr: 9

Melmer, Christof #800039

StartNr: 4



14. Juli 2018 10:05

SG_Mieming

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	602.9	(581)
Serien:	102.5	101.2 100.2 100.1 97.0 101.9
Zähler:	43	15 2 0 0 0 0 0 0 0
Innenzehner:	20	
weiteste:	2066 (29), 2064 (46), 1442 (48)	
beste Teiler	51.0 (18.) 116.8 (7.) 146.2 (10.)	
Trefferlage	1.74 mm rechts, 0.83 mm tief	
Streuwert	5.75, horizontal: 5.69, vertikal: 5.81	




Serie 1:

10.1 ↗	9.7 ↑	10.2 ↘	9.5 ↘	10.3 *
10.6 *	10.8 *	10.2 ↘	10.3 ↘	10.8 *
beste Teiler	116.8 (7.) 146.2 (10.) 272.6 (6.)			
Trefferlage	1.78 mm rechts, 0.19 mm tief			
Streuwert	4.57, horizontal: 3.93, vertikal: 5.12			




Serie 2:

9.4 ↓	10.2 ↓	10.4 *	10.2 ←	10.6 *
9.6 →	10.0 →	10.9 *	10.4 *	9.5 →
beste Teiler	51.0 (18.) 285.7 (15.) 409.8 (19.)			
Trefferlage	2.88 mm rechts, 2.32 mm tief			
Streuwert	4.87, horizontal: 5.32, vertikal: 4.38			




Serie 3:

10.5 *	10.0 ↙	9.2 →	10.5 *	10.5 *
10.6 *	9.8 ↘	10.0 ↓	8.4 ↘	10.7 *
beste Teiler	183.5 (30.) 282.9 (26.) 352.8 (21.)			
Trefferlage	0.42 mm rechts, 0.19 mm tief			
Streuwert	6.94, horizontal: 7.10, vertikal: 6.77			




Serie 4:

9.6 ↓	9.7 ↙	10.4 *	10.1 ↘	10.3 *
10.0 ↓	9.4 →	10.0 ↘	10.5 *	10.1 ↘
beste Teiler	400.7 (39.) 433.9 (33.) 519.3 (35.)			
Trefferlage	1.96 mm rechts, 2.91 mm tief			
Streuwert	5.38, horizontal: 5.48, vertikal: 5.29			



Serie 5:

10.5 *	10.2 ↘	10.4 *	9.5 ↙	9.3 ↘
8.4 ↗	10.0 ↘	9.1 ↘	10.2 ↗	9.4 ↗
beste Teiler	368.5 (41.) 458.6 (43.) 590.5 (42.)			
Trefferlage	3.89 mm rechts, 0.22 mm tief			
Streuwert	7.78, horizontal: 7.54, vertikal: 8.02			



Serie 6:

10.3 ↘	10.4 *	10.1 ↘	10.3 ↗	10.3 ←
10.2 ↘	9.8 ↑	10.0 ↘	10.0 ↓	10.5 *
beste Teiler	357.7 (60.) 406.8 (52.) 538.0 (55.)			
Trefferlage	0.48 mm links, 0.85 mm hoch			
Streuwert	4.65, horizontal: 4.12, vertikal: 5.12			

ISSF Prone Men – Wertung – Senioren_1m

StandNr: 34

Floriani,, Meinhard #70102004

StartNr: 5



14. Juli 2018 10:04

SG_Haiming


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **615.2** (585)
 Serien: 100.6 105.2 101.2 101.2 103.6 103.4
 Zähler: 45 15 0 0 0 0 0 0 0
 Innenzehner: 28
 weiteste: 1287 (4), 1235 (23), 1182 (31)
 beste Teiler 44.4 (17.) 76.3 (24.) 78.2 (45.)
 Trefferlage 1.09 mm links, 1.24 mm tief
 Streuwert 4.43, horizontal: 5.24, vertikal: 3.42




Serie 1:
 9.6 ↗ 9.9 ↘ 9.9 ↓ 9.3 → 9.9 ↘
 10.2 ↘ 10.8 * 10.0 ↙ 10.7 * 10.3 *
 beste Teiler 113.6 (7.) 164.5 (9.) 482.8 (10.)
 Trefferlage 2.66 mm rechts, 2.77 mm tief
 Streuwert 5.06, horizontal: 5.56, vertikal: 4.51




Serie 2:
 10.6 * 10.5 * 10.2 ↙ 10.7 * 10.7 *
 10.6 * 10.9 * 10.6 * 10.2 ↘ 10.2 ↗
 beste Teiler 44.4 (17.) 203.6 (14.) 227.0 (15.)
 Trefferlage 0.71 mm links, 0.26 mm hoch
 Streuwert 2.77, horizontal: 2.62, vertikal: 2.92




Serie 3:
 10.3 * 9.6 ← 9.4 ← 10.9 * 9.9 ←
 10.3 * 10.1 ← 9.8 ↘ 10.3 * 10.6 *
 beste Teiler 76.3 (24.) 278.9 (30.) 518.0 (29.)
 Trefferlage 5.20 mm links, 1.27 mm hoch
 Streuwert 3.91, horizontal: 4.74, vertikal: 2.84



Serie 4:
 9.5 → 9.7 ↘ 10.5 * 10.3 → 10.8 *
 9.9 ↙ 9.9 ← 10.3 ↘ 10.3 * 10.0 ↓
 beste Teiler 122.9 (35.) 370.6 (33.) 498.0 (39.)
 Trefferlage 1.10 mm rechts, 2.90 mm tief
 Streuwert 5.03, horizontal: 6.51, vertikal: 2.88



Serie 5:
 10.0 ← 10.8 * 9.6 ↙ 10.7 * 10.9 *
 10.7 * 10.6 * 10.0 ↙ 10.2 ← 10.1 ←
 beste Teiler 78.2 (45.) 115.4 (42.) 172.0 (44.)
 Trefferlage 3.06 mm links, 2.18 mm tief
 Streuwert 3.19, horizontal: 3.61, vertikal: 2.70



Serie 6:
 10.2 ↓ 9.9 ← 10.6 * 10.2 ← 10.7 *
 10.1 ↘ 10.6 * 10.6 * 10.5 * 10.0 ←
 beste Teiler 220.2 (55.) 245.4 (58.) 246.8 (53.)
 Trefferlage 1.33 mm links, 1.12 mm tief
 Streuwert 3.76, horizontal: 4.50, vertikal: 2.84

Meyton Elektronik

ISSF Prone Men – Wertung – Senioren_1m

StandNr: 11

Steinlechner,, Joachim #800012

StartNr: 6

14. Juli 2018 10:09

SG_Absam

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **599.9** (570)

Serien: 99.0 98.8 101.3 98.3 102.3 100.2

Zähler: 34 22 4 0 0 0 0 0 0 0



Innenzehner: 25

weiteste: 2064 (13), 1974 (18), 1766 (2)

beste Teiler 201.4 (4.) 203.6 (29.) 214.9 (12.)

Trefferlage 0.94 mm links, 1.22 mm hoch

Streuwert 6.30, horizontal: 6.22, vertikal: 6.38




Serie 1:

10.4 *	8.7 ↖	10.3 *	10.7 *	9.9 ↑
9.5 ↙	9.1 ↘	10.1 ↓	10.6 *	9.7 ↗

beste Teiler 201.4 (4.) 274.6 (9.) 466.8 (1.)

Trefferlage 0.53 mm links, 0.82 mm hoch

Streuwert 7.27, horizontal: 7.55, vertikal: 6.98




Serie 2:

10.4 *	10.7 *	8.4 ↗	10.2 ↖	10.6 *
10.5 *	8.7 ↑	8.5 ↘	10.6 *	10.2 ↗

beste Teiler 214.9 (12.) 286.1 (15.) 307.3 (19.)

Trefferlage 0.22 mm rechts, 4.78 mm hoch

Streuwert 7.52, horizontal: 7.31, vertikal: 7.73




Serie 3:

9.7 ←	10.3 *	9.8 ↖	9.9 ↓	10.0 ↖
9.9 ←	10.5 *	10.4 *	10.7 *	10.1 ↘

beste Teiler 203.6 (29.) 346.8 (27.) 418.6 (28.)

Trefferlage 2.89 mm links, 0.10 mm tief

Streuwert 4.87, horizontal: 4.52, vertikal: 5.20




Serie 4:

9.4 ←	10.6 *	9.8 ←	9.7 →	9.9 ↗
10.2 ↓	9.4 ↘	10.5 *	9.7 ↙	9.1 ↓

beste Teiler 312.4 (32.) 386.4 (38.) 635.5 (36.)

Trefferlage 0.58 mm rechts, 3.55 mm tief

Streuwert 6.70, horizontal: 7.60, vertikal: 5.67




Serie 5:

10.2 ↖	10.5 *	10.5 *	9.6 ↖	10.5 *
9.7 ←	10.6 *	10.6 *	9.5 ↑	10.6 *

beste Teiler 272.4 (48.) 275.9 (47.) 302.9 (50.)

Trefferlage 1.26 mm links, 3.01 mm hoch

Streuwert 4.29, horizontal: 4.21, vertikal: 4.38



Serie 6:

10.4 *	9.7 ↖	9.1 ↑	9.4 ←	10.6 *
9.6 ←	10.2 →	10.4 *	10.2 ↘	10.6 *

beste Teiler 258.4 (60.) 301.9 (55.) 417.9 (58.)

Trefferlage 1.81 mm links, 2.39 mm hoch

Streuwert 5.97, horizontal: 6.16, vertikal: 5.76

Meyton Elektronik

ISSF Prone Men – Wertung – Senioren_1m

StandNr: 12

Flunger,, Guido #70102006

StartNr: 7

14. Juli 2018 10:04

SG_Haiming

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **587.8** (565)

Serien: 96.0 98.3 99.9 98.4 97.5 97.7

Zähler: 28 29 3 0 0 0 0 0 0 0



Innenzehner: 7

weiteste: 2120 (2), 1946 (48), 1618 (20)

beste Teiler 22.3 (21.) 267.5 (46.) 317.2 (30.)

Trefferlage 2.39 mm links, 3.03 mm tief

Streuwert 6.57, horizontal: 8.14, vertikal: 4.49




Serie 1:

9.0 ↘	8.3 →	9.7 ↓	10.2 ↓	9.7 ←
9.3 ↖	10.1 →	9.6 ↙	10.0 ↓	10.1 ←

beste Teiler 562.9 (4.) 641.6 (10.) 662.6 (7.)

Trefferlage 1.18 mm links, 5.49 mm tief

Streuwert 7.62, horizontal: 9.56, vertikal: 4.96




Serie 2:

10.3 *	9.6 →	9.8 ↓	10.1 ↓	10.1 ↑
9.6 →	9.6 ←	10.2 →	10.1 ↙	8.9 ←

beste Teiler 510.2 (11.) 624.0 (18.) 646.9 (15.)

Trefferlage 1.18 mm links, 2.77 mm tief

Streuwert 6.70, horizontal: 8.34, vertikal: 4.50




Serie 3:

10.9 *	10.0 ←	9.8 ↙	10.1 ↘	9.9 ←
9.5 ↙	9.2 ←	10.0 ↘	9.9 ↙	10.6 *

beste Teiler 22.3 (21.) 317.2 (30.) 672.4 (24.)

Trefferlage 4.40 mm links, 3.81 mm tief

Streuwert 4.60, horizontal: 5.77, vertikal: 3.02




Serie 4:

9.7 ←	9.5 →	10.2 ←	10.1 ←	10.0 ↘
9.2 ↙	9.9 →	9.4 ↙	10.3 *	10.1 ↗

beste Teiler 492.5 (39.) 581.9 (33.) 648.0 (40.)

Trefferlage 0.78 mm links, 2.57 mm tief

Streuwert 6.57, horizontal: 8.20, vertikal: 4.36




Serie 5:

9.2 ↖	10.1 ↗	9.3 ↙	10.1 ↑	9.9 ←
10.6 *	9.6 ↙	8.5 →	10.3 *	9.9 ←

beste Teiler 267.5 (46.) 528.2 (49.) 663.0 (44.)

Trefferlage 3.29 mm links, 1.36 mm tief

Streuwert 7.54, horizontal: 9.18, vertikal: 5.41



Serie 6:

10.3 *	9.5 ↘	10.0 →	9.3 ←	9.2 ←
10.0 ↙	9.3 ↙	10.3 ←	10.0 ←	9.8 →

beste Teiler 487.0 (51.) 546.2 (58.) 721.3 (53.)

Trefferlage 3.52 mm links, 2.18 mm tief

Streuwert 6.84, horizontal: 8.68, vertikal: 4.26

Meyton Elektronik

ISSF Prone Men – *Wertung* – **Senioren_1m**
StandNr: 33
Profanter,, Hartwig #1000000294

StartNr: 8
14. Juli 2018 10:22
SG_Absam

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **596.9** (569)

Serien: 97.7 97.9 100.4 98.4 99.4 103.1

Zähler: 33 24 2 1 0 0 0 0 0 0



Innenzehner: 18

weiteste: 2657 (7), 1977 (18), 1630 (8)

beste Teiler 84.0 (10.) 109.4 (53.) 191.5 (52.)

Trefferlage 0.40 mm links, 2.85 mm hoch

Streuwert 6.22, horizontal: 6.06, vertikal: 6.38




Serie 1:

10.1 ↘	9.8 ↘	9.7 ↗	10.0 ↓	10.4 *
10.0 ↖	7.6 →	8.9 ↖	10.4 *	10.8 *

beste Teiler 84.0 (10.) 406.6 (9.) 429.3 (5.)

Trefferlage 1.06 mm rechts, 0.45 mm hoch

Streuwert 8.62, horizontal: 9.72, vertikal: 7.34




Serie 2:

10.1 ↙	9.9 ↑	9.5 ↖	9.9 ←	10.5 *
9.3 ↖	10.6 *	8.5 ↑	9.5 ↖	10.1 ↘

beste Teiler 301.0 (17.) 353.8 (15.) 690.9 (20.)

Trefferlage 3.30 mm links, 4.43 mm hoch

Streuwert 6.63, horizontal: 4.69, vertikal: 8.12




Serie 3:

10.1 ↑	10.2 ↑	10.6 *	9.3 ↗	10.1 ↗
10.3 *	9.3 ↘	10.5 *	10.2 ↑	9.8 ←

beste Teiler 241.3 (23.) 361.9 (28.) 527.0 (26.)

Trefferlage 0.24 mm links, 2.94 mm hoch

Streuwert 5.51, horizontal: 5.05, vertikal: 5.93




Serie 4:

9.6 ↖	10.0 ↖	9.6 ↖	9.8 ↓	9.5 ↗
10.0 ↖	9.7 ↘	10.3 *	9.8 →	10.1 ↘

beste Teiler 520.6 (38.) 669.9 (40.) 742.4 (32.)

Trefferlage 0.14 mm links, 2.22 mm hoch

Streuwert 6.58, horizontal: 6.65, vertikal: 6.51




Serie 5:

9.8 ↗	10.1 ↗	10.5 *	9.7 ↗	10.3 *
10.2 →	9.7 ↖	9.7 ↑	9.1 ↗	10.3 ↗

beste Teiler 390.5 (43.) 513.6 (45.) 556.4 (50.)

Trefferlage 1.80 mm rechts, 6.42 mm hoch

Streuwert 4.30, horizontal: 4.98, vertikal: 3.49



Serie 6:

10.6 *	10.7 *	10.8 *	9.9 ↙	10.4 *
10.4 *	10.5 *	10.6 *	9.6 ↖	9.6 ↑

beste Teiler 109.4 (53.) 191.5 (52.) 310.6 (51.)

Trefferlage 1.60 mm links, 0.64 mm hoch

Streuwert 4.42, horizontal: 3.31, vertikal: 5.30

Meyton Elektronik

ISSF Prone Men – Wertung – Senioren_1m

StandNr: 14

Ladner,, Manfred #1000000097

StartNr: 9



14. Juli 2018 10:11

SG_Kappl


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **615.0** (588)
 Serien: 103.2 101.9 103.0 101.4 103.9 101.6
 Zähler: 48 12 0 0 0 0 0 0 0
 Innenzehner: 29
 weiteste: 1278 (29), 1152 (35), 1066 (56)
 beste Teiler 45.7 (28.) 99.9 (34.) 118.0 (57.)
 Trefferlage 0.56 mm links, 0.31 mm hoch
 Streuwert 4.44, horizontal: 4.50, vertikal: 4.38




Serie 1:
 10.3 * 10.3 * 9.8 ↓ 10.3 * 10.7 *
 10.6 * 10.1 ↘ 10.7 * 10.4 * 10.0 →
 beste Teiler 183.1 (8.) 231.1 (5.) 263.7 (6.)
 Trefferlage 1.31 mm rechts, 2.82 mm tief
 Streuwert 3.21, horizontal: 3.00, vertikal: 3.41




Serie 2:
 10.2 → 10.4 * 10.0 ↖ 9.9 ↘ 10.4 *
 9.8 ↖ 10.5 * 9.9 ↘ 10.5 * 10.3 *
 beste Teiler 380.1 (17.) 394.4 (19.) 420.0 (15.)
 Trefferlage 0.17 mm links, 0.13 mm tief
 Streuwert 4.81, horizontal: 5.28, vertikal: 4.28




Serie 3:
 10.7 * 10.7 * 10.1 ↑ 10.3 * 10.1 ↘
 10.6 * 9.6 ← 10.9 * 9.4 → 10.6 *
 beste Teiler 45.7 (28.) 176.2 (21.) 228.6 (22.)
 Trefferlage 0.86 mm links, 0.57 mm hoch
 Streuwert 4.78, horizontal: 5.29, vertikal: 4.21



Serie 4:
 9.9 ↖ 10.2 ↗ 10.6 * 10.8 * 9.5 ↗
 10.1 ↑ 10.3 → 10.1 ↖ 10.0 ↖ 9.9 ↓
 beste Teiler 99.9 (34.) 273.4 (33.) 536.2 (37.)
 Trefferlage 0.41 mm links, 2.68 mm hoch
 Streuwert 4.91, horizontal: 5.29, vertikal: 4.49



Serie 5:
 10.0 ↑ 10.7 * 10.6 * 9.7 ↗ 10.2 ↓
 10.7 * 10.5 * 10.7 * 10.6 * 10.2 ↖
 beste Teiler 169.0 (48.) 173.4 (46.) 201.2 (42.)
 Trefferlage 0.69 mm links, 1.01 mm hoch
 Streuwert 3.84, horizontal: 3.19, vertikal: 4.40



Serie 6:
 10.3 ↓ 10.0 ← 10.3 * 10.1 ↖ 10.3 *
 9.6 ← 10.8 * 9.9 ↘ 10.1 ↑ 10.2 →
 beste Teiler 118.0 (57.) 483.0 (55.) 487.4 (53.)
 Trefferlage 2.57 mm links, 0.54 mm hoch
 Streuwert 4.56, horizontal: 4.58, vertikal: 4.53

ISSF Prone Men – *Wertung* – **Senioren_1m**

StandNr: 15

Gufler,, Hannes #1000000259

StartNr: 10



14. Juli 2018 10:14

SG_Umhausen


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	598.1	(564)
Serien:	99.2	100.8 98.3 101.2 102.9 95.7
Zähler:	28 28 4 0 0 0 0 0 0 0	
Innenzehner:	22	
weiteste:	1959 (29), 1938 (36), 1693 (51)	
beste Teiler	85.0 (33.) 96.0 (40.) 153.4 (12.)	
Trefferlage	1.91 mm rechts, 1.18 mm hoch	
Streuwert	6.22, horizontal: 7.24, vertikal: 5.00	




Serie 1:	9.9 ↘	10.3 *	10.3 *	9.4 ↖	9.9 ↗
	10.5 *	9.9 →	9.7 ↗	9.4 ↖	9.9 ↘
beste Teiler	332.8 (6.)	503.8 (2.)	520.2 (3.)		
Trefferlage	0.84 mm rechts, 1.05 mm hoch				
Streuwert	6.41, horizontal: 6.82, vertikal: 5.98				




Serie 2:	10.2 ↓	10.8 *	9.8 ↖	9.7 →	10.5 *
	9.5 ↗	9.2 →	10.6 *	10.5 *	10.0 ←
beste Teiler	153.4 (12.)	283.4 (18.)	372.3 (15.)		
Trefferlage	0.80 mm rechts, 1.26 mm hoch				
Streuwert	5.80, horizontal: 7.06, vertikal: 4.17				




Serie 3:	9.6 ↘	9.9 ↖	10.2 ↓	9.5 ↖	10.5 *
	9.6 →	10.4 *	9.7 →	8.5 ↗	10.4 *
beste Teiler	329.3 (25.)	427.1 (27.)	449.0 (30.)		
Trefferlage	4.56 mm rechts, 2.12 mm hoch				
Streuwert	6.48, horizontal: 6.92, vertikal: 6.01				



Serie 4:	9.8 ↓	10.5 *	10.8 *	9.9 ↗	10.7 *
	8.5 ←	9.9 ↗	9.9 →	10.4 *	10.8 *
beste Teiler	85.0 (33.)	96.0 (40.)	213.7 (35.)		
Trefferlage	0.04 mm rechts, 0.34 mm tief				
Streuwert	6.25, horizontal: 7.68, vertikal: 4.37				



Serie 5:	10.4 *	10.3 *	10.1 ↘	10.7 *	10.7 *
	10.6 *	10.1 ↓	9.6 ↗	10.5 *	9.9 →
beste Teiler	196.9 (44.)	199.2 (45.)	247.1 (46.)		
Trefferlage	1.39 mm rechts, 0.84 mm hoch				
Streuwert	4.24, horizontal: 3.84, vertikal: 4.61				



Serie 6:	8.8 →	9.8 →	8.9 ↖	10.7 *	9.3 ↗
	9.9 →	10.1 →	9.1 ↖	9.2 →	9.9 ↘
beste Teiler	207.1 (54.)	671.3 (57.)	823.5 (60.)		
Trefferlage	3.85 mm rechts, 2.14 mm hoch				
Streuwert	8.25, horizontal: 10.33, vertikal: 5.42				

Meyton Elektronik

ISSF Prone Men – Wertung – Senioren_1m

StandNr: 16

Larcher,, Martin #1000000222

StartNr: 11

14. Juli 2018 10:09

SG_Mieming

Unterschrift des Schützen

Meyton Elektronik