





Ergebnis: **615.5** (586)
 Serien: 101.7 101.9 102.5 102.7 104.3 102.4
 Zähler: 46 14 0 0 0 0 0 0 0
 Innenzehner: 30
 weiteste: 1432 (58), 1198 (15), 1167 (1)
 beste Teiler 41.0 (56.) 51.8 (23.) 105.2 (42.)
 Trefferlage 1.37 mm rechts, 0.80 mm tief
 Streuwert 4.45, horizontal: 4.93, vertikal: 3.92




Serie 1:
 9.5 → 10.0 → 10.8 * 10.1 ↙ 10.2 ←
 10.2 ↓ 10.6 * 10.3 * 9.7 ↘ 10.3 →
 beste Teiler 160.6 (3.) 272.4 (7.) 518.6 (8.)
 Trefferlage 0.71 mm rechts, 2.40 mm tief
 Streuwert 4.87, horizontal: 5.78, vertikal: 3.75




Serie 2:
 10.7 * 9.9 → 10.5 * 10.5 * 9.5 ←
 9.9 ↘ 10.2 ↘ 10.3 ↘ 10.4 * 10.0 ↘
 beste Teiler 223.1 (11.) 321.4 (13.) 395.7 (14.)
 Trefferlage 1.19 mm rechts, 1.97 mm tief
 Streuwert 4.74, horizontal: 5.49, vertikal: 3.85




Serie 3:
 10.2 ← 10.1 ↘ 10.9 * 10.1 → 9.7 ↗
 10.3 * 10.3 * 9.9 ↗ 10.8 * 10.2 ↖
 beste Teiler 51.8 (23.) 123.9 (29.) 495.9 (27.)
 Trefferlage 0.46 mm rechts, 2.56 mm hoch
 Streuwert 4.22, horizontal: 4.27, vertikal: 4.16



Serie 4:
 10.5 * 10.6 * 10.4 * 9.9 → 10.6 *
 10.1 ← 10.5 * 9.7 ↘ 10.1 ↘ 10.3 *
 beste Teiler 252.6 (32.) 253.4 (35.) 357.7 (31.)
 Trefferlage 1.81 mm rechts, 1.62 mm tief
 Streuwert 4.03, horizontal: 4.74, vertikal: 3.16



Serie 5:
 10.2 ↘ 10.8 * 10.6 * 10.4 * 10.5 *
 9.7 ↗ 9.8 ← 10.7 * 10.8 * 10.8 *
 beste Teiler 105.2 (42.) 113.7 (49.) 129.2 (50.)
 Trefferlage 0.62 mm links, 0.99 mm hoch
 Streuwert 3.77, horizontal: 4.29, vertikal: 3.16



Serie 6:
 10.3 * 10.6 * 10.7 * 10.8 * 10.0 ↘
 10.9 * 9.6 ↘ 9.2 ↘ 9.8 → 10.5 *
 beste Teiler 41.0 (56.) 114.0 (54.) 239.7 (53.)
 Trefferlage 4.70 mm rechts, 2.41 mm tief
 Streuwert 3.77, horizontal: 4.23, vertikal: 3.24

Meyton Elektronik

KK liegend – Wertung – **Senioren_1m**

StandNr: 14

Melmer, Christof #498

StartNr: 1

25. Juli 2020 10:04

SG_Mieming

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **609.2** (581)

Serien: 101.2 99.2 101.9 103.8 100.2 102.9

Zähler: 42 17 1 0 0 0 0 0 0



Innenzehner: 26

weiteste: 2328 (45), 1249 (11), 1219 (53)

beste Teiler 94.4 (22.) 101.8 (36.) 107.0 (49.)

Trefferlage 1.43 mm links, 0.10 mm tief

Streuwert 5.17, horizontal: 5.88, vertikal: 4.34




Serie 1:

10.4 *	10.2 ↘	9.9 →	9.6 ↘	10.5 *
10.4 *	9.8 ↑	9.9 ←	9.9 →	10.6 *

beste Teiler 276.4 (10.) 337.4 (5.) 452.2 (6.)

Trefferlage 0.13 mm rechts, 1.44 mm hoch

Streuwert 5.24, horizontal: 6.18, vertikal: 4.10




Serie 2:

9.4 ↙	9.9 →	10.0 ↘	9.8 ↘	10.0 ↙
10.0 ↓	10.1 ↘	9.9 ↘	9.5 ←	10.6 *

beste Teiler 278.1 (20.) 663.2 (17.) 731.2 (16.)

Trefferlage 4.87 mm links, 0.77 mm hoch

Streuwert 5.30, horizontal: 5.65, vertikal: 4.92




Serie 3:

9.6 →	10.8 *	9.9 ↑	9.5 ↘	10.3 *
10.3 →	10.6 *	10.5 *	10.4 *	10.0 ↓

beste Teiler 94.4 (22.) 312.8 (27.) 325.2 (28.)

Trefferlage 2.20 mm rechts, 1.35 mm tief

Streuwert 4.86, horizontal: 4.84, vertikal: 4.88




Serie 4:

10.3 *	9.9 ↘	10.0 ←	10.4 *	10.8 *
10.8 *	10.6 *	10.5 *	10.1 ↓	10.4 *

beste Teiler 101.8 (36.) 113.6 (35.) 245.4 (37.)

Trefferlage 1.57 mm links, 0.63 mm tief

Streuwert 3.48, horizontal: 3.08, vertikal: 3.84




Serie 5:

10.2 ↘	10.1 ↘	10.1 ↘	9.5 →	8.0 ←
10.5 *	10.6 *	10.3 *	10.8 *	10.1 ↘

beste Teiler 107.0 (49.) 267.6 (47.) 367.4 (46.)

Trefferlage 2.62 mm links, 0.16 mm hoch

Streuwert 6.76, horizontal: 8.32, vertikal: 4.70



Serie 6:

10.7 *	10.4 *	9.4 ↘	10.2 ←	10.8 *
10.7 *	10.4 *	9.8 ←	10.2 ↘	10.3 ↙

beste Teiler 124.4 (55.) 162.1 (56.) 178.0 (51.)

Trefferlage 1.87 mm links, 0.99 mm tief

Streuwert 4.34, horizontal: 4.72, vertikal: 3.93

Meyton Elektronik

KK liegend – Wertung – **Senioren_1m**

StandNr: 15

Gstinig_senior,, Klaus #70609074

StartNr: 2



25. Juli 2020 10:10

SG_Lienz_SSV


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **616.3** (587)
 Serien: 101.7 101.5 102.9 103.7 103.7 102.8
 Zähler: 48 11 1 0 0 0 0 0 0
 Innenzehner: 32
 weiteste: 1764 (52), 1316 (11), 1300 (4)
 beste Teiler 77.2 (43.) 82.0 (54.) 112.1 (38.)
 Trefferlage 0.42 mm rechts, 0.83 mm tief
 Streuwert 4.47, horizontal: 4.83, vertikal: 4.08




Serie 1:
 10.3 * 10.4 * 10.2 ↓ 9.3 ↘ 10.1 ←
 10.2 ↘ 10.6 * 10.4 * 10.2 ↗ 10.0 →
 beste Teiler 314.4 (7.) 402.2 (2.) 413.1 (8.)
 Trefferlage 0.78 mm rechts, 1.49 mm tief
 Streuwert 4.86, horizontal: 5.54, vertikal: 4.05




Serie 2:
 9.3 ↘ 10.3 → 9.9 ← 10.3 * 10.2 ↓
 9.9 → 10.5 * 10.3 ↗ 10.4 * 10.4 *
 beste Teiler 341.0 (17.) 474.3 (20.) 476.5 (19.)
 Trefferlage 1.16 mm rechts, 1.58 mm tief
 Streuwert 4.97, horizontal: 6.34, vertikal: 3.04




Serie 3:
 10.5 * 10.0 ← 10.6 * 10.3 * 10.5 *
 10.6 * 10.5 * 9.9 ↘ 9.8 ↓ 10.2 →
 beste Teiler 258.1 (26.) 262.0 (23.) 348.0 (21.)
 Trefferlage 0.57 mm rechts, 1.31 mm tief
 Streuwert 4.15, horizontal: 4.59, vertikal: 3.67



Serie 4:
 10.8 * 9.6 ↓ 10.3 ↗ 10.6 * 9.9 ↓
 10.8 * 10.4 * 10.8 * 9.7 ↑ 10.8 *
 beste Teiler 112.1 (38.) 123.6 (40.) 145.0 (31.)
 Trefferlage 0.66 mm rechts, 0.38 mm hoch
 Streuwert 4.39, horizontal: 2.50, vertikal: 5.69



Serie 5:
 10.7 * 10.7 * 10.9 * 9.6 ↓ 10.2 ↓
 10.4 * 10.5 * 10.2 ↑ 9.8 ↗ 10.7 *
 beste Teiler 77.2 (43.) 162.8 (50.) 201.1 (42.)
 Trefferlage 0.63 mm rechts, 0.87 mm tief
 Streuwert 4.08, horizontal: 3.08, vertikal: 4.88



Serie 6:
 10.1 ↓ 8.7 ← 10.6 * 10.8 * 10.2 →
 10.4 * 10.6 * 10.6 * 10.7 * 10.1 ↗
 beste Teiler 82.0 (54.) 209.3 (59.) 267.9 (57.)
 Trefferlage 1.28 mm links, 0.10 mm tief
 Streuwert 5.07, horizontal: 6.44, vertikal: 3.17

KK liegend – Wertung – **Senioren_1m**

StandNr: 16

Mair., Franz #70605046

StartNr: 3



25. Juli 2020 10:16

SG_Hochpustertal


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **603.6** (572)
 Serien: 99.7 99.2 101.4 99.0 102.8 101.5
 Zähler: 36 20 4 0 0 0 0 0 0
 Innenzehner: 26
 weiteste: 2288 (5), 1928 (55), 1888 (38)
 beste Teiler 27.0 (26.) 58.6 (39.) 148.9 (13.)
 Trefferlage 0.36 mm rechts, 0.23 mm hoch
 Streuwert 6.09, horizontal: 7.67, vertikal: 3.94




Serie 1:
 9.8 ↘ 9.8 ↘ 10.6 * 10.7 * 8.1 ←
 10.4 * 10.1 ← 10.0 → 10.4 * 9.8 ↗
 beste Teiler 165.7 (4.) 271.3 (3.) 444.9 (6.)
 Trefferlage 1.47 mm links, 1.48 mm tief
 Streuwert 7.03, horizontal: 9.40, vertikal: 3.24




Serie 2:
 10.0 → 9.6 → 10.8 * 10.4 * 9.2 →
 9.7 ↘ 9.8 → 9.6 → 10.0 ↓ 10.1 ↗
 beste Teiler 148.9 (13.) 443.1 (14.) 695.1 (20.)
 Trefferlage 5.66 mm rechts, 0.98 mm tief
 Streuwert 5.10, horizontal: 5.77, vertikal: 4.33




Serie 3:
 10.0 ↗ 9.6 ↗ 10.3 * 9.8 → 10.5 *
 10.9 * 9.8 ↖ 9.4 ↖ 10.6 * 10.5 *
 beste Teiler 27.0 (26.) 271.0 (29.) 345.7 (25.)
 Trefferlage 1.01 mm rechts, 2.86 mm hoch
 Streuwert 5.08, horizontal: 6.57, vertikal: 2.92



Serie 4:
 10.3 * 9.9 ← 10.3 ↓ 8.8 ← 9.8 ←
 9.3 ↖ 10.4 * 8.6 ← 10.9 * 10.7 *
 beste Teiler 58.6 (39.) 172.5 (40.) 405.4 (37.)
 Trefferlage 7.05 mm links, 0.71 mm tief
 Streuwert 5.52, horizontal: 7.11, vertikal: 3.21



Serie 5:
 10.7 * 10.7 * 10.7 * 10.2 ↖ 10.6 *
 9.8 ↗ 9.9 ↗ 10.3 * 10.1 ↑ 9.8 ←
 beste Teiler 161.2 (42.) 194.3 (41.) 200.7 (43.)
 Trefferlage 0.94 mm rechts, 2.79 mm hoch
 Streuwert 3.99, horizontal: 4.52, vertikal: 3.38



Serie 6:
 10.6 * 10.7 * 10.7 * 9.9 → 8.5 ↘
 10.3 * 10.3 ↓ 10.6 * 10.4 * 9.5 →
 beste Teiler 161.2 (53.) 178.6 (52.) 260.4 (58.)
 Trefferlage 3.09 mm rechts, 1.07 mm tief
 Streuwert 5.63, horizontal: 6.65, vertikal: 4.39

Meyton Elektronik

KK liegend – Wertung – **Senioren_1m**

StandNr: 17

Floriani,, Meinhard #70102004

StartNr: 4



25. Juli 2020 10:01

SG_Haiming


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **601.3** (577)
 Serien: 98.5 101.4 100.1 98.4 99.5 103.4
 Zähler: 38 21 1 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 1812 (26), 1572 (18), 1517 (4)
 beste Teiler 121.1 (45.) 203.8 (53.) 211.9 (27.)
 Trefferlage 0.44 mm rechts, 1.57 mm tief
 Streuwert 5.88, horizontal: 5.23, vertikal: 6.46




Serie 1:
 9.4 ↗ 10.2 → 10.1 ↓ 9.1 → 10.3 *
 10.7 * 10.3 * 10.0 ↘ 9.2 ↑ 9.2 ↑
 beste Teiler 225.1 (6.) 498.6 (7.) 525.8 (5.)
 Trefferlage 2.92 mm rechts, 2.72 mm hoch
 Streuwert 6.77, horizontal: 6.18, vertikal: 7.31




Serie 2:
 9.5 ↑ 10.2 ↓ 10.2 ↘ 10.7 * 10.4 *
 10.0 ↓ 10.4 * 9.0 ↙ 10.3 → 10.7 *
 beste Teiler 213.2 (20.) 216.9 (14.) 410.8 (17.)
 Trefferlage 0.31 mm links, 2.24 mm tief
 Streuwert 5.41, horizontal: 5.29, vertikal: 5.52




Serie 3:
 10.2 ↘ 10.5 * 9.8 ↘ 10.0 ↑ 10.4 *
 8.7 ↓ 10.7 * 9.8 ↓ 10.1 ↓ 9.9 →
 beste Teiler 211.9 (27.) 398.3 (22.) 427.4 (25.)
 Trefferlage 0.25 mm links, 1.52 mm tief
 Streuwert 6.32, horizontal: 4.38, vertikal: 7.78



Serie 4:
 9.3 ↘ 10.2 ↙ 9.9 ↓ 10.3 * 10.0 →
 9.5 ↓ 9.4 ↓ 9.4 ↗ 10.6 * 9.8 ↙
 beste Teiler 292.0 (39.) 517.0 (34.) 631.5 (32.)
 Trefferlage 1.83 mm rechts, 5.06 mm tief
 Streuwert 5.77, horizontal: 5.26, vertikal: 6.24



Serie 5:
 10.3 * 9.6 ↘ 10.0 ↙ 9.7 ↘ 10.8 *
 9.7 ↗ 10.2 ↘ 9.4 ↘ 10.3 * 9.5 ↓
 beste Teiler 121.1 (45.) 487.4 (49.) 499.5 (41.)
 Trefferlage 2.16 mm links, 1.30 mm tief
 Streuwert 6.13, horizontal: 5.72, vertikal: 6.51



Serie 6:
 10.7 * 10.2 ↓ 10.7 * 10.4 * 10.4 *
 10.6 * 9.6 ↓ 10.2 ← 10.0 → 10.6 *
 beste Teiler 203.8 (53.) 226.5 (51.) 252.7 (56.)
 Trefferlage 0.61 mm rechts, 2.01 mm tief
 Streuwert 3.77, horizontal: 3.96, vertikal: 3.58

Meyton Elektronik

KK liegend – Wertung – **Senioren_1m**

StandNr: 18

Wirtenberger,, Christoph #70201085

StartNr: 5

25. Juli 2020 10:19

SG_Absam

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **607.9** (582)

Serien: 101.7 101.3 99.8 102.7 99.6 102.8

Zähler: 42 18 0 0 0 0 0 0 0 0



Innenzehner: 25

weiteste: 1586 (53), 1382 (26), 1272 (23)

beste Teiler 108.4 (35.) 143.0 (52.) 253.0 (50.)

Trefferlage 0.87 mm links, 0.27 mm tief

Streuwert 5.20, horizontal: 5.57, vertikal: 4.79




Serie 1:

9.4 ↖	10.5 *	10.4 *	10.4 *	9.8 ↗
10.0 ↓	10.3 ↑	10.3 ↑	10.4 *	10.2 ↘

beste Teiler 377.5 (2.) 453.2 (9.) 453.5 (3.)

Trefferlage 1.37 mm rechts, 0.30 mm tief

Streuwert 4.95, horizontal: 5.26, vertikal: 4.62




Serie 2:

9.5 ↗	9.5 ↘	10.0 →	10.5 *	9.8 ←
10.3 *	10.5 *	10.3 *	10.3 ↓	10.6 *

beste Teiler 286.8 (20.) 353.2 (14.) 378.8 (17.)

Trefferlage 0.28 mm rechts, 0.32 mm tief

Streuwert 5.46, horizontal: 5.96, vertikal: 4.91




Serie 3:

10.3 ↖	10.3 ↙	9.4 ←	10.3 *	9.8 ↘
9.2 ↖	10.0 ←	9.9 ↙	10.5 *	10.1 ↙

beste Teiler 386.0 (29.) 483.4 (24.) 555.9 (21.)

Trefferlage 5.65 mm links, 0.49 mm tief

Streuwert 4.67, horizontal: 3.65, vertikal: 5.50




Serie 4:

9.8 ←	10.6 *	10.0 ↖	10.0 ↑	10.8 *
10.6 *	10.3 ↗	9.8 ↗	10.4 *	10.4 *

beste Teiler 108.4 (35.) 270.0 (36.) 307.9 (32.)

Trefferlage 0.60 mm links, 2.50 mm hoch

Streuwert 4.16, horizontal: 5.02, vertikal: 3.08




Serie 5:

10.0 ↓	9.9 ↘	9.4 ↓	9.7 ↙	10.0 ↘
9.9 →	10.6 *	9.9 →	9.6 ↓	10.6 *

beste Teiler 253.0 (50.) 290.4 (47.) 749.3 (41.)

Trefferlage 1.95 mm rechts, 4.47 mm tief

Streuwert 5.10, horizontal: 5.62, vertikal: 4.52



Serie 6:

10.3 *	10.8 *	9.0 ↖	10.6 *	10.6 *
10.2 ←	10.4 *	10.1 ↑	10.3 *	10.5 *

beste Teiler 143.0 (52.) 263.6 (54.) 300.0 (55.)

Trefferlage 2.58 mm links, 1.44 mm hoch

Streuwert 4.43, horizontal: 5.07, vertikal: 3.68

Meyton Elektronik

KK liegend – Wertung – **Senioren_1m**

StandNr: 19

Gufler,, Hannes #70119024

StartNr: 6



25. Juli 2020 10:14

SG_Umhausen


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **613.0** (584)
 Serien: 102.8 98.4 104.2 101.4 103.9 102.3
 Zähler: 46 12 2 0 0 0 0 0 0
 Innenzehner: 35
 weiteste: 2278 (18), 1756 (14), 1259 (13)
 beste Teiler 34.4 (56.) 62.9 (11.) 134.3 (6.)
 Trefferlage 0.08 mm links, 0.28 mm tief
 Streuwert 5.04, horizontal: 5.52, vertikal: 4.51




Serie 1:
 10.6 * 10.0 ↘ 10.0 ↗ 10.4 * 10.3 *
 10.8 * 10.4 * 10.6 * 9.9 → 9.8 ↓
 beste Teiler 134.3 (6.) 287.2 (8.) 316.4 (1.)
 Trefferlage 3.03 mm rechts, 1.41 mm tief
 Streuwert 3.69, horizontal: 3.20, vertikal: 4.12




Serie 2:
 10.9 * 10.2 ↙ 9.4 ↓ 8.8 ↖ 10.3 *
 10.5 * 9.5 ↓ 8.1 → 10.5 * 10.2 ↘
 beste Teiler 62.9 (11.) 330.0 (19.) 336.6 (16.)
 Trefferlage 0.72 mm rechts, 0.70 mm tief
 Streuwert 8.27, horizontal: 9.32, vertikal: 7.08



Serie 3:
 10.5 * 9.9 → 10.5 * 10.7 * 9.9 ↓
 10.5 * 10.5 * 10.5 * 10.7 * 10.5 *
 beste Teiler 183.6 (24.) 214.3 (29.) 336.1 (23.)
 Trefferlage 1.25 mm rechts, 1.57 mm tief
 Streuwert 3.21, horizontal: 3.06, vertikal: 3.35



Serie 4:
 9.5 ← 9.9 ↓ 10.6 * 10.5 * 10.0 ↖
 10.3 * 10.7 * 9.8 → 10.1 ↗ 10.0 ←
 beste Teiler 215.5 (37.) 299.7 (33.) 341.4 (34.)
 Trefferlage 2.34 mm links, 1.85 mm tief
 Streuwert 4.88, horizontal: 5.72, vertikal: 3.87



Serie 5:
 10.4 * 10.4 * 10.4 * 10.6 * 10.4 *
 10.1 ↗ 10.4 * 10.4 * 10.1 ↖ 10.7 *
 beste Teiler 237.4 (50.) 289.4 (44.) 426.4 (41.)
 Trefferlage 1.74 mm links, 2.10 mm hoch
 Streuwert 2.93, horizontal: 2.68, vertikal: 3.17



Serie 6:
 9.7 ← 9.8 ← 9.8 ↖ 10.0 ↗ 10.6 *
 10.9 * 10.3 * 10.5 * 10.2 ↓ 10.5 *
 beste Teiler 34.4 (56.) 300.5 (55.) 373.9 (60.)
 Trefferlage 1.43 mm links, 1.72 mm hoch
 Streuwert 4.56, horizontal: 5.37, vertikal: 3.57

Meyton Elektronik

KK liegend – Wertung – **Senioren_1m**

StandNr: 20

Steinlechner,, Joachim #70201078

StartNr: 7

25. Juli 2020 10:13

SG_Absam

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **594.7** (568)

Serien: 102.4 100.5 96.1 100.5 98.7 96.5

Zähler: 32 24 4 0 0 0 0 0 0 0



Innenzehner: 15

weiteste: 2039 (57), 1916 (16), 1703 (54)

beste Teiler 63.9 (43.) 110.4 (31.) 123.6 (5.)

Trefferlage 1.93 mm rechts, 1.33 mm tief

Streuwert 6.55, horizontal: 6.10, vertikal: 6.98




Serie 1:

10.1 ↗	10.8 *	9.4 ↓	10.5 *	10.8 *
9.9 →	10.2 →	10.5 *	10.2 ↗	10.0 →

beste Teiler 123.6 (5.) 159.1 (2.) 358.9 (4.)

Trefferlage 3.44 mm rechts, 0.69 mm tief

Streuwert 4.14, horizontal: 3.22, vertikal: 4.88




Serie 2:

10.4 *	10.7 *	10.1 ↓	10.4 *	10.3 ↘
8.6 ↘	9.4 ↘	10.0 →	10.4 *	10.2 →

beste Teiler 213.9 (12.) 422.1 (19.) 458.8 (14.)

Trefferlage 3.72 mm rechts, 3.78 mm tief

Streuwert 5.11, horizontal: 5.80, vertikal: 4.31




Serie 3:

9.9 ↓	9.4 ↖	9.7 ↑	10.6 *	9.2 ↖
9.5 ↖	9.4 ↓	9.6 ↖	9.2 ↓	9.6 ←

beste Teiler 313.4 (24.) 828.7 (21.) 1010.4 (23.)

Trefferlage 3.90 mm links, 0.77 mm hoch

Streuwert 7.75, horizontal: 4.39, vertikal: 10.04




Serie 4:

10.8 *	9.2 ↘	10.2 ↘	10.7 *	9.9 ↑
10.1 ↓	10.2 ↗	9.0 ↗	10.2 ↑	10.2 ↓

beste Teiler 110.4 (31.) 169.4 (34.) 600.3 (33.)

Trefferlage 1.46 mm rechts, 1.06 mm tief

Streuwert 6.14, horizontal: 5.09, vertikal: 7.04




Serie 5:

10.4 *	9.6 ↓	10.9 *	10.4 *	9.9 ↖
9.9 ↗	9.2 ↓	8.9 ↓	9.3 →	10.2 →

beste Teiler 63.9 (43.) 414.0 (44.) 475.9 (41.)

Trefferlage 1.54 mm rechts, 4.39 mm tief

Streuwert 6.55, horizontal: 6.12, vertikal: 6.95



Serie 6:

9.6 ↑	10.0 ↘	9.5 ↗	8.8 ↘	10.1 ↖
9.9 ↖	8.4 →	9.9 →	10.3 *	10.0 ↘

beste Teiler 494.3 (59.) 687.5 (55.) 741.7 (52.)

Trefferlage 5.33 mm rechts, 1.16 mm hoch

Streuwert 7.38, horizontal: 7.75, vertikal: 6.99

Meyton Elektronik

KK liegend – Wertung – **Senioren_1m**

StandNr: 21

Flunger,, Guido #70102006

StartNr: 8

25. Juli 2020 10:05

SG_Haiming

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **607.5** (581)

Serien: 99.0 103.5 100.9 102.4 101.3 100.4

Zähler: 41 19 0 0 0 0 0 0 0



Innenzehner: 28

weiteste: 1556 (30), 1422 (38), 1399 (58)

beste Teiler 13.0 (35.) 93.9 (19.) 128.7 (28.)

Trefferlage 0.59 mm links, 0.34 mm hoch

Streuwert 5.30, horizontal: 5.42, vertikal: 5.18




Serie 1:

10.4 *	9.8 ↑	9.2 →	9.8 ↑	10.6 *
9.7 ↘	10.3 *	10.0 ↗	9.6 ↑	9.6 ←

beste Teiler 269.7 (5.) 468.8 (1.) 528.4 (7.)

Trefferlage 0.15 mm links, 2.72 mm hoch

Streuwert 6.37, horizontal: 6.98, vertikal: 5.70




Serie 2:

10.4 *	10.4 *	10.3 *	10.5 *	10.0 ↗
10.0 ←	10.2 ↓	10.3 *	10.8 *	10.6 *

beste Teiler 93.9 (19.) 265.8 (20.) 366.2 (14.)

Trefferlage 0.15 mm rechts, 1.29 mm tief

Streuwert 3.63, horizontal: 3.65, vertikal: 3.62




Serie 3:

10.1 ←	9.9 ↘	9.6 ↖	10.4 *	10.2 ←
9.9 ←	10.6 *	10.8 *	10.4 *	9.0 ↑

beste Teiler 128.7 (28.) 304.8 (27.) 402.8 (24.)

Trefferlage 2.91 mm links, 1.01 mm hoch

Streuwert 5.41, horizontal: 4.26, vertikal: 6.36




Serie 4:

10.8 *	10.6 *	9.7 ←	10.4 *	10.9 *
10.6 *	9.4 ↑	9.2 ←	10.6 *	10.2 ↓

beste Teiler 13.0 (35.) 157.2 (31.) 268.8 (32.)

Trefferlage 2.38 mm links, 1.20 mm hoch

Streuwert 5.13, horizontal: 5.26, vertikal: 5.00




Serie 5:

10.0 ↘	10.5 *	10.5 *	10.0 ←	9.6 ↓
10.3 *	9.8 ↗	10.1 ←	10.2 ↖	10.3 *

beste Teiler 370.6 (43.) 397.9 (42.) 507.6 (50.)

Trefferlage 0.46 mm links, 1.47 mm tief

Streuwert 4.96, horizontal: 4.89, vertikal: 5.04



Serie 6:

10.4 *	9.4 ↖	9.9 →	10.5 *	10.6 *
10.1 ↗	10.1 ←	9.2 →	10.3 *	9.9 ↘

beste Teiler 249.5 (55.) 338.0 (54.) 467.3 (51.)

Trefferlage 2.22 mm rechts, 0.13 mm tief

Streuwert 5.78, horizontal: 6.47, vertikal: 4.98

Meyton Elektronik

KK liegend – Wertung – **Senioren_1m**

StandNr: 36

Larcher, Martin #770208403

StartNr: 23

25. Juli 2020 10:06

SG_Mieming

Unterschrift des Schützen

Meyton Elektronik