

Ergebnis: **611.8** (586)

Serien: 99.8 103.1 101.4 102.4 102.1 103.0

Zähler: 46 14 0 0 0 0 0 0 0 0



Innenzehner: 25

weiteste: 1552 (54), 1343 (5), 1246 (7)

beste Teiler 48.4 (14.) 74.0 (55.) 111.6 (22.)

Trefferlage 0.95 mm links, 0.12 mm tief

Streuwert 4.81, horizontal: 4.50, vertikal: 5.11




Serie 1:

10.1 ↘	10.1 ↖	9.7 ↙	10.4 *	9.3 ↗
9.6 ↖	9.4 ←	10.8 *	10.1 ↓	10.3 ↖

beste Teiler 134.8 (8.) 414.7 (4.) 555.5 (10.)

Trefferlage 4.92 mm links, 0.92 mm tief

Streuwert 5.15, horizontal: 4.02, vertikal: 6.08




Serie 2:

10.2 ↘	9.6 ←	10.2 →	10.9 *	10.1 ↙
10.5 *	10.6 *	10.4 *	10.6 *	10.0 ←

beste Teiler 48.4 (14.) 298.7 (19.) 306.4 (17.)

Trefferlage 2.07 mm links, 0.76 mm tief

Streuwert 4.00, horizontal: 4.92, vertikal: 2.80




Serie 3:

10.0 ←	10.8 *	10.5 *	10.2 ↓	9.7 ↓
9.9 ↘	9.9 ↗	9.7 ↓	10.2 ↗	10.5 *

beste Teiler 111.6 (22.) 353.3 (30.) 388.0 (23.)

Trefferlage 1.79 mm rechts, 1.11 mm tief

Streuwert 5.10, horizontal: 4.12, vertikal: 5.91




Serie 4:

10.5 *	9.9 ←	10.0 ↖	10.7 *	10.5 *
10.0 ↘	9.9 ←	10.1 ↓	10.8 *	10.0 ↓

beste Teiler 155.3 (39.) 194.3 (34.) 365.4 (31.)

Trefferlage 2.40 mm links, 1.40 mm tief

Streuwert 4.17, horizontal: 3.70, vertikal: 4.58




Serie 5:

10.0 ↘	10.1 ↘	10.2 ↖	10.0 ↓	10.4 *
10.0 ↗	10.5 *	10.7 *	10.3 *	9.9 →

beste Teiler 232.2 (48.) 341.5 (47.) 432.2 (45.)

Trefferlage 0.90 mm rechts, 0.08 mm tief

Streuwert 4.56, horizontal: 3.94, vertikal: 5.11



Serie 6:

10.2 ↑	10.5 *	10.6 *	9.0 ↑	10.9 *
10.4 *	10.6 *	10.3 *	9.9 ↗	10.6 *

beste Teiler 74.0 (55.) 246.7 (53.) 260.4 (57.)

Trefferlage 0.99 mm rechts, 3.51 mm hoch

Streuwert 4.10, horizontal: 2.88, vertikal: 5.03

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_1m**

StandNr: 2

**Haberlandner, Sascha** #902031451

**StartNr: 40**

15. August 2019 11:23

S – SV Anthering

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **608.9** (580)

Serien: 97.3 103.5 101.6 100.7 103.1 102.7

Zähler: 43 14 3 0 0 0 0 0 0 0



Innenzehner: 27

weiteste: 1726 (5), 1699 (2), 1695 (7)

beste Teiler 52.1 (45.) 83.8 (58.) 144.6 (55.)

Trefferlage 0.54 mm links, 1.39 mm tief

Streuwert 5.30, horizontal: 6.17, vertikal: 4.26




Serie 1:

9.6 ↘	8.8 →	9.9 →	10.7 *	8.8 →
10.2 ↗	8.8 ↙	10.4 *	9.6 ↘	10.5 *

beste Teiler 221.2 (4.) 393.9 (10.) 456.6 (8.)

Trefferlage 3.12 mm rechts, 1.72 mm tief

Streuwert 7.88, horizontal: 9.84, vertikal: 5.25




Serie 2:

10.3 →	10.0 ↙	10.6 *	10.6 *	10.4 *
9.8 →	10.4 *	10.5 *	10.3 →	10.6 *

beste Teiler 258.0 (13.) 284.2 (14.) 287.0 (20.)

Trefferlage 1.84 mm rechts, 0.95 mm tief

Streuwert 3.61, horizontal: 4.66, vertikal: 2.07




Serie 3:

10.0 →	10.3 *	9.9 ↓	9.4 ↘	10.4 *
10.1 ↓	10.2 ↓	10.5 *	10.2 ↘	10.6 *

beste Teiler 311.2 (30.) 391.7 (28.) 479.3 (25.)

Trefferlage 1.42 mm links, 1.76 mm tief

Streuwert 4.93, horizontal: 4.26, vertikal: 5.51




Serie 4:

10.2 ↘	10.2 ←	9.2 ←	10.7 *	10.2 ↓
10.5 *	9.5 ←	10.1 ↓	9.5 ↘	10.6 *

beste Teiler 182.4 (34.) 301.8 (40.) 371.2 (36.)

Trefferlage 4.97 mm links, 0.27 mm hoch

Streuwert 4.65, horizontal: 5.53, vertikal: 3.56




Serie 5:

9.5 ↓	10.8 *	10.4 *	10.7 *	10.9 *
10.8 *	10.3 *	10.3 *	9.9 ↗	9.5 ↓

beste Teiler 52.1 (45.) 149.4 (46.) 155.6 (42.)

Trefferlage 0.85 mm links, 3.16 mm tief

Streuwert 4.20, horizontal: 2.94, vertikal: 5.16



Serie 6:

10.1 ←	10.2 ↙	10.3 *	9.9 ↘	10.8 *
9.6 →	10.3 ↘	10.8 *	10.1 ↘	10.6 *

beste Teiler 83.8 (58.) 144.6 (55.) 262.4 (60.)

Trefferlage 0.95 mm links, 1.02 mm tief

Streuwert 4.45, horizontal: 5.41, vertikal: 3.22

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_1m**

StandNr: 3

**Pezzei, Florian** #902031452

**StartNr: 41**

15. August 2019 11:12



W – WSV / Wien 1

---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>599.9</b>	(568)
Serien:	95.4	100.8 99.0 101.4 101.0 102.3
Zähler:	30 28 2 0 0 0 0 0 0	
Innenzehner:	21	
weiteste:	1713 (3), 1602 (2), 1557 (28)	
beste Teiler	40.7 (60.)	112.0 (42.) 133.2 (24.)
Trefferlage	1.72 mm rechts,	0.48 mm hoch
Streuwert	6.09, horizontal:	5.81, vertikal: 6.36




Serie 1:

9.2 ↑	8.9 ↑	8.8 ↓	9.2 →	9.4 →
10.1 ↘	10.2 ↓	10.2 ↑	9.3 ↓	10.1 ↓
beste Teiler	583.3 (8.)	601.8 (7.)	651.0 (10.)	
Trefferlage	2.50 mm rechts, 0.78 mm tief			
Streuwert	8.67, horizontal: 6.24, vertikal: 10.56			




Serie 2:

10.6 *	9.8 ↑	9.4 ↘	10.8 *	9.7 ←
9.6 ↓	10.6 *	9.8 ↑	9.9 →	10.6 *
beste Teiler	149.2 (14.)	281.2 (20.)	283.8 (11.)	
Trefferlage	0.64 mm rechts, 0.68 mm tief			
Streuwert	5.97, horizontal: 5.28, vertikal: 6.60			




Serie 3:

9.8 →	9.5 ↑	9.1 →	10.8 *	10.6 *
9.6 →	9.7 ↑	9.0 ↑	10.4 *	10.5 *
beste Teiler	133.2 (24.)	302.0 (25.)	374.4 (30.)	
Trefferlage	4.46 mm rechts, 3.96 mm hoch			
Streuwert	5.77, horizontal: 5.20, vertikal: 6.28			




Serie 4:

10.0 ↑	10.3 *	10.4 *	9.9 ↗	10.6 *
9.9 →	10.6 *	10.6 *	9.4 ←	9.7 ↑
beste Teiler	270.8 (35.)	271.9 (37.)	310.9 (38.)	
Trefferlage	0.08 mm links, 1.32 mm hoch			
Streuwert	5.28, horizontal: 5.96, vertikal: 4.51			



Serie 5:

10.2 ↓	10.8 *	10.1 ←	9.9 ↗	10.3 ↖
9.9 ↓	10.4 *	9.8 →	9.7 →	9.9 ↗
beste Teiler	112.0 (42.)	439.2 (47.)	541.4 (45.)	
Trefferlage	1.24 mm rechts, 0.43 mm tief			
Streuwert	5.39, horizontal: 6.28, vertikal: 4.33			



Serie 6:

10.4 *	10.0 ↓	10.5 *	9.8 ↖	10.8 *
9.4 →	9.5 →	10.7 *	10.3 *	10.9 *
beste Teiler	40.7 (60.)	149.1 (55.)	206.2 (58.)	
Trefferlage	1.54 mm rechts, 0.45 mm tief			
Streuwert	5.03, horizontal: 6.20, vertikal: 3.48			

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_1m**

StandNr: 4

**Bogner, Willi** #902031453

**StartNr: 42**

15. August 2019 11:21



B – SSV Wiesen / Burgenland 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>605.4</b>	(575)
Serien:	102.1 101.3 99.9 101.6 98.8 101.7	
Zähler:	35 25 0 0 0 0 0 0 0 0	
Innenzehner:	22	
weiteste:	1465 (39), 1349 (13), 1242 (31)	
beste Teiler	97.0 (4.) 108.4 (18.) 157.4 (1.)	
Trefferlage	0.49 mm links, 0.72 mm hoch	
Streuwert	5.32, horizontal: 4.95, vertikal: 5.67	




Serie 1:	10.8 *	10.5 *	10.3 *	10.8 *	10.1 ↘
	9.8 ↘	9.7 ↙	10.1 ↖	10.2 ↗	9.8 ←
beste Teiler	97.0 (4.)	157.4 (1.)	354.7 (2.)		
Trefferlage	1.75 mm links, 0.75 mm tief				
Streuwert	4.75, horizontal: 4.43, vertikal: 5.05				




Serie 2:	10.6 *	9.9 ↑	9.3 ↓	9.8 ↓	9.9 ↙
	10.4 *	10.2 ↘	10.8 *	10.1 ↖	10.3 *
beste Teiler	108.4 (18.)	318.9 (11.)	454.2 (16.)		
Trefferlage	1.89 mm links, 0.29 mm tief				
Streuwert	5.27, horizontal: 3.03, vertikal: 6.81				



Serie 3:	9.6 ↖	9.8 ↗	10.3 →	10.3 *	10.2 →
	9.9 ↘	9.6 ↙	10.4 *	9.9 ←	9.9 ↘
beste Teiler	425.6 (28.)	500.3 (24.)	540.1 (23.)		
Trefferlage	0.28 mm links, 1.13 mm hoch				
Streuwert	5.85, horizontal: 5.70, vertikal: 5.99				



Serie 4:	9.4 ↘	10.7 *	9.9 ↗	10.7 *	10.4 *
	10.5 *	10.6 *	10.4 *	9.1 ↖	9.9 →
beste Teiler	213.1 (32.)	221.4 (34.)	241.6 (37.)		
Trefferlage	0.58 mm rechts, 0.57 mm hoch				
Streuwert	5.63, horizontal: 5.96, vertikal: 5.28				



Serie 5:	9.9 ↙	10.0 ↓	9.8 →	9.6 ↑	9.6 ↗
	9.5 ↘	10.3 *	9.9 ↑	10.4 *	9.8 ←
beste Teiler	411.4 (49.)	486.8 (47.)	744.1 (42.)		
Trefferlage	0.84 mm rechts, 2.01 mm hoch				
Streuwert	6.31, horizontal: 6.00, vertikal: 6.61				



Serie 6:	10.1 ↗	10.0 ↑	10.2 ↓	10.6 *	10.3 ↗
	10.3 *	10.3 *	10.3 *	9.6 ←	10.0 ↘
beste Teiler	273.8 (54.)	488.4 (56.)	512.1 (58.)		
Trefferlage	0.46 mm links, 1.70 mm hoch				
Streuwert	4.76, horizontal: 4.51, vertikal: 4.99				

Meyton Elektronik

**KK liegend** – Wertung –

**Senioren\_1m**

**StartNr: 43**

StandNr: 5

15. August 2019 11:27

**Regner, Wolfgang** #902031454

NÖ – SG OMV Prottes / Niederösterreich 1


---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis:	<b>619.1</b>	(591)
Serien:	102.0	104.0 104.3 104.1 102.8 101.9
Zähler:	51	9 0 0 0 0 0 0 0 0
Innenzehner:	35	
weiteste:	1389	(55), 973 (50), 963 (15)
beste Teiler	77.5	(11.) 125.8 (31.) 153.1 (10.)
Trefferlage	1.56 mm	links, 0.09 mm hoch
Streuwert	3.87,	horizontal: 3.91, vertikal: 3.83




Serie 1:	10.3 *	10.3 ↘	10.6 *	10.0 ←	9.9 ↘
	9.8 ↑	10.1 ↑	10.3 *	9.9 ←	10.8 *
beste Teiler	153.1	(10.) 314.4	(3.) 505.2	(1.)	
Trefferlage	1.90 mm	links, 0.98 mm	tief		
Streuwert	4.45,	horizontal: 4.17,	vertikal: 4.72		




Serie 2:	10.9 *	10.0 ↖	10.4 *	10.7 *	9.7 ←
	10.6 *	10.4 *	10.2 ↖	10.5 *	10.6 *
beste Teiler	77.5	(11.) 168.5	(14.) 289.8	(20.)	
Trefferlage	1.22 mm	links, 1.21 mm	hoch		
Streuwert	3.56,	horizontal: 3.88,	vertikal: 3.20		




Serie 3:	10.6 *	10.6 *	10.0 ↖	10.5 *	10.7 *
	10.1 ↖	10.6 *	10.6 *	10.3 ↖	10.3 ↗
beste Teiler	217.0	(25.) 273.8	(22.) 312.8	(28.)	
Trefferlage	2.64 mm	links, 0.73 mm	hoch		
Streuwert	2.80,	horizontal: 2.78,	vertikal: 2.83		



Serie 4:	10.8 *	10.3 *	10.6 *	10.5 *	10.3 ↖
	9.9 ↑	10.1 ↑	10.7 *	10.5 *	10.4 *
beste Teiler	125.8	(31.) 179.2	(38.) 269.3	(33.)	
Trefferlage	1.44 mm	links, 2.24 mm	hoch		
Streuwert	2.95,	horizontal: 2.46,	vertikal: 3.37		



Serie 5:	10.4 *	10.6 *	10.3 ←	10.6 *	10.3 *
	10.4 *	10.2 ↓	10.0 ↘	10.3 →	9.7 ←
beste Teiler	279.5	(44.) 286.5	(42.) 419.3	(41.)	
Trefferlage	0.95 mm	links, 1.95 mm	tief		
Streuwert	3.97,	horizontal: 4.80,	vertikal: 2.90		



Serie 6:	10.5 *	9.8 ↘	10.6 *	10.4 *	9.2 ↘
	10.1 ↖	10.5 *	10.6 *	9.9 ↑	10.3 *
beste Teiler	273.9	(53.) 286.1	(58.) 344.7	(51.)	
Trefferlage	1.20 mm	links, 0.69 mm	tief		
Streuwert	5.05,	horizontal: 5.35,	vertikal: 4.74		

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_1m**

StandNr: 1

**Steinlechner, Joachim** #70212343

**StartNr: 44**

15. August 2019 11:13

T – SG Absam / Tirol 1

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **616.9** (591)

Serien: 104.0 103.4 101.7 103.5 101.3 103.0

Zähler: 51 9 0 0 0 0 0 0 0



Innenzehner: 29

weiteste: 1406 (47), 1165 (29), 1155 (25)

beste Teiler 47.2 (7.) 86.5 (34.) 93.3 (46.)

Trefferlage 1.00 mm links, 0.02 mm tief

Streuwert 4.33, horizontal: 4.86, vertikal: 3.72




Serie 1:

10.2 ↘	10.2 ↙	10.1 ✓	10.4 *	9.7 ←
10.6 *	10.9 *	10.4 *	10.7 *	10.8 *

beste Teiler 47.2 (7.) 134.0 (10.) 217.1 (9.)

Trefferlage 1.74 mm links, 1.59 mm tief

Streuwert 3.55, horizontal: 4.15, vertikal: 2.82




Serie 2:

10.7 *	10.1 ↑	10.3 *	9.5 ↗	10.6 *
10.8 *	10.0 ↘	10.6 *	10.6 *	10.2 ↗

beste Teiler 152.5 (16.) 161.9 (11.) 268.1 (18.)

Trefferlage 1.95 mm rechts, 2.51 mm hoch

Streuwert 3.44, horizontal: 4.14, vertikal: 2.54




Serie 3:

10.3 ↖	10.6 *	10.2 ↘	10.5 *	9.5 ↘
10.3 *	10.2 ↗	10.3 *	9.5 ←	10.3 ↘

beste Teiler 270.3 (22.) 345.5 (24.) 521.2 (28.)

Trefferlage 2.73 mm links, 0.87 mm tief

Streuwert 4.65, horizontal: 4.77, vertikal: 4.53




Serie 4:

10.8 *	10.5 *	10.6 *	10.8 *	9.6 ↘
10.6 *	10.2 ↘	10.0 ↑	10.3 ←	10.1 ↘

beste Teiler 86.5 (34.) 123.2 (31.) 253.4 (33.)

Trefferlage 1.34 mm links, 0.82 mm hoch

Streuwert 4.02, horizontal: 3.89, vertikal: 4.15




Serie 5:

10.2 ←	9.7 ←	10.3 *	10.7 *	10.5 *
10.8 *	9.2 ←	9.7 →	10.1 ↖	10.1 ✓

beste Teiler 93.3 (46.) 187.3 (44.) 378.3 (45.)

Trefferlage 2.02 mm links, 0.56 mm tief

Streuwert 5.39, horizontal: 6.93, vertikal: 3.17



Serie 6:

10.7 *	10.2 →	10.2 ←	10.3 ↘	10.0 ✓
10.3 ↗	9.9 ✓	10.5 *	10.4 *	10.5 *

beste Teiler 187.5 (51.) 327.8 (60.) 376.3 (58.)

Trefferlage 0.13 mm links, 0.45 mm tief

Streuwert 4.20, horizontal: 4.34, vertikal: 4.07

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_1m**

StandNr: 7

**Fink, Alois** #902031455

**StartNr: 45**

15. August 2019 11:26



K – LPSV Kärnten

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **596.6** (569)  
 Serien: 99.1 98.1 102.2 98.0 99.3 99.9  
 Zähler: 35 20 4 1 0 0 0 0 0 0  
 Innenzehner: 17  
 weiteste: 2654 (15), 1965 (6), 1799 (41)  
 beste Teiler 64.3 (49.) 92.0 (45.) 93.9 (26.)  
 Trefferlage 0.12 mm links, 0.13 mm tief  
 Streuwert 6.69, horizontal: 7.72, vertikal: 5.47




Serie 1:  
 9.9 ↘ 10.2 ↘ 10.4 \* 10.5 \* 10.0 ←  
 8.5 ↗ 10.5 \* 9.8 ← 9.6 → 9.7 ↘  
 beste Teiler 344.7 (7.) 396.7 (4.) 414.1 (3.)  
 Trefferlage 1.63 mm rechts, 1.19 mm hoch  
 Streuwert 6.89, horizontal: 8.64, vertikal: 4.50




Serie 2:  
 10.2 ↗ 10.4 \* 10.5 \* 9.9 ✓ 7.6 ↘  
 10.1 ↖ 10.0 → 9.4 ✓ 9.9 ✓ 10.1 ↑  
 beste Teiler 336.9 (13.) 467.0 (12.) 578.6 (11.)  
 Trefferlage 2.11 mm rechts, 2.88 mm tief  
 Streuwert 7.77, horizontal: 8.83, vertikal: 6.53




Serie 3:  
 10.2 ↓ 10.1 ↖ 9.8 ↘ 10.3 ✓ 10.3 ↑  
 10.8 \* 9.7 ✓ 10.0 ↗ 10.7 \* 10.3 \*  
 beste Teiler 93.9 (26.) 209.7 (29.) 491.2 (30.)  
 Trefferlage 0.55 mm links, 1.30 mm tief  
 Streuwert 4.71, horizontal: 5.13, vertikal: 4.25



Serie 4:  
 9.6 ← 9.3 ↘ 9.8 ↗ 10.5 \* 9.6 ↘  
 8.8 ← 10.0 ↖ 10.1 ↗ 10.5 \* 9.8 ↗  
 beste Teiler 323.4 (39.) 380.3 (34.) 707.5 (38.)  
 Trefferlage 1.21 mm links, 2.11 mm hoch  
 Streuwert 7.29, horizontal: 9.40, vertikal: 4.24



Serie 5:  
 8.7 ↗ 10.0 → 9.1 ✓ 10.7 \* 10.8 \*  
 10.0 ↑ 10.3 \* 9.9 ✓ 10.9 \* 8.9 ←  
 beste Teiler 64.3 (49.) 92.0 (45.) 175.8 (44.)  
 Trefferlage 0.97 mm links, 0.25 mm hoch  
 Streuwert 7.58, horizontal: 8.21, vertikal: 6.89



Serie 6:  
 10.5 \* 10.1 ← 10.5 \* 9.6 ✓ 10.0 ←  
 10.5 \* 9.7 ← 9.4 ↑ 10.2 ← 9.4 →  
 beste Teiler 327.5 (51.) 332.5 (53.) 351.6 (56.)  
 Trefferlage 1.73 mm links, 0.17 mm tief  
 Streuwert 6.09, horizontal: 6.48, vertikal: 5.67

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_1m**

StandNr: 8

**Liptak, Jaroslav** #902031456

**StartNr: 46**

15. August 2019 11:34

W – WSV / Wien 1

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **601.9** (573)

Serien: 97.8 100.9 99.9 102.6 100.6 100.1

Zähler: 33 27 0 0 0 0 0 0 0 0



Innenzehner: 20

weiteste: 1403 (22), 1350 (3), 1336 (5)

beste Teiler 118.0 (56.) 253.8 (29.) 268.6 (36.)

Trefferlage 0.13 mm rechts, 0.57 mm hoch

Streuwert 5.68, horizontal: 5.80, vertikal: 5.56




Serie 1:

9.5 ↗	9.7 ↑	9.3 →	9.9 ↑	9.3 ↘
9.5 ↘	10.2 ↘	10.3 *	10.3 *	9.8 ↖

beste Teiler 498.8 (8.) 500.0 (9.) 593.1 (7.)

Trefferlage 3.13 mm rechts, 0.96 mm hoch

Streuwert 6.90, horizontal: 7.12, vertikal: 6.67




Serie 2:

10.1 ↖	9.9 ↙	10.2 ←	10.2 ↘	9.3 ↘
9.9 ↙	10.4 *	10.1 →	10.4 *	10.4 *

beste Teiler 424.5 (17.) 444.4 (20.) 458.6 (19.)

Trefferlage 0.23 mm links, 2.62 mm tief

Streuwert 5.15, horizontal: 5.39, vertikal: 4.89




Serie 3:

10.6 *	9.2 ←	10.3 ↖	10.0 ↑	9.3 ↖
9.8 ↙	10.4 *	9.8 ←	10.6 *	9.9 →

beste Teiler 253.8 (29.) 281.6 (21.) 452.0 (27.)

Trefferlage 4.22 mm links, 1.37 mm hoch

Streuwert 5.48, horizontal: 6.78, vertikal: 3.77



Serie 4:

10.4 *	10.1 ↑	10.6 *	10.2 ↑	10.3 *
10.6 *	10.3 *	10.3 *	9.9 ↑	9.9 ↗

beste Teiler 268.6 (36.) 309.5 (33.) 471.3 (31.)

Trefferlage 1.06 mm rechts, 3.00 mm hoch

Streuwert 3.70, horizontal: 3.26, vertikal: 4.09



Serie 5:

9.8 ↙	10.4 *	10.3 *	10.5 *	9.9 ↑
9.8 ↙	9.8 ↑	10.2 ↑	10.2 →	9.7 ↖

beste Teiler 352.1 (44.) 431.0 (42.) 508.5 (43.)

Trefferlage 1.05 mm links, 1.07 mm hoch

Streuwert 5.39, horizontal: 4.34, vertikal: 6.27



Serie 6:

10.4 *	9.4 ↘	9.7 ↘	10.1 ↙	9.9 ←
10.8 *	10.4 *	9.8 ↑	10.1 ↗	9.5 ↗

beste Teiler 118.0 (56.) 422.0 (57.) 456.5 (51.)

Trefferlage 2.09 mm rechts, 0.35 mm tief

Streuwert 5.96, horizontal: 5.20, vertikal: 6.63

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_1m**

StandNr: 9

**Diem, Klaus** #902031457

**StartNr: 47**

15. August 2019 11:24

V–SG Hohenems / Vorarlberg 2

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik



Ergebnis: **602.8** (573)

Serien: 100.4 99.5 104.2 99.8 101.0 97.9

Zähler: 38 18 3 1 0 0 0 0 0 0



Innenzehner: 23

weiteste: 2459 (52), 1998 (1), 1828 (19)

beste Teiler 24.1 (42.) 95.0 (2.) 143.2 (21.)

Trefferlage 0.95 mm rechts, 1.73 mm hoch

Streuwert 6.01, horizontal: 6.72, vertikal: 5.21




Serie 1:

8.5 ↘	10.8 *	10.6 *	9.7 ↑	10.5 *
10.0 ↑	9.5 →	10.3 *	10.4 *	10.1 →

beste Teiler 95.0 (2.) 247.0 (3.) 340.4 (5.)

Trefferlage 0.08 mm links, 3.09 mm hoch

Streuwert 6.33, horizontal: 7.45, vertikal: 4.95




Serie 2:

9.9 →	10.6 *	9.9 →	9.9 →	9.7 →
10.2 ↘	9.7 ↑	10.5 *	8.7 ↗	10.4 *

beste Teiler 261.0 (12.) 384.0 (18.) 424.4 (20.)

Trefferlage 5.87 mm rechts, 2.16 mm hoch

Streuwert 4.87, horizontal: 5.11, vertikal: 4.61




Serie 3:

10.8 *	10.6 *	10.6 *	10.7 *	10.3 *
10.6 *	10.2 ↘	10.8 *	9.6 ←	10.0 ←

beste Teiler 143.2 (21.) 152.7 (28.) 205.0 (24.)

Trefferlage 1.13 mm links, 0.56 mm tief

Streuwert 3.65, horizontal: 4.74, vertikal: 2.03




Serie 4:

9.7 ↑	10.5 *	9.6 ←	10.1 ↗	9.8 ↘
9.7 ↑	10.5 *	10.5 *	10.6 *	8.8 ↑

beste Teiler 255.9 (39.) 363.6 (37.) 378.1 (38.)

Trefferlage 0.36 mm links, 5.35 mm hoch

Streuwert 5.32, horizontal: 4.94, vertikal: 5.67




Serie 5:

10.3 ↗	10.9 *	9.9 →	9.5 ↓	9.7 ↘
10.1 ↗	10.0 ↘	10.0 ←	10.2 ↓	10.4 *

beste Teiler 24.1 (42.) 412.8 (50.) 532.8 (41.)

Trefferlage 0.77 mm rechts, 0.63 mm tief

Streuwert 5.53, horizontal: 4.67, vertikal: 6.28



Serie 6:

9.5 →	7.9 ←	9.3 ↘	10.5 *	10.7 *
10.0 ↑	10.0 →	10.2 ←	10.2 ↘	9.6 ↑

beste Teiler 216.9 (55.) 382.9 (54.) 605.7 (58.)

Trefferlage 0.65 mm rechts, 0.97 mm hoch

Streuwert 8.29, horizontal: 10.51, vertikal: 5.19

**KK liegend** – Wertung – **Senioren\_1m**

StandNr: 10

**Floriani, Meinhard** #902031458

**StartNr: 48**

15. August 2019 11:11



T – SG Haiming / Tirol 2

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>600.6</b>	(570)
Serien:	99.8	100.0 101.0 98.8 101.0 100.0
Zähler:	31	28 1 0 0 0 0 0 0 0
Innenzehner:	16	
weiteste:	1701	(53), 1520 (6), 1518 (10)
beste Teiler	105.1	(13.) 111.3 (27.) 127.0 (3.)
Trefferlage	1.54 mm	rechts, 0.58 mm hoch
Streuwert	5.94,	horizontal: 5.86, vertikal: 6.03




Serie 1:	10.5 *	10.2 ↑	10.8 *	10.2 ↘	9.1 ↓
	9.1 →	10.3 ↘	10.6 *	9.9 ↓	9.1 ↗
beste Teiler	127.0	(3.) 271.4 (8.) 393.4 (1.)			
Trefferlage	2.92 mm	rechts, 0.86 mm tief			
Streuwert	6.62,	horizontal: 6.46, vertikal: 6.78			




Serie 2:	9.4 ↗	9.3 ↘	10.8 *	10.4 *	9.5 ↘
	9.7 ↘	10.7 *	9.9 →	10.4 *	9.9 ↓
beste Teiler	105.1	(13.) 220.5 (17.) 416.4 (14.)			
Trefferlage	1.78 mm	rechts, 1.61 mm hoch			
Streuwert	6.24,	horizontal: 5.51, vertikal: 6.90			




Serie 3:	9.9 ↗	9.8 ↑	10.2 ↘	9.2 ↘	9.5 ↓
	10.2 ↘	10.8 *	10.1 →	10.7 *	10.6 *
beste Teiler	111.3	(27.) 197.6 (29.) 307.0 (30.)			
Trefferlage	2.77 mm	rechts, 0.44 mm tief			
Streuwert	5.54,	horizontal: 4.13, vertikal: 6.65			



Serie 4:	9.8 ↗	10.1 ↗	9.8 ↓	10.4 *	10.5 *
	9.7 →	9.5 ↘	9.6 ←	9.8 ↘	9.6 ↗
beste Teiler	372.6	(35.) 449.5 (34.) 672.3 (32.)			
Trefferlage	1.75 mm	links, 1.17 mm hoch			
Streuwert	6.51,	horizontal: 7.14, vertikal: 5.81			



Serie 5:	10.3 →	10.1 →	10.1 ↙	10.2 →	10.2 ↓
	10.5 *	9.9 ↘	9.9 ↘	10.2 ↘	9.6 ↗
beste Teiler	398.8	(46.) 551.2 (41.) 623.6 (45.)			
Trefferlage	0.62 mm	links, 1.78 mm hoch			
Streuwert	5.18,	horizontal: 5.87, vertikal: 4.38			



Serie 6:	9.7 ↑	9.8 ↘	8.8 →	10.6 *	9.8 ↑
	10.3 *	10.7 *	10.3 ↗	10.1 ↓	9.9 ↓
beste Teiler	220.8	(57.) 293.8 (54.) 497.6 (56.)			
Trefferlage	4.19 mm	rechts, 0.21 mm hoch			
Streuwert	5.58,	horizontal: 4.65, vertikal: 6.38			

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_1m**

StandNr: 11

**Bauer, Markus** #902031459

**StartNr: 49**

15. August 2019 11:24

V–SG Hohenems / Vorarlberg 1

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **609.4** (582)

Serien: 100.7 102.1 101.5 102.4 103.0 99.7

Zähler: 43 16 1 0 0 0 0 0 0



Innenzehner: 28

weiteste: 1825 (56), 1581 (58), 1437 (20)

beste Teiler 114.7 (36.) 176.3 (46.) 193.6 (11.)

Trefferlage 0.33 mm links, 0.52 mm tief

Streuwert 5.18, horizontal: 6.12, vertikal: 4.02




Serie 1:

10.2 →	9.9 ←	9.6 ↙	9.8 ↑	10.2 ↘
10.4 *	9.8 ↙	10.4 *	10.1 ↗	10.3 *

beste Teiler 435.4 (6.) 438.7 (8.) 507.0 (10.)

Trefferlage 2.16 mm links, 0.17 mm tief

Streuwert 5.27, horizontal: 5.30, vertikal: 5.24




Serie 2:

10.7 *	10.7 *	10.7 *	10.5 *	9.3 ↘
10.3 *	10.6 *	9.7 ↘	10.4 *	9.2 →

beste Teiler 193.6 (11.) 214.2 (12.) 223.0 (13.)

Trefferlage 1.50 mm rechts, 1.52 mm tief

Streuwert 5.30, horizontal: 6.20, vertikal: 4.21




Serie 3:

10.1 ↘	10.5 *	10.3 *	10.2 ↙	10.4 *
10.6 *	9.6 ↘	10.1 ↙	9.9 ↘	9.8 ↗

beste Teiler 301.7 (26.) 392.3 (22.) 467.5 (25.)

Trefferlage 1.37 mm links, 0.21 mm tief

Streuwert 5.01, horizontal: 5.40, vertikal: 4.59




Serie 4:

10.4 *	10.2 ↙	10.0 →	10.3 ↘	10.4 *
10.8 *	9.9 ←	10.0 ↘	10.0 ↘	10.4 *

beste Teiler 114.7 (36.) 425.4 (40.) 444.7 (31.)

Trefferlage 0.30 mm links, 0.28 mm tief

Streuwert 4.47, horizontal: 5.10, vertikal: 3.74




Serie 5:

10.2 ↑	10.4 *	10.2 ←	10.6 *	10.5 *
10.7 *	9.5 ←	9.9 ↘	10.4 *	10.6 *

beste Teiler 176.3 (46.) 290.4 (50.) 291.3 (44.)

Trefferlage 0.48 mm links, 0.28 mm tief

Streuwert 4.39, horizontal: 5.20, vertikal: 3.38



Serie 6:

10.6 *	9.9 ←	10.0 ←	10.1 ←	10.3 *
8.7 ↘	9.8 ↗	9.0 →	10.6 *	10.7 *

beste Teiler 200.6 (60.) 241.4 (59.) 297.9 (51.)

Trefferlage 0.81 mm rechts, 0.67 mm tief

Streuwert 7.04, horizontal: 9.30, vertikal: 3.58

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_1m**

StandNr: 12

**Melmer, Christof** #82

**StartNr: 50**

15. August 2019 11:16



T – SG Mieming / Tirol 2

---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>572.1</b>	(544)
Serien:	97.4 93.9 93.1 96.0 95.4 96.3	
Zähler:	21 26 9 4 0 0 0 0 0 0	
Innenzehner:	12	
weiteste:	3147 (33), 2541 (13), 2540 (60)	
beste Teiler	91.2 (35.) 166.5 (16.) 211.2 (45.)	
Trefferlage	0.71 mm rechts, 0.29 mm hoch	
Streuwert	9.40, horizontal: 11.76, vertikal: 6.21	




Serie 1:

9.2 ↖	10.2 ←	9.9 ←	10.4 *	9.9 ←
9.1 ↑	8.8 →	10.6 *	10.6 *	8.7 ↘
beste Teiler	313.1 (9.) 315.9 (8.) 441.7 (4.)			
Trefferlage	1.18 mm rechts, 1.17 mm hoch			
Streuwert	8.28, horizontal: 9.14, vertikal: 7.33			




Serie 2:

8.5 →	9.9 ↗	7.8 →	9.3 ↘	8.2 →
10.7 *	10.1 ↙	10.6 *	9.4 →	9.4 ↙
beste Teiler	166.5 (16.) 271.3 (18.) 715.4 (17.)			
Trefferlage	8.19 mm rechts, 1.81 mm tief			
Streuwert	8.88, horizontal: 11.65, vertikal: 4.69			




Serie 3:

8.8 ↙	10.0 ↓	7.9 ←	9.9 ↑	9.0 ↖
8.7 ↑	9.1 ↘	9.2 →	9.9 ↗	10.6 *
beste Teiler	278.2 (30.) 793.3 (22.) 828.5 (24.)			
Trefferlage	0.71 mm links, 0.50 mm hoch			
Streuwert	10.72, horizontal: 12.38, vertikal: 8.73			




Serie 4:

8.4 ←	9.7 ↗	7.0 ←	9.0 ↗	10.8 *
10.7 *	10.3 ↖	10.0 ↘	10.1 ↘	10.0 ↘
beste Teiler	91.2 (35.) 227.0 (36.) 533.0 (37.)			
Trefferlage	1.78 mm links, 0.13 mm hoch			
Streuwert	10.32, horizontal: 13.90, vertikal: 4.45			



Serie 5:

9.5 ↖	9.5 ↖	9.6 ←	8.6 ←	10.7 *
10.3 *	9.5 ↙	9.0 →	9.6 ↗	9.1 ↙
beste Teiler	211.2 (45.) 512.4 (46.) 1099.5 (49.)			
Trefferlage	3.97 mm links, 0.05 mm tief			
Streuwert	8.68, horizontal: 9.91, vertikal: 7.24			



Serie 6:

9.4 ↖	9.7 →	10.5 *	8.6 →	10.4 *
9.7 ←	10.2 ←	10.3 ←	9.7 ←	7.8 →
beste Teiler	391.1 (53.) 458.0 (55.) 554.5 (58.)			
Trefferlage	1.39 mm rechts, 1.80 mm hoch			
Streuwert	9.12, horizontal: 12.09, vertikal: 4.49			

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_1m**

StandNr: 13

**Kerschbaumer, Gustav** #902031460

**StartNr: 51**

15. August 2019 11:23

ST-SG Trofaiach / Steiermark 1



---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik




Ergebnis:	<b>583.3</b>	(554)
Serien:	99.0 98.3 95.7 96.1 97.0 97.2	
Zähler:	26 24 8 2 0 0 0 0 0	
Innenzehner:	17	
weiteste:	2854 (58), 2667 (49), 2113 (53)	
beste Teiler	40.7 (55.) 82.0 (6.) 171.9 (51.)	
Trefferlage	0.39 mm rechts, 1.26 mm tief	
Streuwert	8.24, horizontal: 9.43, vertikal: 6.85	




Serie 1:

10.1 ↓	8.5 ↘	10.1 →	9.7 ↓	9.8 ↙
10.8 *	10.6 *	9.2 →	10.1 ↗	10.1 ↗
beste Teiler	82.0 (6.) 309.3 (7.) 641.7 (9.)			
Trefferlage	3.62 mm rechts, 1.95 mm tief			
Streuwert	6.62, horizontal: 7.18, vertikal: 6.01			




Serie 2:

10.0 →	9.9 ←	10.1 ↗	9.1 ↘	10.7 *
10.3 *	9.9 ↙	9.5 ↘	8.9 ↖	9.9 ↘
beste Teiler	191.4 (15.) 495.6 (16.) 708.0 (13.)			
Trefferlage	2.73 mm links, 1.90 mm hoch			
Streuwert	6.86, horizontal: 7.93, vertikal: 5.59			




Serie 3:

8.4 ←	10.6 *	9.9 ↙	9.9 ↘	10.5 *
9.0 ←	9.4 ↘	9.8 ↘	9.4 ↑	8.8 →
beste Teiler	270.8 (22.) 372.1 (25.) 812.9 (23.)			
Trefferlage	4.49 mm links, 1.60 mm hoch			
Streuwert	8.32, horizontal: 9.88, vertikal: 6.37			




Serie 4:

10.4 *	10.5 *	9.2 ↘	10.2 ↘	8.3 ↖
10.6 *	9.0 ↘	9.5 →	8.9 ↓	9.5 ↘
beste Teiler	308.7 (36.) 393.1 (32.) 414.1 (31.)			
Trefferlage	3.18 mm rechts, 4.40 mm tief			
Streuwert	8.17, horizontal: 9.63, vertikal: 6.38			



Serie 5:

8.9 →	9.9 ↗	9.9 ↘	10.0 →	9.9 ↖
9.8 ↗	10.1 ←	10.5 *	7.6 ↘	10.4 *
beste Teiler	372.6 (48.) 452.4 (50.) 714.6 (47.)			
Trefferlage	3.41 mm rechts, 0.78 mm tief			
Streuwert	8.55, horizontal: 9.44, vertikal: 7.55			



Serie 6:

10.7 *	10.3 *	8.3 ↓	10.4 *	10.9 *
9.0 ←	9.1 ↖	7.4 ↘	10.7 *	10.4 *
beste Teiler	40.7 (55.) 171.9 (51.) 200.2 (59.)			
Trefferlage	0.63 mm links, 3.93 mm tief			
Streuwert	9.54, horizontal: 10.94, vertikal: 7.89			

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_1m**

StandNr: 14

**Bergschober, Andreas** #902031461

**StartNr: 52**

15. August 2019 11:20



S – USSV Rußbach

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>603.1</b>	(576)
Serien:	102.2 98.6 101.7 97.2 99.8 103.6	
Zähler:	38 20 2 0 0 0 0 0 0 0	
Innenzehner:	22	
weiteste:	2125 (46), 1756 (11), 1581 (31)	
beste Teiler	57.0 (1.) 82.0 (45.) 92.3 (51.)	
Trefferlage	0.49 mm rechts, 0.35 mm tief	
Streuwert	5.98, horizontal: 5.61, vertikal: 6.32	




Serie 1:	10.9 *	10.5 *	10.0 ↘	10.0 ↗	10.0 ↘
	10.1 ↘	10.8 *	10.2 ↘	10.2 ↓	9.5 ↘
beste Teiler	57.0 (1.)	119.8 (7.)	387.2 (2.)		
Trefferlage	0.89 mm rechts, 0.34 mm tief				
Streuwert	4.83, horizontal: 3.58, vertikal: 5.82				




Serie 2:	8.8 ↓	10.5 *	10.2 ↗	9.9 ↖	9.8 ↙
	9.6 ↓	9.9 ↘	9.7 ↑	10.4 *	9.8 →
beste Teiler	396.0 (12.)	445.2 (19.)	601.3 (13.)		
Trefferlage	1.43 mm rechts, 2.45 mm tief				
Streuwert	6.78, horizontal: 5.09, vertikal: 8.13				




Serie 3:	10.8 *	9.2 ↘	9.9 ↓	10.0 ↘	10.4 *
	10.3 *	10.5 *	10.4 *	9.8 ↓	10.4 *
beste Teiler	122.4 (21.)	350.0 (27.)	406.2 (25.)		
Trefferlage	3.01 mm rechts, 2.40 mm tief				
Streuwert	4.34, horizontal: 4.22, vertikal: 4.45				



Serie 4:	9.0 ↘	10.2 ↘	9.4 ↘	10.6 *	9.3 →
	9.4 ↗	9.3 ↖	10.2 ↗	9.6 ↓	10.2 →
beste Teiler	272.1 (34.)	562.3 (32.)	627.1 (40.)		
Trefferlage	0.82 mm links, 2.42 mm hoch				
Streuwert	7.69, horizontal: 7.80, vertikal: 7.58				



Serie 5:	10.1 ↘	10.6 *	9.4 ↓	10.1 ↘	10.8 *
	8.3 ←	10.4 *	9.2 ↘	10.2 ↗	10.7 *
beste Teiler	82.0 (45.)	228.6 (50.)	265.0 (42.)		
Trefferlage	1.95 mm links, 1.08 mm tief				
Streuwert	7.13, horizontal: 7.45, vertikal: 6.80				



Serie 6:	10.8 *	10.6 *	10.3 ←	10.3 ↖	9.9 →
	10.5 *	10.7 *	10.6 *	10.4 *	9.5 ↑
beste Teiler	92.3 (51.)	172.1 (57.)	265.8 (52.)		
Trefferlage	0.40 mm rechts, 1.70 mm hoch				
Streuwert	3.97, horizontal: 4.05, vertikal: 3.89				

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_1m**

StandNr: 15

**Müllner, Robert** #902031462

**StartNr: 53**

15. August 2019 11:44



B – SSV Breitenbrunn / Burgenland 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>609.2</b>	(578)
Serien:	99.9	102.0 101.1 101.6 101.5 103.1
Zähler:	39	20 1 0 0 0 0 0 0 0
Innenzehner:	28	
weiteste:	1726 (10), 1476 (1), 1447 (2)	
beste Teiler	24.3 (38.)	53.7 (51.) 159.2 (41.)
Trefferlage	0.01 mm links, 0.04 mm hoch	
Streuwert	5.26, horizontal: 5.82, vertikal: 4.63	




Serie 1:	9.1 ←	9.1 ↖	10.7 *	10.5 *	10.4 *
	10.3 →	10.4 *	10.5 *	10.1 ↗	8.8 ↘
beste Teiler	239.4 (3.) 338.4 (8.) 345.0 (4.)				
Trefferlage	1.08 mm links, 0.95 mm hoch				
Streuwert	6.85, horizontal: 8.67, vertikal: 4.34				




Serie 2:	10.6 *	9.8 ↘	10.6 *	10.5 *	10.3 ↖
	10.1 ↖	10.5 *	10.3 *	9.4 ↑	9.9 ↗
beste Teiler	264.8 (11.) 283.2 (13.) 378.1 (14.)				
Trefferlage	0.31 mm rechts, 2.75 mm hoch				
Streuwert	4.53, horizontal: 3.87, vertikal: 5.11				




Serie 3:	9.8 ↖	9.4 ↑	10.7 *	9.7 ↘	10.2 →
	10.2 ↖	10.6 *	10.2 ↓	10.7 *	9.6 ↓
beste Teiler	181.6 (23.) 185.7 (29.) 253.0 (27.)				
Trefferlage	0.51 mm rechts, 1.39 mm tief				
Streuwert	5.63, horizontal: 5.32, vertikal: 5.92				



Serie 4:	9.9 ↓	9.6 ↘	9.7 →	10.4 *	9.6 ↖
	10.5 *	9.9 ←	10.9 *	10.5 *	10.6 *
beste Teiler	24.3 (38.) 266.5 (40.) 349.2 (36.)				
Trefferlage	0.70 mm rechts, 2.25 mm tief				
Streuwert	5.08, horizontal: 6.09, vertikal: 3.80				



Serie 5:	10.8 *	9.9 ↖	10.4 *	9.8 ↘	10.1 ↖
	9.9 ↘	9.5 →	10.5 *	10.2 ↓	10.4 *
beste Teiler	159.2 (41.) 334.5 (48.) 402.4 (50.)				
Trefferlage	0.92 mm links, 0.68 mm tief				
Streuwert	5.19, horizontal: 6.22, vertikal: 3.89				



Serie 6:	10.9 *	10.3 *	9.7 ↘	10.7 *	10.4 *
	10.0 →	10.0 ↓	10.5 *	9.9 →	10.7 *
beste Teiler	53.7 (51.) 171.1 (60.) 238.4 (54.)				
Trefferlage	0.39 mm rechts, 0.87 mm hoch				
Streuwert	4.29, horizontal: 4.94, vertikal: 3.53				

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_1m**

StandNr: 17

**Mair, Franz** #161

**StartNr: 55**

15. August 2019 11:30



T – SG Hochpustertal / Tirol 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>594.7</b>	(565)							
Serien:	98.6	100.3	98.9	98.4	99.1	99.4			
Zähler:	30	25	5	0	0	0	0	0	0
Innenzehner:	19								
weiteste:	2372 (4), 2088 (11), 1989 (55)								
beste Teiler	60.1 (52.) 94.4 (1.) 127.8 (48.)								
Trefferlage	3.54 mm rechts, 1.28 mm hoch								
Streuwert	6.39, horizontal: 7.76, vertikal: 4.65								




Serie 1:					
	10.8 *	9.3 →	10.6 *	8.0 ↗	9.7 ↘
	10.6 *	10.3 *	8.9 ←	10.6 *	9.8 ↗
beste Teiler	94.4 (1.) 272.9 (3.) 285.3 (6.)				
Trefferlage	2.85 mm rechts, 0.68 mm hoch				
Streuwert	7.99, horizontal: 10.00, vertikal: 5.26				




Serie 2:					
	8.3 ↗	10.6 *	10.5 *	9.5 ↘	9.9 ←
	10.7 *	9.8 ↑	10.4 *	10.6 *	10.0 ↘
beste Teiler	228.8 (16.) 283.6 (19.) 288.7 (12.)				
Trefferlage	1.54 mm rechts, 0.83 mm hoch				
Streuwert	6.62, horizontal: 7.97, vertikal: 4.91				




Serie 3:					
	10.6 *	9.2 →	10.2 →	10.6 *	9.6 ↘
	9.1 ←	10.0 →	10.4 *	9.9 →	9.3 ↘
beste Teiler	273.1 (24.) 279.8 (21.) 404.3 (28.)				
Trefferlage	2.90 mm rechts, 0.60 mm hoch				
Streuwert	6.78, horizontal: 8.75, vertikal: 3.92				



Serie 4:					
	10.0 ↗	9.6 ↘	10.5 *	10.4 *	9.9 →
	10.2 ↘	9.9 ↘	9.4 ↗	9.0 →	9.5 ↗
beste Teiler	387.0 (33.) 443.3 (34.) 626.2 (36.)				
Trefferlage	7.08 mm rechts, 1.51 mm hoch				
Streuwert	4.72, horizontal: 4.48, vertikal: 4.96				



Serie 5:					
	9.9 →	9.3 ↑	9.8 →	8.8 →	10.5 *
	9.6 ↘	10.1 ↘	10.8 *	10.0 →	10.3 ↑
beste Teiler	127.8 (48.) 385.3 (45.) 541.0 (50.)				
Trefferlage	2.56 mm rechts, 3.03 mm hoch				
Streuwert	6.30, horizontal: 7.50, vertikal: 4.79				



Serie 6:					
	9.9 →	10.9 *	9.2 →	10.3 ↗	8.5 →
	9.8 ↘	10.5 *	10.2 ↘	9.9 ↓	10.2 ↘
beste Teiler	60.1 (52.) 370.3 (57.) 545.9 (54.)				
Trefferlage	4.33 mm rechts, 1.04 mm hoch				
Streuwert	6.29, horizontal: 7.54, vertikal: 4.73				

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_1m**

StandNr: 18

**Zaisberger, Manfred** #902031464

**StartNr: 56**

15. August 2019 11:31

V-USG Hard / Vorarlberg 1



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik



Ergebnis:	<b>608.7</b>	(581)
Serien:	101.3	102.6 102.0 100.4 101.1 101.3
Zähler:	41	19 0 0 0 0 0 0 0 0
Innenzehner:	25	
weiteste:	1354 (35),	1295 (9), 1291 (52)
beste Teiler	135.5 (14.)	169.3 (37.) 204.8 (7.)
Trefferlage	0.12 mm rechts, 0.45 mm tief	
Streuwert	5.12, horizontal: 5.90, vertikal: 4.21	




Serie 1:	10.4 *	9.5 →	10.5 *	10.1 ↘	10.6 *
	10.4 *	10.7 *	9.6 →	9.3 →	10.2 ↓
beste Teiler	204.8 (7.) 270.0 (5.) 330.4 (3.)				
Trefferlage	4.64 mm rechts, 0.97 mm tief				
Streuwert	4.38, horizontal: 5.56, vertikal: 2.74				




Serie 2:	9.7 ↖	10.5 *	10.1 ↓	10.8 *	10.5 *
	10.6 *	9.8 →	10.4 *	9.9 →	10.3 ↓
beste Teiler	135.5 (14.) 281.7 (16.) 365.1 (15.)				
Trefferlage	1.84 mm rechts, 0.26 mm tief				
Streuwert	4.44, horizontal: 4.43, vertikal: 4.46				




Serie 3:	10.4 *	10.3 ↙	10.2 →	9.8 ↑	9.8 ←
	10.0 ↖	10.2 ↘	10.6 *	10.0 ↘	10.7 *
beste Teiler	205.4 (30.) 319.7 (28.) 479.0 (21.)				
Trefferlage	0.46 mm links, 1.61 mm tief				
Streuwert	4.66, horizontal: 5.06, vertikal: 4.22				



Serie 4:	10.5 *	9.6 ←	10.4 *	9.7 ↑	9.3 ←
	10.6 *	10.7 *	9.7 ↖	9.6 ↓	10.3 *
beste Teiler	169.3 (37.) 277.2 (36.) 342.1 (31.)				
Trefferlage	2.08 mm links, 0.26 mm hoch				
Streuwert	5.91, horizontal: 6.23, vertikal: 5.57				



Serie 5:	10.3 ↖	10.2 ↖	9.6 ←	9.6 ↖	10.6 *
	10.2 ↙	10.0 ↘	10.3 *	9.7 →	10.6 *
beste Teiler	262.5 (45.) 280.7 (50.) 519.0 (48.)				
Trefferlage	0.89 mm links, 0.78 mm hoch				
Streuwert	5.41, horizontal: 6.07, vertikal: 4.66				



Serie 6:	10.5 *	9.3 ←	10.6 *	9.9 ↖	10.0 →
	10.2 ↘	10.4 *	10.3 *	10.3 ↓	9.8 ←
beste Teiler	281.0 (53.) 364.9 (51.) 450.3 (57.)				
Trefferlage	2.30 mm links, 0.95 mm tief				
Streuwert	5.02, horizontal: 6.06, vertikal: 3.70				

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_1m**

StandNr: 19

**Lechner, Michael** #902031465

**StartNr: 57**

15. August 2019 11:30

W – WSV / Wien 1

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **602.7** (579)

Serien: 101.7 101.3 100.4 98.8 100.7 99.8

Zähler: 40 19 1 0 0 0 0 0 0 0



Innenzehner: 23

weiteste: 2252 (6), 1473 (38), 1445 (13)

beste Teiler 89.4 (29.) 176.2 (5.) 196.3 (49.)

Trefferlage 0.14 mm links, 0.22 mm hoch

Streuwert 5.85, horizontal: 6.09, vertikal: 5.60




Serie 1:

10.4 *	10.7 *	10.1 ↙	10.5 *	10.7 *
8.1 ↘	9.8 ←	10.3 *	10.7 *	10.4 *

beste Teiler 176.2 (5.) 203.3 (9.) 217.1 (2.)

Trefferlage 3.17 mm links, 0.10 mm hoch

Streuwert 5.87, horizontal: 6.65, vertikal: 4.96




Serie 2:

10.4 *	10.4 *	9.1 ↗	10.4 *	10.2 ↖
10.4 *	10.0 ↑	10.3 *	10.1 ↗	10.0 ↓

beste Teiler 426.6 (12.) 427.2 (11.) 437.9 (16.)

Trefferlage 0.69 mm rechts, 2.46 mm hoch

Streuwert 4.96, horizontal: 4.09, vertikal: 5.69




Serie 3:

10.5 *	9.6 ↙	9.2 ↙	10.0 ↓	9.5 →
10.4 *	9.7 ↑	10.3 ↙	10.8 *	10.4 *

beste Teiler 89.4 (29.) 388.3 (21.) 403.2 (30.)

Trefferlage 0.18 mm links, 0.62 mm tief

Streuwert 6.13, horizontal: 5.55, vertikal: 6.67




Serie 4:

10.1 ↖	9.9 ↑	10.1 ↓	10.5 *	10.0 ↑
10.4 *	9.3 ↓	9.1 ↙	9.5 ←	9.9 ↖

beste Teiler 385.3 (34.) 451.5 (36.) 693.5 (33.)

Trefferlage 2.37 mm links, 0.21 mm tief

Streuwert 6.72, horizontal: 6.28, vertikal: 7.13




Serie 5:

10.3 *	10.4 *	9.7 ↘	9.5 →	10.0 ↓
10.0 ←	10.6 *	9.6 ←	10.7 *	9.9 →

beste Teiler 196.3 (49.) 283.3 (47.) 469.2 (42.)

Trefferlage 1.06 mm rechts, 0.33 mm tief

Streuwert 5.70, horizontal: 7.20, vertikal: 3.64



Serie 6:

9.8 ↘	9.9 ↖	10.5 *	9.4 ↑	10.1 ↘
9.9 ↘	10.0 →	10.2 ↖	10.0 ↘	10.0 ↘

beste Teiler 375.9 (53.) 586.3 (58.) 714.4 (55.)

Trefferlage 3.10 mm rechts, 0.05 mm tief

Streuwert 5.62, horizontal: 5.51, vertikal: 5.72

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_1m**

StandNr: 20

**Burtscher, Klaus** #902031466

**StartNr: 58**

15. August 2019 11:21

V–SG Hohenems / Vorarlberg 2

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **610.7** (579)

Serien: 101.4 102.9 99.4 102.5 101.8 102.7

Zähler: 40 19 1 0 0 0 0 0 0 0



Innenzehner: 30

weiteste: 1751 (32), 1469 (22), 1376 (26)

beste Teiler 57.0 (51.) 59.1 (56.) 106.2 (17.)

Trefferlage 1.00 mm rechts, 0.71 mm hoch

Streuwert 5.10, horizontal: 5.62, vertikal: 4.51




Serie 1:

10.8 *	10.6 *	9.5 ↗	9.9 ↓	10.5 *
9.3 ←	10.5 *	10.3 *	10.3 *	9.7 ←

beste Teiler 140.4 (1.) 278.8 (2.) 370.8 (5.)

Trefferlage 0.84 mm links, 2.35 mm tief

Streuwert 5.32, horizontal: 6.36, vertikal: 4.02




Serie 2:

10.2 ←	10.0 ↗	9.8 ↑	10.7 *	10.4 *
10.3 ↓	10.8 *	9.9 →	10.4 *	10.4 *

beste Teiler 106.2 (17.) 200.3 (14.) 422.9 (19.)

Trefferlage 1.20 mm rechts, 1.38 mm hoch

Streuwert 4.08, horizontal: 4.14, vertikal: 4.02




Serie 3:

9.9 ↖	9.1 ↖	9.9 ↑	9.9 →	10.6 *
9.2 →	10.0 ↖	10.6 *	10.5 *	9.7 →

beste Teiler 261.2 (25.) 301.7 (28.) 370.4 (29.)

Trefferlage 0.58 mm rechts, 1.82 mm hoch

Streuwert 6.49, horizontal: 8.24, vertikal: 4.02




Serie 4:

10.6 *	8.8 ↗	10.4 *	10.4 *	10.5 *
10.2 ↑	9.6 →	10.4 *	10.8 *	10.8 *

beste Teiler 130.9 (40.) 135.3 (39.) 320.9 (31.)

Trefferlage 3.59 mm rechts, 0.80 mm hoch

Streuwert 4.81, horizontal: 5.52, vertikal: 3.97




Serie 5:

9.6 ↑	9.2 ↗	10.7 *	9.8 ↓	10.5 *
10.5 *	10.2 →	10.8 *	10.2 ↖	10.3 ↗

beste Teiler 139.3 (48.) 240.8 (43.) 323.3 (46.)

Trefferlage 1.08 mm rechts, 1.42 mm hoch

Streuwert 5.24, horizontal: 4.57, vertikal: 5.83



Serie 6:

10.9 *	9.8 ↖	9.8 →	10.0 ↑	10.3 *
10.9 *	10.4 *	10.5 *	9.9 ↑	10.2 ↘

beste Teiler 57.0 (51.) 59.1 (56.) 384.3 (58.)

Trefferlage 0.40 mm rechts, 1.20 mm hoch

Streuwert 4.49, horizontal: 4.26, vertikal: 4.71

**KK liegend** – Wertung –

**Senioren\_1m**

**StartNr: 59**

StandNr: 21

15. August 2019 11:42

**Gansch, Leopold** #902031467

NÖ – Rabensteiner SG / Niederösterreich 1

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **603.2** (575)

Serien: 97.7 100.5 102.1 100.3 101.3 101.3

Zähler: 38 20 1 1 0 0 0 0 0 0



Innenzehner: 22

weiteste: 2476 (6), 1606 (10), 1424 (40)

beste Teiler 42.4 (7.) 161.0 (28.) 185.2 (56.)

Trefferlage 0.67 mm rechts, 0.69 mm tief

Streuwert 5.81, horizontal: 6.29, vertikal: 5.29




Serie 1:

10.3 *	10.0 →	10.3 *	9.6 →	10.4 *
7.9 ←	10.9 *	10.0 ↘	9.4 →	8.9 ↓

beste Teiler 42.4 (7.) 464.2 (5.) 481.1 (3.)

Trefferlage 0.79 mm rechts, 3.41 mm tief

Streuwert 8.20, horizontal: 10.27, vertikal: 5.38




Serie 2:

10.2 ↘	9.9 →	10.1 ↘	9.7 ↘	10.0 ↗
10.6 *	9.8 ←	10.2 ↓	9.9 ↘	10.1 ↗

beste Teiler 291.7 (16.) 571.7 (11.) 631.0 (18.)

Trefferlage 2.42 mm rechts, 2.00 mm tief

Streuwert 4.96, horizontal: 4.92, vertikal: 5.00




Serie 3:

10.1 ←	10.2 ↑	10.5 *	10.7 *	10.0 ↗
9.7 ↙	10.6 *	10.7 *	10.0 ↓	9.6 ↗

beste Teiler 161.0 (28.) 186.7 (24.) 262.1 (27.)

Trefferlage 0.04 mm links, 0.06 mm hoch

Streuwert 5.04, horizontal: 5.20, vertikal: 4.88




Serie 4:

10.1 ↘	10.5 *	10.4 *	10.2 ↙	10.1 →
9.9 →	9.5 ↑	9.9 ↗	10.5 *	9.2 ↙

beste Teiler 352.6 (32.) 368.5 (39.) 418.2 (33.)

Trefferlage 1.22 mm rechts, 0.88 mm hoch

Streuwert 5.86, horizontal: 6.11, vertikal: 5.61




Serie 5:

10.5 *	9.7 ↙	9.9 ↑	9.8 ↗	10.3 *
10.6 *	9.7 ↗	10.2 ↙	10.6 *	10.0 ↙

beste Teiler 278.6 (49.) 311.2 (46.) 353.6 (41.)

Trefferlage 0.57 mm links, 1.27 mm hoch

Streuwert 5.10, horizontal: 4.99, vertikal: 5.20



Serie 6:

10.6 *	10.3 *	9.7 ↑	9.4 ↙	10.3 *
10.7 *	10.6 *	9.4 →	10.5 *	9.8 ↙

beste Teiler 185.2 (56.) 245.2 (51.) 302.1 (57.)

Trefferlage 0.25 mm rechts, 1.00 mm tief

Streuwert 5.62, horizontal: 5.83, vertikal: 5.41

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_1m**

**StartNr: 60**

StandNr: 22

15. August 2019 11:37

**Riedl, Alfred** #902031468

OÖ – SV Vöcklabruck / Oberösterreich 1



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **603.9** (575)  
 Serien: 101.8 99.3 98.2 101.9 101.1 101.6  
 Zähler: 37 21 2 0 0 0 0 0 0 0  
 Innenzehner: 19  
 weiteste: 2353 (29), 1655 (46), 1504 (21)  
 beste Teiler 47.0 (47.) 80.5 (9.) 132.2 (44.)  
 Trefferlage 1.22 mm links, 2.66 mm hoch  
 Streuwert 5.46, horizontal: 6.01, vertikal: 4.84




Serie 1:  
 10.3 ↘                      10.5 \*                      9.5 →                      10.1 ←                      10.8 \*  
 9.9 ←                      9.9 ↘                      10.1 ↘                      10.9 \*                      9.8 ↑  
 beste Teiler 80.5 (9.) 160.4 (5.) 321.8 (2.)  
 Trefferlage 0.16 mm links, 1.50 mm hoch  
 Streuwert 5.14, horizontal: 5.67, vertikal: 4.56




Serie 2:  
 9.8 ↑                      10.0 ↗                      10.3 ←                      10.1 ↗                      9.3 ←  
 9.8 ↗                      10.4 \*                      9.8 ↘                      9.7 ←                      10.1 ↓  
 beste Teiler 416.5 (17.) 549.0 (13.) 676.9 (14.)  
 Trefferlage 1.05 mm links, 0.41 mm hoch  
 Streuwert 6.22, horizontal: 6.86, vertikal: 5.50




Serie 3:  
 9.1 ↘                      10.2 ↘                      10.1 ↑                      9.9 ↑                      10.3 ↗  
 10.3 \*                      10.4 \*                      9.7 ↙                      8.0 ←                      10.2 ↘  
 beste Teiler 479.1 (27.) 527.5 (26.) 534.7 (25.)  
 Trefferlage 5.59 mm links, 3.71 mm hoch  
 Streuwert 6.26, horizontal: 7.66, vertikal: 4.42




Serie 4:  
 9.7 ↑                      10.3 \*                      10.1 ↘                      10.2 ↑                      9.7 ↑  
 10.7 \*                      9.8 ↖                      10.3 ↗                      10.5 \*                      10.6 \*  
 beste Teiler 193.2 (36.) 243.2 (40.) 369.8 (39.)  
 Trefferlage 0.56 mm links, 4.56 mm hoch  
 Streuwert 3.63, horizontal: 3.89, vertikal: 3.36



Serie 5:  
 10.6 \*                      10.2 ←                      9.6 ↑                      10.8 \*                      9.4 ↘  
 8.9 →                      10.9 \*                      9.9 ↑                      10.6 \*                      10.2 ↘  
 beste Teiler 47.0 (47.) 132.2 (44.) 247.9 (49.)  
 Trefferlage 0.06 mm links, 3.84 mm hoch  
 Streuwert 5.65, horizontal: 6.61, vertikal: 4.50



Serie 6:  
 9.6 ↑                      10.7 \*                      10.4 \*                      10.7 \*                      10.3 \*  
 9.9 ←                      10.4 \*                      10.0 ↑                      10.1 ↓                      9.5 ↑  
 beste Teiler 180.2 (54.) 233.4 (52.) 408.1 (53.)  
 Trefferlage 0.10 mm rechts, 1.97 mm hoch  
 Streuwert 5.04, horizontal: 3.72, vertikal: 6.07



**KK liegend** – Wertung – **Senioren\_1m**

StandNr: 40

**Hofer, Gerhard** #70219087

**StartNr: 61**

15. August 2019 11:55

ST–Edelweiß Hartberg / Steiermark 1

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **603.7** (577)

Serien: 99.6 101.7 100.7 102.8 98.9 100.0

Zähler: 38 21 1 0 0 0 0 0 0 0



Innenzehner: 21

weiteste: 1659 (5), 1426 (28), 1366 (11)

beste Teiler 161.0 (18.) 194.5 (50.) 219.0 (3.)

Trefferlage 0.23 mm links, 0.94 mm hoch

Streuwert 5.64, horizontal: 4.92, vertikal: 6.27




Serie 1:

10.2 ↙	9.6 ↑	10.7 *	10.4 *	8.9 ↘
9.4 ↑	10.2 ↙	10.3 ↗	9.8 ↘	10.1 ↙

beste Teiler 219.0 (3.) 413.8 (4.) 551.0 (8.)

Trefferlage 1.06 mm links, 1.40 mm hoch

Streuwert 6.49, horizontal: 4.93, vertikal: 7.75




Serie 2:

9.2 ↘	9.7 ←	10.5 *	10.6 *	10.5 *
10.3 *	9.4 ↑	10.7 *	10.6 *	10.2 ↑

beste Teiler 161.0 (18.) 284.9 (19.) 286.8 (14.)

Trefferlage 0.93 mm links, 2.52 mm hoch

Streuwert 5.14, horizontal: 4.93, vertikal: 5.33




Serie 3:

9.5 ↘	10.5 *	10.7 *	10.6 *	10.5 *
9.7 ↙	9.8 ↗	9.2 ↓	10.1 ↘	10.1 ↘

beste Teiler 221.0 (23.) 306.5 (24.) 386.0 (25.)

Trefferlage 2.56 mm links, 1.67 mm hoch

Streuwert 5.65, horizontal: 3.31, vertikal: 7.27




Serie 4:

10.0 ↘	10.5 *	10.0 ↘	10.2 ↗	10.2 ↗
10.6 *	10.3 ←	10.5 *	10.0 ↘	10.5 *

beste Teiler 261.8 (36.) 333.7 (38.) 350.1 (40.)

Trefferlage 0.95 mm rechts, 0.49 mm hoch

Streuwert 4.07, horizontal: 4.94, vertikal: 2.95




Serie 5:

9.4 ↘	9.5 ↑	10.4 *	10.1 ↗	10.1 ↘
9.7 ↘	9.3 ↗	10.0 ↑	9.7 ↑	10.7 *

beste Teiler 194.5 (50.) 408.8 (43.) 709.2 (44.)

Trefferlage 1.82 mm rechts, 2.60 mm hoch

Streuwert 6.50, horizontal: 4.60, vertikal: 7.96



Serie 6:

9.9 ↘	10.3 *	9.6 →	10.5 *	10.5 *
9.9 ↘	9.9 ↙	9.6 ↙	10.0 ↓	9.8 ↘

beste Teiler 341.0 (54.) 347.8 (55.) 481.5 (52.)

Trefferlage 0.40 mm rechts, 3.03 mm tief

Streuwert 5.45, horizontal: 6.26, vertikal: 4.50

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_1m**

StandNr: 38

**Fölzer, Karl-Heinz** #307

**StartNr: 63**

15. August 2019 11:42

ST-Brucker SV / Steiermark 1

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **600.2** (573)

Serien: 98.3 98.6 100.9 102.8 102.1 97.5

Zähler: 36 21 3 0 0 0 0 0 0 0



Innenzehner: 20

weiteste: 2002 (9), 1871 (56), 1704 (55)

beste Teiler 31.7 (37.) 46.0 (1.) 96.0 (40.)

Trefferlage 0.90 mm links, 0.03 mm hoch

Streuwert 6.21, horizontal: 5.74, vertikal: 6.64




Serie 1:

10.9 *	10.0 ↙	9.7 ↗	9.1 ↙	10.4 *
9.4 ←	10.4 *	9.6 ↘	8.4 ↑	10.4 *

beste Teiler 46.0 (1.) 440.2 (7.) 462.0 (5.)

Trefferlage 4.66 mm links, 1.63 mm hoch

Streuwert 7.03, horizontal: 5.34, vertikal: 8.38




Serie 2:

9.8 ↓	9.7 ↑	10.0 ↘	9.4 ↙	10.2 ↓
10.2 ↑	9.3 ↑	10.0 ↑	9.8 ↘	10.2 ↓

beste Teiler 611.9 (20.) 639.8 (16.) 640.7 (15.)

Trefferlage 1.33 mm links, 2.40 mm hoch

Streuwert 6.56, horizontal: 4.94, vertikal: 7.85




Serie 3:

10.6 *	10.4 *	9.8 ←	10.2 ↓	9.5 ←
9.8 ↓	9.0 ↘	10.6 *	10.6 *	10.4 *

beste Teiler 259.2 (28.) 296.1 (29.) 310.4 (21.)

Trefferlage 0.26 mm links, 2.36 mm tief

Streuwert 5.73, horizontal: 6.72, vertikal: 4.53




Serie 4:

10.4 *	10.1 ↘	10.2 →	10.4 *	10.3 *
9.5 ↓	10.9 *	10.2 ↑	10.0 ↙	10.8 *

beste Teiler 31.7 (37.) 96.0 (40.) 401.3 (31.)

Trefferlage 0.02 mm rechts, 2.10 mm tief

Streuwert 4.28, horizontal: 3.97, vertikal: 4.57




Serie 5:

10.6 *	10.7 *	10.6 *	9.7 ↓	9.8 ↗
9.9 ↓	10.3 ↑	10.2 ↗	10.5 *	9.8 ↘

beste Teiler 161.1 (42.) 293.5 (41.) 298.1 (43.)

Trefferlage 0.18 mm rechts, 0.21 mm hoch

Streuwert 4.95, horizontal: 4.24, vertikal: 5.57



Serie 6:

10.0 →	9.8 →	10.2 ↙	10.6 *	8.8 ↘
8.6 ↘	10.4 *	10.0 ↘	9.7 →	9.4 ↓

beste Teiler 268.2 (54.) 428.1 (57.) 627.4 (53.)

Trefferlage 0.64 mm rechts, 0.42 mm hoch

Streuwert 7.97, horizontal: 7.94, vertikal: 8.00

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_1m**

StandNr: 34

**Flunger, Guido** #902031470

**StartNr: 64**

15. August 2019 11:44



T – SG Haiming / Tirol 2

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>603.7</b>	(580)
Serien:	98.9 99.9 99.7 101.2 100.4 103.6	
Zähler:	40 20 0 0 0 0 0 0 0 0	
Innenzehner:	18	
weiteste:	1383 (9), 1368 (18), 1285 (4)	
beste Teiler	39.6 (11.) 53.0 (52.) 94.5 (51.)	
Trefferlage	1.05 mm links, 0.28 mm hoch	
Streuwert	5.52, horizontal: 5.45, vertikal: 5.60	




Serie 1:	10.1 ↘	10.0 ↓	10.1 ↘	9.3 ✓	10.7 *
	9.5 ←	9.7 ↑	10.4 *	9.2 ↓	9.9 ↓
beste Teiler	234.7 (5.)	414.4 (8.)	675.6 (3.)		
Trefferlage	1.67 mm links, 3.19 mm tief				
Streuwert	6.24, horizontal: 5.15, vertikal: 7.17				




Serie 2:	10.9 *	10.1 ↓	9.5 ↙	9.5 ↙	10.0 ✓
	10.2 ↘	10.1 ↘	9.2 ←	10.3 *	10.1 ↑
beste Teiler	39.6 (11.)	492.2 (19.)	621.0 (16.)		
Trefferlage	3.83 mm links, 0.08 mm hoch				
Streuwert	5.62, horizontal: 5.81, vertikal: 5.41				




Serie 3:	10.1 →	9.5 ←	10.8 *	10.1 →	9.9 ↘
	10.0 ↓	9.6 ↘	9.5 ←	10.3 *	9.9 ←
beste Teiler	148.1 (23.)	505.4 (29.)	651.1 (21.)		
Trefferlage	3.37 mm links, 0.26 mm hoch				
Streuwert	5.76, horizontal: 6.60, vertikal: 4.77				



Serie 4:	10.1 ↘	10.2 ←	10.4 *	9.9 ↓	10.0 ✓
	10.3 *	10.3 ↘	9.5 →	9.8 ↗	10.7 *
beste Teiler	199.3 (40.)	419.0 (33.)	528.2 (36.)		
Trefferlage	0.15 mm rechts, 0.78 mm hoch				
Streuwert	5.32, horizontal: 5.50, vertikal: 5.14				



Serie 5:	10.1 ↘	10.2 →	10.1 ↑	9.9 ↓	9.6 ↘
	10.0 ↗	10.2 ↗	9.5 ↑	10.4 *	10.4 *
beste Teiler	413.4 (49.)	454.8 (50.)	578.0 (42.)		
Trefferlage	2.35 mm rechts, 1.17 mm hoch				
Streuwert	5.33, horizontal: 4.82, vertikal: 5.80				



Serie 6:	10.8 *	10.9 *	10.0 ↑	9.5 ↘	10.0 ↑
	10.4 *	10.5 *	10.3 *	10.5 *	10.7 *
beste Teiler	53.0 (52.)	94.5 (51.)	182.7 (60.)		
Trefferlage	0.03 mm rechts, 2.58 mm hoch				
Streuwert	3.74, horizontal: 2.59, vertikal: 4.61				

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_1m**

StandNr: 37

**Pirker, Peter** #902031471

**StartNr: 65**

15. August 2019 11:58

V–SG Frastanz / Vorarlberg 2

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik



Ergebnis: **606.9** (583)

Serien: 101.2 103.3 98.6 100.8 101.9 101.1

Zähler: 44 15 1 0 0 0 0 0 0



Innenzehner: 22

weiteste: 2262 (24), 1222 (8), 1197 (39)

beste Teiler 123.1 (56.) 157.6 (46.) 239.5 (47.)

Trefferlage 1.10 mm links, 0.77 mm hoch

Streuwert 5.28, horizontal: 6.05, vertikal: 4.37




Serie 1:

10.4 *	9.7 ↙	10.2 ↙	10.4 *	9.6 ↘
10.2 ↓	10.2 ↓	9.4 ←	10.5 *	10.6 *

beste Teiler 269.7 (10.) 342.2 (9.) 409.3 (4.)

Trefferlage 4.54 mm links, 1.75 mm tief

Streuwert 4.00, horizontal: 4.43, vertikal: 3.52




Serie 2:

10.5 *	10.6 *	9.9 ↘	10.6 *	9.9 ↑
10.4 *	10.2 →	10.3 *	10.5 *	10.4 *

beste Teiler 274.7 (14.) 285.9 (12.) 357.9 (19.)

Trefferlage 0.17 mm rechts, 0.35 mm hoch

Streuwert 3.94, horizontal: 3.30, vertikal: 4.49




Serie 3:

10.3 →	10.4 *	9.8 →	8.1 ←	10.2 ↘
10.1 ↓	10.0 ↘	10.0 ↑	9.7 →	10.0 ↘

beste Teiler 444.6 (22.) 553.0 (21.) 587.4 (25.)

Trefferlage 0.46 mm rechts, 1.07 mm hoch

Streuwert 7.45, horizontal: 9.43, vertikal: 4.70




Serie 4:

10.2 ↗	10.5 *	10.0 ↙	9.6 ↑	10.3 *
10.0 ←	10.4 *	10.2 ↘	9.5 ↗	10.1 ↑

beste Teiler 354.5 (32.) 423.1 (37.) 504.6 (35.)

Trefferlage 1.64 mm links, 2.61 mm hoch

Streuwert 5.07, horizontal: 5.18, vertikal: 4.95




Serie 5:

10.0 ↘	10.5 *	10.3 *	9.7 ↗	9.7 ↑
10.8 *	10.7 *	9.6 →	10.6 *	10.0 ↘

beste Teiler 157.6 (46.) 239.5 (47.) 305.9 (49.)

Trefferlage 4.08 mm rechts, 0.92 mm hoch

Streuwert 4.04, horizontal: 3.82, vertikal: 4.25



Serie 6:

10.2 ↓	10.1 ←	10.1 ←	9.5 ←	10.1 ↘
10.8 *	9.6 ↘	10.2 ↘	10.6 *	9.9 ←

beste Teiler 123.1 (56.) 309.6 (59.) 602.0 (58.)

Trefferlage 5.12 mm links, 1.44 mm hoch

Streuwert 3.86, horizontal: 3.66, vertikal: 4.04

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_1m**

StandNr: 36

**Hofbauer, Alfons** #902031472

**StartNr: 66**

15. August 2019 11:55



OÖ – SG Marchtrenk / Oberösterreich 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>606.4</b>	(580)
Serien:	100.4	101.2 103.1 102.4 100.5 98.8
Zähler:	40	20 0 0 0 0 0 0 0 0
Innenzehner:	19	
weiteste:	1484 (56),	1480 (6), 1199 (49)
beste Teiler	96.9 (15.)	110.8 (43.) 132.8 (25.)
Trefferlage	2.04 mm rechts, 3.31 mm tief	
Streuwert	4.49, horizontal: 5.14, vertikal: 3.74	




Serie 1:	10.3 ↑	10.3 ↓	10.3 ←	9.8 ←	10.1 →
	9.1 →	10.6 *	10.1 ↘	9.7 ↘	10.1 ↓
beste Teiler	315.6 (7.) 540.5 (2.) 551.3 (1.)				
Trefferlage	1.73 mm rechts, 2.30 mm tief				
Streuwert	5.66, horizontal: 7.01, vertikal: 3.84				




Serie 2:	10.3 *	10.0 ↘	9.9 →	10.4 *	10.8 *
	9.7 ↘	10.3 *	9.8 ↘	9.6 ↓	10.4 *
beste Teiler	96.9 (15.) 463.2 (14.) 477.4 (20.)				
Trefferlage	3.07 mm rechts, 3.98 mm tief				
Streuwert	3.81, horizontal: 4.10, vertikal: 3.49				




Serie 3:	10.2 ↘	10.0 →	10.5 *	10.2 ↓	10.8 *
	10.5 *	10.6 *	10.1 →	9.7 ↓	10.5 *
beste Teiler	132.8 (25.) 281.2 (27.) 354.6 (23.)				
Trefferlage	1.81 mm rechts, 2.38 mm tief				
Streuwert	3.51, horizontal: 3.49, vertikal: 3.54				



Serie 4:	10.2 →	10.4 *	9.9 ↓	10.5 *	10.5 *
	10.2 →	10.3 →	10.0 ↑	10.5 *	9.9 ↘
beste Teiler	324.0 (35.) 340.7 (39.) 345.7 (34.)				
Trefferlage	2.83 mm rechts, 1.46 mm tief				
Streuwert	3.65, horizontal: 2.84, vertikal: 4.31				



Serie 5:	10.4 *	9.9 ←	10.8 *	10.3 *	10.1 ←
	9.9 ↓	10.1 ↘	9.6 ↘	9.5 ↓	9.9 ↓
beste Teiler	110.8 (43.) 473.2 (41.) 507.5 (44.)				
Trefferlage	0.24 mm links, 4.61 mm tief				
Streuwert	4.83, horizontal: 5.62, vertikal: 3.89				



Serie 6:	10.4 *	9.8 →	9.9 ↓	10.2 →	10.1 ↓
	9.1 →	9.6 ↘	10.1 ↓	10.0 ↓	9.6 ←
beste Teiler	438.4 (51.) 620.5 (54.) 666.8 (58.)				
Trefferlage	3.05 mm rechts, 5.13 mm tief				
Streuwert	5.14, horizontal: 6.79, vertikal: 2.59				

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_1m**

StandNr: 39

**Gufler, Hannes** #902031398

**StartNr: 67**

15. August 2019 11:54

T – SG Umhausen / Tirol 1

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **598.6** (571)

Serien: 98.8 100.3 102.1 98.5 99.0 99.9

Zähler: 32 27 1 0 0 0 0 0 0



Innenzehner: 19

weiteste: 1637 (39), 1595 (49), 1474 (47)

beste Teiler 91.0 (23.) 148.6 (35.) 154.8 (26.)

Trefferlage 0.68 mm rechts, 0.71 mm tief

Streuwert 6.20, horizontal: 7.04, vertikal: 5.23




Serie 1:

10.1 ↙	10.6 *	10.1 ↘	9.9 ↙	10.4 *
9.4 ↙	9.4 ↙	9.5 ↓	10.1 ↙	9.3 ↘

beste Teiler 302.4 (2.) 432.6 (5.) 653.3 (3.)

Trefferlage 4.36 mm links, 3.32 mm tief

Streuwert 5.66, horizontal: 6.61, vertikal: 4.52




Serie 2:

9.4 ↗	10.3 *	9.6 ↙	10.0 ↓	10.4 *
10.1 →	9.9 ↘	10.8 *	9.9 ↙	9.9 ↓

beste Teiler 159.4 (18.) 458.5 (15.) 489.3 (12.)

Trefferlage 0.08 mm links, 3.92 mm tief

Streuwert 5.13, horizontal: 5.79, vertikal: 4.38




Serie 3:

10.4 *	9.8 ↘	10.8 *	9.4 ↙	9.8 ↘
10.8 *	10.6 *	10.6 *	9.7 →	10.2 →

beste Teiler 91.0 (23.) 154.8 (26.) 297.9 (27.)

Trefferlage 1.43 mm links, 0.75 mm hoch

Streuwert 5.16, horizontal: 6.71, vertikal: 2.86




Serie 4:

9.6 →	10.1 →	9.6 ↗	10.6 *	10.8 *
9.6 ↙	10.1 ↖	9.3 ↘	8.9 ↘	9.9 ↓

beste Teiler 148.6 (35.) 287.6 (34.) 649.2 (32.)

Trefferlage 0.78 mm rechts, 1.40 mm hoch

Streuwert 7.25, horizontal: 7.90, vertikal: 6.53




Serie 5:

10.4 *	10.0 ↘	10.6 *	10.3 *	9.4 ↘
10.1 ↗	9.1 →	10.0 ↙	9.0 →	10.1 ↗

beste Teiler 270.2 (43.) 467.1 (41.) 494.5 (44.)

Trefferlage 5.00 mm rechts, 1.52 mm tief

Streuwert 5.80, horizontal: 7.15, vertikal: 4.02



Serie 6:

9.4 ↘	9.6 ↘	10.4 *	10.3 *	10.7 *
9.9 ↑	10.1 ↑	9.7 ↗	9.2 ↗	10.6 *

beste Teiler 193.2 (55.) 249.7 (60.) 475.9 (53.)

Trefferlage 4.17 mm rechts, 2.30 mm hoch

Streuwert 5.30, horizontal: 4.55, vertikal: 5.95

Meyton Elektronik

**KK liegend** – Wertung –

**Senioren\_1m**

**StartNr: 68**

StandNr: 16

15. August 2019 11:55

**Pribitzer, Herbert** #902031473



NÖ – SG OMV Prottes / Niederösterreich 1

---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>570.8</b>	(542)
Serien:	94.8 99.3 91.7 96.5 93.4 95.1	
Zähler:	19 27 11 3 0 0 0 0 0 0	
Innenzehner:	7	
weiteste:	3083 (23), 2796 (30), 2430 (40)	
beste Teiler	8.0 (35.) 207.5 (14.) 231.0 (22.)	
Trefferlage	0.05 mm rechts, 1.96 mm tief	
Streuwert	9.35, horizontal: 10.29, vertikal: 8.29	




Serie 1:

10.2 ↖	8.5 ↓	10.0 ↙	10.2 ↗	8.6 ↓
8.5 ↙	9.7 ↗	9.1 ↓	9.7 ↗	10.3 ↓
beste Teiler	557.5 (10.) 583.8 (4.) 612.9 (1.)			
Trefferlage	1.39 mm links, 4.53 mm tief			
Streuwert	9.12, horizontal: 7.35, vertikal: 10.60			




Serie 2:

9.9 →	9.2 ↖	10.3 *	10.7 *	9.8 ↘
9.8 ←	9.9 ↗	10.1 ←	10.0 ↓	9.6 ↓
beste Teiler	207.5 (14.) 484.9 (13.) 659.1 (18.)			
Trefferlage	1.03 mm links, 0.71 mm tief			
Streuwert	6.44, horizontal: 7.33, vertikal: 5.40			




Serie 3:

10.3 ↓	10.7 *	7.1 ↘	9.3 ↗	9.2 ↓
9.9 ←	9.6 ↘	10.0 ↖	8.1 ←	7.5 ↘
beste Teiler	231.0 (22.) 536.9 (21.) 731.5 (28.)			
Trefferlage	1.73 mm rechts, 3.90 mm tief			
Streuwert	12.33, horizontal: 15.04, vertikal: 8.81			




Serie 4:

8.4 ↗	10.6 *	10.5 *	9.8 ↗	10.9 *
10.1 ↓	9.7 ↗	9.5 ↓	9.1 ↙	7.9 ←
beste Teiler	8.0 (35.) 271.3 (32.) 393.1 (33.)			
Trefferlage	2.96 mm links, 0.86 mm hoch			
Streuwert	9.27, horizontal: 9.36, vertikal: 9.18			



Serie 5:

9.8 ↖	9.9 ↙	9.1 ↗	8.9 ↓	8.9 →
9.7 →	10.2 ↓	8.3 ↘	8.9 ↓	9.7 ↗
beste Teiler	635.6 (47.) 833.0 (42.) 931.8 (41.)			
Trefferlage	5.72 mm rechts, 3.16 mm tief			
Streuwert	8.96, horizontal: 9.14, vertikal: 8.79			



Serie 6:

9.6 ↘	8.2 →	9.9 ↗	10.1 ←	9.4 ↙
10.5 *	10.0 ↘	8.6 ←	9.8 ↗	9.0 ↙
beste Teiler	341.9 (56.) 669.5 (54.) 795.6 (57.)			
Trefferlage	1.73 mm links, 0.34 mm tief			
Streuwert	9.40, horizontal: 11.56, vertikal: 6.56			

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_1m**

StandNr: 31

**Gorgosilich, Robert** #902031474

**StartNr: 69**

15. August 2019 11:40

B – SSV Breitenbrunn



---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik




Ergebnis:	<b>596.9</b>	(570)
Serien:	98.8 99.9 98.0 100.4 100.1 99.7	
Zähler:	34 22 4 0 0 0 0 0 0 0	
Innenzehner:	18	
weiteste:	2218 (5), 1778 (57), 1735 (21)	
beste Teiler	146.3 (53.) 174.5 (34.) 215.3 (16.)	
Trefferlage	1.71 mm links, 1.14 mm tief	
Streuwert	6.27, horizontal: 5.61, vertikal: 6.88	




Serie 1:

9.9 ↗	10.2 ←	9.6 ↘	10.0 ↖	8.2 ↙
10.1 ↘	10.3 ↗	10.0 ↑	10.2 ←	10.3 *
beste Teiler	527.3 (10.)	555.4 (7.)	573.4 (2.)	
Trefferlage	2.39 mm links, 0.41 mm hoch			
Streuwert	7.13, horizontal: 4.81, vertikal: 8.86			




Serie 2:

9.3 ↙	9.6 ↑	10.4 *	9.8 ↘	10.4 *
10.7 *	10.2 ↓	9.9 ↘	10.3 *	9.3 ↖
beste Teiler	215.3 (16.)	424.8 (13.)	474.9 (15.)	
Trefferlage	3.04 mm links, 0.24 mm hoch			
Streuwert	5.93, horizontal: 5.21, vertikal: 6.57			




Serie 3:

8.8 ↙	10.4 *	9.5 ←	9.8 ↑	10.2 ↖
10.6 *	9.6 ↓	9.3 →	9.5 ↑	10.3 ↘
beste Teiler	274.4 (26.)	409.4 (22.)	547.4 (30.)	
Trefferlage	1.33 mm links, 0.51 mm hoch			
Streuwert	7.47, horizontal: 7.79, vertikal: 7.14			




Serie 4:

10.3 ↖	9.5 ↑	9.4 ↙	10.7 *	10.4 *
10.0 ↘	9.9 ↙	9.5 ←	10.4 *	10.3 *
beste Teiler	174.5 (34.)	406.1 (39.)	424.5 (35.)	
Trefferlage	3.52 mm links, 0.22 mm tief			
Streuwert	5.30, horizontal: 5.21, vertikal: 5.39			



Serie 5:

8.8 ↙	10.6 *	10.3 ↗	10.4 *	9.8 ↘
9.7 ↓	9.9 →	10.2 ↘	10.0 ↘	10.4 *
beste Teiler	277.9 (42.)	410.2 (44.)	445.8 (50.)	
Trefferlage	0.71 mm rechts, 2.90 mm tief			
Streuwert	5.92, horizontal: 6.20, vertikal: 5.63			



Serie 6:

9.7 ↓	10.1 ↓	10.8 *	10.6 *	10.4 *
10.2 ↙	8.7 ↓	10.3 *	9.4 ↓	9.5 ↙
beste Teiler	146.3 (53.)	302.1 (54.)	433.7 (55.)	
Trefferlage	0.68 mm links, 4.89 mm tief			
Streuwert	5.66, horizontal: 3.93, vertikal: 6.97			

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_1m**

**StartNr: 70**

StandNr: 32

15. August 2019 11:39

**Riedl, Herbert** #902031475



OÖ – SV Vöcklabruck / Oberösterreich 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **598.8** (573)  
 Serien: 102.3 99.9 100.4 99.6 97.7 98.9  
 Zähler: 36 21 3 0 0 0 0 0 0  
 Innenzehner: 22  
 weiteste: 2095 (50), 1912 (44), 1694 (56)  
 beste Teiler 196.2 (28.) 208.0 (19.) 229.0 (25.)  
 Trefferlage 0.02 mm rechts, 1.16 mm hoch  
 Streuwert 6.24, horizontal: 6.19, vertikal: 6.30




Serie 1:  
 10.3 \*                      10.4 \*                      10.5 \*                      10.6 \*                      10.1 ↘  
 9.5 ↘                      10.1 ↗                      10.5 \*                      10.1 ↓                      10.2 ↘  
 beste Teiler 270.6 (4.) 335.2 (3.) 370.2 (8.)  
 Trefferlage 1.51 mm links, 1.52 mm hoch  
 Streuwert 4.27, horizontal: 4.71, vertikal: 3.77




Serie 2:  
 10.1 ↗                      9.6 ↗                      9.5 ↑                      10.6 \*                      10.1 ↗  
 10.0 ↓                      10.1 ↓                      9.8 ↘                      10.7 \*                      9.4 ↑  
 beste Teiler 208.0 (19.) 289.3 (14.) 656.7 (17.)  
 Trefferlage 1.07 mm rechts, 3.03 mm hoch  
 Streuwert 5.79, horizontal: 4.64, vertikal: 6.74




Serie 3:  
 9.8 ↓                      9.3 ↓                      9.3 ↘                      10.4 \*                      10.7 \*  
 9.3 ↓                      10.5 \*                      10.7 \*                      9.9 ↓                      10.5 \*  
 beste Teiler 196.2 (28.) 229.0 (25.) 330.9 (30.)  
 Trefferlage 2.13 mm links, 2.94 mm tief  
 Streuwert 5.66, horizontal: 4.10, vertikal: 6.87



Serie 4:  
 9.7 ↖                      9.8 ↑                      10.1 ↘                      10.2 ↓                      9.5 ↗  
 9.9 ↘                      10.6 \*                      10.4 \*                      9.1 ↘                      10.3 \*  
 beste Teiler 290.1 (37.) 471.6 (38.) 514.1 (40.)  
 Trefferlage 1.08 mm links, 2.36 mm hoch  
 Streuwert 6.20, horizontal: 6.05, vertikal: 6.34



Serie 5:  
 10.4 \*                      10.4 \*                      9.7 ↗                      8.6 →                      9.5 ↑  
 10.0 ←                      10.4 \*                      9.9 ↘                      10.5 \*                      8.3 ↓  
 beste Teiler 381.3 (49.) 423.4 (42.) 439.1 (41.)  
 Trefferlage 0.31 mm rechts, 0.79 mm hoch  
 Streuwert 8.25, horizontal: 8.18, vertikal: 8.32



Serie 6:  
 10.1 ↖                      10.4 \*                      10.3 ↘                      10.3 \*                      9.5 →  
 8.8 ↗                      10.3 ↗                      10.5 \*                      9.4 →                      9.3 →  
 beste Teiler 375.5 (58.) 471.0 (52.) 509.3 (54.)  
 Trefferlage 3.47 mm rechts, 2.20 mm hoch  
 Streuwert 6.37, horizontal: 7.95, vertikal: 4.24

Meyton Elektronik

**KK liegend** – Wertung – **Senioren\_1m**

StandNr: 33

**Wirtenberger, Christoph** #902031476

**StartNr: 71**

15. August 2019 11:29



T – SG Absam

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>573.5</b>	(543)
Serien:	97.3 98.7 97.1 93.1 95.4 91.9	
Zähler:	20 26 11 3 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	3128 (54), 2943 (56), 2431 (29)	
beste Teiler	171.8 (44.) 262.2 (58.) 266.0 (13.)	
Trefferlage	0.55 mm links, 1.19 mm hoch	
Streuwert	9.19, horizontal: 8.86, vertikal: 9.50	



Serie 1:

9.8 →	10.3 ↑	9.7 ↓	9.8 ↗	10.2 ↗
9.6 ←	10.3 *	9.6 ↘	8.8 ↙	9.2 ↑


beste Teiler 491.8 (7.) 551.3 (2.) 636.7 (5.)  
 Trefferlage 0.67 mm rechts, 1.29 mm hoch  
 Streuwert 7.72, horizontal: 7.64, vertikal: 7.80



Serie 2:

10.6 *	10.0 ↓	10.6 *	10.4 *	8.8 ↑
10.4 *	9.7 →	8.8 ↗	9.0 ←	10.4 *


beste Teiler 266.0 (13.) 283.0 (11.) 405.9 (14.)  
 Trefferlage 1.93 mm rechts, 3.32 mm hoch  
 Streuwert 7.23, horizontal: 7.66, vertikal: 6.77



Serie 3:

8.7 ↙	10.2 ↖	9.3 ↖	10.4 *	10.4 *
9.6 ↑	10.4 *	10.4 *	7.9 ↗	9.8 ↓


beste Teiler 407.4 (27.) 455.1 (28.) 471.9 (24.)  
 Trefferlage 0.29 mm links, 3.29 mm hoch  
 Streuwert 8.51, horizontal: 7.04, vertikal: 9.77



Serie 4:

9.6 ↖	9.1 ↗	8.4 ↖	9.8 →	9.4 ↑
9.0 ↗	8.7 ↑	9.9 ↑	9.3 ↑	9.9 ↘


beste Teiler 823.7 (40.) 868.6 (38.) 940.0 (34.)  
 Trefferlage 3.56 mm rechts, 10.21 mm hoch  
 Streuwert 6.30, horizontal: 6.32, vertikal: 6.28



Serie 5:

8.7 ←	8.4 ↓	9.5 ↘	10.7 *	10.5 *
9.6 ↓	8.4 ↙	10.6 *	9.1 ↙	9.9 ↑

beste Teiler 171.8 (44.) 287.5 (48.) 358.6 (45.)  
 Trefferlage 3.56 mm links, 4.80 mm tief  
 Streuwert 8.69, horizontal: 8.52, vertikal: 8.87



Serie 6:

10.5 *	8.7 →	9.4 ←	7.0 ↙	9.4 ↓
7.3 ←	8.9 ←	10.6 *	9.7 ↓	10.4 *

beste Teiler 262.2 (58.) 371.4 (51.) 472.9 (60.)  
 Trefferlage 5.66 mm links, 6.15 mm tief  
 Streuwert 10.98, horizontal: 13.01, vertikal: 8.48

**KK liegend** – Wertung – **Senioren\_1m**

StandNr: 35

**Schmidt, Reinhold** #902031478

**StartNr: 73**

15. August 2019 11:13

B – SSV Breitenbrunn / Burgenland 1

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik