





Ergebnis: **370** (386.5)
 Serien: 91 91 94 94
 Zähler: 14 23 2 1 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 3011 (14), 2258 (19), 1935 (25)
 beste Teiler 234.4 (34.) 238.6 (9.) 308.1 (30.)
 Trefferlage 0.70 mm links, 1.65 mm tief
 Streuwert 8.26, horizontal: 10.38, vertikal: 5.37




Serie 1:
 9.2 → 9.4 ← 9.3 ↙ 9.7 ↘ 9.4 ↖
 9.3 → 9.4 ↙ 9.6 ↘ 10.7 * 9.4 ↖
 beste Teiler 238.6 (9.) 1028.1 (4.) 1114.8 (8.)
 Trefferlage 4.01 mm links, 4.02 mm tief
 Streuwert 7.74, horizontal: 9.50, vertikal: 5.43



Serie 2:
 10.6 * 9.1 ↙ 10.2 ↓ 7.2 → 9.7 ←
 9.6 → 10.0 ↖ 9.6 ← 8.1 ← 10.4 *
 beste Teiler 317.7 (11.) 413.1 (20.) 564.2 (13.)
 Trefferlage 2.21 mm links, 0.83 mm tief
 Streuwert 10.64, horizontal: 14.32, vertikal: 4.61



Serie 3:
 9.1 → 10.2 ↙ 10.0 ← 10.5 * 8.5 →
 10.5 * 9.8 → 9.0 ↙ 9.9 ↖ 10.6 *
 beste Teiler 308.1 (30.) 345.4 (26.) 371.0 (24.)
 Trefferlage 1.26 mm rechts, 0.16 mm tief
 Streuwert 7.78, horizontal: 9.53, vertikal: 5.50





Serie 4:
 9.6 ↘ 9.6 → 10.1 ← 10.7 * 9.7 ↓
 9.6 ↖ 10.0 → 9.5 ↗ 10.1 ↘ 9.6 ↖
 beste Teiler 234.4 (34.) 691.7 (39.) 691.9 (33.)
 Trefferlage 2.14 mm rechts, 1.59 mm tief
 Streuwert 6.59, horizontal: 7.25, vertikal: 5.86


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381** (401.2)
 Serien: 97 92 99 93
 Zähler: 25 11 4 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 1764 (18), 1654 (12), 1651 (11)
 beste Teiler 29.0 (3.) 172.0 (8.) 212.3 (6.)
 Trefferlage 2.58 mm links, 2.32 mm tief
 Streuwert 5.66, horizontal: 5.84, vertikal: 5.47




Serie 1:
 10.2 ↘ 9.2 ↙ 10.9 * 10.0 ✓ 9.6 ↓
 10.7 * 9.9 ↓ 10.7 * 10.5 * 10.1 ↙
 beste Teiler 29.0 (3.) 172.0 (8.) 212.3 (6.)
 Trefferlage 1.40 mm links, 4.38 mm tief
 Streuwert 4.38, horizontal: 4.52, vertikal: 4.23



Serie 2:
 8.9 ↓ 8.9 ↙ 10.1 ← 9.3 ↙ 10.6 *
 10.4 * 10.6 * 8.7 ↙ 9.8 ↓ 10.4 *
 beste Teiler 286.4 (15.) 306.9 (17.) 430.2 (20.)
 Trefferlage 4.14 mm links, 5.99 mm tief
 Streuwert 6.23, horizontal: 5.72, vertikal: 6.70



Serie 3:
 10.7 * 10.4 * 10.1 ↗ 10.2 ↗ 10.3 *
 10.4 * 10.3 * 10.3 ↓ 9.8 ← 10.3 ←
 beste Teiler 213.0 (21.) 428.0 (22.) 445.5 (26.)
 Trefferlage 0.45 mm links, 0.68 mm hoch
 Streuwert 4.18, horizontal: 4.85, vertikal: 3.39





Serie 4:
 9.4 ← 10.4 * 9.7 ← 10.6 * 10.4 *
 10.0 ← 8.9 ← 9.7 → 9.9 ↗ 9.9 ↘
 beste Teiler 271.5 (34.) 438.3 (35.) 470.8 (32.)
 Trefferlage 4.31 mm links, 0.41 mm hoch
 Streuwert 6.17, horizontal: 7.67, vertikal: 4.16


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (384.7)
 Serien: 87 92 93 93
 Zähler: 16 14 9 1 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2730 (4), 2159 (25), 2100 (23)
 beste Teiler 118.8 (24.) 147.2 (37.) 180.9 (7.)
 Trefferlage 1.59 mm rechts, 3.79 mm tief
 Streuwert 8.43, horizontal: 10.06, vertikal: 6.39




Serie 1:
 8.5 ↘ 10.3 * 9.8 → 7.5 ← 8.9 ↘
 10.0 ↗ 10.7 * 8.5 → 8.6 ← 9.1 ↘
 beste Teiler 180.9 (7.) 513.9 (2.) 787.7 (6.)
 Trefferlage 0.92 mm rechts, 5.99 mm tief
 Streuwert 11.03, horizontal: 13.72, vertikal: 7.43



Serie 2:
 8.5 ↘ 9.6 ↙ 10.4 * 9.8 ↘ 10.0 →
 9.6 ↑ 10.3 ↓ 8.9 ↖ 9.9 ← 10.0 ↙
 beste Teiler 454.4 (13.) 536.9 (17.) 769.8 (15.)
 Trefferlage 1.16 mm links, 2.37 mm tief
 Streuwert 7.90, horizontal: 8.64, vertikal: 7.09



Serie 3:
 9.5 → 10.3 * 8.3 ↘ 10.8 * 8.3 →
 9.3 ↘ 10.5 * 9.2 ↘ 10.2 ↙ 10.6 *
 beste Teiler 118.8 (24.) 283.0 (30.) 337.0 (27.)
 Trefferlage 6.35 mm rechts, 4.01 mm tief
 Streuwert 7.30, horizontal: 9.40, vertikal: 4.27





Serie 4:
 9.7 ↘ 9.8 ↓ 10.0 → 9.5 ↙ 9.9 ↙
 10.3 * 10.8 * 10.7 * 8.7 ↗ 9.4 ↙
 beste Teiler 147.2 (37.) 223.4 (38.) 517.2 (36.)
 Trefferlage 0.25 mm rechts, 2.81 mm tief
 Streuwert 6.93, horizontal: 7.18, vertikal: 6.66


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **380** (400.8)
 Serien: 93 96 97 94
 Zähler: 22 16 2 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 2180 (35), 1631 (1), 1597 (33)
 beste Teiler 82.9 (19.) 187.6 (22.) 249.4 (24.)
 Trefferlage 0.61 mm links, 0.55 mm tief
 Streuwert 6.17, horizontal: 6.86, vertikal: 5.38




Serie 1:
 8.9 ↘ 10.3 * 9.1 ← 9.7 ← 9.9 ↘
 9.9 ↘ 10.6 * 10.4 * 9.9 ↘ 10.5 *
 beste Teiler 309.0 (7.) 385.3 (10.) 458.8 (8.)
 Trefferlage 0.09 mm links, 3.55 mm tief
 Streuwert 6.48, horizontal: 8.06, vertikal: 4.35



Serie 2:
 10.4 * 10.0 ← 10.6 * 9.7 ← 9.5 ↘
 10.0 ↗ 10.5 * 9.9 → 10.8 * 9.8 ↙
 beste Teiler 82.9 (19.) 306.1 (13.) 346.5 (17.)
 Trefferlage 0.93 mm links, 2.37 mm tief
 Streuwert 5.16, horizontal: 5.92, vertikal: 4.25





Serie 3:
 10.3 ↑ 10.7 * 10.3 * 10.6 * 10.4 *
 9.8 ↖ 10.4 * 9.6 ↓ 9.5 ↖ 10.3 *
 beste Teiler 187.6 (22.) 249.4 (24.) 441.3 (25.)
 Trefferlage 3.31 mm links, 1.65 mm hoch
 Streuwert 4.37, horizontal: 3.19, vertikal: 5.29




Serie 4:
 9.9 ↖ 10.3 → 9.0 ↗ 9.9 ↓ 8.2 →
 10.4 * 9.6 ↖ 10.5 * 10.3 ← 10.4 *
 beste Teiler 357.0 (38.) 412.1 (36.) 424.0 (40.)
 Trefferlage 1.86 mm rechts, 2.04 mm hoch
 Streuwert 7.50, horizontal: 8.86, vertikal: 5.84

Unterschrift des Schützen


Ergebnis: **379** (395.2)
 Serien: 94 92 96 97
 Zähler: 21 17 2 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 2021 (12), 1941 (9), 1598 (19)
 beste Teiler 245.0 (28.) 280.8 (33.) 313.3 (36.)
 Trefferlage 0.37 mm links, 0.43 mm tief
 Streuwert 6.99, horizontal: 7.83, vertikal: 6.05




Serie 1:
 9.0 ↘ 10.1 → 10.0 ↙ 10.3 * 10.2 ↓
 9.4 ↖ 9.6 ↵ 10.3 ↗ 8.5 → 9.3 →
 beste Teiler 497.3 (4.) 533.4 (8.) 622.5 (5.)
 Trefferlage 3.44 mm rechts, 1.04 mm tief
 Streuwert 7.83, horizontal: 8.32, vertikal: 7.32



Serie 2:
 9.1 ↙ 8.4 ← 10.3 * 9.7 ← 9.3 →
 10.5 * 9.9 ↓ 9.8 ↙ 9.0 ↘ 10.5 *
 beste Teiler 334.4 (20.) 379.6 (16.) 527.2 (13.)
 Trefferlage 4.35 mm links, 3.85 mm tief
 Streuwert 7.50, horizontal: 8.86, vertikal: 5.83



Serie 3:
 10.5 * 9.7 ← 9.2 ↖ 10.2 ↗ 9.4 →
 9.7 ↗ 10.5 * 10.6 * 10.0 ↓ 10.5 *
 beste Teiler 245.0 (28.) 326.0 (27.) 347.1 (30.)
 Trefferlage 0.86 mm rechts, 1.92 mm hoch
 Streuwert 6.04, horizontal: 7.04, vertikal: 4.85





Serie 4:
 10.5 * 9.9 ↖ 10.6 * 10.3 * 10.2 →
 10.6 * 10.5 * 9.7 ↖ 10.3 * 9.1 ↖
 beste Teiler 280.8 (33.) 313.3 (36.) 335.9 (31.)
 Trefferlage 1.44 mm links, 1.25 mm hoch
 Streuwert 5.29, horizontal: 5.61, vertikal: 4.95


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **363** (382.4)
 Serien: 90 89 88 96
 Zähler: 12 20 7 1 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2416 (29), 2281 (14), 2125 (15)
 beste Teiler 225.6 (27.) 303.4 (2.) 314.1 (35.)
 Trefferlage 0.31 mm links, 0.81 mm hoch
 Streuwert 9.02, horizontal: 10.75, vertikal: 6.87




Serie 1:
 9.8 ↗ 10.6 * 9.0 ↘ 9.2 ↘ 9.5 ↘
 9.0 → 8.4 → 10.5 * 8.6 ← 9.7 ←
 beste Teiler 303.4 (2.) 353.5 (8.) 891.9 (1.)
 Trefferlage 2.56 mm rechts, 1.87 mm hoch
 Streuwert 9.64, horizontal: 12.40, vertikal: 5.67



Serie 2:
 9.4 ↖ 9.7 ↖ 9.2 ← 8.1 ← 8.3 ↗
 8.7 ↖ 10.2 → 9.5 ↓ 9.0 → 10.4 *
 beste Teiler 416.0 (20.) 634.8 (17.) 965.9 (12.)
 Trefferlage 3.00 mm links, 3.36 mm hoch
 Streuwert 10.47, horizontal: 11.17, vertikal: 9.72



Serie 3:
 10.5 * 9.4 ↗ 8.9 ↘ 9.2 ← 9.9 →
 8.7 ← 10.7 * 9.4 ↓ 7.9 ← 9.8 →
 beste Teiler 225.6 (27.) 358.2 (21.) 827.6 (25.)
 Trefferlage 1.76 mm links, 0.77 mm tief
 Streuwert 10.08, horizontal: 12.93, vertikal: 6.02



Serie 4:
 9.8 ↓ 10.5 * 10.1 ← 9.8 ↗ 10.6 *
 10.4 * 10.4 * 9.7 ↙ 10.6 * 9.3 →
 beste Teiler 314.1 (35.) 319.5 (39.) 353.5 (32.)
 Trefferlage 0.94 mm rechts, 1.21 mm tief
 Streuwert 5.46, horizontal: 5.84, vertikal: 5.06

Unterschrift des Schützen

Meyton Elektronik