





|              |  |               |
|--------------|--|---------------|
| Ergebnis:    | <b>373</b>                             | (390.0)       |
| Serien:      | 95                                     | 94 93 91      |
| Zähler:      | 18 17 5                                | 0 0 0 0 0 0 0 |
| Innenzehner: | 7                                      |               |
| weiteste:    | 2107 (14), 1885 (19), 1853 (27)        |               |
| beste Teiler | 120.5 (17.) 349.9 (32.) 359.7 (11.)    |               |
| Trefferlage  | 0.46 mm rechts, 1.91 mm hoch           |               |
| Streuwert    | 7.56, horizontal: 9.14, vertikal: 5.56 |               |




|              |  |        |        |        |        |
|--------------|--|--------|--------|--------|--------|
| Serie 1:     | 10.1 ↗                                 | 10.3 * | 9.1 ↗  | 8.9 ←  | 9.4 ↘  |
|              | 9.5 ↘                                  | 10.1 ↖ | 10.3 ↗ | 10.0 ↘ | 10.1 ↘ |
| beste Teiler | 524.5 (2.) 541.2 (8.) 644.0 (10.)      |        |        |        |        |
| Trefferlage  | 2.48 mm links, 4.26 mm hoch            |        |        |        |        |
| Streuwert    | 6.70, horizontal: 7.19, vertikal: 6.17 |        |        |        |        |



|              |   |        |        |       |       |
|--------------|---|--------|--------|-------|-------|
| Serie 2:     | 10.5 *                                  | 10.4 * | 10.4 * | 8.3 ← | 9.0 ← |
|              | 10.3 →                                  | 10.8 * | 10.2 ↘ | 8.6 ↘ | 9.8 → |
| beste Teiler | 120.5 (17.) 359.7 (11.) 412.0 (13.)     |        |        |       |       |
| Trefferlage  | 0.12 mm links, 0.52 mm hoch             |        |        |       |       |
| Streuwert    | 8.27, horizontal: 10.87, vertikal: 4.33 |        |        |       |       |



|              |  |       |        |        |       |
|--------------|--|-------|--------|--------|-------|
| Serie 3:     | 9.7 ↓                                  | 9.5 ↖ | 10.1 ← | 10.2 → | 9.2 ↗ |
|              | 10.2 ↗                                 | 8.6 → | 9.7 ↙  | 10.0 → | 9.9 ↗ |
| beste Teiler | 584.0 (24.) 608.1 (26.) 649.4 (23.)    |       |        |        |       |
| Trefferlage  | 2.22 mm rechts, 0.69 mm hoch           |       |        |        |       |
| Streuwert    | 7.67, horizontal: 8.46, vertikal: 6.78 |       |        |        |       |





|              |   |        |        |       |       |
|--------------|---|--------|--------|-------|-------|
| Serie 4:     | 9.1 →                                   | 10.5 * | 9.6 ↘  | 9.8 ↘ | 9.6 ← |
|              | 9.7 ↘                                   | 8.8 →  | 10.5 * | 9.3 → | 9.9 → |
| beste Teiler | 349.9 (32.) 398.0 (38.) 803.1 (40.)     |        |        |       |       |
| Trefferlage  | 2.25 mm rechts, 2.17 mm hoch            |        |        |       |       |
| Streuwert    | 7.89, horizontal: 10.17, vertikal: 4.60 |        |        |       |       |


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **374** (396.4)  
 Serien: 91 91 96 96  
 Zähler: 16 22 2 0 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 2263 (12), 1831 (5), 1446 (34)  
 beste Teiler 180.9 (35.) 232.1 (39.) 264.4 (27.)  
 Trefferlage 2.17 mm rechts, 2.22 mm hoch  
 Streuwert 6.37, horizontal: 6.40, vertikal: 6.33




Serie 1:  
 9.9 ←                      9.3 ↗                      9.7 ↖                      9.5 ↗                      8.7 ↘  
 9.6 ↙                      9.9 →                      10.6 \*                      10.2 ↘                      9.9 →  
 beste Teiler 281.2 (8.) 600.2 (9.) 821.2 (7.)  
 Trefferlage 2.22 mm rechts, 0.34 mm tief  
 Streuwert 7.75, horizontal: 7.50, vertikal: 8.00



Serie 2:  
 9.9 ↘                      8.1 ↗                      9.8 ↖                      9.8 ↑                      10.6 \*  
 10.2 ↗                      9.8 ↑                      9.8 →                      9.4 →                      9.6 ↗  
 beste Teiler 280.4 (15.) 602.3 (16.) 804.2 (11.)  
 Trefferlage 5.29 mm rechts, 3.52 mm hoch  
 Streuwert 6.72, horizontal: 7.42, vertikal: 5.94



Serie 3:  
 9.9 ↖                      10.5 \*                      9.9 ↑                      10.3 ↗                      9.4 ↖  
 10.3 \*                      10.6 \*                      10.5 \*                      10.4 \*                      9.8 ↖  
 beste Teiler 264.4 (27.) 381.2 (22.) 385.6 (28.)  
 Trefferlage 1.71 mm links, 3.92 mm hoch  
 Streuwert 4.06, horizontal: 2.81, vertikal: 5.01





Serie 4:  
 9.3 →                      9.4 ↗                      9.9 →                      9.1 ↑                      10.7 \*  
 10.1 ↘                      10.5 \*                      10.2 ←                      10.7 \*                      10.6 \*  
 beste Teiler 180.9 (35.) 232.1 (39.) 293.8 (40.)  
 Trefferlage 2.90 mm rechts, 1.77 mm hoch  
 Streuwert 5.78, horizontal: 5.49, vertikal: 6.05


Unterschrift des Schützen

Meyton Elektronik


|              |            |                                  |
|--------------|------------|----------------------------------|
| Ergebnis:    | <b>386</b> | (403.0)                          |
| Serien:      | 96         | 97 97 96                         |
| Zähler:      | 27         | 12 1 0 0 0 0 0 0 0               |
| Innenzehner: | 13         |                                  |
| weiteste:    | 1931       | (26), 1388 (12), 1343 (9)        |
| beste Teiler | 110.5      | (27.) 153.0 (15.) 154.9 (28.)    |
| Trefferlage  | 0.11 mm    | rechts, 0.43 mm tief             |
| Streuwert    | 5.73,      | horizontal: 6.48, vertikal: 4.88 |




|              |  |        |        |        |        |
|--------------|--|--------|--------|--------|--------|
| Serie 1:     | 9.6 ↘                                  | 10.0 ↗ | 10.1 ↙ | 10.6 * | 10.4 * |
|              | 9.7 ↘                                  | 10.1 ← | 9.4 ↗  | 9.3 →  | 10.3 ↘ |
| beste Teiler | 288.0 (4.) 428.5 (5.) 540.2 (10.)      |        |        |        |        |
| Trefferlage  | 2.40 mm rechts, 1.65 mm tief           |        |        |        |        |
| Streuwert    | 6.15, horizontal: 6.16, vertikal: 6.14 |        |        |        |        |



|              |  |        |        |        |        |
|--------------|--|--------|--------|--------|--------|
| Serie 2:     | 10.0 →                                 | 9.2 ↘  | 9.8 →  | 10.7 * | 10.8 * |
|              | 10.5 *                                 | 10.0 ↘ | 10.5 * | 9.8 ↙  | 10.2 → |
| beste Teiler | 153.0 (15.) 206.7 (14.) 329.7 (16.)    |        |        |        |        |
| Trefferlage  | 0.24 mm links, 0.96 mm tief            |        |        |        |        |
| Streuwert    | 5.54, horizontal: 6.05, vertikal: 4.97 |        |        |        |        |



|              |  |        |        |        |        |
|--------------|--|--------|--------|--------|--------|
| Serie 3:     | 10.2 ↑                                 | 10.2 ↘ | 9.8 ↘  | 10.3 * | 10.1 ↘ |
|              | 8.5 ↙                                  | 10.8 * | 10.8 * | 10.4 * | 10.3 * |
| beste Teiler | 110.5 (27.) 154.9 (28.) 425.1 (29.)    |        |        |        |        |
| Trefferlage  | 1.18 mm links, 0.14 mm hoch            |        |        |        |        |
| Streuwert    | 5.98, horizontal: 7.14, vertikal: 4.52 |        |        |        |        |





|              |  |        |       |        |        |
|--------------|--|--------|-------|--------|--------|
| Serie 4:     | 10.3 ↘                                 | 10.2 ↘ | 9.8 ↘ | 10.4 * | 10.6 * |
|              | 10.1 ←                                 | 10.2 → | 9.7 ← | 9.6 ↘  | 9.7 ↘  |
| beste Teiler | 284.8 (35.) 448.6 (34.) 555.4 (31.)    |        |       |        |        |
| Trefferlage  | 0.51 mm links, 0.72 mm hoch            |        |       |        |        |
| Streuwert    | 5.68, horizontal: 6.92, vertikal: 4.08 |        |       |        |        |


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **326** (344.8)  
 Serien: 72 81 86 87  
 Zähler: 6 10 16 6 1 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3599 (9), 3188 (34), 3015 (12)  
 beste Teiler 298.8 (38.) 319.0 (14.) 597.5 (25.)  
 Trefferlage 5.64 mm links, 1.30 mm tief  
 Streuwert 12.72, horizontal: 13.76, vertikal: 11.58




Serie 1:  
 0.0F 9.3 ↙ 8.6 ↘ 8.1 ↙ 8.8 ↙  
 8.1 <sup>MIS</sup> ↙ 8.6 ↘ 9.2 ↓ 6.5 ↙ 8.8 ←  
 beste Teiler 1331.8 (2.) 1415.5 (8.) 1732.6 (10.)  
 Trefferlage 10.39 mm links, 11.00 mm tief  
 Streuwert 11.09, horizontal: 14.77, vertikal: 5.29



Serie 2:  
 7.6 ↘ 7.2 ↑ 7.6 ↘ 10.6 \* 8.6 ↖  
 8.0 ↓ 8.6 ↙ 9.5 → 9.9 ↓ 8.4 ↖  
 beste Teiler 319.0 (14.) 812.3 (19.) 1185.2 (18.)  
 Trefferlage 4.80 mm links, 0.36 mm hoch  
 Streuwert 14.98, horizontal: 11.77, vertikal: 17.61



Serie 3:  
 9.6 ↘ 7.8 ↘ 9.8 ↘ 8.5 ← 10.2 ↖  
 8.6 ← 9.3 ↗ 9.7 ↓ 9.5 → 8.9 ↖  
 beste Teiler 597.5 (25.) 902.4 (23.) 969.9 (28.)  
 Trefferlage 6.17 mm links, 4.45 mm hoch  
 Streuwert 9.69, horizontal: 10.83, vertikal: 8.39





Serie 4:  
 7.8 → 9.5 ↘ 8.8 ← 7.0 ← 10.1 ↙  
 8.9 ↘ 10.1 ↘ 10.6 \* 10.1 ← 8.0 →  
 beste Teiler 298.8 (38.) 657.5 (37.) 672.4 (39.)  
 Trefferlage 1.69 mm links, 0.00 mm  
 Streuwert 12.93, horizontal: 17.57, vertikal: 5.03

MIS – Treffer wurde manuell eingefügt, da der Schütze die Scheibe verfehlt hat


Unterschrift des Schützen

Meyton Elektronik


|              |  |         |
|--------------|--|---------|
| Ergebnis:    | <b>386</b>                             | (404.9) |
| Serien:      | 98 96 93 99                            |         |
| Zähler:      | 27 12 1 0 0 0 0 0 0 0                  |         |
| Innenzehner: | 17                                     |         |
| weiteste:    | 1927 (22), 1507 (23), 1364 (17)        |         |
| beste Teiler | 106.7 (2.) 115.6 (19.) 140.1 (28.)     |         |
| Trefferlage  | 1.19 mm rechts, 1.40 mm tief           |         |
| Streuwert    | 5.41, horizontal: 3.89, vertikal: 6.59 |         |




|              |  |        |        |        |
|--------------|--|--------|--------|--------|
| Serie 1:     |  |        |        |        |
| 9.9 →        | 10.8 *                                 | 9.9 →  | 10.5 * | 10.4 * |
| 10.2 ↙       | 10.0 ↓                                 | 10.6 * | 10.4 * | 10.5 * |
| beste Teiler | 106.7 (2.) 276.8 (8.) 351.2 (4.)       |        |        |        |
| Trefferlage  | 1.52 mm rechts, 1.50 mm tief           |        |        |        |
| Streuwert    | 3.90, horizontal: 4.63, vertikal: 3.00 |        |        |        |



|              |  |        |        |        |
|--------------|--|--------|--------|--------|
| Serie 2:     |  |        |        |        |
| 9.9 →        | 10.1 ↘                                 | 9.8 ↘  | 10.5 * | 10.2 ↘ |
| 10.0 ↗       | 9.2 ↓                                  | 10.5 * | 10.8 * | 9.5 ↓  |
| beste Teiler | 115.6 (19.) 330.1 (18.) 391.8 (14.)    |        |        |        |
| Trefferlage  | 2.83 mm rechts, 4.12 mm tief           |        |        |        |
| Streuwert    | 4.71, horizontal: 3.28, vertikal: 5.80 |        |        |        |



|              |   |        |        |        |
|--------------|---|--------|--------|--------|
| Serie 3:     |   |        |        |        |
| 9.3 ↓        | 8.5 ↓                                   | 9.1 ↓  | 10.7 * | 9.3 ↑  |
| 9.9 ↓        | 9.9 ↑                                   | 10.8 * | 10.2 ↗ | 10.5 * |
| beste Teiler | 140.1 (28.) 211.2 (24.) 388.9 (30.)     |        |        |        |
| Trefferlage  | 0.18 mm rechts, 2.41 mm tief            |        |        |        |
| Streuwert    | 7.75, horizontal: 2.29, vertikal: 10.71 |        |        |        |





|              |  |        |        |        |
|--------------|--|--------|--------|--------|
| Serie 4:     |  |        |        |        |
| 10.7 *       | 10.1 ↖                                 | 10.0 ↖ | 9.9 →  | 10.7 * |
| 10.4 *       | 10.2 ↖                                 | 10.5 * | 10.2 → | 10.3 * |
| beste Teiler | 172.9 (31.) 225.4 (35.) 399.3 (38.)    |        |        |        |
| Trefferlage  | 0.25 mm rechts, 2.41 mm hoch           |        |        |        |
| Streuwert    | 3.75, horizontal: 4.80, vertikal: 2.24 |        |        |        |


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (394.5)  
 Serien: 96 94 95 91  
 Zähler: 18 20 2 0 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 2278 (39), 2081 (38), 1557 (17)  
 beste Teiler 213.1 (37.) 230.4 (26.) 268.3 (24.)  
 Trefferlage 0.41 mm links, 2.46 mm hoch  
 Streuwert 6.84, horizontal: 7.57, vertikal: 6.03




Serie 1:  
 10.5 \* 9.9 ↗ 9.8 ↘ 9.8 → 10.0 ↖  
 10.6 \* 10.4 \* 9.6 ↗ 10.1 ↗ 10.2 →  
 beste Teiler 289.8 (6.) 381.9 (1.) 426.3 (7.)  
 Trefferlage 3.51 mm rechts, 1.55 mm hoch  
 Streuwert 4.71, horizontal: 5.51, vertikal: 3.74



Serie 2:  
 9.2 ↖ 10.4 \* 10.5 \* 9.7 ↗ 9.8 ↖  
 9.4 ↖ 9.0 ↖ 9.2 ↖ 10.1 ↓ 10.0 ↓  
 beste Teiler 351.7 (13.) 404.8 (12.) 664.0 (19.)  
 Trefferlage 3.19 mm links, 4.92 mm hoch  
 Streuwert 6.54, horizontal: 6.34, vertikal: 6.74





Serie 3:  
 9.8 ↘ 9.9 ↗ 9.7 ↖ 10.6 \* 9.9 ↖  
 10.7 \* 9.9 ↖ 10.4 \* 10.2 ↙ 10.2 →  
 beste Teiler 230.4 (26.) 268.3 (24.) 416.8 (28.)  
 Trefferlage 0.47 mm links, 2.79 mm hoch  
 Streuwert 4.76, horizontal: 4.61, vertikal: 4.90




Serie 4:  
 10.6 \* 9.1 ↖ 9.4 ↗ 9.4 ↙ 10.1 ↙  
 9.7 ↘ 10.7 \* 8.3 → 8.1 ↙ 9.6 ↖  
 beste Teiler 213.1 (37.) 297.8 (31.) 654.0 (35.)  
 Trefferlage 1.52 mm links, 0.60 mm hoch  
 Streuwert 9.79, horizontal: 11.38, vertikal: 7.89

Unterschrift des Schützen


|              |  |                    |
|--------------|--|--------------------|
| Ergebnis:    | <b>381</b>                             | (401.3)            |
| Serien:      | 97                                     | 96 95 93           |
| Zähler:      | 22                                     | 17 1 0 0 0 0 0 0 0 |
| Innenzehner: | 13                                     |                    |
| weiteste:    | 1795 (37), 1544 (39), 1364 (35)        |                    |
| beste Teiler | 34.6 (10.) 116.8 (18.) 249.7 (25.)     |                    |
| Trefferlage  | 0.03 mm rechts, 2.47 mm hoch           |                    |
| Streuwert    | 5.64, horizontal: 6.59, vertikal: 4.50 |                    |




|              |  |        |        |        |        |
|--------------|--|--------|--------|--------|--------|
| Serie 1:     | 9.5 ↘                                  | 10.2 ← | 10.6 * | 10.0 ↖ | 9.8 ↘  |
|              | 10.2 ↘                                 | 10.5 * | 9.9 ←  | 10.3 * | 10.9 * |
| beste Teiler | 34.6 (10.) 288.0 (3.) 377.8 (7.)       |        |        |        |        |
| Trefferlage  | 1.71 mm links, 0.18 mm hoch            |        |        |        |        |
| Streuwert    | 4.89, horizontal: 5.59, vertikal: 4.06 |        |        |        |        |



|              |  |       |        |        |        |
|--------------|--|-------|--------|--------|--------|
| Serie 2:     | 10.6 *                                 | 9.9 → | 10.0 → | 9.3 ↖  | 10.6 * |
|              | 10.2 ↑                                 | 9.6 ↘ | 10.8 * | 10.2 → | 9.9 ↓  |
| beste Teiler | 116.8 (18.) 302.9 (15.) 303.2 (11.)    |       |        |        |        |
| Trefferlage  | 0.74 mm rechts, 1.06 mm hoch           |       |        |        |        |
| Streuwert    | 5.59, horizontal: 6.51, vertikal: 4.48 |       |        |        |        |



|              |  |        |       |        |        |
|--------------|--|--------|-------|--------|--------|
| Serie 3:     | 9.8 ↖                                  | 10.6 * | 9.7 ↖ | 10.1 ↗ | 10.6 * |
|              | 9.5 ↘                                  | 9.9 ↗  | 9.8 ↘ | 10.5 * | 10.4 * |
| beste Teiler | 249.7 (25.) 286.1 (22.) 363.8 (29.)    |        |       |        |        |
| Trefferlage  | 2.18 mm links, 3.81 mm hoch            |        |       |        |        |
| Streuwert    | 4.37, horizontal: 5.32, vertikal: 3.14 |        |       |        |        |





|              |  |        |       |        |       |
|--------------|--|--------|-------|--------|-------|
| Serie 4:     | 10.6 *                                 | 10.1 → | 9.6 ↑ | 10.5 * | 9.2 ↑ |
|              | 10.2 ↗                                 | 8.7 ↘  | 9.9 → | 9.0 →  | 9.6 → |
| beste Teiler | 288.7 (31.) 357.8 (34.) 565.8 (36.)    |        |       |        |       |
| Trefferlage  | 3.30 mm rechts, 4.84 mm hoch           |        |       |        |       |
| Streuwert    | 6.71, horizontal: 8.07, vertikal: 5.00 |        |       |        |       |


Unterschrift des Schützen

Meyton Elektronik


|              |  |         |
|--------------|--|---------|
| Ergebnis:    | <b>373</b>                             | (391.5) |
| Serien:      | 93 94 95 91                            |         |
| Zähler:      | 19 15 6 0 0 0 0 0 0 0                  |         |
| Innenzehner: | 15                                     |         |
| weiteste:    | 2258 (39), 2245 (10), 2144 (33)        |         |
| beste Teiler | 137.6 (13.) 141.4 (12.) 181.3 (15.)    |         |
| Trefferlage  | 0.34 mm links, 2.94 mm hoch            |         |
| Streuwert    | 7.63, horizontal: 8.36, vertikal: 6.83 |         |




|              |  |        |        |        |       |
|--------------|--|--------|--------|--------|-------|
| Serie 1:     | 9.8 ↑                                  | 10.4 * | 9.5 ↙  | 9.5 ↙  | 9.5 ↓ |
|              | 10.1 ↘                                 | 9.7 ↑  | 10.6 * | 10.3 * | 8.1 ↗ |
| beste Teiler | 309.4 (8.) 411.0 (2.) 525.6 (9.)       |        |        |        |       |
| Trefferlage  | 0.58 mm links, 0.53 mm hoch            |        |        |        |       |
| Streuwert    | 8.09, horizontal: 8.05, vertikal: 8.13 |        |        |        |       |



|              |  |        |        |        |        |
|--------------|--|--------|--------|--------|--------|
| Serie 2:     | 8.3 ←                                  | 10.8 * | 10.8 * | 10.2 → | 10.7 * |
|              | 9.8 ↘                                  | 10.3 ↗ | 8.7 ↘  | 9.6 ↑  | 10.5 * |
| beste Teiler | 137.6 (13.) 141.4 (12.) 181.3 (15.)    |        |        |        |        |
| Trefferlage  | 1.04 mm links, 3.08 mm hoch            |        |        |        |        |
| Streuwert    | 7.24, horizontal: 8.67, vertikal: 5.44 |        |        |        |        |



|              |  |        |        |        |        |
|--------------|--|--------|--------|--------|--------|
| Serie 3:     | 9.5 ↙                                  | 10.6 * | 9.4 ←  | 9.9 →  | 9.6 ↗  |
|              | 9.6 ←                                  | 10.0 ↗ | 10.3 * | 10.4 * | 10.4 * |
| beste Teiler | 273.6 (22.) 419.2 (30.) 456.2 (29.)    |        |        |        |        |
| Trefferlage  | 0.70 mm links, 0.45 mm hoch            |        |        |        |        |
| Streuwert    | 6.29, horizontal: 7.48, vertikal: 4.82 |        |        |        |        |





|              |   |        |       |       |        |
|--------------|---|--------|-------|-------|--------|
| Serie 4:     | 10.5 *                                  | 10.3 * | 8.3 → | 9.3 ↗ | 10.5 * |
|              | 9.1 ↗                                   | 8.7 ↘  | 9.2 ↑ | 8.1 ↘ | 10.6 * |
| beste Teiler | 303.0 (40.) 376.1 (35.) 384.7 (31.)     |        |       |       |        |
| Trefferlage  | 0.94 mm rechts, 7.68 mm hoch            |        |       |       |        |
| Streuwert    | 8.64, horizontal: 10.22, vertikal: 6.69 |        |       |       |        |

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **356** (374.2)  
 Serien: 87 87 93 89  
 Zähler: 13 16 6 4 1 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 3861 (12), 3116 (3), 2460 (10)  
 beste Teiler 347.7 (9.) 371.1 (13.) 379.2 (7.)  
 Trefferlage 1.56 mm links, 2.38 mm tief  
 Streuwert 10.49, horizontal: 12.86, vertikal: 7.40




Serie 1:  
 9.3 ↓                      9.7 ←                      7.1 ↖                      9.2 →                      9.3 ↘  
 10.0 ↖                      10.5 \*                      7.9 ↖                      10.5 \*                      7.9 →  
 beste Teiler 347.7 (9.) 379.2 (7.) 747.8 (6.)  
 Trefferlage 1.69 mm links, 3.59 mm tief  
 Streuwert 12.33, horizontal: 14.78, vertikal: 9.26



Serie 2:  
 9.3 →                      6.1 ←                      10.5 \*                      9.6 ↘                      8.2 ↘  
 8.9 ↘                      9.5 ↓                      10.4 \*                      9.7 ←                      9.3 →  
 beste Teiler 371.1 (13.) 404.6 (18.) 972.5 (19.)  
 Trefferlage 0.47 mm rechts, 4.60 mm tief  
 Streuwert 12.37, horizontal: 16.40, vertikal: 6.10



Serie 3:  
 9.8 ↓                      10.2 ↖                      10.0 ↗                      8.7 ←                      10.2 ↖  
 10.1 →                      9.5 ←                      8.9 ←                      9.6 ↘                      10.3 \*  
 beste Teiler 517.8 (30.) 580.6 (25.) 634.7 (22.)  
 Trefferlage 3.07 mm links, 1.24 mm tief  
 Streuwert 7.56, horizontal: 9.07, vertikal: 5.67





Serie 4:  
 10.2 ↗                      7.9 →                      9.6 ↓                      9.2 ↓                      8.7 ↖  
 8.8 ↖                      10.0 →                      9.4 ←                      10.4 \*                      9.8 ←  
 beste Teiler 410.5 (39.) 614.4 (31.) 790.6 (37.)  
 Trefferlage 1.96 mm links, 0.08 mm tief  
 Streuwert 10.19, horizontal: 11.82, vertikal: 8.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (381.2)  
 Serien: 93 92 92 89  
 Zähler: 14 18 8 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2357 (37), 2150 (6), 2132 (29)  
 beste Teiler 273.6 (20.) 285.6 (14.) 383.0 (15.)  
 Trefferlage 2.32 mm links, 0.15 mm tief  
 Streuwert 8.87, horizontal: 10.13, vertikal: 7.41




Serie 1:  
 9.8 ↑                      10.2 ↘                      9.1 ↘                      10.5 \*                      9.0 ↗  
 8.3 ←                      10.1 →                      9.5 ←                      9.7 ←                      10.3 \*  
 beste Teiler 400.1 (4.) 528.6 (10.) 580.5 (2.)  
 Trefferlage 4.33 mm links, 2.94 mm hoch  
 Streuwert 7.77, horizontal: 9.80, vertikal: 4.96



Serie 2:  
 10.2 ↙                      8.8 ↙                      9.7 →                      10.6 \*                      10.5 \*  
 9.2 ↓                      8.5 →                      9.6 ↑                      9.9 ↘                      10.6 \*  
 beste Teiler 273.6 (20.) 285.6 (14.) 383.0 (15.)  
 Trefferlage 1.54 mm rechts, 1.87 mm tief  
 Streuwert 8.04, horizontal: 9.34, vertikal: 6.48



Serie 3:  
 9.4 ↓                      9.5 ↗                      10.0 ↘                      9.2 ↘                      10.0 →  
 9.2 ↘                      10.2 ↙                      9.2 ↓                      8.3 ←                      9.6 ↓  
 beste Teiler 596.1 (27.) 765.3 (25.) 785.1 (23.)  
 Trefferlage 1.87 mm links, 4.50 mm tief  
 Streuwert 8.75, horizontal: 9.60, vertikal: 7.81





Serie 4:  
 8.5 ↘                      10.3 \*                      9.6 ↘                      9.4 ↑                      8.7 ↖  
 8.9 ↘                      8.0 ←                      10.0 →                      10.1 ↙                      9.0 ←  
 beste Teiler 488.8 (32.) 690.3 (39.) 788.7 (38.)  
 Trefferlage 4.63 mm links, 2.81 mm hoch  
 Streuwert 10.18, horizontal: 11.90, vertikal: 8.10


Unterschrift des Schützen

Meyton Elektronik


|              |  |         |
|--------------|--|---------|
| Ergebnis:    | <b>365</b>                             | (382.9) |
| Serien:      | 87 93 90 95                            |         |
| Zähler:      | 12 21 7 0 0 0 0 0 0                    |         |
| Innenzehner: | 4                                      |         |
| weiteste:    | 2165 (9), 2143 (6), 2017 (17)          |         |
| beste Teiler | 178.0 (16.) 274.5 (32.) 362.1 (38.)    |         |
| Trefferlage  | 2.10 mm links, 0.46 mm hoch            |         |
| Streuwert    | 8.55, horizontal: 9.76, vertikal: 7.14 |         |




|              |   |       |       |       |       |
|--------------|---|-------|-------|-------|-------|
| Serie 1:     | 9.5 ↘                                   | 9.0 ← | 9.9 ← | 9.8 ↘ | 8.7 ↘ |
|              | 8.3 ↖                                   | 9.1 ↗ | 9.6 ↓ | 8.2 ← | 9.6 ← |
| beste Teiler | 822.2 (3.) 938.5 (4.) 1051.5 (10.)      |       |       |       |       |
| Trefferlage  | 7.32 mm links, 1.31 mm tief             |       |       |       |       |
| Streuwert    | 9.73, horizontal: 12.15, vertikal: 6.48 |       |       |       |       |



|              |  |        |       |        |        |
|--------------|--|--------|-------|--------|--------|
| Serie 2:     | 9.2 ↗                                  | 10.3 * | 9.2 ↗ | 10.0 ↘ | 10.1 ↗ |
|              | 10.7 *                                 | 8.4 ←  | 9.9 ↘ | 9.8 ↗  | 9.5 ↗  |
| beste Teiler | 178.0 (16.) 494.8 (12.) 680.2 (15.)    |        |       |        |        |
| Trefferlage  | 0.07 mm rechts, 2.99 mm hoch           |        |       |        |        |
| Streuwert    | 7.90, horizontal: 9.89, vertikal: 5.20 |        |       |        |        |



|              |  |       |        |       |        |
|--------------|--|-------|--------|-------|--------|
| Serie 3:     | 9.3 →                                  | 9.5 ↘ | 8.5 ↘  | 9.6 ↗ | 8.8 ↓  |
|              | 9.5 ←                                  | 9.6 ↗ | 10.0 ← | 9.3 ↖ | 10.0 ↘ |
| beste Teiler | 730.2 (28.) 796.9 (30.) 1042.4 (24.)   |       |        |       |        |
| Trefferlage  | 0.97 mm links, 3.59 mm tief            |       |        |       |        |
| Streuwert    | 9.20, horizontal: 9.81, vertikal: 8.53 |       |        |       |        |





|              |  |        |        |        |        |
|--------------|--|--------|--------|--------|--------|
| Serie 4:     | 9.8 →                                  | 10.6 * | 8.6 ↖  | 10.2 ↘ | 9.9 ↗  |
|              | 9.9 ←                                  | 10.1 ↗ | 10.5 * | 10.1 ↓ | 10.3 ← |
| beste Teiler | 274.5 (32.) 362.1 (38.) 543.8 (40.)    |        |        |        |        |
| Trefferlage  | 0.21 mm links, 3.77 mm hoch            |        |        |        |        |
| Streuwert    | 5.82, horizontal: 5.46, vertikal: 6.17 |        |        |        |        |


Unterschrift des Schützen

Meyton Elektronik


|              |  |         |    |    |             |
|--------------|--|---------|----|----|-------------|
| Ergebnis:    | <b>375</b>                             | (395.5) |    |    |             |
| Serien:      | 98                                     | 92      | 93 | 92 |             |
| Zähler:      | 18                                     | 19      | 3  | 0  | 0 0 0 0 0 0 |
| Innenzehner: | 11                                     |         |    |    |             |
| weiteste:    | 1903 (12), 1894 (30), 1683 (14)        |         |    |    |             |
| beste Teiler | 162.6 (10.) 204.3 (6.) 222.0 (17.)     |         |    |    |             |
| Trefferlage  | 1.21 mm rechts, 2.62 mm hoch           |         |    |    |             |
| Streuwert    | 6.55, horizontal: 6.38, vertikal: 6.71 |         |    |    |             |




|              |  |        |        |        |        |
|--------------|--|--------|--------|--------|--------|
| Serie 1:     |  |        |        |        |        |
|              | 9.7 ↓                                  | 10.3 ↓ | 10.6 * | 10.4 * | 10.1 → |
|              | 10.7 *                                 | 10.1 ↑ | 10.5 * | 9.9 →  | 10.7 * |
| beste Teiler | 162.6 (10.) 204.3 (6.) 296.5 (3.)      |        |        |        |        |
| Trefferlage  | 2.30 mm rechts, 0.64 mm tief           |        |        |        |        |
| Streuwert    | 3.99, horizontal: 3.11, vertikal: 4.70 |        |        |        |        |



|              |  |        |       |       |        |
|--------------|--|--------|-------|-------|--------|
| Serie 2:     |  |        |       |       |        |
|              | 10.5 *                                 | 8.6 ↑  | 9.7 ↖ | 8.8 → | 10.6 * |
|              | 9.1 ↘                                  | 10.7 * | 9.8 ↓ | 9.7 ↘ | 10.7 * |
| beste Teiler | 222.0 (17.) 238.6 (20.) 281.1 (15.)    |        |       |       |        |
| Trefferlage  | 1.44 mm rechts, 2.37 mm hoch           |        |       |       |        |
| Streuwert    | 7.76, horizontal: 7.49, vertikal: 8.01 |        |       |       |        |



|              |  |        |        |        |       |
|--------------|--|--------|--------|--------|-------|
| Serie 3:     |  |        |        |        |       |
|              | 9.2 →                                  | 9.9 ←  | 10.0 ↖ | 9.6 ↗  | 9.5 ↗ |
|              | 9.5 ↘                                  | 10.5 * | 10.1 → | 10.1 ↑ | 8.6 ↘ |
| beste Teiler | 369.1 (27.) 648.3 (29.) 659.0 (28.)    |        |        |        |       |
| Trefferlage  | 0.54 mm rechts, 4.50 mm hoch           |        |        |        |       |
| Streuwert    | 7.32, horizontal: 7.96, vertikal: 6.62 |        |        |        |       |





|              |  |        |       |       |       |
|--------------|--|--------|-------|-------|-------|
| Serie 4:     |  |        |       |       |       |
|              | 10.1 →                                 | 10.4 * | 9.6 ↖ | 9.7 ↑ | 9.6 ↑ |
|              | 9.3 ↑                                  | 9.5 ←  | 9.7 → | 9.6 ↑ | 9.8 ↓ |
| beste Teiler | 439.5 (32.) 692.2 (31.) 933.2 (40.)    |        |       |       |       |
| Trefferlage  | 0.58 mm rechts, 4.27 mm hoch           |        |       |       |       |
| Streuwert    | 6.76, horizontal: 6.71, vertikal: 6.81 |        |       |       |       |


Unterschrift des Schützen

Meyton Elektronik


|              |  |         |
|--------------|--|---------|
| Ergebnis:    | <b>386</b>                             | (404.5) |
| Serien:      | 96 98 98 94                            |         |
| Zähler:      | 27 12 1 0 0 0 0 0 0 0                  |         |
| Innenzehner: | 17                                     |         |
| weiteste:    | 1680 (39), 1422 (1), 1365 (20)         |         |
| beste Teiler | 206.2 (7.) 263.4 (15.) 266.6 (40.)     |         |
| Trefferlage  | 0.97 mm links, 1.28 mm tief            |         |
| Streuwert    | 5.24, horizontal: 5.48, vertikal: 4.98 |         |




|              |  |            |            |        |        |
|--------------|--|------------|------------|--------|--------|
| Serie 1:     | 9.2 ↘                                  | 10.6 *     | 9.9 ↓      | 9.9 ←  | 10.5 * |
|              | 10.4 *                                 | 10.7 *     | 10.1 ↓     | 10.3 * | 9.8 ←  |
| beste Teiler | 206.2 (7.)                             | 283.0 (2.) | 357.7 (5.) |        |        |
| Trefferlage  | 0.37 mm links, 1.60 mm tief            |            |            |        |        |
| Streuwert    | 5.28, horizontal: 6.39, vertikal: 3.87 |            |            |        |        |



|              |  |             |             |        |        |
|--------------|--|-------------|-------------|--------|--------|
| Serie 2:     | 10.3 *                                 | 9.9 ←       | 10.0 ←      | 10.4 * | 10.6 * |
|              | 10.1 ↑                                 | 10.3 ↗      | 10.3 ↓      | 10.2 ← | 9.2 ←  |
| beste Teiler | 263.4 (15.)                            | 457.2 (14.) | 523.1 (11.) |        |        |
| Trefferlage  | 3.28 mm links, 0.39 mm tief            |             |             |        |        |
| Streuwert    | 4.69, horizontal: 5.53, vertikal: 3.66 |             |             |        |        |





|              |  |             |             |        |        |
|--------------|--|-------------|-------------|--------|--------|
| Serie 3:     | 10.6 *                                 | 10.4 *      | 10.1 ↖      | 10.4 * | 10.2 ↑ |
|              | 9.9 →                                  | 9.9 ↓       | 10.4 *      | 10.5 * | 10.2 ↘ |
| beste Teiler | 272.0 (21.)                            | 379.0 (29.) | 414.7 (24.) |        |        |
| Trefferlage  | 0.32 mm links, 0.98 mm hoch            |             |             |        |        |
| Streuwert    | 4.26, horizontal: 4.31, vertikal: 4.20 |             |             |        |        |




|              |  |             |             |       |        |
|--------------|--|-------------|-------------|-------|--------|
| Serie 4:     | 9.8 ↘                                  | 10.5 *      | 10.4 *      | 9.3 ↓ | 10.3 * |
|              | 9.4 ↓                                  | 9.8 ↘       | 10.2 ↓      | 8.9 ↗ | 10.6 * |
| beste Teiler | 266.6 (40.)                            | 349.7 (32.) | 438.0 (33.) |       |        |
| Trefferlage  | 0.07 mm rechts, 4.12 mm tief           |             |             |       |        |
| Streuwert    | 6.26, horizontal: 5.69, vertikal: 6.78 |             |             |       |        |

Unterschrift des Schützen


|              |  |                         |
|--------------|--|-------------------------|
| Ergebnis:    | <b>374</b>                             | (390.2)                 |
| Serien:      | 90                                     | 94 94 96                |
| Zähler:      | 18                                     | 19 2 1 0 0 0 0 0 0      |
| Innenzehner: | 7                                      |                         |
| weiteste:    | 2462 (5),                              | 2039 (10), 1878 (2)     |
| beste Teiler | 135.1 (33.)                            | 438.3 (11.) 456.6 (27.) |
| Trefferlage  | 1.33 mm links, 0.78 mm hoch            |                         |
| Streuwert    | 7.60, horizontal: 8.68, vertikal: 6.34 |                         |




|              |  |        |       |        |       |
|--------------|--|--------|-------|--------|-------|
| Serie 1:     | 10.0 ↘                                   | 8.6 ←  | 9.0 → | 10.1 ↗ | 7.9 ↖ |
|              | 10.2 ↓                                   | 10.4 * | 9.9 ↘ | 9.0 ↖  | 8.4 ↖ |
| beste Teiler | 465.8 (7.) 602.3 (6.) 677.6 (4.)         |        |       |        |       |
| Trefferlage  | 2.53 mm links, 1.93 mm hoch              |        |       |        |       |
| Streuwert    | 10.57, horizontal: 12.47, vertikal: 8.24 |        |       |        |       |



|              |  |       |        |        |        |
|--------------|--|-------|--------|--------|--------|
| Serie 2:     | 10.4 *                                 | 9.9 ↗ | 9.6 ↗  | 9.1 ↖  | 10.3 * |
|              | 9.3 ↖                                  | 9.3 ↖ | 10.1 ↖ | 10.2 ← | 9.8 ↓  |
| beste Teiler | 438.3 (11.) 492.5 (15.) 565.5 (19.)    |       |        |        |        |
| Trefferlage  | 3.73 mm links, 0.77 mm hoch            |       |        |        |        |
| Streuwert    | 6.72, horizontal: 7.97, vertikal: 5.19 |       |        |        |        |



|              |  |        |        |       |       |
|--------------|--|--------|--------|-------|-------|
| Serie 3:     | 9.5 ↘                                  | 10.3 * | 9.4 ↖  | 9.4 → | 9.9 ↓ |
|              | 10.2 ↑                                 | 10.4 * | 10.2 ↗ | 9.6 ↑ | 9.5 ↖ |
| beste Teiler | 456.6 (27.) 505.5 (22.) 591.0 (26.)    |        |        |       |       |
| Trefferlage  | 0.11 mm links, 2.66 mm hoch            |        |        |       |       |
| Streuwert    | 6.72, horizontal: 7.07, vertikal: 6.35 |        |        |       |       |





|              |  |        |        |        |        |
|--------------|--|--------|--------|--------|--------|
| Serie 4:     | 10.3 ↙                                 | 10.2 ↓ | 10.8 * | 10.3 * | 9.8 ↙  |
|              | 9.9 ↗                                  | 9.1 ↘  | 9.9 ↓  | 10.0 ↖ | 10.0 ↗ |
| beste Teiler | 135.1 (33.) 508.7 (34.) 558.5 (31.)    |        |        |        |        |
| Trefferlage  | 1.02 mm rechts, 2.25 mm tief           |        |        |        |        |
| Streuwert    | 5.70, horizontal: 6.43, vertikal: 4.85 |        |        |        |        |


Unterschrift des Schützen

Meyton Elektronik


|              |   |         |
|--------------|---|---------|
| Ergebnis:    | <b>371</b>                              | (388.2) |
| Serien:      | 94 95 94 88                             |         |
| Zähler:      | 18 16 5 1 0 0 0 0 0 0                   |         |
| Innenzehner: | 7                                       |         |
| weiteste:    | 2513 (32), 2358 (35), 1993 (40)         |         |
| beste Teiler | 109.6 (28.) 119.4 (6.) 125.7 (7.)       |         |
| Trefferlage  | 0.91 mm rechts, 0.34 mm hoch            |         |
| Streuwert    | 8.24, horizontal: 10.36, vertikal: 5.33 |         |




|              |  |            |            |        |       |
|--------------|--|------------|------------|--------|-------|
| Serie 1:     | 9.7 →                                  | 8.6 ←      | 10.1 →     | 10.0 ↗ | 9.4 → |
|              | 10.8 *                                 | 10.8 *     | 9.3 ↗      | 10.1 ↗ | 9.0 → |
| beste Teiler | 119.4 (6.)                             | 125.7 (7.) | 673.4 (3.) |        |       |
| Trefferlage  | 4.01 mm rechts, 2.54 mm hoch           |            |            |        |       |
| Streuwert    | 7.31, horizontal: 9.17, vertikal: 4.79 |            |            |        |       |



|              |  |             |             |        |       |
|--------------|--|-------------|-------------|--------|-------|
| Serie 2:     | 9.9 ↖                                  | 10.5 *      | 10.4 *      | 10.0 ↑ | 9.7 ↘ |
|              | 9.8 ↑                                  | 10.3 ↘      | 9.5 ↘       | 10.1 ← | 9.7 → |
| beste Teiler | 398.0 (12.)                            | 457.3 (13.) | 534.4 (17.) |        |       |
| Trefferlage  | 2.40 mm rechts, 0.77 mm hoch           |             |             |        |       |
| Streuwert    | 5.79, horizontal: 6.26, vertikal: 5.27 |             |             |        |       |





|              |  |             |             |        |       |
|--------------|--|-------------|-------------|--------|-------|
| Serie 3:     | 10.4 *                                 | 9.1 ↓       | 10.5 *      | 9.1 ←  | 9.2 ← |
|              | 8.6 ←                                  | 10.2 →      | 10.8 *      | 10.1 → | 9.7 → |
| beste Teiler | 109.6 (28.)                            | 392.3 (23.) | 412.8 (21.) |        |       |
| Trefferlage  | 2.21 mm links, 2.26 mm tief            |             |             |        |       |
| Streuwert    | 7.87, horizontal: 9.96, vertikal: 4.98 |             |             |        |       |



|              |  |             |             |        |       |
|--------------|--|-------------|-------------|--------|-------|
| Serie 4:     | 10.2 ↘                                   | 7.8 ←       | 9.9 ↘       | 8.8 ↗  | 8.0 ↖ |
|              | 9.5 ←                                    | 10.2 →      | 9.8 ↘       | 10.1 ← | 8.5 ↘ |
| beste Teiler | 571.4 (31.)                              | 630.0 (37.) | 641.7 (39.) |        |       |
| Trefferlage  | 0.53 mm links, 0.33 mm hoch              |             |             |        |       |
| Streuwert    | 11.20, horizontal: 14.71, vertikal: 5.88 |             |             |        |       |


Unterschrift des Schützen

|              |  |         |
|--------------|--|---------|
| Ergebnis:    | <b>383</b>                             | (403.7) |
| Serien:      | 94 98 96 95                            |         |
| Zähler:      | 24 15 1 0 0 0 0 0 0 0                  |         |
| Innenzehner: | 14                                     |         |
| weiteste:    | 1789 (27), 1385 (18), 1275 (8)         |         |
| beste Teiler | 43.6 (35.) 80.6 (21.) 99.4 (33.)       |         |
| Trefferlage  | 1.08 mm links, 1.30 mm hoch            |         |
| Streuwert    | 5.52, horizontal: 6.18, vertikal: 4.76 |         |




Serie 1:

|              |  |            |            |        |
|--------------|--|------------|------------|--------|
| 9.7 ←        | 10.0 ↙                                 | 10.4 *     | 9.9 ↘      | 10.6 * |
| 9.8 ↑        | 9.9 ←                                  | 9.4 ↘      | 10.1 ↗     | 9.9 ↙  |
| beste Teiler | 246.6 (5.)                             | 453.1 (3.) | 685.2 (9.) |        |
| Trefferlage  | 1.51 mm links, 0.15 mm tief            |            |            |        |
| Streuwert    | 6.06, horizontal: 6.21, vertikal: 5.92 |            |            |        |




Serie 2:

|              |  |             |             |        |
|--------------|--|-------------|-------------|--------|
| 9.4 →        | 10.1 ←                                 | 10.1 ↘      | 10.4 *      | 10.6 * |
| 10.1 ↘       | 10.0 ←                                 | 9.2 ↑       | 10.1 ←      | 10.4 * |
| beste Teiler | 290.8 (15.)                            | 434.2 (14.) | 445.1 (20.) |        |
| Trefferlage  | 1.15 mm links, 3.43 mm hoch            |             |             |        |
| Streuwert    | 5.27, horizontal: 6.20, vertikal: 4.14 |             |             |        |



Serie 3:

|              |  |             |             |        |
|--------------|--|-------------|-------------|--------|
| 10.9 *       | 10.6 *                                 | 10.6 *      | 10.3 ↗      | 10.1 ↘ |
| 9.9 ←        | 8.7 ↘                                  | 9.4 ↙       | 10.1 ←      | 10.5 * |
| beste Teiler | 80.6 (21.)                             | 248.6 (22.) | 257.0 (23.) |        |
| Trefferlage  | 3.92 mm links, 0.89 mm hoch            |             |             |        |
| Streuwert    | 5.39, horizontal: 5.91, vertikal: 4.82 |             |             |        |



Serie 4:



|              |  |            |             |        |
|--------------|--|------------|-------------|--------|
| 9.8 ↗        | 10.8 *                                 | 10.8 *     | 9.9 ↗       | 10.9 * |
| 9.4 →        | 10.6 *                                 | 9.8 →      | 9.7 ↘       | 10.8 * |
| beste Teiler | 43.6 (35.)                             | 99.4 (33.) | 104.1 (32.) |        |
| Trefferlage  | 2.26 mm rechts, 1.04 mm hoch           |            |             |        |
| Streuwert    | 4.87, horizontal: 5.67, vertikal: 3.91 |            |             |        |

Unterschrift des Schützen


Meyton Elektronik




|              |  |         |
|--------------|--|---------|
| Ergebnis:    | <b>374</b>                             | (392.1) |
| Serien:      | 94 90 98 92                            |         |
| Zähler:      | 19 16 5 0 0 0 0 0 0 0                  |         |
| Innenzehner: | 7                                      |         |
| weiteste:    | 1787 (16), 1760 (20), 1709 (3)         |         |
| beste Teiler | 92.7 (23.) 101.1 (32.) 157.6 (30.)     |         |
| Trefferlage  | 1.12 mm links, 2.00 mm hoch            |         |
| Streuwert    | 7.23, horizontal: 7.82, vertikal: 6.59 |         |




|              |  |        |        |        |        |
|--------------|--|--------|--------|--------|--------|
| Serie 1:     | 9.0 ↘                                  | 9.4 ←  | 8.8 ←  | 9.9 ↑  | 10.1 → |
|              | 9.2 →                                  | 10.2 → | 10.7 * | 10.4 * | 10.2 ↘ |
| beste Teiler | 236.1 (8.) 408.4 (9.) 593.2 (10.)      |        |        |        |        |
| Trefferlage  | 1.79 mm links, 1.49 mm hoch            |        |        |        |        |
| Streuwert    | 7.60, horizontal: 9.80, vertikal: 4.41 |        |        |        |        |



|              |   |       |       |       |        |
|--------------|---|-------|-------|-------|--------|
| Serie 2:     | 10.1 ←                                  | 9.4 ← | 9.8 ↘ | 9.7 ↘ | 10.1 ↗ |
|              | 8.7 ←                                   | 9.9 ↓ | 9.0 → | 9.7 ↗ | 8.8 ↘  |
| beste Teiler | 667.1 (11.) 717.7 (15.) 833.9 (17.)     |       |       |       |        |
| Trefferlage  | 0.55 mm links, 1.54 mm hoch             |       |       |       |        |
| Streuwert    | 8.97, horizontal: 10.76, vertikal: 6.73 |       |       |       |        |



|              |  |        |        |        |        |
|--------------|--|--------|--------|--------|--------|
| Serie 3:     | 10.0 ←                                 | 10.0 ↘ | 10.8 * | 10.2 ↑ | 10.2 ↑ |
|              | 9.1 ↓                                  | 10.0 ↙ | 10.6 * | 9.8 ↗  | 10.8 * |
| beste Teiler | 92.7 (23.) 157.6 (30.) 295.8 (28.)     |        |        |        |        |
| Trefferlage  | 1.69 mm links, 0.53 mm hoch            |        |        |        |        |
| Streuwert    | 5.44, horizontal: 3.74, vertikal: 6.72 |        |        |        |        |





|              |  |        |       |        |        |
|--------------|--|--------|-------|--------|--------|
| Serie 4:     | 8.8 ↘                                  | 10.8 * | 9.7 ↗ | 9.4 ↗  | 10.7 * |
|              | 9.8 ↘                                  | 10.1 ↘ | 9.4 ↘ | 10.0 ↗ | 8.8 ↘  |
| beste Teiler | 101.1 (32.) 231.3 (35.) 658.7 (37.)    |        |       |        |        |
| Trefferlage  | 0.48 mm links, 4.46 mm hoch            |        |       |        |        |
| Streuwert    | 7.30, horizontal: 6.14, vertikal: 8.29 |        |       |        |        |


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (386.4)  
 Serien: 92 91 93 94  
 Zähler: 13 24 3 0 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2059 (6), 1776 (14), 1675 (8)  
 beste Teiler 290.0 (36.) 315.9 (3.) 378.2 (29.)  
 Trefferlage 1.49 mm rechts, 0.50 mm hoch  
 Streuwert 7.83, horizontal: 7.71, vertikal: 7.96




Serie 1:  
 10.0 ↙ 10.0 ↗ 10.6 \* 10.0 ↓ 9.9 ↑  
 8.4 ↗ 9.9 ↖ 8.9 → 9.4 → 9.9 →  
 beste Teiler 315.9 (3.) 728.0 (4.) 740.6 (2.)  
 Trefferlage 5.58 mm rechts, 0.96 mm hoch  
 Streuwert 7.10, horizontal: 7.99, vertikal: 6.08



Serie 2:  
 9.4 ← 9.9 ↑ 10.0 ↘ 8.7 ↘ 9.5 ↘  
 10.3 \* 9.4 ↓ 9.4 ↘ 9.0 ↓ 9.1 →  
 beste Teiler 498.3 (16.) 793.3 (13.) 836.6 (12.)  
 Trefferlage 0.62 mm links, 0.50 mm tief  
 Streuwert 9.18, horizontal: 8.35, vertikal: 9.93



Serie 3:  
 10.1 ↙ 9.5 ↑ 9.3 ↗ 9.8 → 9.5 ↓  
 9.0 ↖ 9.4 ↑ 9.4 ↓ 10.5 \* 10.0 ↑  
 beste Teiler 378.2 (29.) 672.2 (21.) 782.3 (30.)  
 Trefferlage 0.57 mm rechts, 2.40 mm hoch  
 Streuwert 8.00, horizontal: 7.16, vertikal: 8.75





Serie 4:  
 10.1 ↙ 9.2 ↘ 9.5 ↗ 9.9 ↑ 9.7 ←  
 10.6 \* 10.4 \* 10.0 → 9.3 ↓ 9.5 ↓  
 beste Teiler 290.0 (36.) 424.4 (37.) 653.4 (31.)  
 Trefferlage 0.42 mm rechts, 0.81 mm tief  
 Streuwert 7.13, horizontal: 6.84, vertikal: 7.41

Unterschrift des Schützen


Meyton Elektronik

|              |  |         |
|--------------|--|---------|
| Ergebnis:    | <b>376</b>                             | (393.0) |
| Serien:      | 94 94 94 94                            |         |
| Zähler:      | 18 20 2 0 0 0 0 0 0 0                  |         |
| Innenzehner: | 11                                     |         |
| weiteste:    | 1981 (6), 1766 (29), 1583 (30)         |         |
| beste Teiler | 284.4 (7.) 349.0 (26.) 361.0 (27.)     |         |
| Trefferlage  | 0.70 mm rechts, 0.14 mm hoch           |         |
| Streuwert    | 7.10, horizontal: 8.03, vertikal: 6.03 |         |




Serie 1:

|              |  |        |       |        |
|--------------|--|--------|-------|--------|
| 10.0 ↓       | 10.1 ↘                                 | 9.7 ↖  | 9.7 → | 10.4 * |
| 8.5 →        | 10.6 *                                 | 10.2 ← | 9.8 → | 9.4 →  |
| beste Teiler | 284.4 (7.) 459.0 (5.) 592.3 (8.)       |        |       |        |
| Trefferlage  | 3.44 mm rechts, 0.04 mm hoch           |        |       |        |
| Streuwert    | 6.97, horizontal: 8.86, vertikal: 4.31 |        |       |        |




Serie 2:

|              |  |        |        |       |
|--------------|--|--------|--------|-------|
| 9.9 →        | 10.1 ↓                                 | 9.2 ←  | 9.8 ↑  | 9.1 ↖ |
| 10.1 ↖       | 9.9 ↓                                  | 10.3 * | 10.4 * | 9.3 ↗ |
| beste Teiler | 427.4 (19.) 485.2 (18.) 654.6 (16.)    |        |        |       |
| Trefferlage  | 1.34 mm links, 1.41 mm hoch            |        |        |       |
| Streuwert    | 7.16, horizontal: 8.02, vertikal: 6.18 |        |        |       |



Serie 3:

|              |  |        |       |        |
|--------------|--|--------|-------|--------|
| 10.4 *       | 9.6 ↙                                  | 10.3 * | 9.6 ↘ | 10.0 ↘ |
| 10.5 *       | 10.5 *                                 | 9.4 →  | 8.7 ↖ | 9.0 →  |
| beste Teiler | 349.0 (26.) 361.0 (27.) 405.5 (21.)    |        |       |        |
| Trefferlage  | 0.25 mm rechts, 0.37 mm tief           |        |       |        |
| Streuwert    | 7.70, horizontal: 8.55, vertikal: 6.75 |        |       |        |





Serie 4:

|              |  |        |        |       |
|--------------|--|--------|--------|-------|
| 10.4 *       | 9.9 ↑                                  | 9.3 ↖  | 10.2 ↘ | 9.8 ↖ |
| 9.5 ↓        | 10.4 *                                 | 10.4 * | 9.2 →  | 9.4 ↓ |
| beste Teiler | 412.9 (37.) 468.4 (31.) 476.8 (38.)    |        |        |       |
| Trefferlage  | 0.44 mm rechts, 0.49 mm tief           |        |        |       |
| Streuwert    | 7.18, horizontal: 7.10, vertikal: 7.26 |        |        |       |


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **385** (403.0)  
 Serien: 97 98 97 93  
 Zähler: 25 15 0 0 0 0 0 0 0 0  
 Innenzehner: 15  
 weiteste: 1520 (9), 1405 (23), 1358 (39)  
 beste Teiler 58.1 (19.) 60.2 (26.) 94.4 (13.)  
 Trefferlage 2.07 mm links, 0.58 mm tief  
 Streuwert 5.50, horizontal: 6.54, vertikal: 4.22




Serie 1:  
 10.0 ↖ 10.0 ↙ 10.2 ↗ 9.5 ↘ 9.9 ↗  
 10.2 ↘ 10.4 \* 10.4 \* 9.1 ↖ 10.3 ↖  
 beste Teiler 426.0 (8.) 453.2 (7.) 538.6 (10.)  
 Trefferlage 1.51 mm links, 2.35 mm tief  
 Streuwert 5.77, horizontal: 6.46, vertikal: 5.00



Serie 2:  
 10.4 \* 9.9 ↖ 10.8 \* 10.0 ↑ 10.2 ↗  
 9.3 ↖ 10.8 \* 10.3 \* 10.9 \* 10.1 →  
 beste Teiler 58.1 (19.) 94.4 (13.) 127.3 (17.)  
 Trefferlage 0.70 mm links, 1.06 mm hoch  
 Streuwert 4.92, horizontal: 6.16, vertikal: 3.23



Serie 3:  
 10.3 \* 10.6 \* 9.2 ↖ 10.3 \* 9.3 ↖  
 10.9 \* 10.6 \* 10.4 \* 10.5 \* 9.9 ↖  
 beste Teiler 60.2 (26.) 262.6 (22.) 276.9 (27.)  
 Trefferlage 3.50 mm links, 0.22 mm hoch  
 Streuwert 4.76, horizontal: 5.82, vertikal: 3.39





Serie 4:  
 9.9 ↘ 10.3 ↖ 9.8 ↗ 9.4 ↖ 10.0 ↖  
 9.7 ↘ 10.6 \* 9.6 ↖ 9.3 ↖ 9.7 ↖  
 beste Teiler 302.4 (37.) 538.6 (32.) 758.5 (35.)  
 Trefferlage 2.59 mm links, 1.27 mm tief  
 Streuwert 6.68, horizontal: 8.17, vertikal: 4.75


Unterschrift des Schützen

Meyton Elektronik


|              |  |         |
|--------------|--|---------|
| Ergebnis:    | <b>381</b>                             | (398.1) |
| Serien:      | 92 95 96 98                            |         |
| Zähler:      | 23 15 2 0 0 0 0 0 0 0                  |         |
| Innenzehner: | 12                                     |         |
| weiteste:    | 2122 (11), 1921 (9), 1414 (7)          |         |
| beste Teiler | 100.4 (33.) 206.4 (34.) 221.4 (29.)    |         |
| Trefferlage  | 1.98 mm links, 1.45 mm hoch            |         |
| Streuwert    | 6.31, horizontal: 7.09, vertikal: 5.42 |         |




|              |  |            |             |        |        |
|--------------|--|------------|-------------|--------|--------|
| Serie 1:     | 9.3 ↑                                  | 9.4 ↓      | 9.8 ↘       | 10.3 * | 10.3 * |
|              | 9.5 ←                                  | 9.2 ↘      | 9.8 ↘       | 8.5 ↘  | 10.1 ← |
| beste Teiler | 504.7 (4.)                             | 506.8 (5.) | 684.7 (10.) |        |        |
| Trefferlage  | 5.04 mm links, 3.19 mm hoch            |            |             |        |        |
| Streuwert    | 7.25, horizontal: 7.49, vertikal: 7.00 |            |             |        |        |



|              |  |             |             |        |        |
|--------------|--|-------------|-------------|--------|--------|
| Serie 2:     | 8.3 ↘                                  | 9.6 ←       | 9.4 ↘       | 10.2 ↓ | 10.2 ↘ |
|              | 10.4 *                                 | 10.1 ↑      | 9.6 ↑       | 10.0 ↑ | 10.4 * |
| beste Teiler | 404.5 (16.)                            | 417.5 (20.) | 592.0 (15.) |        |        |
| Trefferlage  | 2.89 mm links, 3.13 mm hoch            |             |             |        |        |
| Streuwert    | 6.93, horizontal: 7.55, vertikal: 6.25 |             |             |        |        |



|              |  |             |             |        |        |
|--------------|--|-------------|-------------|--------|--------|
| Serie 3:     | 10.6 *                                 | 10.0 ↘      | 10.2 ↓      | 9.9 →  | 10.2 ↓ |
|              | 9.9 ↘                                  | 9.4 ↘       | 9.4 ↘       | 10.7 * | 10.6 * |
| beste Teiler | 221.4 (29.)                            | 312.3 (30.) | 316.2 (21.) |        |        |
| Trefferlage  | 1.07 mm links, 0.54 mm hoch            |             |             |        |        |
| Streuwert    | 5.74, horizontal: 6.61, vertikal: 4.72 |             |             |        |        |





|              |  |             |             |        |        |
|--------------|--|-------------|-------------|--------|--------|
| Serie 4:     | 9.8 →                                  | 10.4 *      | 10.8 *      | 10.7 * | 10.3 → |
|              | 10.4 *                                 | 10.5 *      | 10.1 ←      | 9.5 →  | 10.3 ← |
| beste Teiler | 100.4 (33.)                            | 206.4 (34.) | 324.2 (37.) |        |        |
| Trefferlage  | 1.08 mm rechts, 1.04 mm tief           |             |             |        |        |
| Streuwert    | 4.51, horizontal: 6.18, vertikal: 1.57 |             |             |        |        |


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **386** (402.4)  
 Serien: 98 97 96 95  
 Zähler: 26 14 0 0 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 1393 (19), 1350 (20), 1219 (8)  
 beste Teiler 144.1 (31.) 291.6 (6.) 294.1 (9.)  
 Trefferlage 1.20 mm links, 0.79 mm tief  
 Streuwert 5.41, horizontal: 6.56, vertikal: 3.95




Serie 1:  
 10.4 \*                      9.9 ←                      10.1 →                      10.1 ↘                      10.2 ↑  
 10.6 \*                      10.3 \*                      9.4 ←                      10.6 \*                      10.2 ↗  
 beste Teiler 291.6 (6.) 294.1 (9.) 458.3 (1.)  
 Trefferlage 0.51 mm rechts, 0.13 mm hoch  
 Streuwert 4.97, horizontal: 6.31, vertikal: 3.08



Serie 2:  
 10.2 →                      10.1 ↖                      10.6 \*                      10.3 \*                      10.2 ↘  
 9.8 ↓                      10.1 →                      10.4 \*                      9.2 ↙                      9.3 ↖  
 beste Teiler 297.2 (13.) 463.1 (18.) 488.3 (14.)  
 Trefferlage 1.75 mm links, 1.20 mm tief  
 Streuwert 5.91, horizontal: 6.49, vertikal: 5.27



Serie 3:  
 10.0 ↘                      9.6 →                      10.1 ↙                      10.1 ↘                      9.6 ←  
 10.4 \*                      9.9 ↖                      10.3 \*                      10.0 ↑                      9.9 ↓  
 beste Teiler 472.9 (26.) 491.0 (28.) 677.4 (24.)  
 Trefferlage 0.43 mm links, 0.45 mm tief  
 Streuwert 5.85, horizontal: 6.98, vertikal: 4.45





Serie 4:  
 10.8 \*                      9.5 ←                      9.7 ↙                      10.3 \*                      9.7 ←  
 10.2 ↙                      10.3 \*                      9.9 ↘                      9.7 ←                      10.4 \*  
 beste Teiler 144.1 (31.) 462.7 (40.) 512.5 (34.)  
 Trefferlage 3.12 mm links, 1.65 mm tief  
 Streuwert 5.28, horizontal: 6.87, vertikal: 2.92


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (373.7)  
 Serien: 90 92 85 90  
 Zähler: 11 18 8 3 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 2564 (24), 2533 (14), 2475 (5)  
 beste Teiler 146.5 (19.) 180.4 (20.) 365.5 (13.)  
 Trefferlage 4.59 mm rechts, 0.98 mm hoch  
 Streuwert 9.68, horizontal: 11.15, vertikal: 7.95




Serie 1:  
 10.1 ↑                      10.0 ↘                      9.4 ←                      9.0 →                      7.9 ↗  
 10.0 ↘                      9.1 ↓                      9.4 ↘                      9.3 ←                      8.5 →  
 beste Teiler 646.9 (1.) 727.2 (2.) 787.2 (6.)  
 Trefferlage 4.07 mm rechts, 1.99 mm tief  
 Streuwert 10.32, horizontal: 11.89, vertikal: 8.47



Serie 2:  
 9.7 ↗                      9.9 ↘                      10.5 \*                      7.8 ↗                      8.5 ↘  
 10.1 ↗                      10.0 ↗                      9.7 ↘                      10.8 \*                      10.7 \*  
 beste Teiler 146.5 (19.) 180.4 (20.) 365.5 (13.)  
 Trefferlage 3.99 mm rechts, 1.86 mm hoch  
 Streuwert 8.30, horizontal: 8.49, vertikal: 8.11



Serie 3:  
 8.5 →                      8.4 →                      10.1 →                      7.7 ↗                      8.5 ←  
 9.3 ←                      9.1 →                      9.7 ↑                      9.9 ↗                      8.7 →  
 beste Teiler 666.6 (23.) 853.2 (29.) 975.3 (28.)  
 Trefferlage 7.54 mm rechts, 2.31 mm hoch  
 Streuwert 11.02, horizontal: 14.18, vertikal: 6.46





Serie 4:  
 9.0 ↑                      8.9 ↘                      9.2 ←                      9.6 ↑                      9.5 ↗  
 10.4 \*                      10.0 ↘                      9.0 ↘                      8.6 →                      9.2 ↗  
 beste Teiler 476.7 (36.) 755.0 (37.) 1101.8 (34.)  
 Trefferlage 2.77 mm rechts, 1.77 mm hoch  
 Streuwert 9.79, horizontal: 10.50, vertikal: 9.02

Unterschrift des Schützen


Meyton Elektronik

|              |   |         |
|--------------|---|---------|
| Ergebnis:    | <b>367</b>                              | (385.5) |
| Serien:      | 94 94 89 90                             |         |
| Zähler:      | 14 20 5 1 0 0 0 0 0 0                   |         |
| Innenzehner: | 6                                       |         |
| weiteste:    | 2838 (24), 1978 (3), 1939 (32)          |         |
| beste Teiler | 21.4 (12.) 40.2 (37.) 311.0 (6.)        |         |
| Trefferlage  | 0.05 mm links, 0.98 mm hoch             |         |
| Streuwert    | 8.45, horizontal: 10.38, vertikal: 5.92 |         |




Serie 1:

|              |  |            |            |        |
|--------------|--|------------|------------|--------|
| 10.3 *       | 10.2 ↗                                 | 8.5 ↖      | 9.9 ↗      | 10.2 ↗ |
| 10.6 *       | 9.5 →                                  | 9.9 ↘      | 9.6 ↗      | 10.0 ↘ |
| beste Teiler | 311.0 (6.)                             | 491.7 (1.) | 576.3 (2.) |        |
| Trefferlage  | 0.15 mm links, 4.68 mm hoch            |            |            |        |
| Streuwert    | 6.33, horizontal: 8.61, vertikal: 2.42 |            |            |        |




Serie 2:

|              |  |             |             |        |
|--------------|--|-------------|-------------|--------|
| 10.3 *       | 10.9 *                                 | 9.7 ↓       | 10.1 ←      | 9.7 →  |
| 9.9 ←        | 9.2 ↘                                  | 9.3 ←       | 9.7 →       | 10.1 → |
| beste Teiler | 21.4 (12.)                             | 526.7 (11.) | 689.3 (20.) |        |
| Trefferlage  | 1.27 mm links, 0.50 mm hoch            |             |             |        |
| Streuwert    | 6.84, horizontal: 7.90, vertikal: 5.59 |             |             |        |



Serie 3:

|              |  |             |             |        |
|--------------|--|-------------|-------------|--------|
| 9.9 →        | 9.6 ↗                                    | 9.2 ↖       | 7.4 ←       | 10.2 ↘ |
| 8.9 ←        | 10.1 ↘                                   | 9.7 ↗       | 9.5 ↘       | 9.6 ↘  |
| beste Teiler | 563.9 (25.)                              | 657.7 (27.) | 856.7 (21.) |        |
| Trefferlage  | 1.45 mm links, 0.99 mm hoch              |             |             |        |
| Streuwert    | 10.11, horizontal: 13.09, vertikal: 5.77 |             |             |        |



Serie 4:

|              |  |             |             |        |
|--------------|--|-------------|-------------|--------|
| 8.6 ↘        | 8.5 ↘                                    | 9.2 ←       | 9.3 ←       | 8.9 ↘  |
| 10.3 *       | 10.9 *                                   | 9.0 ↘       | 9.0 →       | 10.1 → |
| beste Teiler | 40.2 (37.)                               | 511.4 (36.) | 683.0 (40.) |        |
| Trefferlage  | 2.67 mm rechts, 2.26 mm tief             |             |             |        |
| Streuwert    | 10.02, horizontal: 12.12, vertikal: 7.35 |             |             |        |

Unterschrift des Schützen