





Ergebnis: **365** (382.4)
 Serien: 91 89 93 92
 Zähler: 11 23 6 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2337 (40), 2121 (17), 2097 (11)
 beste Teiler 142.1 (23.) 143.1 (2.) 186.1 (38.)
 Trefferlage 1.33 mm rechts, 0.39 mm hoch
 Streuwert 8.85, horizontal: 8.12, vertikal: 9.52




Serie 1:
 9.4 ↓ 10.8 * 9.4 ↘ 9.6 → 9.5 ↓
 9.4 ← 9.8 → 8.9 ↑ 10.5 * 9.1 ↖
 beste Teiler 143.1 (2.) 393.1 (9.) 954.8 (7.)
 Trefferlage 1.63 mm rechts, 0.97 mm tief
 Streuwert 8.39, horizontal: 7.14, vertikal: 9.48



Serie 2:
 8.3 → 9.0 ↓ 9.9 ↖ 10.3 ↖ 8.3 →
 9.7 ← 8.3 ↗ 10.1 ↖ 9.1 ↖ 9.9 ↓
 beste Teiler 516.1 (14.) 682.1 (18.) 813.6 (13.)
 Trefferlage 1.89 mm rechts, 2.05 mm hoch
 Streuwert 10.64, horizontal: 11.61, vertikal: 9.57



Serie 3:
 10.2 → 9.8 ↖ 10.8 * 9.4 ↑ 9.5 ↑
 9.0 ↓ 10.1 ← 8.9 ↓ 10.5 * 9.0 ↑
 beste Teiler 142.1 (23.) 350.8 (29.) 632.6 (21.)
 Trefferlage 1.07 mm links, 1.50 mm hoch
 Streuwert 8.16, horizontal: 4.78, vertikal: 10.50





Serie 4:
 9.9 ↗ 9.2 ↑ 9.5 ↓ 9.8 ↓ 9.2 ↖
 9.1 ↗ 10.0 ↑ 10.7 * 10.5 * 8.0 ↘
 beste Teiler 186.1 (38.) 362.8 (39.) 724.2 (37.)
 Trefferlage 2.88 mm rechts, 1.02 mm tief
 Streuwert 8.95, horizontal: 8.23, vertikal: 9.61


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **349** (365.9)
 Serien: 85 85 89 90
 Zähler: 13 11 11 3 1 1 0 0 0 0
 Innenzehner: 7
 weiteste: 4107 (4), 3931 (16), 3022 (5)
 beste Teiler 249.0 (19.) 296.0 (37.) 345.2 (17.)
 Trefferlage 2.79 mm links, 4.63 mm hoch
 Streuwert 11.70, horizontal: 4.99, vertikal: 15.78




Serie 1:
 9.1 ↖ 8.9 ↙ 9.0 ↘ 5.8 ↑ 7.2 ↑
 10.3 ← 10.0 → 9.6 ↖ 10.5 * 8.9 ↑
 beste Teiler 388.8 (9.) 555.5 (6.) 754.5 (7.)
 Trefferlage 4.77 mm links, 11.08 mm hoch
 Streuwert 11.55, horizontal: 5.05, vertikal: 15.54



Serie 2:
 9.1 ↖ 8.9 ↑ 8.0 ↓ 8.9 ↙ 9.3 ↑
 6.0 ↑ 10.5 * 10.5 * 10.6 * 7.5 ↑
 beste Teiler 249.0 (19.) 345.2 (17.) 361.8 (18.)
 Trefferlage 1.69 mm links, 7.25 mm hoch
 Streuwert 13.49, horizontal: 4.57, vertikal: 18.52



Serie 3:
 9.4 ↑ 10.4 * 10.0 ↘ 8.6 ↑ 10.4 *
 8.4 ↙ 9.9 ↘ 7.3 ↓ 10.3 ↖ 8.9 ↓
 beste Teiler 423.7 (25.) 460.9 (22.) 536.5 (29.)
 Trefferlage 2.19 mm links, 2.23 mm tief
 Streuwert 10.94, horizontal: 4.84, vertikal: 14.69





Serie 4:
 8.6 ↗ 10.2 ↖ 10.3 ↓ 8.6 ↑ 9.2 ↙
 9.5 ↓ 10.6 * 9.1 ↖ 9.1 ↓ 8.5 ↑
 beste Teiler 296.0 (37.) 557.3 (33.) 601.5 (32.)
 Trefferlage 2.52 mm links, 2.43 mm hoch
 Streuwert 9.98, horizontal: 5.66, vertikal: 12.94


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **390** (406.0)
 Serien: 97 97 98 98
 Zähler: 31 8 1 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 1843 (31), 1462 (9), 1411 (27)
 beste Teiler 92.8 (32.) 134.0 (2.) 173.0 (24.)
 Trefferlage 0.24 mm rechts, 1.24 mm tief
 Streuwert 5.23, horizontal: 3.23, vertikal: 6.66




Serie 1:
 10.4 * 10.8 * 9.8 ↑ 10.1 ↗ 10.3 ↗
 9.7 ↗ 10.2 ↓ 10.3 ↖ 9.1 ↑ 10.5 *
 beste Teiler 134.0 (2.) 341.4 (10.) 401.9 (1.)
 Trefferlage 0.05 mm rechts, 3.38 mm hoch
 Streuwert 5.03, horizontal: 3.30, vertikal: 6.31



Serie 2:
 10.2 ↗ 10.1 ↖ 10.6 * 10.3 → 10.0 ↓
 9.4 ↓ 9.7 ↑ 9.9 ↓ 10.5 * 10.0 ↓
 beste Teiler 311.7 (13.) 387.6 (19.) 482.3 (14.)
 Trefferlage 0.97 mm rechts, 2.15 mm tief
 Streuwert 5.36, horizontal: 3.59, vertikal: 6.67



Serie 3:
 10.5 * 9.7 ↓ 10.2 ↓ 10.7 * 10.6 *
 10.0 ↓ 9.2 ↓ 10.5 * 10.5 * 10.3 ←
 beste Teiler 173.0 (24.) 268.8 (25.) 355.2 (21.)
 Trefferlage 0.80 mm links, 3.94 mm tief
 Streuwert 4.15, horizontal: 2.74, vertikal: 5.19





Serie 4:
 8.6 ↓ 10.8 * 10.3 ↘ 10.1 ↑ 10.0 ↓
 10.5 * 10.1 ↘ 10.6 * 10.2 ↗ 10.7 *
 beste Teiler 92.8 (32.) 215.7 (40.) 295.0 (38.)
 Trefferlage 0.77 mm rechts, 2.24 mm tief
 Streuwert 5.41, horizontal: 3.44, vertikal: 6.84


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (391.7)
 Serien: 88 97 92 95
 Zähler: 18 18 2 2 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2935 (23), 2616 (2), 1732 (5)
 beste Teiler 246.7 (15.) 271.7 (19.) 275.8 (27.)
 Trefferlage 1.49 mm links, 1.68 mm hoch
 Streuwert 7.73, horizontal: 4.82, vertikal: 9.81




Serie 1:
 9.2 ↘ 7.7 ↑ 9.1 ↖ 9.9 → 8.8 ↓
 10.5 * 9.6 ↑ 9.5 ↑ 9.3 ↓ 9.6 ↑
 beste Teiler 379.5 (6.) 842.3 (4.) 1077.6 (10.)
 Trefferlage 0.00 mm , 5.50 mm hoch
 Streuwert 9.77, horizontal: 6.13, vertikal: 12.38



Serie 2:
 9.9 ↘ 10.4 * 8.9 ↑ 10.2 ← 10.6 *
 10.0 ↙ 10.5 * 10.5 * 10.6 * 10.5 *
 beste Teiler 246.7 (15.) 271.7 (19.) 373.3 (20.)
 Trefferlage 2.69 mm links, 0.87 mm hoch
 Streuwert 4.96, horizontal: 2.79, vertikal: 6.44



Serie 3:
 9.3 ↓ 9.3 ↓ 7.3 ↑ 10.6 * 9.9 ↗
 10.3 ↗ 10.6 * 9.9 ↙ 10.0 ↘ 9.7 ↓
 beste Teiler 275.8 (27.) 305.5 (24.) 530.2 (26.)
 Trefferlage 1.23 mm links, 0.73 mm hoch
 Streuwert 9.22, horizontal: 4.13, vertikal: 12.36



Serie 4:
 9.1 ↙ 9.7 ← 9.7 ↘ 10.5 * 10.3 ↑
 10.3 ↙ 9.7 ↗ 10.4 * 9.5 ↙ 10.3 →
 beste Teiler 390.7 (34.) 461.8 (38.) 492.4 (36.)
 Trefferlage 2.07 mm links, 0.36 mm tief
 Streuwert 6.35, horizontal: 5.82, vertikal: 6.84

Unterschrift des Schützen

Meyton Elektronik

