





Ergebnis: **381.9** (361)
 Serien: 92.9 97.3 96.6 95.1
 Zähler: 15 14 8 3 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 958 (10), 800 (2), 763 (39)
 beste Teiler 7.0 (37.) 50.9 (4.) 62.3 (22.)
 Trefferlage 1.48 mm links, 0.29 mm hoch
 Streuwert 2.82, horizontal: 3.42, vertikal: 2.06




Serie 1:
 9.8 ↙ 7.8 ← 10.2 * 10.8 * 9.4 →
 10.1 ↘ 9.9 ↘ 9.8 ↖ 8.0 ↙ 7.1 →
 beste Teiler 50.9 (4.) 194.6 (3.) 203.0 (6.)
 Trefferlage 0.52 mm links, 1.21 mm tief
 Streuwert 3.66, horizontal: 4.69, vertikal: 2.17



Serie 2:
 8.8 ← 9.8 ↖ 8.2 ← 10.3 * 9.9 →
 10.0 ↘ 10.2 * 10.1 ↖ 10.2 * 9.8 ←
 beste Teiler 170.4 (14.) 179.8 (17.) 187.5 (19.)
 Trefferlage 1.78 mm links, 0.19 mm hoch
 Streuwert 2.21, horizontal: 2.76, vertikal: 1.47



Serie 3:
 9.1 ← 10.7 * 9.2 ↖ 10.3 * 9.8 ↓
 10.6 * 8.9 ↖ 8.5 → 9.8 ↖ 9.7 ←
 beste Teiler 62.3 (22.) 84.5 (26.) 171.7 (24.)
 Trefferlage 1.08 mm links, 0.39 mm hoch
 Streuwert 2.61, horizontal: 3.14, vertikal: 1.95





Serie 4:
 8.6 ↖ 8.6 ↖ 10.4 * 10.7 * 9.5 ↑
 10.7 * 10.9 * 8.7 ↖ 7.9 ↖ 9.1 ↖
 beste Teiler 7.0 (37.) 72.3 (34.) 75.1 (36.)
 Trefferlage 2.54 mm links, 1.80 mm hoch
 Streuwert 2.38, horizontal: 2.94, vertikal: 1.63


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **395.3** (377)
 Serien: 99.7 100.4 98.0 97.2
 Zähler: 24 9 7 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 649 (25), 551 (8), 545 (36)
 beste Teiler 53.1 (7.) 73.5 (20.) 75.1 (31.)
 Trefferlage 1.51 mm rechts, 0.06 mm tief
 Streuwert 1.97, horizontal: 2.35, vertikal: 1.48




Serie 1:
 10.1 ↗ 10.5 * 9.9 ↗ 10.5 * 8.8 →
 10.1 ↑ 10.7 * 8.7 → 10.1 ↖ 10.3 *
 beste Teiler 53.1 (7.) 115.4 (2.) 121.2 (4.)
 Trefferlage 1.07 mm rechts, 0.69 mm hoch
 Streuwert 1.96, horizontal: 2.45, vertikal: 1.28



Serie 2:
 10.0 ↓ 9.5 ↘ 10.3 * 8.9 → 10.2 *
 10.2 * 10.5 * 9.8 ↘ 10.3 * 10.7 *
 beste Teiler 73.5 (20.) 120.2 (17.) 152.6 (13.)
 Trefferlage 1.07 mm rechts, 0.21 mm tief
 Streuwert 1.75, horizontal: 1.96, vertikal: 1.52





Serie 3:
 10.6 * 9.0 → 8.8 ↘ 10.0 ↗ 8.4 →
 10.2 * 10.3 * 10.4 * 9.9 ↙ 10.4 *
 beste Teiler 88.2 (21.) 129.6 (30.) 143.3 (28.)
 Trefferlage 2.02 mm rechts, 0.35 mm tief
 Streuwert 2.02, horizontal: 2.45, vertikal: 1.47




Serie 4:
 10.7 * 9.7 ↘ 9.5 ↘ 9.0 → 9.8 ↖
 8.8 → 10.4 * 8.8 → 10.4 * 10.1 ↓
 beste Teiler 75.1 (31.) 126.6 (39.) 135.1 (37.)
 Trefferlage 1.88 mm rechts, 0.39 mm tief
 Streuwert 2.20, horizontal: 2.70, vertikal: 1.56

Unterschrift des Schützen


Ergebnis: **396.2** (378)
 Serien: 98.4 98.3 100.0 99.5
 Zähler: 20 18 2 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 631 (29), 506 (2), 447 (39)
 beste Teiler 75.4 (35.) 82.0 (21.) 99.0 (25.)
 Trefferlage 0.12 mm links, 0.94 mm hoch
 Streuwert 1.96, horizontal: 2.43, vertikal: 1.34




Serie 1:
 9.3 ← 8.9 → 10.4 * 9.9 ↖ 10.2 *
 9.8 ↘ 9.4 ← 10.2 * 10.0 ↗ 10.3 *
 beste Teiler 136.6 (3.) 170.8 (10.) 181.6 (8.)
 Trefferlage 0.45 mm links, 0.75 mm hoch
 Streuwert 2.13, horizontal: 2.87, vertikal: 0.93



Serie 2:
 9.9 ↑ 10.3 * 9.3 ↗ 10.3 * 9.4 ↖
 10.3 * 9.3 ← 9.3 ↖ 10.0 ↗ 10.2 *
 beste Teiler 158.3 (14.) 165.4 (12.) 166.2 (16.)
 Trefferlage 0.60 mm links, 1.27 mm hoch
 Streuwert 1.97, horizontal: 2.28, vertikal: 1.61





Serie 3:
 10.6 * 9.7 ↘ 10.2 * 9.8 ↗ 10.6 *
 10.5 * 10.2 * 10.3 * 8.4 → 9.7 ↘
 beste Teiler 82.0 (21.) 99.0 (25.) 108.7 (26.)
 Trefferlage 0.11 mm rechts, 0.76 mm hoch
 Streuwert 2.02, horizontal: 2.47, vertikal: 1.44




Serie 4:
 9.9 ↗ 9.3 ↖ 10.4 * 9.5 ↗ 10.7 *
 10.5 * 9.9 ↗ 9.8 ↘ 9.2 → 10.3 *
 beste Teiler 75.4 (35.) 101.1 (36.) 138.1 (33.)
 Trefferlage 0.43 mm rechts, 0.99 mm hoch
 Streuwert 1.91, horizontal: 2.29, vertikal: 1.44

Unterschrift des Schützen


Ergebnis: **379.2** (359)
 Serien: 92.5 97.0 96.0 93.7
 Zähler: 10 20 9 1 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 762 (6), 743 (25), 705 (34)
 beste Teiler 81.5 (40.) 89.4 (29.) 111.1 (18.)
 Trefferlage 0.23 mm rechts, 0.34 mm hoch
 Streuwert 2.94, horizontal: 3.35, vertikal: 2.47




Serie 1:
 8.8 → 9.4 ↘ 8.6 ← 9.9 ← 9.4 ↓
 7.9 ↗ 9.4 ↑ 9.4 ↘ 9.8 ↓ 9.9 ↓
 beste Teiler 258.0 (4.) 261.8 (10.) 299.8 (9.)
 Trefferlage 0.36 mm rechts, 0.03 mm hoch
 Streuwert 3.35, horizontal: 3.74, vertikal: 2.91



Serie 2:
 9.9 ↖ 10.0 → 10.4 * 8.3 ↘ 10.3 *
 8.9 ↙ 9.2 ↗ 10.5 * 9.6 ↓ 9.9 ↗
 beste Teiler 111.1 (18.) 146.4 (13.) 156.5 (15.)
 Trefferlage 0.63 mm links, 0.29 mm hoch
 Streuwert 2.59, horizontal: 2.52, vertikal: 2.66





Serie 3:
 9.3 → 10.4 * 9.9 ↗ 9.8 ↗ 8.0 ↖
 10.1 ↓ 8.6 ↖ 8.8 → 10.6 * 10.5 *
 beste Teiler 89.4 (29.) 111.8 (30.) 137.4 (22.)
 Trefferlage 0.04 mm rechts, 0.44 mm hoch
 Streuwert 2.95, horizontal: 3.58, vertikal: 2.15




Serie 4:
 8.2 ↗ 9.8 ↘ 9.0 ↘ 8.1 → 9.8 ↖
 9.0 ↘ 10.0 ↙ 9.7 ↖ 9.5 → 10.6 *
 beste Teiler 81.5 (40.) 236.6 (37.) 281.3 (35.)
 Trefferlage 1.15 mm rechts, 0.59 mm hoch
 Streuwert 3.13, horizontal: 3.69, vertikal: 2.44

Unterschrift des Schützen


Ergebnis:	387.4	(369)
Serien:	92.4	98.9 98.1 98.0
Zähler:	13	24 2 1 0 0 0 0 0 0
Innenzehner:	10	
weiteste:	767 (3),	746 (32), 644 (4)
beste Teiler	94.2 (30.)	96.4 (19.) 121.9 (38.)
Trefferlage	1.05 mm rechts, 0.68 mm tief	
Streuwert	2.37, horizontal: 2.75, vertikal: 1.92	




Serie 1:	9.4 →	9.3 →	7.9 ↙	8.4 →	9.2 ↘
	9.3 →	9.9 ↙	9.3 ↙	9.5 →	10.2 *
beste Teiler	193.9 (10.) 253.1 (7.) 365.6 (9.)				
Trefferlage	1.26 mm rechts, 1.20 mm tief				
Streuwert	3.17, horizontal: 3.96, vertikal: 2.10				



Serie 2:	10.0 →	10.4 *	9.9 ↘	9.9 ↙	9.5 →
	9.7 ↗	10.0 ↙	9.5 ↘	10.6 *	9.4 ↙
beste Teiler	96.4 (19.) 128.8 (12.) 246.1 (11.)				
Trefferlage	0.93 mm rechts, 1.29 mm tief				
Streuwert	1.74, horizontal: 1.94, vertikal: 1.51				





Serie 3:	10.3 *	9.9 ↘	9.7 ↓	9.1 →	9.1 →
	9.9 ↘	9.6 ↗	9.5 ↘	10.4 *	10.6 *
beste Teiler	94.2 (30.) 139.5 (29.) 175.6 (21.)				
Trefferlage	1.74 mm rechts, 0.38 mm tief				
Streuwert	1.90, horizontal: 2.13, vertikal: 1.64				




Serie 4:	9.6 →	8.0 ↘	10.3 *	10.2 *	10.1 ←
	9.5 →	10.3 *	10.5 *	9.8 ↙	9.7 →
beste Teiler	121.9 (38.) 162.3 (37.) 170.2 (33.)				
Trefferlage	0.27 mm rechts, 0.14 mm hoch				
Streuwert	2.49, horizontal: 2.71, vertikal: 2.24				

Unterschrift des Schützen


Ergebnis: **397.2** (380)
 Serien: 98.4 100.1 98.8 99.9
 Zähler: 21 18 1 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 513 (36), 485 (22), 475 (6)
 beste Teiler 50.5 (16.) 53.9 (25.) 73.3 (18.)
 Trefferlage 0.77 mm rechts, 0.26 mm hoch
 Streuwert 1.95, horizontal: 2.00, vertikal: 1.91




Serie 1:
 9.5 ↑ 9.3 → 10.2 * 10.3 * 10.4 *
 9.1 ↑ 9.9 ↗ 10.4 * 9.3 ↗ 10.0 ↘
 beste Teiler 131.1 (5.) 138.6 (8.) 166.3 (4.)
 Trefferlage 1.42 mm rechts, 0.97 mm hoch
 Streuwert 1.86, horizontal: 1.62, vertikal: 2.07



Serie 2:
 10.5 * 9.1 ↑ 10.4 * 9.5 → 9.7 ↖
 10.8 * 9.4 ↗ 10.7 * 9.5 ↙ 10.5 *
 beste Teiler 50.5 (16.) 73.3 (18.) 116.3 (11.)
 Trefferlage 0.09 mm links, 0.82 mm hoch
 Streuwert 1.99, horizontal: 2.04, vertikal: 1.94



Serie 3:
 9.7 ↘ 9.0 → 10.1 ↓ 9.8 ↘ 10.7 *
 10.3 * 10.5 * 9.5 ↖ 9.4 → 9.8 ↘
 beste Teiler 53.9 (25.) 101.1 (27.) 174.3 (26.)
 Trefferlage 1.09 mm rechts, 0.64 mm tief
 Streuwert 1.99, horizontal: 2.26, vertikal: 1.68





Serie 4:
 9.9 ↖ 10.0 ↓ 10.1 ↓ 9.8 → 10.4 *
 8.9 → 10.1 ↓ 10.3 * 10.1 ↑ 10.3 *
 beste Teiler 141.4 (35.) 155.7 (38.) 157.1 (40.)
 Trefferlage 0.68 mm rechts, 0.11 mm tief
 Streuwert 1.85, horizontal: 1.98, vertikal: 1.71


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **392.2** (374)
 Serien: 97.6 98.3 97.2 99.1
 Zähler: 16 22 2 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 730 (6), 565 (14), 491 (38)
 beste Teiler 65.4 (3.) 69.4 (31.) 70.2 (9.)
 Trefferlage 0.14 mm links, 0.52 mm tief
 Streuwert 2.27, horizontal: 2.38, vertikal: 2.16




Serie 1:
 10.2 * 9.4 ↙ 10.7 * 9.3 ↓ 9.4 →
 8.0 ↖ 9.8 ↓ 10.5 * 10.7 * 9.6 ↗
 beste Teiler 65.4 (3.) 70.2 (9.) 122.6 (8.)
 Trefferlage 0.39 mm links, 0.51 mm tief
 Streuwert 2.63, horizontal: 2.91, vertikal: 2.31



Serie 2:
 10.0 ↖ 10.3 * 9.2 ↖ 8.7 ↓ 9.8 ↓
 10.0 ↓ 10.5 * 10.4 * 10.0 ↙ 9.4 ↙
 beste Teiler 114.9 (17.) 134.4 (18.) 173.2 (12.)
 Trefferlage 1.21 mm links, 1.25 mm tief
 Streuwert 1.92, horizontal: 1.49, vertikal: 2.26





Serie 3:
 10.1 ↘ 9.9 ↘ 9.5 ↙ 10.2 * 9.7 ↗
 9.1 ↗ 9.9 ↙ 9.3 → 10.1 ↗ 9.4 ↘
 beste Teiler 178.7 (24.) 217.8 (21.) 224.6 (29.)
 Trefferlage 1.24 mm rechts, 0.09 mm tief
 Streuwert 2.20, horizontal: 2.08, vertikal: 2.32




Serie 4:
 10.7 * 9.6 → 9.8 ↘ 9.9 ↙ 10.6 *
 9.8 ← 9.7 ↘ 9.0 ← 9.5 ↑ 10.5 *
 beste Teiler 69.4 (31.) 83.1 (35.) 111.9 (40.)
 Trefferlage 0.22 mm links, 0.23 mm tief
 Streuwert 2.17, horizontal: 2.44, vertikal: 1.86

Unterschrift des Schützen


Ergebnis: **398.3** (380)
 Serien: 96.6 102.9 100.9 97.9
 Zähler: 24 13 2 1 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 794 (4), 604 (37), 599 (35)
 beste Teiler 32.8 (5.) 39.0 (12.) 44.9 (29.)
 Trefferlage 0.22 mm links, 0.61 mm hoch
 Streuwert 2.13, horizontal: 2.27, vertikal: 1.98




Serie 1:
 10.0 ← 9.2 ← 10.1 ← 7.8 ↑ 10.8 *
 9.7 ↘ 9.2 → 10.3 * 10.1 ↑ 9.4 ←
 beste Teiler 32.8 (5.) 166.6 (8.) 202.4 (3.)
 Trefferlage 0.60 mm links, 1.38 mm hoch
 Streuwert 2.60, horizontal: 2.62, vertikal: 2.58



Serie 2:
 9.9 ↓ 10.8 * 9.1 ↘ 10.1 → 10.5 *
 10.4 * 10.5 * 10.1 ↘ 10.8 * 10.7 *
 beste Teiler 39.0 (12.) 45.8 (19.) 62.4 (20.)
 Trefferlage 0.49 mm links, 0.44 mm hoch
 Streuwert 1.45, horizontal: 1.65, vertikal: 1.23





Serie 3:
 9.9 ↑ 9.5 ↙ 10.4 * 9.3 ↗ 9.8 ↗
 10.6 * 9.9 → 10.5 * 10.8 * 10.2 *
 beste Teiler 44.9 (29.) 99.0 (26.) 105.6 (28.)
 Trefferlage 0.38 mm rechts, 0.63 mm hoch
 Streuwert 1.71, horizontal: 1.44, vertikal: 1.95




Serie 4:
 9.2 ↙ 9.2 ↘ 10.1 ↗ 10.8 * 8.6 →
 10.4 * 8.5 ← 10.1 ↑ 10.6 * 10.4 *
 beste Teiler 48.7 (34.) 95.8 (39.) 126.8 (40.)
 Trefferlage 0.18 mm links, 0.00 mm
 Streuwert 2.63, horizontal: 3.16, vertikal: 1.97

Unterschrift des Schützen


Ergebnis: **390.7** (376)
 Serien: 93.5 98.4 99.8 99.0
 Zähler: 20 16 4 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 673 (4), 670 (2), 607 (10)
 beste Teiler 56.4 (5.) 69.2 (35.) 122.8 (19.)
 Trefferlage 0.42 mm links, 0.59 mm hoch
 Streuwert 2.36, horizontal: 2.52, vertikal: 2.18




Serie 1:
 9.1 ↙ 8.3 ↖ 9.4 ↖ 8.3 ↘ 10.7 *
 9.0 ↖ 9.9 → 10.3 * 10.0 ← 8.5 ↑
 beste Teiler 56.4 (5.) 175.2 (8.) 250.1 (9.)
 Trefferlage 1.55 mm links, 0.42 mm hoch
 Streuwert 3.14, horizontal: 2.97, vertikal: 3.30



Serie 2:
 10.1 ↑ 9.6 ↖ 10.1 ↙ 9.9 ↑ 9.8 ↑
 10.1 → 8.6 → 9.6 → 10.5 * 10.1 →
 beste Teiler 122.8 (19.) 201.5 (20.) 220.5 (13.)
 Trefferlage 0.93 mm rechts, 0.86 mm hoch
 Streuwert 2.10, horizontal: 2.46, vertikal: 1.65



Serie 3:
 10.4 * 10.2 * 10.0 ↖ 9.9 ← 10.4 *
 10.1 ↙ 9.5 ↗ 10.2 * 10.0 ← 9.1 ↖
 beste Teiler 134.3 (25.) 147.4 (21.) 193.4 (28.)
 Trefferlage 0.55 mm links, 0.36 mm hoch
 Streuwert 1.90, horizontal: 2.08, vertikal: 1.70





Serie 4:
 9.8 → 9.7 ↑ 10.1 → 9.0 ↖ 10.7 *
 9.8 ↖ 10.2 * 10.1 ↓ 10.4 * 9.2 ←
 beste Teiler 69.2 (35.) 130.4 (39.) 185.0 (37.)
 Trefferlage 0.51 mm links, 0.74 mm hoch
 Streuwert 2.08, horizontal: 2.20, vertikal: 1.96


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **397.4** (379)
 Serien: 99.8 96.4 101.8 99.4
 Zähler: 22 15 3 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 617 (14), 531 (18), 523 (40)
 beste Teiler 58.6 (10.) 65.7 (27.) 85.0 (26.)
 Trefferlage 0.57 mm rechts, 0.09 mm tief
 Streuwert 2.02, horizontal: 2.28, vertikal: 1.72




Serie 1:
 10.1 ↖ 9.7 → 10.3 * 9.9 ↗ 10.3 *
 9.4 ← 10.1 ↘ 10.2 * 9.1 → 10.7 *
 beste Teiler 58.6 (10.) 154.0 (5.) 174.9 (3.)
 Trefferlage 0.49 mm rechts, 0.22 mm hoch
 Streuwert 1.97, horizontal: 2.38, vertikal: 1.44



Serie 2:
 9.2 ↗ 9.6 ↖ 10.3 * 8.5 ↘ 9.6 ↓
 9.9 ↖ 10.2 * 8.8 → 10.1 ↑ 10.2 *
 beste Teiler 169.7 (13.) 180.4 (17.) 197.2 (20.)
 Trefferlage 1.20 mm rechts, 0.29 mm hoch
 Streuwert 2.54, horizontal: 2.72, vertikal: 2.34





Serie 3:
 10.5 * 10.4 * 10.2 * 9.5 ↘ 9.8 ↙
 10.6 * 10.7 * 9.9 ↗ 10.3 * 9.9 ←
 beste Teiler 65.7 (27.) 85.0 (26.) 105.0 (21.)
 Trefferlage 0.55 mm rechts, 0.66 mm tief
 Streuwert 1.43, horizontal: 1.55, vertikal: 1.29




Serie 4:
 10.4 * 9.3 ← 10.1 ↙ 9.4 ↑ 10.5 *
 10.3 * 10.4 * 10.3 * 9.8 ↙ 8.9 →
 beste Teiler 104.2 (35.) 144.0 (31.) 145.6 (37.)
 Trefferlage 0.04 mm rechts, 0.23 mm tief
 Streuwert 2.16, horizontal: 2.52, vertikal: 1.72

Unterschrift des Schützen


Ergebnis: **385.0** (370)
 Serien: 91.5 99.7 96.1 97.7
 Zähler: 20 11 8 1 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 789 (9), 742 (1), 717 (19)
 beste Teiler 35.0 (34.) 81.4 (38.) 94.4 (4.)
 Trefferlage 1.81 mm rechts, 0.17 mm hoch
 Streuwert 2.49, horizontal: 3.03, vertikal: 1.81




Serie 1:
 8.0 ↘ 10.4 * 9.5 ↑ 10.6 * 8.3 →
 10.0 ↗ 9.2 ← 9.0 → 7.8 ↘ 8.7 →
 beste Teiler 94.4 (4.) 150.4 (2.) 226.9 (6.)
 Trefferlage 2.60 mm rechts, 0.06 mm hoch
 Streuwert 3.26, horizontal: 3.62, vertikal: 2.85



Serie 2:
 10.2 * 10.3 * 10.2 * 10.3 * 10.2 *
 10.3 * 10.4 * 10.2 * 8.1 → 9.5 →
 beste Teiler 140.5 (17.) 163.7 (12.) 170.7 (14.)
 Trefferlage 1.15 mm rechts, 0.11 mm tief
 Streuwert 2.05, horizontal: 2.66, vertikal: 1.14



Serie 3:
 10.5 * 9.9 → 10.3 * 10.1 ↘ 9.1 →
 10.3 * 9.1 → 8.4 ↘ 9.9 ↗ 8.5 ←
 beste Teiler 113.3 (21.) 159.7 (23.) 173.5 (26.)
 Trefferlage 1.35 mm rechts, 0.63 mm hoch
 Streuwert 2.64, horizontal: 3.43, vertikal: 1.49





Serie 4:
 8.8 → 9.7 → 9.0 → 10.8 * 10.0 ↖
 10.4 * 9.4 ↘ 10.6 * 10.4 * 8.6 ↘
 beste Teiler 35.0 (34.) 81.4 (38.) 130.8 (39.)
 Trefferlage 2.14 mm rechts, 0.10 mm hoch
 Streuwert 2.04, horizontal: 2.49, vertikal: 1.46


 Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **404.1** (386)
 Serien: 101.1 103.4 100.4 99.2
 Zähler: 26 14 0 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 422 (36), 411 (10), 388 (22)
 beste Teiler 51.0 (9.) 51.0 (19.) 51.6 (30.)
 Trefferlage 0.06 mm rechts, 0.28 mm hoch
 Streuwert 1.66, horizontal: 1.83, vertikal: 1.48




Serie 1:
 9.9 ↗ 10.3 * 10.4 * 10.0 → 9.9 ↑
 10.1 ↘ 10.0 ← 10.5 * 10.7 * 9.3 ↓
 beste Teiler 51.0 (9.) 109.2 (8.) 149.8 (3.)
 Trefferlage 0.23 mm links, 0.05 mm tief
 Streuwert 1.70, horizontal: 1.43, vertikal: 1.93



Serie 2:
 10.6 * 10.0 ↑ 9.9 ↘ 10.5 * 10.4 *
 10.0 ↘ 10.5 * 10.2 * 10.7 * 10.6 *
 beste Teiler 51.0 (19.) 91.7 (20.) 93.0 (11.)
 Trefferlage 0.28 mm rechts, 0.00 mm
 Streuwert 1.23, horizontal: 1.12, vertikal: 1.33





Serie 3:
 10.4 * 9.4 ↗ 9.7 ↑ 9.5 ← 9.8 →
 10.5 * 10.5 * 9.8 ← 10.1 → 10.7 *
 beste Teiler 51.6 (30.) 102.1 (26.) 114.1 (27.)
 Trefferlage 0.02 mm links, 0.81 mm hoch
 Streuwert 1.78, horizontal: 2.13, vertikal: 1.35




Serie 4:
 10.2 * 9.8 → 10.4 * 10.0 → 10.2 *
 9.3 ↘ 9.6 ↘ 9.7 → 9.5 ← 10.5 *
 beste Teiler 103.6 (40.) 139.0 (33.) 176.5 (31.)
 Trefferlage 0.24 mm rechts, 0.41 mm hoch
 Streuwert 2.01, horizontal: 2.56, vertikal: 1.25

Unterschrift des Schützen


Ergebnis: **391.5** (372)
 Serien: 99.2 96.6 100.5 95.2
 Zähler: 19 14 7 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 713 (36), 612 (13), 590 (34)
 beste Teiler 10.4 (26.) 65.5 (4.) 86.5 (38.)
 Trefferlage 0.38 mm links, 0.04 mm hoch
 Streuwert 2.45, horizontal: 2.58, vertikal: 2.31




Serie 1:
 9.3 → 10.1 ↘ 10.5 * 10.7 * 10.0 ↙
 8.8 ↖ 9.8 ↓ 9.4 ↗ 10.1 ↑ 10.5 *
 beste Teiler 65.5 (4.) 124.4 (3.) 125.0 (10.)
 Trefferlage 0.08 mm rechts, 0.21 mm hoch
 Streuwert 2.21, horizontal: 2.39, vertikal: 2.02



Serie 2:
 10.5 * 10.4 * 8.5 ↖ 10.4 * 9.8 ↙
 9.4 ← 8.9 → 10.5 * 9.5 ← 8.7 ↙
 beste Teiler 107.0 (18.) 117.1 (11.) 132.8 (12.)
 Trefferlage 1.32 mm links, 0.03 mm tief
 Streuwert 2.59, horizontal: 2.87, vertikal: 2.28



Serie 3:
 10.5 * 9.8 → 9.4 ← 8.8 ↓ 10.4 *
 10.9 * 10.4 * 9.5 ↓ 10.4 * 10.4 *
 beste Teiler 10.4 (26.) 111.0 (21.) 132.1 (25.)
 Trefferlage 0.05 mm rechts, 0.95 mm tief
 Streuwert 1.94, horizontal: 1.73, vertikal: 2.12





Serie 4:
 9.6 → 9.1 ↗ 10.5 * 8.6 ← 9.0 ←
 8.1 ↗ 9.7 ↓ 10.6 * 10.6 * 9.4 ↖
 beste Teiler 86.5 (38.) 91.2 (39.) 104.4 (33.)
 Trefferlage 0.34 mm links, 0.95 mm hoch
 Streuwert 2.98, horizontal: 3.25, vertikal: 2.68


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **397.5** (379)
 Serien: 100.7 98.6 98.5 99.7
 Zähler: 19 21 0 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 484 (10), 455 (21), 449 (22)
 beste Teiler 16.1 (20.) 80.0 (7.) 81.0 (3.)
 Trefferlage 0.23 mm links, 0.94 mm hoch
 Streuwert 1.92, horizontal: 2.38, vertikal: 1.32




Serie 1:
 9.9 ↘ 9.8 ↘ 10.6 * 10.5 * 10.0 ↗
 10.3 * 10.6 * 10.4 * 9.6 ↗ 9.0 ↗
 beste Teiler 80.0 (7.) 81.0 (3.) 117.0 (4.)
 Trefferlage 0.73 mm rechts, 0.66 mm hoch
 Streuwert 1.71, horizontal: 1.83, vertikal: 1.59



Serie 2:
 9.7 ↖ 9.8 ↗ 9.7 ↑ 9.3 → 10.6 *
 9.2 ↖ 9.2 → 9.7 ↗ 10.5 * 10.9 *
 beste Teiler 16.1 (20.) 91.2 (15.) 124.0 (19.)
 Trefferlage 0.78 mm rechts, 1.20 mm hoch
 Streuwert 2.04, horizontal: 2.60, vertikal: 1.25



Serie 3:
 9.1 ↖ 9.2 ↖ 10.4 * 10.2 * 9.7 ↗
 9.2 ↖ 10.4 * 10.5 * 9.9 ← 9.9 ←
 beste Teiler 101.2 (28.) 142.0 (27.) 145.1 (23.)
 Trefferlage 1.72 mm links, 1.40 mm hoch
 Streuwert 1.57, horizontal: 2.05, vertikal: 0.85





Serie 4:
 9.5 ↘ 10.3 * 10.3 * 10.5 * 9.3 ↖
 9.3 ↖ 10.5 * 10.3 * 9.6 ↖ 10.1 ↖
 beste Teiler 108.7 (34.) 120.3 (37.) 151.0 (32.)
 Trefferlage 0.72 mm links, 0.52 mm hoch
 Streuwert 1.92, horizontal: 2.30, vertikal: 1.45


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **399.3** (380)
 Serien: 99.0 96.6 103.0 100.7
 Zähler: 23 14 3 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 687 (9), 523 (13), 508 (16)
 beste Teiler 22.0 (31.) 71.0 (20.) 78.3 (6.)
 Trefferlage 0.05 mm links, 0.63 mm tief
 Streuwert 1.96, horizontal: 1.95, vertikal: 1.97




Serie 1:
 9.8 ↓ 9.8 ↘ 10.5 * 9.5 ↙ 10.2 *
 10.6 * 10.3 * 10.3 * 8.2 ↘ 9.8 ↗
 beste Teiler 78.3 (6.) 124.8 (3.) 168.3 (8.)
 Trefferlage 0.15 mm rechts, 0.69 mm tief
 Streuwert 2.26, horizontal: 2.02, vertikal: 2.48



Serie 2:
 9.2 ↙ 9.9 ↘ 8.9 ↘ 9.7 ↙ 10.2 *
 8.9 ↗ 10.6 * 9.3 ↙ 9.2 ↖ 10.7 *
 beste Teiler 71.0 (20.) 85.3 (17.) 176.2 (15.)
 Trefferlage 0.89 mm links, 0.72 mm tief
 Streuwert 2.54, horizontal: 2.62, vertikal: 2.46



Serie 3:
 10.4 * 10.4 * 10.1 ↓ 10.6 * 10.5 *
 10.0 ↘ 10.0 ↘ 10.5 * 10.3 * 10.2 *
 beste Teiler 100.0 (24.) 105.6 (28.) 115.1 (25.)
 Trefferlage 0.12 mm rechts, 0.45 mm tief
 Streuwert 1.23, horizontal: 1.10, vertikal: 1.35





Serie 4:
 10.9 * 10.6 * 9.9 ↖ 10.2 * 9.8 ↓
 9.8 ↓ 9.8 → 9.3 → 10.2 * 10.2 *
 beste Teiler 22.0 (31.) 93.5 (32.) 188.3 (39.)
 Trefferlage 0.40 mm rechts, 0.64 mm tief
 Streuwert 1.75, horizontal: 1.81, vertikal: 1.68


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **393.7** (376)
 Serien: 98.6 97.5 99.2 98.4
 Zähler: 17 22 1 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 519 (19), 474 (38), 469 (15)
 beste Teiler 9.0 (11.) 26.1 (28.) 79.9 (34.)
 Trefferlage 0.32 mm rechts, 1.69 mm tief
 Streuwert 1.78, horizontal: 1.98, vertikal: 1.55




Serie 1:
 9.4 ↘ 10.0 ↘ 10.0 ↙ 9.7 → 9.9 ↘
 9.7 ↘ 9.7 ↘ 10.1 ↑ 9.7 ↓ 10.4 *
 beste Teiler 140.0 (10.) 204.3 (8.) 236.2 (2.)
 Trefferlage 0.77 mm rechts, 1.75 mm tief
 Streuwert 1.48, horizontal: 1.27, vertikal: 1.66



Serie 2:
 10.9 * 9.2 ↘ 9.9 ↘ 10.1 ↘ 9.1 ↙
 9.6 ↙ 10.1 ← 9.9 ↘ 8.9 → 9.8 ↙
 beste Teiler 9.0 (11.) 222.9 (14.) 223.2 (17.)
 Trefferlage 0.12 mm links, 1.68 mm tief
 Streuwert 2.16, horizontal: 2.76, vertikal: 1.30





Serie 3:
 9.8 ↙ 10.2 * 9.5 ↘ 10.2 * 9.5 ↙
 9.3 ↘ 10.0 ↘ 10.8 * 9.5 ↘ 10.4 *
 beste Teiler 26.1 (28.) 127.0 (30.) 195.2 (24.)
 Trefferlage 0.01 mm rechts, 1.90 mm tief
 Streuwert 1.60, horizontal: 1.91, vertikal: 1.22




Serie 4:
 9.8 ↙ 10.0 ↘ 10.6 * 10.6 * 9.1 ↘
 9.7 ↑ 10.0 ↙ 9.1 ↘ 10.1 ↓ 9.4 →
 beste Teiler 79.9 (34.) 88.2 (33.) 212.4 (39.)
 Trefferlage 0.64 mm rechts, 1.43 mm tief
 Streuwert 1.98, horizontal: 1.86, vertikal: 2.10

Unterschrift des Schützen


Ergebnis: **391.6** (374)
 Serien: 95.7 98.8 99.6 97.5
 Zähler: 17 20 3 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 539 (6), 515 (4), 515 (35)
 beste Teiler 39.2 (8.) 65.0 (24.) 74.4 (21.)
 Trefferlage 0.23 mm rechts, 0.78 mm hoch
 Streuwert 2.22, horizontal: 2.71, vertikal: 1.58




Serie 1:
 10.0 ↙ 9.8 ↘ 9.4 → 8.9 ↗ 9.2 →
 8.8 ← 9.7 ← 10.8 * 9.2 → 9.9 ↑
 beste Teiler 39.2 (8.) 231.2 (1.) 269.0 (10.)
 Trefferlage 0.85 mm rechts, 0.41 mm hoch
 Streuwert 2.71, horizontal: 3.33, vertikal: 1.91



Serie 2:
 9.6 ↗ 10.0 ↓ 10.5 * 9.4 ↖ 10.0 ↑
 9.9 → 9.3 → 10.0 ↗ 9.8 ↗ 10.3 *
 beste Teiler 105.0 (13.) 166.5 (20.) 234.6 (15.)
 Trefferlage 0.97 mm rechts, 0.86 mm hoch
 Streuwert 1.88, horizontal: 2.25, vertikal: 1.42





Serie 3:
 10.7 * 10.4 * 9.3 ↖ 10.7 * 9.2 →
 10.6 * 9.3 ← 10.2 * 10.0 ↑ 9.2 ←
 beste Teiler 65.0 (24.) 74.4 (21.) 95.0 (26.)
 Trefferlage 0.64 mm links, 0.62 mm hoch
 Streuwert 2.08, horizontal: 2.65, vertikal: 1.29




Serie 4:
 10.1 ↖ 9.7 ↑ 10.0 ↙ 9.8 ↗ 8.9 ←
 9.5 ↗ 9.8 ↖ 10.3 * 9.2 → 10.2 *
 beste Teiler 168.7 (38.) 194.0 (40.) 202.1 (31.)
 Trefferlage 0.25 mm links, 1.24 mm hoch
 Streuwert 2.18, horizontal: 2.53, vertikal: 1.77

Unterschrift des Schützen


Ergebnis: **382.1** (367)
 Serien: 92.3 95.0 97.5 97.3
 Zähler: 15 18 6 1 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 834 (11), 731 (29), 624 (8)
 beste Teiler 4.4 (7.) 47.5 (12.) 75.1 (24.)
 Trefferlage 1.35 mm rechts, 0.57 mm tief
 Streuwert 2.67, horizontal: 3.39, vertikal: 1.68




Serie 1:
 9.4 ← 9.1 ← 9.2 ↓ 9.0 → 8.6 ↘
 9.0 ↘ 10.9 * 8.5 ↘ 9.6 ↓ 9.0 →
 beste Teiler 4.4 (7.) 345.4 (9.) 385.5 (1.)
 Trefferlage 1.41 mm rechts, 1.84 mm tief
 Streuwert 2.93, horizontal: 3.53, vertikal: 2.16



Serie 2:
 7.6 ← 10.8 * 9.5 → 9.8 ← 9.4 →
 9.4 → 8.5 → 10.2 * 9.2 → 10.6 *
 beste Teiler 47.5 (12.) 100.0 (20.) 194.3 (18.)
 Trefferlage 1.10 mm rechts, 0.26 mm hoch
 Streuwert 3.08, horizontal: 4.26, vertikal: 0.91



Serie 3:
 9.1 → 9.2 ↘ 10.4 * 10.7 * 10.0 ←
 10.5 * 10.4 * 10.4 * 8.0 → 8.8 →
 beste Teiler 75.1 (24.) 121.0 (26.) 135.3 (27.)
 Trefferlage 1.98 mm rechts, 0.66 mm tief
 Streuwert 2.30, horizontal: 3.17, vertikal: 0.73





Serie 4:
 10.3 * 9.5 ↓ 10.3 * 9.3 → 8.9 ↘
 9.1 → 10.1 ↘ 10.5 * 10.2 * 9.1 →
 beste Teiler 119.8 (38.) 170.0 (31.) 172.7 (33.)
 Trefferlage 0.90 mm rechts, 0.04 mm tief
 Streuwert 2.42, horizontal: 2.91, vertikal: 1.80


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **382.0** (367)
 Serien: 93.7 94.8 98.3 95.2
 Zähler: 18 13 7 2 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 782 (7), 772 (36), 697 (2)
 beste Teiler 10.4 (38.) 46.0 (29.) 71.1 (10.)
 Trefferlage 1.48 mm links, 0.00 mm
 Streuwert 2.71, horizontal: 3.31, vertikal: 1.94




Serie 1:
 9.5 ↘ 8.2 ↗ 10.0 ← 9.6 → 9.2 ↗
 9.0 ← 7.8 ← 9.3 ← 10.4 * 10.7 *
 beste Teiler 71.1 (10.) 143.1 (9.) 247.4 (3.)
 Trefferlage 0.72 mm links, 1.02 mm hoch
 Streuwert 3.23, horizontal: 4.35, vertikal: 1.42



Serie 2:
 10.0 ↘ 9.3 ↗ 10.1 ↘ 9.8 ↓ 9.5 ←
 8.7 ← 10.3 * 8.2 ← 8.4 ↗ 10.5 *
 beste Teiler 119.4 (20.) 164.5 (17.) 217.4 (13.)
 Trefferlage 2.12 mm links, 0.67 mm tief
 Streuwert 2.59, horizontal: 3.11, vertikal: 1.93



Serie 3:
 8.9 ↘ 10.2 * 10.3 * 10.1 ← 10.2 *
 10.0 ↘ 8.4 ← 9.4 ← 10.8 * 10.0 ↓
 beste Teiler 46.0 (29.) 157.8 (23.) 177.8 (25.)
 Trefferlage 1.66 mm links, 0.32 mm hoch
 Streuwert 2.11, horizontal: 2.27, vertikal: 1.93





Serie 4:
 9.3 ↘ 10.3 * 10.2 * 10.0 ↗ 8.2 ←
 7.9 ← 9.9 ↘ 10.9 * 9.3 ↘ 9.2 ↘
 beste Teiler 10.4 (38.) 154.1 (32.) 200.3 (33.)
 Trefferlage 1.44 mm links, 0.67 mm tief
 Streuwert 2.93, horizontal: 3.56, vertikal: 2.13


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **390.1** (372)
 Serien: 96.8 96.3 99.1 97.9
 Zähler: 14 24 2 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 570 (6), 538 (32), 487 (11)
 beste Teiler 58.5 (9.) 58.5 (23.) 110.0 (39.)
 Trefferlage 0.07 mm rechts, 0.98 mm hoch
 Streuwert 2.23, horizontal: 2.68, vertikal: 1.68




Serie 1:
 9.6 → 9.0 ↗ 10.5 * 9.0 ↑ 9.8 ←
 8.7 → 9.7 ↖ 9.9 ↘ 10.7 * 9.9 ↑
 beste Teiler 58.5 (9.) 123.6 (3.) 260.5 (8.)
 Trefferlage 0.87 mm rechts, 1.40 mm hoch
 Streuwert 2.32, horizontal: 2.74, vertikal: 1.79



Serie 2:
 9.0 → 9.5 ↖ 9.7 ↓ 9.9 ↖ 9.5 →
 10.1 ↖ 9.5 ↑ 9.1 → 9.7 ↑ 10.3 *
 beste Teiler 167.1 (20.) 220.9 (16.) 257.2 (14.)
 Trefferlage 0.45 mm rechts, 0.66 mm hoch
 Streuwert 2.49, horizontal: 2.78, vertikal: 2.17





Serie 3:
 10.3 * 9.1 → 10.7 * 10.3 * 10.1 ↗
 9.7 ↓ 10.4 * 9.4 ← 9.5 ↖ 9.6 ↖
 beste Teiler 58.5 (23.) 139.4 (27.) 154.2 (21.)
 Trefferlage 0.40 mm links, 0.63 mm hoch
 Streuwert 2.08, horizontal: 2.45, vertikal: 1.63




Serie 4:
 9.7 ← 8.8 → 9.2 ↖ 10.1 ↗ 10.1 ↑
 10.2 * 9.5 ↖ 10.4 * 10.5 * 9.4 ↖
 beste Teiler 110.0 (39.) 133.9 (38.) 182.5 (36.)
 Trefferlage 0.62 mm links, 1.24 mm hoch
 Streuwert 2.14, horizontal: 2.84, vertikal: 1.04

Unterschrift des Schützen


Ergebnis: **402.2** (387)
 Serien: 97.1 101.2 102.3 101.6
 Zähler: 27 13 0 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 498 (39), 459 (1), 455 (3)
 beste Teiler 11.0 (13.) 40.7 (28.) 70.0 (27.)
 Trefferlage 0.36 mm links, 0.42 mm hoch
 Streuwert 1.78, horizontal: 1.84, vertikal: 1.72




Serie 1:
 9.1 ↖ 9.7 ↖ 9.1 ↖ 9.5 ↖ 9.6 ↑
 10.2 * 10.3 * 10.1 ↖ 10.1 → 9.4 ↗
 beste Teiler 154.4 (7.) 185.1 (6.) 201.8 (9.)
 Trefferlage 1.27 mm links, 1.46 mm hoch
 Streuwert 1.95, horizontal: 2.54, vertikal: 1.07



Serie 2:
 10.1 ↖ 9.8 ↘ 10.9 * 10.0 ↙ 10.3 *
 10.5 * 9.4 ← 9.8 ↖ 9.9 ↘ 10.5 *
 beste Teiler 11.0 (13.) 108.4 (20.) 109.2 (16.)
 Trefferlage 0.33 mm links, 0.08 mm tief
 Streuwert 1.71, horizontal: 1.75, vertikal: 1.67





Serie 3:
 9.2 ↖ 10.4 * 9.4 ↘ 10.0 ← 10.7 *
 10.1 ↑ 10.7 * 10.8 * 10.3 * 10.7 *
 beste Teiler 40.7 (28.) 70.0 (27.) 72.0 (25.)
 Trefferlage 0.27 mm links, 0.17 mm hoch
 Streuwert 1.65, horizontal: 1.56, vertikal: 1.73




Serie 4:
 10.2 * 10.0 → 10.4 * 10.4 * 10.5 *
 10.2 * 10.3 * 10.1 ↗ 9.0 ↓ 10.5 *
 beste Teiler 105.6 (35.) 116.2 (40.) 135.2 (33.)
 Trefferlage 0.41 mm rechts, 0.12 mm hoch
 Streuwert 1.64, horizontal: 1.07, vertikal: 2.06

Unterschrift des Schützen


Ergebnis: **379.2** (363)
 Serien: 93.2 94.8 94.6 96.6
 Zähler: 16 15 5 4 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 841 (29), 835 (5), 827 (21)
 beste Teiler 74.7 (24.) 96.8 (22.) 97.8 (11.)
 Trefferlage 0.66 mm rechts, 1.01 mm hoch
 Streuwert 2.97, horizontal: 3.90, vertikal: 1.55




Serie 1:
 9.5 ↑ 9.0 → 9.7 → 10.5 * 7.6 ↘
 9.5 ← 8.6 → 10.3 * 8.4 ↘ 10.1 ↗
 beste Teiler 105.2 (4.) 158.6 (8.) 216.6 (10.)
 Trefferlage 0.25 mm links, 1.52 mm hoch
 Streuwert 3.26, horizontal: 4.15, vertikal: 2.00



Serie 2:
 10.6 * 9.6 ↗ 9.0 → 9.5 ← 10.0 ↘
 9.9 ↘ 8.5 ← 10.0 ↘ 7.7 → 10.0 ↑
 beste Teiler 97.8 (11.) 238.7 (20.) 241.1 (18.)
 Trefferlage 0.64 mm rechts, 0.50 mm hoch
 Streuwert 3.07, horizontal: 4.05, vertikal: 1.56



Serie 3:
 7.6 → 10.6 * 10.0 ↑ 10.7 * 10.2 *
 9.2 ↗ 10.5 * 9.4 ↗ 7.6 → 8.8 ←
 beste Teiler 74.7 (24.) 96.8 (22.) 108.0 (27.)
 Trefferlage 1.34 mm rechts, 0.93 mm hoch
 Streuwert 3.23, horizontal: 4.37, vertikal: 1.36





Serie 4:
 8.2 → 10.5 * 9.7 ↗ 10.6 * 9.4 ↘
 10.4 * 9.0 → 10.4 * 9.2 ↗ 9.2 ←
 beste Teiler 99.0 (34.) 114.8 (32.) 128.9 (36.)
 Trefferlage 0.92 mm rechts, 1.08 mm hoch
 Streuwert 2.58, horizontal: 3.44, vertikal: 1.21


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **391.7** (372)
 Serien: 96.1 99.2 98.0 98.4
 Zähler: 17 18 5 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 717 (31), 659 (17), 602 (36)
 beste Teiler 37.8 (32.) 40.3 (11.) 58.0 (24.)
 Trefferlage 0.48 mm rechts, 0.27 mm tief
 Streuwert 2.37, horizontal: 2.83, vertikal: 1.79




Serie 1:
 10.0 ↗ 9.2 → 9.9 ↘ 9.0 ↓ 10.2 *
 9.7 ↓ 9.4 ↓ 9.1 → 10.0 ↓ 9.6 →
 beste Teiler 176.5 (5.) 227.9 (1.) 243.3 (9.)
 Trefferlage 1.88 mm rechts, 1.68 mm tief
 Streuwert 1.85, horizontal: 1.67, vertikal: 2.02



Serie 2:
 10.8 * 10.4 * 10.2 * 8.8 ↖ 9.7 →
 10.5 * 8.3 ↘ 9.5 ← 10.5 * 10.5 *
 beste Teiler 40.3 (11.) 103.8 (16.) 108.0 (20.)
 Trefferlage 0.01 mm rechts, 0.02 mm hoch
 Streuwert 2.41, horizontal: 3.06, vertikal: 1.52





Serie 3:
 9.9 → 8.9 ← 9.8 ↙ 10.7 * 10.5 *
 9.5 ← 9.7 ↗ 9.0 ↘ 9.8 ↖ 10.2 *
 beste Teiler 58.0 (24.) 106.2 (25.) 177.3 (30.)
 Trefferlage 0.77 mm links, 0.59 mm hoch
 Streuwert 2.26, horizontal: 2.67, vertikal: 1.76




Serie 4:
 8.1 → 10.8 * 9.9 ← 10.2 * 10.1 ↑
 8.5 → 10.5 * 9.9 ← 9.9 ← 10.5 *
 beste Teiler 37.8 (32.) 121.0 (40.) 122.9 (37.)
 Trefferlage 0.80 mm rechts, 0.02 mm tief
 Streuwert 2.50, horizontal: 3.36, vertikal: 1.11

Unterschrift des Schützen


Ergebnis: **392.7** (377)
 Serien: 96.3 97.9 98.5 100.0
 Zähler: 21 16 2 1 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 766 (14), 749 (10), 608 (25)
 beste Teiler 12.8 (19.) 91.4 (30.) 112.4 (38.)
 Trefferlage 0.28 mm rechts, 0.24 mm tief
 Streuwert 2.30, horizontal: 2.49, vertikal: 2.09




Serie 1:
 10.5 * 9.4 ↘ 9.1 → 10.2 * 9.7 ↗
 10.1 ↘ 10.0 ↙ 9.2 → 10.1 ↑ 8.0 ←
 beste Teiler 114.8 (1.) 177.0 (4.) 208.0 (6.)
 Trefferlage 0.46 mm rechts, 0.40 mm tief
 Streuwert 2.74, horizontal: 3.39, vertikal: 1.89



Serie 2:
 10.5 * 10.3 * 9.2 ↘ 7.9 ↘ 9.2 ↙
 9.8 ↗ 10.1 ↘ 10.0 ↖ 10.9 * 10.0 ←
 beste Teiler 12.8 (19.) 114.6 (11.) 167.3 (12.)
 Trefferlage 0.52 mm rechts, 0.91 mm tief
 Streuwert 2.52, horizontal: 2.80, vertikal: 2.20



Serie 3:
 9.8 ↖ 10.0 → 10.0 ↓ 9.4 ↘ 8.5 ↗
 9.5 ↙ 10.3 * 9.9 ↑ 10.5 * 10.6 *
 beste Teiler 91.4 (30.) 117.6 (29.) 154.9 (27.)
 Trefferlage 0.59 mm rechts, 0.03 mm tief
 Streuwert 2.25, horizontal: 2.08, vertikal: 2.40





Serie 4:
 9.9 ↖ 9.9 → 10.2 * 9.8 ↖ 10.0 ↓
 10.0 ↙ 9.8 ↑ 10.5 * 9.8 ← 10.1 ↖
 beste Teiler 112.4 (38.) 177.6 (33.) 216.6 (40.)
 Trefferlage 0.44 mm links, 0.38 mm hoch
 Streuwert 1.76, horizontal: 1.58, vertikal: 1.92


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **404.0** (382)
 Serien: 99.2 102.7 101.0 101.1
 Zähler: 23 16 1 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 717 (2), 404 (36), 341 (33)
 beste Teiler 48.6 (15.) 50.0 (16.) 53.0 (35.)
 Trefferlage 0.44 mm rechts, 0.02 mm hoch
 Streuwert 1.73, horizontal: 2.03, vertikal: 1.36




Serie 1:
 9.7 ↗ 8.1 → 9.7 ↗ 9.7 ↘ 9.9 ↘
 10.7 * 10.3 * 10.5 * 10.2 * 10.4 *
 beste Teiler 54.1 (6.) 108.0 (8.) 134.2 (10.)
 Trefferlage 1.56 mm rechts, 0.04 mm hoch
 Streuwert 2.03, horizontal: 2.18, vertikal: 1.87



Serie 2:
 10.0 ← 10.1 ← 10.3 * 9.9 ↙ 10.8 *
 10.8 * 10.1 ← 10.3 * 9.9 → 10.5 *
 beste Teiler 48.6 (15.) 50.0 (16.) 106.3 (20.)
 Trefferlage 0.55 mm links, 0.22 mm tief
 Streuwert 1.33, horizontal: 1.61, vertikal: 0.97



Serie 3:
 9.7 → 9.9 → 9.8 → 10.5 * 10.2 *
 10.4 * 9.8 ← 9.9 ↙ 10.2 * 10.6 *
 beste Teiler 81.8 (30.) 102.0 (24.) 145.7 (26.)
 Trefferlage 0.38 mm rechts, 0.12 mm tief
 Streuwert 1.63, horizontal: 1.99, vertikal: 1.18



Serie 4:
 10.5 * 10.7 * 9.6 ↗ 10.5 * 10.7 *
 9.3 ↘ 9.9 ← 9.9 ← 10.3 * 9.7 →
 beste Teiler 53.0 (35.) 69.8 (32.) 113.5 (31.)
 Trefferlage 0.38 mm rechts, 0.40 mm hoch
 Streuwert 1.73, horizontal: 2.00, vertikal: 1.40

Unterschrift des Schützen