





Ergebnis: **361** (381.2)
 Serien: 90 88 93 90
 Zähler: 13 18 7 1 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3499 (7), 2789 (16), 2112 (37)
 beste Teiler 264.5 (31.) 365.0 (34.) 381.7 (3.)
 Trefferlage 1.17 mm rechts, 0.01 mm tief
 Streuwert 9.36, horizontal: 8.83, vertikal: 9.85




Serie 1:
 9.1 ↘ 9.6 ↑ 10.5 * 8.6 ← 10.1 ↑
 9.2 ↓ 6.6 ↓ 10.3 ← 10.1 ↓ 9.6 ↑
 beste Teiler 381.7 (3.) 500.1 (8.) 663.7 (9.)
 Trefferlage 0.67 mm links, 3.20 mm tief
 Streuwert 11.20, horizontal: 7.94, vertikal: 13.71



Serie 2:
 8.7 → 9.8 ↓ 9.7 ↖ 9.9 ← 10.1 ↘
 7.5 → 10.4 * 9.8 ↓ 8.6 ↑ 9.8 ↓
 beste Teiler 449.1 (17.) 713.2 (15.) 854.0 (14.)
 Trefferlage 3.34 mm rechts, 0.24 mm tief
 Streuwert 10.06, horizontal: 11.61, vertikal: 8.22



Serie 3:
 10.0 → 9.7 ↙ 10.0 ↘ 9.3 → 9.9 ↓
 10.3 ↗ 9.8 → 8.7 ↑ 9.4 ↓ 10.0 →
 beste Teiler 487.5 (26.) 723.7 (30.) 752.0 (23.)
 Trefferlage 4.31 mm rechts, 1.56 mm tief
 Streuwert 7.07, horizontal: 6.52, vertikal: 7.57





Serie 4:
 10.6 * 9.6 ↓ 8.9 ↗ 10.5 * 10.5 *
 9.7 ↑ 8.3 ↘ 9.4 ↑ 8.9 ↖ 9.7 ↖
 beste Teiler 264.5 (31.) 365.0 (34.) 383.1 (35.)
 Trefferlage 2.29 mm links, 4.93 mm hoch
 Streuwert 8.09, horizontal: 8.02, vertikal: 8.16


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **356** (374.7)
 Serien: 87 84 93 92
 Zähler: 10 20 7 2 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3403 (6), 2751 (15), 2454 (19)
 beste Teiler 116.7 (8.) 230.4 (26.) 302.9 (33.)
 Trefferlage 1.66 mm rechts, 1.23 mm tief
 Streuwert 10.26, horizontal: 12.24, vertikal: 7.79




Serie 1:
 9.0 ↗ 8.1 ← 9.0 ↓ 8.4 ↘ 8.5 ←
 6.7 → 10.3 → 10.8 * 9.9 ↓ 10.4 *
 beste Teiler 116.7 (8.) 463.2 (10.) 550.0 (7.)
 Trefferlage 0.46 mm links, 0.65 mm hoch
 Streuwert 13.12, horizontal: 16.01, vertikal: 9.38



Serie 2:
 8.6 ← 8.5 ← 10.2 ↓ 8.7 ↘ 7.5 →
 9.4 ← 9.2 → 9.4 → 7.9 ↗ 9.2 ↓
 beste Teiler 636.6 (13.) 1212.0 (16.) 1231.1 (18.)
 Trefferlage 2.54 mm rechts, 1.06 mm tief
 Streuwert 13.05, horizontal: 15.72, vertikal: 9.68



Serie 3:
 10.1 ↖ 10.3 → 9.7 ← 9.5 → 8.6 →
 10.7 * 10.3 → 9.5 → 9.6 ↘ 9.8 ↓
 beste Teiler 230.4 (26.) 514.5 (22.) 546.4 (27.)
 Trefferlage 4.55 mm rechts, 0.86 mm tief
 Streuwert 6.66, horizontal: 8.32, vertikal: 4.42





Serie 4:
 9.8 → 9.8 → 10.6 * 9.8 ↖ 9.6 ←
 9.3 ↓ 10.2 ↑ 9.2 ↓ 9.3 ↓ 9.3 →
 beste Teiler 302.9 (33.) 590.3 (37.) 887.8 (31.)
 Trefferlage 0.02 mm rechts, 3.67 mm tief
 Streuwert 7.38, horizontal: 7.62, vertikal: 7.13


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **314** (333.6)
 Serien: 78 73 84 79
 Zähler: 7 9 8 7 6 2 1 0 0 0
 Innenzehner: 5
 weiteste: 4963 (23), 4303 (16), 4127 (6)
 beste Teiler 46.1 (24.) 159.0 (2.) 245.2 (25.)
 Trefferlage 0.60 mm links, 8.65 mm tief
 Streuwert 16.23, horizontal: 18.42, vertikal: 13.69




Serie 1:
 8.4 ↓ 10.8 * 9.1 ↙ 8.3 ↘ 7.3 ←
 5.8 ↓ 8.1 ← 9.8 ↗ 6.4 ← 8.0 ↘
 beste Teiler 159.0 (2.) 921.0 (8.) 1479.8 (3.)
 Trefferlage 8.35 mm links, 10.21 mm tief
 Streuwert 15.61, horizontal: 17.28, vertikal: 13.74



Serie 2:
 6.5 ← 6.8 ↓ 10.6 * 7.8 ↓ 8.6 ↘
 5.6 ↘ 6.4 ← 7.6 ↘ 10.0 ↘ 8.2 ↓
 beste Teiler 248.8 (13.) 738.7 (19.) 1841.8 (15.)
 Trefferlage 1.37 mm rechts, 17.22 mm tief
 Streuwert 16.34, horizontal: 20.23, vertikal: 11.18



Serie 3:
 6.8 ↘ 9.5 ↘ 4.7 ↗ 10.9 * 10.6 *
 9.0 ↓ 10.2 → 10.5 * 9.9 ← 7.7 ↘
 beste Teiler 46.1 (24.) 245.2 (25.) 354.2 (28.)
 Trefferlage 8.95 mm rechts, 1.95 mm tief
 Streuwert 14.72, horizontal: 15.29, vertikal: 14.13





Serie 4:
 8.7 ↖ 9.3 ← 8.8 ↖ 7.8 ↓ 9.1 ←
 7.4 → 9.1 ← 7.8 ↙ 9.6 ← 6.1 ↘
 beste Teiler 1078.9 (39.) 1313.0 (32.) 1490.3 (35.)
 Trefferlage 4.38 mm links, 5.23 mm tief
 Streuwert 15.67, horizontal: 18.43, vertikal: 12.32


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **345** (365.5)
 Serien: 84 87 84 90
 Zähler: 9 14 11 5 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3540 (39), 2825 (23), 2705 (6)
 beste Teiler 235.2 (31.) 290.2 (38.) 371.1 (16.)
 Trefferlage 5.82 mm links, 1.24 mm hoch
 Streuwert 11.03, horizontal: 9.89, vertikal: 12.07




Serie 1:
 8.2 ← 10.3 ← 7.8 ↙ 9.6 ← 8.7 ↗
 7.6 ↘ 8.9 ← 9.7 ↗ 10.2 ← 8.8 ←
 beste Teiler 518.2 (2.) 627.6 (9.) 980.6 (8.)
 Trefferlage 11.51 mm links, 3.04 mm tief
 Streuwert 9.42, horizontal: 8.79, vertikal: 10.01



Serie 2:
 8.9 ↙ 10.2 ↘ 9.2 ← 9.8 ↓ 9.3 ↖
 10.5 * 9.5 ↓ 8.3 → 7.6 ↘ 8.6 ↖
 beste Teiler 371.1 (16.) 570.6 (12.) 930.9 (14.)
 Trefferlage 5.57 mm links, 1.29 mm hoch
 Streuwert 10.85, horizontal: 11.30, vertikal: 10.39



Serie 3:
 9.9 ↖ 8.4 ↑ 7.4 ← 9.6 ↙ 8.5 ↗
 7.6 ↓ 9.7 ↘ 10.3 ↗ 8.5 ↑ 9.1 ↙
 beste Teiler 503.9 (28.) 848.0 (21.) 1020.3 (27.)
 Trefferlage 4.55 mm links, 2.59 mm hoch
 Streuwert 12.91, horizontal: 10.41, vertikal: 15.00





Serie 4:
 10.7 * 10.1 ↖ 9.5 ↓ 9.3 ↖ 9.7 ↓
 9.4 → 8.9 ↑ 10.6 * 6.5 ↑ 10.1 ↑
 beste Teiler 235.2 (31.) 290.2 (38.) 661.2 (40.)
 Trefferlage 1.65 mm links, 4.14 mm hoch
 Streuwert 10.47, horizontal: 7.30, vertikal: 12.89

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	365	(381.3)
Serien:	89 93 92 91	
Zähler:	16 14 9 1 0 0 0 0 0 0	
Innenzehner:	5	
weiteste:	3083 (8), 2207 (11), 2069 (30)	
beste Teiler	178.6 (26.) 334.5 (36.) 377.2 (20.)	
Trefferlage	3.83 mm links, 2.22 mm hoch	
Streuwert	8.70, horizontal: 9.18, vertikal: 8.19	




Serie 1:

9.3 ↙	8.9 ←	9.3 ↙	10.2 ↖	9.4 ←
9.3 ↘	10.2 ↘	7.1 ↗	10.3 ↓	8.6 ↖
beste Teiler	492.3 (9.)	611.1 (4.)	612.1 (7.)	
Trefferlage	5.08 mm links, 1.28 mm hoch			
Streuwert	10.69, horizontal: 12.92, vertikal: 7.85			




Serie 2:

8.2 ↖	9.2 ↖	9.3 ↖	10.2 →	8.7 ↖
10.2 ↑	9.5 ↓	10.0 ↓	10.0 →	10.5 *
beste Teiler	377.2 (20.)	584.3 (14.)	640.0 (16.)	
Trefferlage	4.88 mm links, 2.79 mm hoch			
Streuwert	8.17, horizontal: 9.46, vertikal: 6.62			



Serie 3:

10.4 *	10.1 ↓	9.8 ↙	10.0 ↙	9.3 ↖
10.7 *	8.9 ↑	9.6 ↓	9.9 ←	8.4 ↓
beste Teiler	178.6 (26.)	455.0 (21.)	719.8 (22.)	
Trefferlage	2.36 mm links, 1.93 mm tief			
Streuwert	8.18, horizontal: 4.31, vertikal: 10.74			





Serie 4:


9.9 →	10.1 ↖	10.4 *	8.5 ↖	8.9 ↖
10.5 *	9.5 ↑	8.8 ↗	10.1 ↖	9.1 ↑
beste Teiler	334.5 (36.)	467.7 (33.)	670.9 (32.)	
Trefferlage	3.01 mm links, 6.76 mm hoch			
Streuwert	7.43, horizontal: 9.16, vertikal: 5.14			

Unterschrift des Schützen


Ergebnis: **333** (350.8)
 Serien: 80 87 87 79
 Zähler: 4 18 10 4 3 1 0 0 0 0
 Innenzehner: 1
 weiteste: 4618 (8), 3814 (35), 3415 (6)
 beste Teiler 217.3 (4.) 638.9 (5.) 695.1 (18.)
 Trefferlage 0.53 mm rechts, 3.10 mm hoch
 Streuwert 14.06, horizontal: 14.93, vertikal: 13.13




Serie 1:
 7.4 ↘ 9.3 ↓ 7.7 ↗ 10.7 * 10.2 ↘
 6.7 ↙ 9.9 ↙ 5.2 → 8.3 ↖ 9.9 ↖
 beste Teiler 217.3 (4.) 638.9 (5.) 819.5 (7.)
 Trefferlage 0.20 mm links, 2.32 mm hoch
 Streuwert 17.54, horizontal: 20.50, vertikal: 13.98



Serie 2:
 8.9 ← 8.8 ↖ 9.2 ↗ 8.4 → 8.0 ↖
 9.5 ↓ 9.9 ↙ 10.1 ↗ 8.2 ↘ 10.0 ↘
 beste Teiler 695.1 (18.) 752.4 (20.) 838.2 (17.)
 Trefferlage 0.43 mm rechts, 0.07 mm tief
 Streuwert 11.87, horizontal: 14.07, vertikal: 9.15



Serie 3:
 9.2 ↗ 9.8 ↗ 8.1 ↑ 9.3 ↓ 8.2 ↙
 9.5 ↗ 8.7 ↖ 9.3 ↘ 9.2 ↓ 9.4 ↓
 beste Teiler 891.7 (22.) 1157.6 (26.) 1226.5 (30.)
 Trefferlage 2.21 mm rechts, 1.08 mm tief
 Streuwert 11.47, horizontal: 10.02, vertikal: 12.76





Serie 4:
 6.8 ↖ 9.3 ↑ 8.3 ↖ 9.2 ↘ 6.2 ↖
 9.9 ↘ 7.3 ↗ 7.7 ↑ 9.3 ↘ 9.8 →
 beste Teiler 847.6 (36.) 933.0 (40.) 1323.8 (32.)
 Trefferlage 0.29 mm links, 11.24 mm hoch
 Streuwert 14.88, horizontal: 15.58, vertikal: 14.15


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (372.4)
 Serien: 90 87 90 87
 Zähler: 11 17 8 3 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3665 (12), 2882 (28), 2663 (24)
 beste Teiler 175.4 (26.) 322.9 (19.) 382.7 (33.)
 Trefferlage 1.55 mm links, 1.03 mm tief
 Streuwert 10.63, horizontal: 11.51, vertikal: 9.66




Serie 1:
 9.5 ↙ 8.8 ← 9.0 ↘ 10.1 ↙ 10.1 ↘
 10.0 ↑ 8.2 ← 9.7 ↑ 8.7 ↙ 9.7 →
 beste Teiler 655.9 (5.) 665.8 (4.) 760.7 (6.)
 Trefferlage 7.11 mm links, 0.46 mm hoch
 Streuwert 8.55, horizontal: 9.98, vertikal: 6.84



Serie 2:
 9.0 ↘ 6.4 ↙ 8.9 ↘ 8.8 ↘ 9.3 ↘
 9.5 ↘ 9.6 ↘ 9.9 ↓ 10.5 * 10.3 ↓
 beste Teiler 322.9 (19.) 509.5 (20.) 857.6 (18.)
 Trefferlage 6.45 mm links, 4.55 mm tief
 Streuwert 10.70, horizontal: 11.30, vertikal: 10.07





Serie 3:
 10.4 * 9.0 ↓ 10.1 ↘ 7.6 → 9.9 ↗
 10.7 * 9.2 ↗ 7.3 ↗ 10.0 ↓ 9.9 →
 beste Teiler 175.4 (26.) 450.4 (21.) 685.0 (23.)
 Trefferlage 7.02 mm rechts, 1.25 mm hoch
 Streuwert 9.86, horizontal: 9.12, vertikal: 10.54




Serie 4:
 8.9 ↖ 9.4 → 10.5 * 8.8 ← 9.2 ↓
 10.1 ↗ 7.8 ↓ 9.6 ↗ 9.1 → 8.9 ↘
 beste Teiler 382.7 (33.) 720.8 (36.) 1116.4 (38.)
 Trefferlage 0.34 mm rechts, 1.31 mm tief
 Streuwert 10.96, horizontal: 10.81, vertikal: 11.10

Unterschrift des Schützen


Ergebnis: **331** (347.6)
 Serien: 85 75 83 88
 Zähler: 5 14 14 2 4 1 0 0 0 0
 Innenzehner: 1
 weiteste: 4445 (22), 3722 (12), 3710 (16)
 beste Teiler 254.0 (7.) 542.8 (24.) 586.7 (40.)
 Trefferlage 2.39 mm rechts, 5.49 mm tief
 Streuwert 13.97, horizontal: 14.71, vertikal: 13.18




Serie 1:
 9.5 → 9.4 ↘ 8.8 → 6.5 ↙ 8.5 ↖
 10.1 ↑ 10.6 * 8.1 → 8.0 → 9.2 ↘
 beste Teiler 254.0 (7.) 642.2 (6.) 1124.1 (1.)
 Trefferlage 5.68 mm rechts, 2.55 mm tief
 Streuwert 13.23, horizontal: 15.29, vertikal: 10.78



Serie 2:
 8.7 ↗ 6.3 ↑ 8.2 ↑ 8.2 ↙ 9.1 ↙
 6.3 → 7.9 ← 8.5 ↓ 6.9 ↙ 9.2 ↘
 beste Teiler 1431.5 (20.) 1496.5 (15.) 1767.8 (11.)
 Trefferlage 0.29 mm links, 0.28 mm tief
 Streuwert 19.07, horizontal: 18.24, vertikal: 19.86



Serie 3:
 10.0 → 5.4 ↙ 8.3 ↓ 10.3 ↙ 8.7 ↘
 9.5 ↓ 7.6 → 8.1 ↘ 9.1 → 9.5 ↓
 beste Teiler 542.8 (24.) 765.7 (21.) 1151.4 (30.)
 Trefferlage 4.19 mm rechts, 10.89 mm tief
 Streuwert 13.32, horizontal: 17.04, vertikal: 8.01





Serie 4:
 9.3 ↓ 9.0 ↙ 8.2 ↙ 8.6 ↓ 9.9 ↙
 9.6 ↗ 9.9 ↘ 9.8 → 8.6 ↓ 10.2 ↑
 beste Teiler 586.7 (40.) 830.8 (37.) 858.6 (35.)
 Trefferlage 0.02 mm links, 8.27 mm tief
 Streuwert 8.60, horizontal: 7.09, vertikal: 9.87


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **351** (368.3)
 Serien: 92 90 88 81
 Zähler: 11 14 11 3 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3312 (30), 2706 (14), 2508 (37)
 beste Teiler 233.9 (3.) 395.3 (38.) 431.7 (22.)
 Trefferlage 2.45 mm links, 4.81 mm hoch
 Streuwert 10.64, horizontal: 11.13, vertikal: 10.12




Serie 1:
 8.2 ← 9.9 ← 10.7 * 9.2 ↑ 10.3 ↗
 8.0 ↓ 10.2 ↙ 10.3 ↘ 9.1 ↑ 9.6 ↘
 beste Teiler 233.9 (3.) 532.0 (5.) 547.6 (8.)
 Trefferlage 5.03 mm links, 0.79 mm hoch
 Streuwert 9.13, horizontal: 6.95, vertikal: 10.89



Serie 2:
 9.3 ↑ 8.3 ← 9.9 ↗ 7.6 ↑ 10.3 ↘
 9.7 → 9.3 ↘ 10.0 ↘ 9.0 ← 10.1 ←
 beste Teiler 548.1 (15.) 696.0 (20.) 776.4 (18.)
 Trefferlage 2.94 mm links, 5.01 mm hoch
 Streuwert 9.85, horizontal: 9.98, vertikal: 9.72





Serie 3:
 8.8 ← 10.4 * 9.4 ↙ 10.2 ↙ 10.3 →
 9.5 ↘ 9.2 ↘ 8.2 ↙ 9.0 ↗ 6.8 ↗
 beste Teiler 431.7 (22.) 508.7 (25.) 609.5 (24.)
 Trefferlage 2.98 mm links, 2.91 mm hoch
 Streuwert 11.80, horizontal: 11.61, vertikal: 11.99




Serie 4:
 9.6 ↗ 8.8 ↘ 7.9 → 8.2 ↘ 8.5 ↘
 8.8 ↑ 7.8 → 10.5 * 8.6 ↗ 8.8 ↑
 beste Teiler 395.3 (38.) 1052.3 (31.) 1686.6 (32.)
 Trefferlage 1.16 mm rechts, 10.52 mm hoch
 Streuwert 11.41, horizontal: 15.22, vertikal: 5.34

Unterschrift des Schützen


Ergebnis: **361** (378.9)
 Serien: 89 96 89 87
 Zähler: 14 15 9 2 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 3129 (27), 2901 (35), 2349 (12)
 beste Teiler 206.5 (1.) 237.0 (40.) 263.6 (11.)
 Trefferlage 1.19 mm links, 0.25 mm hoch
 Streuwert 9.89, horizontal: 9.68, vertikal: 10.10




Serie 1:
 10.7 * 10.0 ↗ 9.5 ↑ 9.7 ↓ 8.8 ↗
 9.0 ↗ 8.2 → 8.9 ← 10.1 ↖ 8.7 ↑
 beste Teiler 206.5 (1.) 692.6 (9.) 773.1 (2.)
 Trefferlage 2.85 mm rechts, 5.95 mm hoch
 Streuwert 9.23, horizontal: 10.37, vertikal: 7.93



Serie 2:
 10.6 * 8.0 → 9.5 ↖ 10.4 * 10.4 *
 10.4 * 10.2 ← 10.3 → 10.5 * 9.1 ↖
 beste Teiler 263.6 (11.) 339.4 (19.) 446.1 (15.)
 Trefferlage 0.21 mm rechts, 1.94 mm hoch
 Streuwert 7.49, horizontal: 9.39, vertikal: 4.89





Serie 3:
 10.2 ↓ 9.7 ↑ 9.4 ← 9.8 ↙ 9.9 →
 10.1 ↓ 7.0 ↙ 10.4 * 8.3 ↑ 8.7 ↓
 beste Teiler 406.8 (28.) 628.4 (21.) 664.7 (26.)
 Trefferlage 2.52 mm links, 3.12 mm tief
 Streuwert 10.83, horizontal: 8.37, vertikal: 12.83




Serie 4:
 8.3 ↗ 9.4 ↓ 9.7 ← 9.8 ↓ 7.3 ←
 8.7 ↓ 9.8 ← 9.6 ← 9.1 ↙ 10.7 *
 beste Teiler 237.0 (40.) 933.6 (34.) 948.9 (37.)
 Trefferlage 5.31 mm links, 3.75 mm tief
 Streuwert 10.47, horizontal: 9.95, vertikal: 10.97

Unterschrift des Schützen


Ergebnis: **369** (390.0)
 Serien: 91 93 90 95
 Zähler: 15 19 6 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2062 (9), 2017 (25), 1826 (27)
 beste Teiler 85.9 (31.) 152.1 (8.) 217.7 (39.)
 Trefferlage 1.83 mm rechts, 1.81 mm hoch
 Streuwert 7.55, horizontal: 7.91, vertikal: 7.18




Serie 1:
 9.5 ← 9.9 ↘ 9.5 ↗ 9.2 ↖ 9.9 ↓
 9.4 ↘ 9.3 ↑ 10.8 * 8.4 ↗ 10.3 ↘
 beste Teiler 152.1 (8.) 515.4 (10.) 819.6 (5.)
 Trefferlage 1.47 mm links, 3.29 mm hoch
 Streuwert 8.31, horizontal: 8.64, vertikal: 7.96



Serie 2:
 9.9 ↑ 9.8 ↗ 10.2 ↗ 10.6 * 9.5 →
 9.1 ↘ 10.4 * 8.7 ← 9.9 ↑ 10.4 *
 beste Teiler 290.0 (14.) 405.5 (17.) 416.8 (20.)
 Trefferlage 0.53 mm rechts, 3.54 mm hoch
 Streuwert 6.79, horizontal: 7.81, vertikal: 5.58



Serie 3:
 10.5 * 8.8 ↓ 10.2 ← 8.9 → 8.4 ↗
 9.6 ← 8.7 ↗ 10.2 → 9.3 → 10.1 ↑
 beste Teiler 387.0 (21.) 595.3 (23.) 625.5 (28.)
 Trefferlage 4.56 mm rechts, 1.68 mm hoch
 Streuwert 9.07, horizontal: 9.25, vertikal: 8.89





Serie 4:
 10.8 * 10.0 → 9.9 → 9.7 ↓ 9.9 ↑
 10.5 * 10.4 * 9.6 ↘ 10.7 * 9.1 ↘
 beste Teiler 85.9 (31.) 217.7 (39.) 370.9 (36.)
 Trefferlage 3.72 mm rechts, 1.25 mm tief
 Streuwert 5.35, horizontal: 4.84, vertikal: 5.82


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (381.0)
 Serien: 92 90 92 91
 Zähler: 12 21 7 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2041 (26), 1904 (3), 1854 (19)
 beste Teiler 93.6 (7.) 384.6 (22.) 389.9 (16.)
 Trefferlage 0.49 mm rechts, 0.56 mm hoch
 Streuwert 8.81, horizontal: 9.31, vertikal: 8.28




Serie 1:
 9.4 ↘ 9.8 ↘ 8.6 ↘ 9.2 ↙ 10.3 ↘
 10.0 ↖ 10.8 * 9.2 ↑ 9.1 ↖ 9.5 ↗
 beste Teiler 93.6 (7.) 519.1 (5.) 745.3 (6.)
 Trefferlage 0.06 mm rechts, 1.19 mm hoch
 Streuwert 8.91, horizontal: 9.51, vertikal: 8.27



Serie 2:
 10.2 ↘ 8.9 ↗ 9.5 ↘ 8.7 ↘ 9.3 ↗
 10.5 * 9.0 ↙ 10.0 ↑ 8.6 ↗ 9.2 ↖
 beste Teiler 389.9 (16.) 583.4 (11.) 774.1 (18.)
 Trefferlage 0.50 mm links, 4.74 mm hoch
 Streuwert 9.27, horizontal: 9.04, vertikal: 9.48



Serie 3:
 10.2 ↘ 10.5 * 9.4 ↘ 9.5 ↘ 10.4 *
 8.4 → 8.9 ↙ 9.4 ↖ 10.0 ↑ 9.0 ↓
 beste Teiler 384.6 (22.) 411.4 (25.) 582.8 (21.)
 Trefferlage 1.78 mm rechts, 2.43 mm tief
 Streuwert 8.85, horizontal: 9.65, vertikal: 7.97




Serie 4:
 9.5 ↓ 8.9 → 10.0 → 9.4 ← 10.4 *
 9.6 ↗ 9.9 ↑ 9.0 ↘ 9.3 ← 9.5 ↙
 beste Teiler 449.5 (35.) 722.2 (33.) 814.4 (37.)
 Trefferlage 0.61 mm rechts, 1.25 mm tief
 Streuwert 8.63, horizontal: 10.34, vertikal: 6.47



Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **0** (0.0)_{DNS}
Serien:
Zähler: 0 0 0 0 0 0 0 0 0 0
Innenzehner: 0
weiteste:
~~beste~~ Teiler – Schütze ist nicht zum Wettkampf angetreten
Trefferlage 0.00 mm , 0.00 mm
Streuwert
Unterschrift des Schützen




Ergebnis: **353** (371.4)
 Serien: 88 90 92 83
 Zähler: 11 15 12 1 0 1 0 0 0 0
 Innenzehner: 3
 weiteste: 4506 (32), 2522 (33), 2049 (8)
 beste Teiler 234.9 (36.) 312.2 (23.) 406.1 (30.)
 Trefferlage 4.69 mm links, 0.58 mm tief
 Streuwert 10.46, horizontal: 10.56, vertikal: 10.35




Serie 1:
 9.2 ↗ 9.3 → 9.0 ← 9.4 ↑ 8.6 ↘
 9.5 ↙ 8.9 ↑ 8.4 ↘ 10.2 ← 9.4 ↗
 beste Teiler 578.2 (9.) 1184.3 (6.) 1253.9 (4.)
 Trefferlage 4.43 mm links, 3.34 mm hoch
 Streuwert 10.06, horizontal: 10.11, vertikal: 10.00



Serie 2:
 8.6 ↖ 9.8 ↙ 9.7 ↘ 8.5 ↗ 8.8 ↘
 10.2 → 10.0 ← 9.9 ↗ 10.0 ↖ 9.4 ↗
 beste Teiler 640.0 (16.) 792.4 (17.) 797.9 (19.)
 Trefferlage 3.54 mm links, 3.50 mm hoch
 Streuwert 8.71, horizontal: 9.78, vertikal: 7.49



Serie 3:
 10.3 ↗ 8.7 ↙ 10.6 * 8.7 ↖ 10.0 ←
 8.4 → 10.3 → 9.2 ← 9.0 ↙ 10.4 *
 beste Teiler 312.2 (23.) 406.1 (30.) 497.1 (21.)
 Trefferlage 3.97 mm links, 0.13 mm hoch
 Streuwert 9.06, horizontal: 11.50, vertikal: 5.64





Serie 4:
 8.7 ↓ 5.3 ↙ 7.8 ← 9.8 ↗ 10.2 ↘
 10.7 * 9.6 ↓ 8.6 ↓ 8.5 ↙ 9.8 ↓
 beste Teiler 234.9 (36.) 604.6 (35.) 896.2 (40.)
 Trefferlage 6.82 mm links, 9.33 mm tief
 Streuwert 12.27, horizontal: 12.09, vertikal: 12.44


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (373.5)
 Serien: 88 88 87 91
 Zähler: 10 17 10 3 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2780 (13), 2712 (1), 2640 (27)
 beste Teiler 29.4 (10.) 204.8 (24.) 222.4 (36.)
 Trefferlage 3.88 mm rechts, 1.75 mm hoch
 Streuwert 10.01, horizontal: 10.75, vertikal: 9.22




Serie 1:
 7.6 → 8.9 ↗ 10.3 ↘ 9.5 ← 8.1 ↗
 10.0 → 9.9 ↘ 9.0 → 8.9 → 10.9 *
 beste Teiler 29.4 (10.) 538.8 (3.) 779.9 (6.)
 Trefferlage 7.12 mm rechts, 3.04 mm hoch
 Streuwert 9.71, horizontal: 12.03, vertikal: 6.63



Serie 2:
 8.7 → 9.6 ↗ 7.5 ↘ 10.6 * 9.8 ↗
 9.1 ↗ 9.7 → 9.4 ↓ 9.8 ← 9.8 ↘
 beste Teiler 266.3 (14.) 881.8 (20.) 887.3 (19.)
 Trefferlage 5.84 mm rechts, 3.56 mm hoch
 Streuwert 8.96, horizontal: 10.18, vertikal: 7.55



Serie 3:
 9.8 → 8.4 ↓ 9.7 ↘ 10.7 * 8.2 ↗
 9.9 → 7.7 ↘ 8.7 ↘ 9.0 ↓ 10.0 ↘
 beste Teiler 204.8 (24.) 779.9 (30.) 836.3 (26.)
 Trefferlage 2.38 mm rechts, 1.20 mm tief
 Streuwert 11.62, horizontal: 10.85, vertikal: 12.34





Serie 4:
 9.0 ← 9.4 → 9.2 ↗ 8.0 ↗ 8.9 ↘
 10.7 * 10.2 ↘ 10.0 ↓ 10.0 ← 8.9 ↘
 beste Teiler 222.4 (36.) 640.9 (37.) 734.5 (38.)
 Trefferlage 0.18 mm rechts, 1.60 mm hoch
 Streuwert 10.02, horizontal: 10.05, vertikal: 9.99


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **332** (353.0)
 Serien: 86 76 91 79
 Zähler: 8 11 13 5 2 0 0 0 1 0
 Innenzehner: 4
 weiteste: 7057 (13), 3485 (33), 3389 (17)
 beste Teiler 112.0 (29.) 147.1 (2.) 234.9 (38.)
 Trefferlage 1.62 mm rechts, 0.41 mm hoch
 Streuwert 14.86, horizontal: 15.67, vertikal: 14.00




Serie 1:
 10.0 ↖ 10.8 * 9.0 ↙ 8.8 ← 7.6 ←
 9.1 ↘ 8.7 → 9.7 ← 8.9 ↗ 8.3 ←
 beste Teiler 147.1 (2.) 723.3 (1.) 1007.5 (8.)
 Trefferlage 7.19 mm links, 0.31 mm tief
 Streuwert 11.05, horizontal: 13.35, vertikal: 8.12



Serie 2:
 8.3 → 8.8 ↘ 2.1 ↖ 8.0 ↘ 10.2 ↗
 9.9 ↘ 6.7 ↙ 8.8 ↓ 9.9 ↗ 8.2 ↗
 beste Teiler 598.7 (15.) 839.8 (19.) 870.5 (16.)
 Trefferlage 1.22 mm links, 0.85 mm tief
 Streuwert 21.57, horizontal: 22.51, vertikal: 20.58



Serie 3:
 10.3 ↖ 8.6 → 10.1 ↗ 9.3 ↗ 9.9 ↓
 8.0 ↓ 9.7 ↗ 8.8 → 10.8 * 10.4 *
 beste Teiler 112.0 (29.) 448.7 (30.) 525.4 (21.)
 Trefferlage 4.89 mm rechts, 0.04 mm tief
 Streuwert 8.87, horizontal: 8.30, vertikal: 9.40





Serie 4:
 7.9 ↗ 9.6 ↗ 6.6 ↗ 7.7 ↖ 8.2 ↘
 9.5 → 7.9 → 10.7 * 7.9 ↘ 9.3 ↓
 beste Teiler 234.9 (38.) 1046.0 (32.) 1195.8 (36.)
 Trefferlage 9.99 mm rechts, 2.87 mm hoch
 Streuwert 13.92, horizontal: 11.19, vertikal: 16.19


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **352** (371.1)
 Serien: 87 89 88 88
 Zähler: 6 22 11 0 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3626 (10), 2226 (21), 2166 (3)
 beste Teiler 82.8 (38.) 454.9 (16.) 458.6 (17.)
 Trefferlage 1.34 mm rechts, 3.44 mm tief
 Streuwert 10.19, horizontal: 10.55, vertikal: 9.81




Serie 1:
 10.2 ↘ 9.9 ↑ 8.2 → 9.9 ↑ 9.9 ↗
 9.3 ↓ 9.6 ↙ 9.0 ← 9.3 ↓ 6.4 ↓
 beste Teiler 601.5 (1.) 830.9 (5.) 838.7 (2.)
 Trefferlage 0.01 mm rechts, 4.56 mm tief
 Streuwert 11.84, horizontal: 10.48, vertikal: 13.05



Serie 2:
 9.2 ↘ 9.9 ↓ 8.8 → 9.1 ↖ 9.3 →
 10.4 * 10.4 * 9.7 ↙ 8.7 ↙ 8.8 →
 beste Teiler 454.9 (16.) 458.6 (17.) 811.8 (12.)
 Trefferlage 1.89 mm rechts, 3.29 mm tief
 Streuwert 9.23, horizontal: 11.38, vertikal: 6.39



Serie 3:
 8.2 ← 8.6 ↓ 10.1 ← 8.9 → 10.0 ←
 9.3 → 9.1 → 9.8 ↘ 9.8 → 8.5 ↗
 beste Teiler 696.9 (23.) 750.1 (25.) 929.9 (29.)
 Trefferlage 3.53 mm rechts, 1.71 mm tief
 Streuwert 10.62, horizontal: 12.06, vertikal: 8.94





Serie 4:
 9.3 ↙ 9.6 ↑ 8.4 ↓ 9.2 ↓ 8.5 ↘
 8.8 ← 9.9 ↗ 10.8 * 9.1 ↗ 9.2 ↙
 beste Teiler 82.8 (38.) 868.3 (37.) 1076.4 (32.)
 Trefferlage 0.05 mm links, 4.18 mm tief
 Streuwert 10.20, horizontal: 9.35, vertikal: 10.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **340** (359.7)
 Serien: 85 85 84 86
 Zähler: 6 13 16 5 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2978 (16), 2902 (2), 2874 (14)
 beste Teiler 120.2 (15.) 371.4 (38.) 438.1 (4.)
 Trefferlage 2.63 mm rechts, 2.88 mm hoch
 Streuwert 12.04, horizontal: 12.42, vertikal: 11.64




Serie 1:
 9.0 ↘ 7.3 ↓ 8.6 ↘ 10.4 * 9.9 ↖
 9.2 ↘ 8.3 ↗ 9.8 ↖ 8.8 ↓ 8.5 ↖
 beste Teiler 438.1 (4.) 804.2 (5.) 886.3 (8.)
 Trefferlage 0.42 mm links, 0.94 mm hoch
 Streuwert 12.69, horizontal: 10.76, vertikal: 14.36



Serie 2:
 10.3 → 9.9 ↗ 8.8 ↑ 7.4 ↖ 10.8 *
 7.2 ↘ 8.3 → 8.8 ↓ 8.4 ↘ 10.1 ↖
 beste Teiler 120.2 (15.) 481.1 (11.) 668.5 (20.)
 Trefferlage 4.89 mm rechts, 0.10 mm hoch
 Streuwert 13.09, horizontal: 14.72, vertikal: 11.21



Serie 3:
 9.7 ↘ 7.6 ↘ 7.6 ↘ 8.5 ↑ 9.0 ←
 9.7 ↗ 10.3 ← 9.2 ↗ 8.7 → 8.7 ↘
 beste Teiler 555.0 (27.) 1004.3 (26.) 1030.0 (21.)
 Trefferlage 6.51 mm rechts, 0.41 mm hoch
 Streuwert 12.23, horizontal: 14.11, vertikal: 10.00





Serie 4:
 8.8 ↑ 9.4 ↖ 8.5 → 8.8 ↑ 8.1 ↑
 9.3 ↑ 8.1 ↖ 10.5 * 9.5 ← 9.9 ↑
 beste Teiler 371.4 (38.) 802.4 (40.) 1146.7 (39.)
 Trefferlage 0.42 mm links, 10.06 mm hoch
 Streuwert 9.27, horizontal: 9.67, vertikal: 8.85


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **346** (366.6)
 Serien: 88 85 85 88
 Zähler: 7 14 17 2 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2692 (39), 2592 (25), 2305 (24)
 beste Teiler 343.6 (2.) 472.4 (40.) 555.6 (21.)
 Trefferlage 1.92 mm rechts, 0.01 mm tief
 Streuwert 11.04, horizontal: 10.86, vertikal: 11.21




Serie 1:
 9.9 ↗ 10.5 * 8.7 ↙ 9.2 ↑ 9.6 ←
 8.4 ↑ 10.2 → 8.6 ↙ 9.8 ↓ 8.5 ←
 beste Teiler 343.6 (2.) 595.9 (7.) 821.0 (1.)
 Trefferlage 3.62 mm links, 0.36 mm hoch
 Streuwert 10.10, horizontal: 9.03, vertikal: 11.06



Serie 2:
 9.3 ↘ 8.6 ↓ 8.1 ↘ 10.2 ↓ 9.1 ↘
 8.9 → 9.3 ← 8.4 ↘ 8.9 ↑ 8.8 ↘
 beste Teiler 640.1 (14.) 1295.0 (11.) 1297.0 (17.)
 Trefferlage 2.15 mm rechts, 0.96 mm tief
 Streuwert 12.14, horizontal: 12.08, vertikal: 12.19



Serie 3:
 10.3 ↑ 9.7 ↘ 8.8 → 8.1 ↙ 7.7 ↗
 9.7 ↙ 8.5 ↓ 8.9 ↓ 9.8 ↘ 9.6 ↑
 beste Teiler 555.6 (21.) 938.7 (29.) 961.4 (22.)
 Trefferlage 0.63 mm rechts, 2.33 mm tief
 Streuwert 11.88, horizontal: 12.54, vertikal: 11.18





Serie 4:
 9.2 ↘ 9.8 ↓ 9.9 ↘ 8.6 ↗ 8.4 →
 10.1 ↑ 10.0 ↗ 8.5 → 7.6 ↑ 10.4 *
 beste Teiler 472.4 (40.) 702.2 (36.) 767.9 (37.)
 Trefferlage 8.52 mm rechts, 2.87 mm hoch
 Streuwert 9.33, horizontal: 6.48, vertikal: 11.49


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **346** (362.3)
 Serien: 82 89 89 86
 Zähler: 6 19 10 5 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3143 (21), 2917 (4), 2844 (8)
 beste Teiler 292.6 (22.) 314.1 (16.) 692.6 (15.)
 Trefferlage 1.19 mm links, 1.16 mm tief
 Streuwert 11.91, horizontal: 13.88, vertikal: 9.54




Serie 1:
 9.1 ↘ 9.5 → 9.2 ↑ 7.3 ← 9.3 ↗
 8.0 → 8.6 ← 7.4 ↖ 9.1 → 7.9 ←
 beste Teiler 1157.6 (2.) 1315.0 (5.) 1411.1 (3.)
 Trefferlage 2.36 mm links, 1.03 mm hoch
 Streuwert 15.01, horizontal: 19.35, vertikal: 8.71



Serie 2:
 9.2 ↑ 9.3 ↑ 9.9 → 9.3 ↓ 10.1 ↗
 10.6 * 8.6 ↓ 9.8 ↑ 8.3 ↓ 8.4 ←
 beste Teiler 314.1 (16.) 692.6 (15.) 815.2 (13.)
 Trefferlage 1.58 mm links, 2.23 mm tief
 Streuwert 10.26, horizontal: 7.64, vertikal: 12.34



Serie 3:
 7.0 → 10.6 * 9.6 ↑ 8.4 ↖ 9.5 →
 9.6 ← 10.0 ↙ 9.8 ↓ 9.2 ↗ 9.7 →
 beste Teiler 292.6 (22.) 747.2 (27.) 901.5 (28.)
 Trefferlage 3.87 mm rechts, 0.07 mm tief
 Streuwert 10.65, horizontal: 12.57, vertikal: 8.30





Serie 4:
 8.1 ↙ 9.7 → 9.7 ↙ 7.5 ← 9.6 ↘
 10.0 ↓ 10.0 ↖ 8.5 ↖ 8.3 ↗ 8.6 ←
 beste Teiler 721.6 (37.) 769.6 (36.) 1001.2 (33.)
 Trefferlage 4.71 mm links, 3.38 mm tief
 Streuwert 11.92, horizontal: 14.14, vertikal: 9.18


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **355** (369.4)
 Serien: 91 91 88 85
 Zähler: 11 17 9 2 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3964 (27), 2832 (37), 2432 (39)
 beste Teiler 139.6 (3.) 169.4 (24.) 524.8 (12.)
 Trefferlage 2.12 mm links, 2.45 mm hoch
 Streuwert 10.94, horizontal: 10.24, vertikal: 11.60




Serie 1:
 8.2 ↓ 10.0 ↓ 10.8 * 9.7 ↙ 9.5 ↑
 8.2 ↑ 10.1 → 10.2 ↗ 9.7 ← 8.5 ↑
 beste Teiler 139.6 (3.) 591.6 (8.) 707.3 (7.)
 Trefferlage 1.07 mm links, 2.38 mm hoch
 Streuwert 9.88, horizontal: 5.03, vertikal: 13.04



Serie 2:
 8.9 ← 10.3 ← 9.5 ↑ 9.1 ↙ 9.6 ←
 9.6 ↘ 10.1 ↑ 8.9 ↑ 10.0 ↓ 9.3 ↙
 beste Teiler 524.8 (12.) 682.1 (17.) 751.9 (19.)
 Trefferlage 6.51 mm links, 2.00 mm hoch
 Streuwert 7.21, horizontal: 6.59, vertikal: 7.78



Serie 3:
 9.0 → 9.3 ↙ 9.6 ↑ 10.7 * 8.1 ←
 10.2 ↓ 6.0 ↘ 9.6 ↗ 9.0 → 9.6 →
 beste Teiler 169.4 (24.) 586.3 (26.) 1053.7 (28.)
 Trefferlage 0.07 mm links, 2.29 mm hoch
 Streuwert 13.02, horizontal: 13.18, vertikal: 12.87





Serie 4:
 9.6 ↑ 10.0 ↓ 8.2 ↙ 9.3 ↘ 8.0 ↗
 9.1 ↘ 7.4 ↘ 10.1 ↘ 7.9 → 8.5 ↙
 beste Teiler 653.7 (38.) 763.3 (32.) 1057.2 (31.)
 Trefferlage 0.82 mm links, 3.11 mm hoch
 Streuwert 13.58, horizontal: 13.51, vertikal: 13.66


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **356** (373.4)
 Serien: 91 82 92 91
 Zähler: 10 19 8 3 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2763 (14), 2505 (17), 2479 (18)
 beste Teiler 179.4 (32.) 288.9 (29.) 341.8 (30.)
 Trefferlage 1.77 mm rechts, 2.48 mm tief
 Streuwert 10.12, horizontal: 8.40, vertikal: 11.59




Serie 1:
 10.1 ↖ 8.3 ↑ 8.4 ↓ 9.1 → 9.1 ↓
 10.3 ↑ 9.4 ↗ 9.3 ↘ 10.0 ↘ 9.6 →
 beste Teiler 487.6 (6.) 716.2 (1.) 735.8 (9.)
 Trefferlage 3.31 mm rechts, 1.60 mm hoch
 Streuwert 9.87, horizontal: 7.63, vertikal: 11.69



Serie 2:
 9.1 ↓ 8.6 ↗ 9.6 ↘ 7.5 ↘ 8.5 ↑
 9.0 ↓ 7.8 ↑ 7.9 ↓ 8.7 ← 10.3 →
 beste Teiler 542.8 (20.) 1101.6 (13.) 1504.3 (11.)
 Trefferlage 4.02 mm links, 2.48 mm tief
 Streuwert 13.86, horizontal: 10.33, vertikal: 16.65



Serie 3:
 9.0 ↘ 10.3 ← 9.5 → 9.9 → 9.7 ←
 9.2 ↘ 9.3 ↓ 8.6 ↓ 10.6 * 10.5 *
 beste Teiler 288.9 (29.) 341.8 (30.) 504.2 (22.)
 Trefferlage 3.53 mm rechts, 6.71 mm tief
 Streuwert 6.48, horizontal: 6.90, vertikal: 6.02





Serie 4:
 9.7 ↘ 10.7 * 9.0 → 9.8 ↑ 9.9 ↓
 8.1 ↗ 8.8 ↓ 10.4 ↓ 10.0 ↓ 9.8 ↓
 beste Teiler 179.4 (32.) 477.6 (38.) 767.0 (39.)
 Trefferlage 4.27 mm rechts, 2.32 mm tief
 Streuwert 8.25, horizontal: 6.54, vertikal: 9.66


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **332** (349.4)
 Serien: 78 76 85 93
 Zähler: 6 14 12 2 6 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3795 (25), 3550 (16), 3476 (1)
 beste Teiler 194.7 (38.) 285.7 (34.) 698.1 (33.)
 Trefferlage 3.54 mm rechts, 4.05 mm tief
 Streuwert 13.79, horizontal: 15.34, vertikal: 12.05




Serie 1:
 6.6 → 9.4 → 6.9 → 8.6 ↘ 8.0 ↓
 8.3 ↓ 8.1 ← 10.1 ↓ 7.6 → 8.2 ↓
 beste Teiler 705.7 (8.) 1269.1 (2.) 1891.9 (4.)
 Trefferlage 6.62 mm rechts, 5.86 mm tief
 Streuwert 16.31, horizontal: 19.40, vertikal: 12.49



Serie 2:
 6.8 ↙ 9.6 ← 8.5 ↗ 6.9 → 8.3 →
 6.5 → 9.3 ← 8.3 ↘ 7.9 ↓ 9.6 ↘
 beste Teiler 1058.6 (20.) 1063.4 (12.) 1349.6 (17.)
 Trefferlage 7.01 mm rechts, 4.96 mm tief
 Streuwert 16.62, horizontal: 19.92, vertikal: 12.46



Serie 3:
 10.1 ↘ 8.4 ↗ 8.4 ↙ 9.4 ↓ 6.2 ↓
 9.3 ↘ 9.8 ← 9.5 ↓ 9.3 ↑ 8.3 →
 beste Teiler 703.7 (21.) 947.5 (27.) 1182.6 (28.)
 Trefferlage 1.89 mm rechts, 6.22 mm tief
 Streuwert 13.12, horizontal: 12.47, vertikal: 13.74



Serie 4:
 8.9 ↓ 9.3 ↓ 10.1 → 10.6 * 9.5 ↗
 10.0 ↘ 9.1 ↘ 10.7 * 9.5 ↘ 9.5 ←
 beste Teiler 194.7 (38.) 285.7 (34.) 698.1 (33.)
 Trefferlage 1.35 mm links, 0.83 mm hoch
 Streuwert 8.05, horizontal: 6.08, vertikal: 9.62

Unterschrift des Schützen

Meyton Elektronik