





Ergebnis: **361** (379.8)
 Serien: 89 90 90 92
 Zähler: 17 13 5 4 1 0 0 0 0 0
 Innenzehner: 9
 weiteste: 3249 (7), 2914 (27), 2731 (36)
 beste Teiler 48.8 (29.) 120.4 (17.) 191.6 (34.)
 Trefferlage 2.75 mm links, 0.26 mm tief
 Streuwert 10.04, horizontal: 9.86, vertikal: 10.22




Serie 1:
 10.5 * 7.8 ↙ 9.2 ← 10.6 * 10.2 ↘
 8.0 ↗ 6.9 ↙ 9.7 ← 10.4 * 10.1 ↓
 beste Teiler 311.2 (4.) 326.4 (1.) 425.1 (9.)
 Trefferlage 4.57 mm links, 3.91 mm tief
 Streuwert 11.33, horizontal: 12.66, vertikal: 9.81



Serie 2:
 10.5 * 10.5 * 8.8 ↑ 8.1 ↘ 9.4 ↗
 9.9 ← 10.8 * 10.2 ↘ 7.8 ← 9.7 ↑
 beste Teiler 120.4 (17.) 326.5 (12.) 351.6 (11.)
 Trefferlage 5.74 mm links, 2.96 mm hoch
 Streuwert 8.91, horizontal: 8.99, vertikal: 8.84



Serie 3:
 8.6 ↗ 9.8 ↘ 10.1 ↗ 9.2 ↑ 8.4 ↑
 10.1 ← 7.3 ↙ 10.1 → 10.9 * 9.8 ↘
 beste Teiler 48.8 (29.) 641.9 (26.) 699.3 (23.)
 Trefferlage 0.51 mm links, 2.62 mm hoch
 Streuwert 10.67, horizontal: 9.02, vertikal: 12.10





Serie 4:
 9.8 → 9.7 ↗ 10.0 ↓ 10.7 * 9.3 ↘
 7.5 ↙ 10.4 * 9.2 ↓ 10.2 ↑ 9.6 ↓
 beste Teiler 191.6 (34.) 401.0 (37.) 568.5 (39.)
 Trefferlage 0.17 mm links, 2.74 mm tief
 Streuwert 8.99, horizontal: 8.50, vertikal: 9.46


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (373.4)
 Serien: 89 88 85 92
 Zähler: 9 18 11 2 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2882 (22), 2686 (6), 2315 (30)
 beste Teiler 92.9 (31.) 331.7 (14.) 428.5 (5.)
 Trefferlage 0.82 mm rechts, 0.65 mm hoch
 Streuwert 10.29, horizontal: 10.21, vertikal: 10.37




Serie 1:
 9.9 ↙ 10.4 ↘ 8.6 ↓ 9.0 ← 10.4 *
 7.6 ↘ 10.2 → 9.5 → 9.7 ↑ 8.4 →
 beste Teiler 428.5 (5.) 476.0 (2.) 613.1 (7.)
 Trefferlage 3.35 mm rechts, 1.62 mm tief
 Streuwert 10.42, horizontal: 11.97, vertikal: 8.60



Serie 2:
 9.8 ↙ 8.3 ↙ 8.7 ↘ 10.5 * 9.6 ↘
 8.6 ↑ 10.1 ↘ 8.2 ↓ 8.6 ← 10.0 ↑
 beste Teiler 331.7 (14.) 715.8 (17.) 765.3 (20.)
 Trefferlage 3.19 mm links, 4.50 mm tief
 Streuwert 10.43, horizontal: 8.27, vertikal: 12.21



Serie 3:
 9.5 ↗ 7.3 ↗ 9.6 ↘ 9.9 ↓ 8.9 ↘
 8.5 ↑ 9.2 ↑ 9.7 ↗ 9.1 ↙ 8.1 ←
 beste Teiler 877.9 (24.) 1010.7 (28.) 1095.1 (23.)
 Trefferlage 0.51 mm links, 5.40 mm hoch
 Streuwert 12.00, horizontal: 12.76, vertikal: 11.19





Serie 4:
 10.8 * 9.6 ↑ 9.8 ↘ 8.8 ↗ 9.6 ↘
 9.7 → 10.1 ↘ 9.3 ↑ 10.1 → 9.7 →
 beste Teiler 92.9 (31.) 660.7 (39.) 699.7 (37.)
 Trefferlage 3.65 mm rechts, 3.33 mm hoch
 Streuwert 6.75, horizontal: 6.46, vertikal: 7.03


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **346** (363.4)
 Serien: 89 88 84 85
 Zähler: 9 14 12 4 1 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3866 (39), 3056 (23), 2561 (32)
 beste Teiler 68.0 (9.) 301.8 (18.) 375.7 (19.)
 Trefferlage 1.70 mm links, 0.11 mm hoch
 Streuwert 12.14, horizontal: 12.77, vertikal: 11.48




Serie 1:
 10.5 * 8.2 ← 9.5 ↑ 7.9 ↓ 9.1 →
 10.4 * 9.8 ← 8.6 ← 10.9 * 9.5 ↑
 beste Teiler 68.0 (9.) 377.6 (1.) 458.1 (6.)
 Trefferlage 3.05 mm links, 0.70 mm tief
 Streuwert 10.37, horizontal: 10.59, vertikal: 10.16



Serie 2:
 9.6 ↙ 8.6 ↓ 9.1 ↖ 8.5 → 8.6 ↘
 9.5 ↑ 9.8 ↑ 10.6 * 10.5 * 8.0 ↓
 beste Teiler 301.8 (18.) 375.7 (19.) 886.6 (17.)
 Trefferlage 0.68 mm links, 5.32 mm tief
 Streuwert 10.33, horizontal: 8.98, vertikal: 11.51



Serie 3:
 9.3 ↗ 7.8 ↖ 7.1 → 8.2 ← 8.4 ↓
 9.0 ← 9.5 ↓ 10.4 * 8.2 ↖ 9.6 ↗
 beste Teiler 463.1 (28.) 1089.6 (30.) 1181.3 (27.)
 Trefferlage 3.79 mm links, 1.96 mm hoch
 Streuwert 13.89, horizontal: 15.95, vertikal: 11.47





Serie 4:
 10.1 ↖ 7.7 ↖ 8.9 ↖ 9.1 ↗ 10.3 →
 9.4 ↖ 10.1 → 8.9 ↓ 6.1 → 8.1 ↖
 beste Teiler 547.0 (35.) 676.7 (31.) 683.1 (37.)
 Trefferlage 0.72 mm rechts, 4.52 mm hoch
 Streuwert 13.96, horizontal: 15.66, vertikal: 12.04


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (372.8)
 Serien: 96 86 85 87
 Zähler: 10 20 6 3 0 1 0 0 0 0
 Innenzehner: 6
 weiteste: 4519 (38), 3073 (20), 2652 (23)
 beste Teiler 176.7 (13.) 243.2 (2.) 304.8 (7.)
 Trefferlage 5.08 mm rechts, 0.81 mm hoch
 Streuwert 10.38, horizontal: 9.17, vertikal: 11.47




Serie 1:
 9.6 → 10.6 * 10.5 * 10.2 ↘ 9.2 →
 10.5 * 10.6 * 9.5 ↘ 9.7 → 10.2 ↑
 beste Teiler 243.2 (2.) 304.8 (7.) 351.8 (3.)
 Trefferlage 2.15 mm rechts, 2.02 mm hoch
 Streuwert 5.63, horizontal: 7.15, vertikal: 3.50



Serie 2:
 9.7 ↗ 8.5 ↓ 10.7 * 9.6 ↘ 9.0 ↘
 10.0 ↗ 9.2 ↑ 8.8 ↗ 7.7 → 7.1 ↗
 beste Teiler 176.7 (13.) 759.1 (16.) 983.4 (11.)
 Trefferlage 6.79 mm rechts, 3.70 mm hoch
 Streuwert 11.47, horizontal: 11.41, vertikal: 11.53



Serie 3:
 9.7 ↗ 8.7 ↗ 7.6 ↘ 9.4 ↗ 9.5 →
 8.5 ↘ 9.0 ↓ 9.8 ↓ 9.4 ↓ 8.8 ↘
 beste Teiler 954.5 (28.) 1019.6 (21.) 1179.9 (25.)
 Trefferlage 8.29 mm rechts, 6.17 mm tief
 Streuwert 9.11, horizontal: 5.77, vertikal: 11.51





Serie 4:
 9.7 ↖ 9.7 ↘ 8.8 ↗ 9.0 → 9.4 →
 9.4 → 10.2 → 5.3 ↖ 9.5 ↓ 10.5 *
 beste Teiler 370.2 (40.) 582.2 (37.) 974.4 (31.)
 Trefferlage 3.07 mm rechts, 3.72 mm hoch
 Streuwert 13.01, horizontal: 11.00, vertikal: 14.75


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **336** (356.3)
 Serien: 81 85 87 83
 Zähler: 5 14 14 6 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3258 (21), 2866 (12), 2809 (4)
 beste Teiler 266.1 (19.) 453.1 (14.) 546.4 (23.)
 Trefferlage 8.99 mm rechts, 3.18 mm hoch
 Streuwert 10.82, horizontal: 11.56, vertikal: 10.03




Serie 1:
 9.8 ↗ 7.9 → 8.7 ↗ 7.4 ↗ 9.4 →
 9.2 ↑ 7.9 → 8.6 ↗ 8.7 → 9.7 ↗
 beste Teiler 931.7 (1.) 995.4 (10.) 1254.5 (5.)
 Trefferlage 14.08 mm rechts, 6.17 mm hoch
 Streuwert 7.89, horizontal: 8.52, vertikal: 7.21



Serie 2:
 9.3 ↘ 7.4 → 8.9 → 10.4 * 8.2 →
 9.2 → 7.6 → 8.0 ↗ 10.6 * 9.9 ↘
 beste Teiler 266.1 (19.) 453.1 (14.) 845.7 (20.)
 Trefferlage 12.30 mm rechts, 3.05 mm hoch
 Streuwert 9.76, horizontal: 11.53, vertikal: 7.58



Serie 3:
 6.9 ↗ 8.6 ↖ 10.3 ↗ 9.7 ↓ 9.8 ↓
 8.8 ↘ 9.4 ↘ 9.5 ← 9.5 ↙ 10.0 ↓
 beste Teiler 546.4 (23.) 783.3 (30.) 909.6 (25.)
 Trefferlage 0.68 mm links, 0.98 mm hoch
 Streuwert 11.55, horizontal: 10.26, vertikal: 12.71





Serie 4:
 8.1 ↗ 10.2 ↖ 8.3 → 8.1 ↗ 7.8 →
 9.4 ↑ 9.2 ↘ 8.7 ↗ 8.8 → 8.4 ↓
 beste Teiler 634.7 (32.) 1241.6 (36.) 1374.5 (37.)
 Trefferlage 10.27 mm rechts, 2.52 mm hoch
 Streuwert 11.63, horizontal: 11.00, vertikal: 12.23


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **329** (345.8)
 Serien: 83 86 80 80
 Zähler: 8 13 8 6 2 2 1 0 0 0
 Innenzehner: 4
 weiteste: 4957 (4), 4440 (24), 4030 (30)
 beste Teiler 61.2 (20.) 319.4 (17.) 331.6 (1.)
 Trefferlage 4.37 mm links, 4.95 mm tief
 Streuwert 14.86, horizontal: 13.54, vertikal: 16.07




Serie 1:
 10.5 * 9.3 ↓ 7.4 ↙ 4.8 ↗ 9.2 ←
 8.8 → 9.6 ↗ 8.1 ↗ 10.1 ↙ 9.5 ↘
 beste Teiler 331.6 (1.) 667.5 (9.) 1112.0 (7.)
 Trefferlage 3.09 mm rechts, 2.59 mm hoch
 Streuwert 15.91, horizontal: 16.25, vertikal: 15.57



Serie 2:
 6.8 ↘ 7.0 ↓ 10.4 * 9.1 ↓ 8.3 ↘
 8.4 ← 10.6 * 9.0 ↙ 9.8 ↙ 10.9 *
 beste Teiler 61.2 (20.) 319.4 (17.) 409.4 (13.)
 Trefferlage 2.54 mm links, 9.17 mm tief
 Streuwert 12.18, horizontal: 13.98, vertikal: 10.07





Serie 3:
 10.0 ↓ 10.1 ↑ 7.3 ↙ 5.4 ↓ 9.5 ↘
 9.8 ↓ 8.8 ↘ 9.1 ↘ 8.9 ↑ 5.9 ↙
 beste Teiler 642.3 (22.) 795.1 (21.) 898.5 (26.)
 Trefferlage 7.54 mm links, 5.79 mm tief
 Streuwert 16.05, horizontal: 9.90, vertikal: 20.42




Serie 4:
 7.9 ↙ 8.8 ← 9.1 ↙ 7.1 ↓ 7.0 ↑
 9.0 ↙ 10.0 ← 6.7 ↙ 9.1 ← 8.7 ↓
 beste Teiler 742.5 (37.) 1486.7 (39.) 1507.1 (33.)
 Trefferlage 10.48 mm links, 7.45 mm tief
 Streuwert 13.89, horizontal: 10.88, vertikal: 16.36

Unterschrift des Schützen


Ergebnis: **360** (377.7)
 Serien: 92 91 90 87
 Zähler: 11 20 7 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3108 (8), 2574 (37), 1953 (39)
 beste Teiler 156.7 (2.) 348.8 (14.) 456.2 (5.)
 Trefferlage 1.13 mm links, 3.58 mm tief
 Streuwert 9.31, horizontal: 8.65, vertikal: 9.92




Serie 1:
 10.1 ↙ 10.8 * 10.1 ↘ 9.2 ↖ 10.4 *
 9.1 ↘ 9.4 ↘ 7.1 ↗ 9.5 ↑ 9.5 ↗
 beste Teiler 156.7 (2.) 456.2 (5.) 651.1 (1.)
 Trefferlage 5.59 mm links, 5.19 mm tief
 Streuwert 8.58, horizontal: 7.19, vertikal: 9.78



Serie 2:
 8.7 ↘ 10.3 ↓ 9.7 ↑ 10.5 * 9.3 ↗
 9.8 ↓ 9.5 ↘ 8.6 → 10.4 * 9.8 ←
 beste Teiler 348.8 (14.) 461.0 (19.) 509.0 (12.)
 Trefferlage 2.53 mm rechts, 1.34 mm tief
 Streuwert 8.32, horizontal: 8.28, vertikal: 8.37



Serie 3:
 9.3 ↘ 8.6 ↑ 10.0 ↘ 10.0 ↓ 9.2 ↘
 8.7 ↘ 9.8 ↗ 9.9 ↘ 9.5 ↘ 9.2 ↘
 beste Teiler 731.9 (24.) 786.6 (23.) 846.4 (28.)
 Trefferlage 0.00 mm , 3.70 mm tief
 Streuwert 9.22, horizontal: 6.53, vertikal: 11.29





Serie 4:
 8.8 ↑ 9.9 ↑ 8.8 → 9.3 ↖ 9.2 ↘
 9.0 ↓ 7.7 ↖ 10.2 → 8.5 ↓ 10.3 ↘
 beste Teiler 557.2 (40.) 586.4 (38.) 845.5 (32.)
 Trefferlage 1.49 mm links, 4.10 mm tief
 Streuwert 11.12, horizontal: 11.08, vertikal: 11.16


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **339** (359.9)
 Serien: 80 80 90 89
 Zähler: 9 14 10 3 3 0 1 0 0 0
 Innenzehner: 8
 weiteste: 5471 (7), 3909 (8), 3525 (20)
 beste Teiler 141.1 (24.) 149.0 (26.) 173.4 (29.)
 Trefferlage 6.86 mm rechts, 3.37 mm tief
 Streuwert 12.62, horizontal: 15.39, vertikal: 9.04




Serie 1:
 10.6 * 7.4 → 8.8 → 9.4 → 8.6 ↖
 10.5 * 4.1 → 6.1 → 8.7 ↓ 10.5 *
 beste Teiler 299.7 (1.) 368.6 (10.) 398.4 (6.)
 Trefferlage 14.07 mm rechts, 1.82 mm tief
 Streuwert 15.80, horizontal: 20.68, vertikal: 8.45



Serie 2:
 8.9 ↘ 8.3 ↙ 9.6 → 8.0 → 9.5 →
 6.9 ↘ 8.8 ↓ 9.1 ↖ 9.3 ↗ 6.5 →
 beste Teiler 1048.9 (13.) 1189.3 (15.) 1324.1 (19.)
 Trefferlage 9.86 mm rechts, 6.80 mm tief
 Streuwert 13.02, horizontal: 14.94, vertikal: 10.75



Serie 3:
 9.5 ↘ 10.7 * 7.9 ↑ 10.8 * 9.3 →
 10.8 * 9.9 ↘ 7.2 ← 10.7 * 9.7 ↗
 beste Teiler 141.1 (24.) 149.0 (26.) 173.4 (29.)
 Trefferlage 1.23 mm rechts, 1.09 mm hoch
 Streuwert 10.41, horizontal: 11.65, vertikal: 9.00





Serie 4:
 9.7 ↘ 9.5 → 8.9 ↘ 8.9 → 9.0 ←
 10.1 → 9.3 ↓ 8.3 ↙ 10.7 * 9.4 ↘
 beste Teiler 179.4 (39.) 705.7 (36.) 967.3 (31.)
 Trefferlage 2.28 mm rechts, 5.97 mm tief
 Streuwert 8.79, horizontal: 10.65, vertikal: 6.40

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	373	(390.3)
Serien:	96	92 92 93
Zähler:	22	11 5 2 0 0 0 0 0 0
Innenzehner:	11	
weiteste:	2797	(23), 2450 (25), 2248 (34)
beste Teiler	120.9	(35.) 193.9 (7.) 202.5 (37.)
Trefferlage	1.72 mm	rechts, 1.29 mm hoch
Streuwert	8.20,	horizontal: 8.50, vertikal: 7.89




Serie 1:

9.4 ↘	9.6 ↙	10.3 ↘	9.3 ↘	9.1 →
10.0 ↗	10.7 *	10.6 *	10.0 ↓	10.2 →
beste Teiler	193.9 (7.)	293.7 (8.)	513.1 (3.)	
Trefferlage	0.27 mm rechts, 0.49 mm tief			
Streuwert	6.90, horizontal: 7.62, vertikal: 6.08			




Serie 2:

9.7 →	10.2 ←	10.4 *	10.0 ↑	8.9 ↗
9.5 →	8.2 ↗	8.9 ↑	10.5 *	10.6 *
beste Teiler	295.3 (20.)	371.6 (19.)	423.0 (13.)	
Trefferlage	3.73 mm rechts, 5.26 mm hoch			
Streuwert	7.37, horizontal: 8.18, vertikal: 6.46			



Serie 3:

9.6 ↘	10.6 *	7.5 ←	10.7 *	7.9 ↗
9.3 →	10.0 ↘	10.3 ↗	10.5 *	10.4 *
beste Teiler	227.4 (24.)	304.5 (22.)	387.0 (29.)	
Trefferlage	1.53 mm rechts, 0.72 mm tief			
Streuwert	9.92, horizontal: 11.17, vertikal: 8.48			





Serie 4:

9.6 ↑	10.2 ←	10.3 ↓	8.1 ↗	10.8 *
9.1 ↑	10.7 *	10.2 ↑	9.7 ↘	8.7 ↙
beste Teiler	120.9 (35.)	202.5 (37.)	510.7 (33.)	
Trefferlage	1.37 mm rechts, 1.13 mm hoch			
Streuwert	8.64, horizontal: 7.48, vertikal: 9.66			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (381.5)
 Serien: 86 92 89 95
 Zähler: 13 19 6 1 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3851 (1), 2469 (8), 2269 (21)
 beste Teiler 207.7 (9.) 231.7 (26.) 296.4 (13.)
 Trefferlage 1.85 mm links, 3.02 mm hoch
 Streuwert 9.19, horizontal: 9.06, vertikal: 9.32




Serie 1:
 6.1 ↙ 9.5 ↙ 8.2 ↙ 9.3 ↙ 9.9 ↘
 9.5 ↗ 9.8 ↑ 7.9 ↘ 10.7 * 10.3 ↘
 beste Teiler 207.7 (9.) 502.2 (10.) 864.8 (5.)
 Trefferlage 6.48 mm links, 2.69 mm tief
 Streuwert 12.25, horizontal: 12.73, vertikal: 11.75



Serie 2:
 10.3 ↗ 9.9 → 10.6 * 9.6 ↙ 9.7 ↙
 9.3 ↑ 10.0 ↑ 9.9 ↑ 9.7 ↗ 8.5 ↑
 beste Teiler 296.4 (13.) 537.4 (11.) 785.3 (17.)
 Trefferlage 0.39 mm rechts, 5.14 mm hoch
 Streuwert 6.90, horizontal: 6.27, vertikal: 7.48





Serie 3:
 8.1 ↑ 9.4 ↗ 10.5 * 9.7 ↑ 10.1 ↙
 10.7 * 8.8 ↙ 9.5 ↑ 8.9 ↙ 8.3 ↗
 beste Teiler 231.7 (26.) 385.0 (23.) 703.9 (25.)
 Trefferlage 1.11 mm links, 5.56 mm hoch
 Streuwert 9.62, horizontal: 8.44, vertikal: 10.66




Serie 4:
 9.9 ↘ 10.1 ↘ 9.6 ↗ 9.3 ↑ 10.1 →
 10.4 * 10.1 ↑ 9.5 ↘ 10.0 → 9.8 ↘
 beste Teiler 401.6 (36.) 641.6 (35.) 675.6 (32.)
 Trefferlage 0.21 mm links, 4.09 mm hoch
 Streuwert 5.89, horizontal: 7.08, vertikal: 4.40

Unterschrift des Schützen


Ergebnis: **355** (370.3)
 Serien: 88 90 88 89
 Zähler: 10 19 8 2 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3229 (4), 3089 (39), 2993 (22)
 beste Teiler 201.3 (36.) 305.6 (14.) 325.2 (38.)
 Trefferlage 6.21 mm rechts, 2.64 mm hoch
 Streuwert 9.89, horizontal: 9.32, vertikal: 10.43




Serie 1:
 9.4 ↑ 8.6 → 9.9 → 6.9 → 9.2 ↗
 9.2 ↗ 9.5 ← 10.0 ← 10.1 → 9.2 ↗
 beste Teiler 656.2 (9.) 737.7 (8.) 851.1 (3.)
 Trefferlage 7.23 mm rechts, 5.39 mm hoch
 Streuwert 9.48, horizontal: 11.67, vertikal: 6.61



Serie 2:
 8.4 → 10.5 * 9.5 ↗ 10.6 * 10.3 ↘
 9.0 ↗ 9.8 ↑ 8.6 ↑ 9.3 ↓ 8.9 ↗
 beste Teiler 305.6 (14.) 357.8 (12.) 482.8 (15.)
 Trefferlage 4.95 mm rechts, 5.31 mm hoch
 Streuwert 8.18, horizontal: 7.99, vertikal: 8.37





Serie 3:
 8.1 ↓ 7.2 ↗ 10.0 ↗ 9.0 → 9.6 ↓
 10.2 ↘ 9.4 ← 8.8 ↑ 9.2 ↓ 9.0 ↗
 beste Teiler 607.4 (26.) 791.2 (23.) 1119.1 (25.)
 Trefferlage 5.41 mm rechts, 0.75 mm hoch
 Streuwert 11.68, horizontal: 9.84, vertikal: 13.27




Serie 4:
 8.0 ↘ 9.8 ↘ 10.4 * 8.6 → 9.5 →
 10.7 * 9.1 ↘ 10.5 * 7.1 ↗ 9.2 ↘
 beste Teiler 201.3 (36.) 325.2 (38.) 446.2 (33.)
 Trefferlage 7.25 mm rechts, 0.89 mm tief
 Streuwert 10.55, horizontal: 8.65, vertikal: 12.16

Unterschrift des Schützen


Ergebnis: **360** (378.4)
 Serien: 88 92 94 86
 Zähler: 15 15 7 1 2 0 0 0 0 0
 Innenzehner: 8
 weiteste: 3824 (6), 3725 (33), 2513 (36)
 beste Teiler 280.0 (35.) 291.3 (20.) 300.7 (26.)
 Trefferlage 4.74 mm rechts, 0.71 mm tief
 Streuwert 9.88, horizontal: 10.07, vertikal: 9.68




Serie 1:
 8.4 ← 8.8 ↑ 10.4 ↗ 10.0 ↘ 9.9 ↓
 6.2 ↗ 8.4 → 10.3 ↖ 10.4 ↘ 9.1 ↘
 beste Teiler 477.1 (9.) 480.5 (3.) 527.7 (8.)
 Trefferlage 4.03 mm rechts, 2.29 mm hoch
 Streuwert 12.44, horizontal: 13.84, vertikal: 10.88



Serie 2:
 9.3 ↘ 9.0 ↓ 9.9 → 10.4 * 9.8 ↗
 10.5 * 9.7 → 9.7 ↑ 8.9 ↗ 10.6 *
 beste Teiler 291.3 (20.) 352.0 (16.) 433.9 (14.)
 Trefferlage 5.91 mm rechts, 0.29 mm tief
 Streuwert 6.39, horizontal: 3.32, vertikal: 8.40



Serie 3:
 9.8 ↘ 9.0 → 10.6 * 9.7 ↘ 9.4 ↖
 10.6 * 10.5 * 8.3 ↖ 10.1 ← 10.1 →
 beste Teiler 300.7 (26.) 315.9 (23.) 359.2 (27.)
 Trefferlage 0.39 mm rechts, 0.31 mm hoch
 Streuwert 7.87, horizontal: 7.84, vertikal: 7.90





Serie 4:
 10.1 ↘ 10.5 * 6.3 ↘ 9.6 ↘ 10.6 *
 7.8 ↓ 9.5 ↓ 8.2 → 8.7 → 9.3 ↖
 beste Teiler 280.0 (35.) 381.2 (32.) 685.9 (31.)
 Trefferlage 8.65 mm rechts, 5.16 mm tief
 Streuwert 11.33, horizontal: 11.64, vertikal: 11.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (376.8)
 Serien: 90 86 89 94
 Zähler: 12 18 7 3 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3002 (14), 2708 (18), 2434 (29)
 beste Teiler 284.8 (13.) 348.5 (39.) 355.9 (22.)
 Trefferlage 1.53 mm links, 0.98 mm tief
 Streuwert 9.82, horizontal: 10.12, vertikal: 9.51




Serie 1:
 8.4 ↙ 10.1 ↗ 9.0 ↓ 10.0 ↘ 10.0 ↖
 8.3 ↘ 9.9 ↓ 9.8 ← 9.4 ↑ 8.6 ↓
 beste Teiler 662.6 (2.) 742.7 (4.) 753.1 (5.)
 Trefferlage 1.49 mm links, 4.40 mm tief
 Streuwert 9.71, horizontal: 9.83, vertikal: 9.60



Serie 2:
 9.5 ↘ 9.9 ↖ 10.6 * 7.2 ↘ 10.3 ↖
 8.9 ↘ 8.3 ↙ 7.6 ← 9.3 ↗ 9.9 ↑
 beste Teiler 284.8 (13.) 517.3 (15.) 815.9 (12.)
 Trefferlage 3.94 mm links, 2.56 mm tief
 Streuwert 12.03, horizontal: 12.64, vertikal: 11.38



Serie 3:
 9.2 ↑ 10.5 * 8.9 ← 9.7 ↘ 10.2 ↗
 9.9 ↑ 10.4 * 9.4 ↘ 7.9 ↘ 8.9 ↘
 beste Teiler 355.9 (22.) 406.9 (27.) 597.1 (25.)
 Trefferlage 1.60 mm rechts, 0.52 mm tief
 Streuwert 9.75, horizontal: 10.74, vertikal: 8.65





Serie 4:
 10.0 ← 9.3 ← 9.5 ↑ 9.1 ↑ 10.2 ↑
 9.0 ↗ 9.5 → 10.2 ↙ 10.5 * 9.5 ↙
 beste Teiler 348.5 (39.) 619.5 (38.) 634.5 (35.)
 Trefferlage 2.32 mm links, 3.55 mm hoch
 Streuwert 7.44, horizontal: 7.33, vertikal: 7.54


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (372.6)
 Serien: 87 86 90 91
 Zähler: 10 14 16 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2352 (18), 2277 (15), 2221 (8)
 beste Teiler 359.4 (30.) 397.2 (37.) 399.0 (29.)
 Trefferlage 0.05 mm rechts, 1.50 mm tief
 Streuwert 10.21, horizontal: 10.49, vertikal: 9.93




Serie 1:
 8.9 ↗ 10.0 ↗ 8.9 → 9.7 ↘ 8.3 ↘
 9.4 ↑ 9.5 → 8.2 ↘ 9.2 → 9.1 ↖
 beste Teiler 774.0 (2.) 1002.4 (4.) 1151.9 (7.)
 Trefferlage 6.21 mm rechts, 0.73 mm tief
 Streuwert 10.43, horizontal: 8.27, vertikal: 12.20



Serie 2:
 8.2 ↗ 8.5 ← 9.5 ↖ 9.6 ↖ 8.1 ←
 9.0 ↙ 9.9 ↓ 8.0 ← 10.0 ↙ 8.8 ↗
 beste Teiler 782.7 (19.) 862.7 (17.) 1101.9 (14.)
 Trefferlage 6.87 mm links, 0.01 mm hoch
 Streuwert 11.50, horizontal: 13.38, vertikal: 9.26



Serie 3:
 8.8 ↗ 8.8 ↓ 10.0 ↓ 8.8 ↘ 8.6 ←
 9.5 → 10.3 ↑ 9.9 ↙ 10.5 * 10.5 *
 beste Teiler 359.4 (30.) 399.0 (29.) 498.1 (27.)
 Trefferlage 0.93 mm rechts, 3.29 mm tief
 Streuwert 8.86, horizontal: 8.80, vertikal: 8.91





Serie 4:
 9.6 ↗ 8.6 ↓ 9.7 → 8.9 ↖ 10.1 ↙
 9.8 → 10.5 * 8.4 ↓ 10.4 * 10.1 ←
 beste Teiler 397.2 (37.) 411.0 (39.) 644.0 (40.)
 Trefferlage 0.05 mm links, 1.98 mm tief
 Streuwert 9.00, horizontal: 7.47, vertikal: 10.31


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **363** (380.2)
 Serien: 88 94 92 89
 Zähler: 13 19 6 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2683 (34), 2440 (6), 2220 (8)
 beste Teiler 261.6 (4.) 276.8 (12.) 360.9 (27.)
 Trefferlage 2.82 mm rechts, 0.55 mm tief
 Streuwert 9.01, horizontal: 10.66, vertikal: 6.97




Serie 1:
 10.1 ↗ 8.4 → 9.4 ↘ 10.6 * 9.6 ↖
 7.9 ↘ 10.1 ↘ 8.2 ← 8.7 ↘ 9.7 →
 beste Teiler 261.6 (4.) 696.9 (1.) 707.1 (7.)
 Trefferlage 5.76 mm rechts, 1.65 mm tief
 Streuwert 10.35, horizontal: 12.74, vertikal: 7.19



Serie 2:
 10.0 ↖ 10.6 * 9.7 ↘ 9.7 ↗ 10.1 ↖
 9.5 ← 10.2 ← 9.9 ↗ 9.3 ↖ 9.4 ↘
 beste Teiler 276.8 (12.) 593.5 (17.) 651.3 (15.)
 Trefferlage 2.88 mm links, 1.64 mm tief
 Streuwert 6.46, horizontal: 7.01, vertikal: 5.85





Serie 3:
 8.6 → 10.0 ↘ 10.3 → 9.1 → 9.6 ↖
 10.4 * 10.5 * 9.7 ↘ 8.4 → 9.4 ↘
 beste Teiler 360.9 (27.) 475.2 (26.) 508.1 (23.)
 Trefferlage 7.22 mm rechts, 0.17 mm hoch
 Streuwert 7.22, horizontal: 7.64, vertikal: 6.76




Serie 4:
 10.2 ← 9.8 ↗ 9.1 ↘ 7.6 → 9.4 ←
 9.1 ↘ 8.8 ↖ 9.9 ↘ 10.0 → 9.2 ↖
 beste Teiler 635.0 (31.) 757.1 (39.) 858.3 (38.)
 Trefferlage 1.19 mm rechts, 0.90 mm hoch
 Streuwert 10.61, horizontal: 12.34, vertikal: 8.54

Unterschrift des Schützen


Ergebnis: **338** (357.8)
 Serien: 87 79 88 84
 Zähler: 7 17 9 2 4 1 0 0 0 0
 Innenzehner: 3
 weiteste: 4047 (18), 3687 (6), 3328 (16)
 beste Teiler 169.1 (11.) 336.2 (5.) 348.5 (21.)
 Trefferlage 2.30 mm links, 0.95 mm hoch
 Streuwert 13.09, horizontal: 14.16, vertikal: 11.93




Serie 1:
 8.0 ↗ 8.8 ↖ 9.1 ↙ 10.2 ← 10.5 *
 6.3 ↓ 9.4 ↓ 8.8 ↗ 10.1 ↗ 9.6 →
 beste Teiler 336.2 (5.) 621.3 (4.) 647.1 (9.)
 Trefferlage 1.90 mm rechts, 1.63 mm tief
 Streuwert 12.93, horizontal: 11.44, vertikal: 14.27



Serie 2:
 10.7 * 10.1 ↓ 7.9 ↖ 9.0 ↗ 6.8 ↖
 6.8 → 8.6 ↖ 5.9 ← 9.7 ↙ 9.5 ←
 beste Teiler 169.1 (11.) 649.4 (12.) 997.9 (19.)
 Trefferlage 6.27 mm links, 3.66 mm hoch
 Streuwert 16.31, horizontal: 19.05, vertikal: 13.00



Serie 3:
 10.5 * 8.3 ↑ 9.5 ↖ 9.6 ↘ 8.7 ↓
 9.1 ↑ 9.5 ↖ 9.4 ← 9.3 → 8.5 ←
 beste Teiler 348.5 (21.) 1063.0 (24.) 1162.4 (27.)
 Trefferlage 2.64 mm links, 1.69 mm hoch
 Streuwert 10.59, horizontal: 10.25, vertikal: 10.92



Serie 4:
 8.6 ↑ 9.5 ← 6.8 → 10.0 ↖ 8.5 ←
 9.7 ↓ 9.6 → 7.9 ↙ 9.8 ↗ 9.2 ↖
 beste Teiler 793.8 (34.) 902.1 (39.) 1030.7 (36.)
 Trefferlage 2.22 mm links, 0.10 mm hoch
 Streuwert 13.06, horizontal: 15.27, vertikal: 10.38

Unterschrift des Schützen