




Ergebnis: **354** (371.3)
 Serien: 89 88 91 86
 Zähler: 12 14 10 4 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3177 (40), 3125 (19), 2661 (32)
 beste Teiler 73.3 (11.) 221.0 (28.) 310.3 (26.)
 Trefferlage 1.34 mm links, 1.44 mm tief
 Streuwert 10.90, horizontal: 11.02, vertikal: 10.77



Serie 1:

9.2 ↘ 9.6 ↖ 9.9 ↓ 8.3 ↙ 9.7 ↓
 8.5 ↓ 10.5 * 9.0 → 8.7 ↗ 10.3 ↓


beste Teiler 371.2 (7.) 519.3 (10.) 858.9 (3.)
 Trefferlage 2.14 mm links, 5.86 mm tief
 Streuwert 9.20, horizontal: 10.34, vertikal: 7.89



Serie 2:

10.9 * 10.2 ↗ 10.4 * 8.0 ↗ 8.4 ↗
 7.9 ↓ 10.1 → 9.8 ↖ 7.0 ↑ 9.1 ↖


beste Teiler 73.3 (11.) 438.2 (13.) 601.7 (12.)
 Trefferlage 2.81 mm links, 0.07 mm hoch
 Streuwert 12.60, horizontal: 8.46, vertikal: 15.68



Serie 3:

8.8 ↓ 10.0 → 8.9 ↖ 8.6 → 10.1 ↓
 10.6 * 9.1 ← 10.7 * 8.8 ↗ 10.3 ↑

beste Teiler 221.0 (28.) 310.3 (26.) 486.0 (30.)
 Trefferlage 0.37 mm rechts, 3.76 mm tief
 Streuwert 8.96, horizontal: 9.64, vertikal: 8.23



Serie 4:



8.9 ↗ 7.6 → 10.1 ↖ 9.3 ← 9.7 ↑
 9.0 → 9.4 ↖ 9.3 ↑ 9.6 ↑ 7.0 ↖

beste Teiler 680.7 (33.) 989.4 (35.) 1092.4 (39.)
 Trefferlage 0.80 mm links, 3.78 mm hoch
 Streuwert 12.54, horizontal: 15.75, vertikal: 8.14


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361** (377.3)
 Serien: 88 94 87 92
 Zähler: 10 22 7 1 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2767 (25), 2273 (6), 2174 (38)
 beste Teiler 348.0 (39.) 422.3 (13.) 505.6 (30.)
 Trefferlage 6.16 mm links, 0.46 mm tief
 Streuwert 8.33, horizontal: 7.06, vertikal: 9.43




Serie 1:
 8.7 ↖ 9.0 ↙ 9.8 ↑ 10.3 ↗ 8.7 ↘
 8.1 ← 9.1 ↘ 9.8 ↓ 9.2 ↓ 9.8 ↓
 beste Teiler 543.0 (4.) 903.2 (3.) 913.7 (8.)
 Trefferlage 6.39 mm links, 0.15 mm tief
 Streuwert 9.64, horizontal: 9.21, vertikal: 10.05



Serie 2:
 9.6 ↖ 9.9 ↙ 10.4 * 10.2 ↓ 9.7 ↘
 9.2 ↓ 10.0 ↖ 9.1 ↖ 10.3 ↗ 9.4 ↗
 beste Teiler 422.3 (13.) 547.1 (19.) 624.8 (14.)
 Trefferlage 5.69 mm links, 3.79 mm tief
 Streuwert 5.42, horizontal: 4.24, vertikal: 6.38



Serie 3:
 9.0 ↙ 8.9 ← 10.2 ↘ 9.3 ↗ 7.5 ↘
 8.9 ← 9.3 ↓ 8.7 ↘ 9.3 ↘ 10.3 ←
 beste Teiler 505.6 (30.) 572.1 (23.) 1282.8 (27.)
 Trefferlage 7.72 mm links, 0.56 mm tief
 Streuwert 10.11, horizontal: 8.01, vertikal: 11.84





Serie 4:
 9.3 ↘ 10.0 → 9.5 ↙ 9.5 ↘ 10.0 ↗
 9.5 ↖ 9.5 ↓ 8.2 ↘ 10.5 * 9.6 ↗
 beste Teiler 348.0 (39.) 732.0 (32.) 735.5 (35.)
 Trefferlage 4.84 mm links, 2.64 mm hoch
 Streuwert 7.90, horizontal: 6.67, vertikal: 8.97


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **355** (370.6)
 Serien: 87 89 92 87
 Zähler: 11 17 8 4 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2652 (33), 2555 (1), 2492 (23)
 beste Teiler 212.4 (11.) 404.4 (8.) 465.6 (7.)
 Trefferlage 6.61 mm rechts, 1.30 mm hoch
 Streuwert 9.62, horizontal: 11.10, vertikal: 7.87




Serie 1:
 7.8 ↗ 8.3 → 9.5 → 8.3 ↓ 7.9 →
 9.3 → 10.4 * 10.4 * 9.7 ← 10.0 ↗
 beste Teiler 404.4 (8.) 465.6 (7.) 742.7 (10.)
 Trefferlage 8.67 mm rechts, 0.53 mm tief
 Streuwert 10.20, horizontal: 10.87, vertikal: 9.48



Serie 2:
 10.7 * 8.2 → 9.7 ↘ 9.7 ↗ 9.1 ↗
 9.4 → 9.5 ↙ 9.2 ↑ 9.9 ↓ 8.9 ↙
 beste Teiler 212.4 (11.) 879.6 (19.) 964.6 (14.)
 Trefferlage 3.53 mm rechts, 0.96 mm tief
 Streuwert 9.45, horizontal: 9.65, vertikal: 9.24



Serie 3:
 10.1 ↗ 10.0 → 7.8 → 9.2 ↘ 10.0 ↓
 9.0 ← 10.2 → 9.0 ↘ 9.1 → 9.5 ↘
 beste Teiler 601.5 (27.) 716.4 (21.) 781.2 (25.)
 Trefferlage 3.60 mm rechts, 1.40 mm hoch
 Streuwert 9.74, horizontal: 11.98, vertikal: 6.81





Serie 4:
 8.4 → 10.1 → 7.6 → 10.4 * 8.1 →
 9.5 ↑ 8.9 ↗ 8.1 → 10.3 ↑ 9.4 ↘
 beste Teiler 474.0 (34.) 560.1 (39.) 681.5 (32.)
 Trefferlage 10.62 mm rechts, 5.30 mm hoch
 Streuwert 8.81, horizontal: 11.65, vertikal: 4.39

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (379.8)
 Serien: 90 88 88 94
 Zähler: 13 17 8 1 1 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3344 (25), 2508 (20), 2141 (10)
 beste Teiler 197.0 (30.) 223.4 (19.) 261.2 (26.)
 Trefferlage 1.55 mm links, 0.48 mm tief
 Streuwert 9.55, horizontal: 10.23, vertikal: 8.82



Serie 1:

9.6 ↙ 9.9 ← 9.6 ↘ 9.1 ↖ 9.2 ↗
 9.2 ← 8.8 ← 10.1 ↗ 10.2 → 8.3 ↘


beste Teiler 616.9 (9.) 690.8 (8.) 803.0 (2.)
 Trefferlage 5.81 mm links, 1.87 mm tief
 Streuwert 8.74, horizontal: 10.12, vertikal: 7.09



Serie 2:

8.4 ↓ 8.5 → 9.6 ← 10.2 ↙ 9.1 ↖
 10.1 ↗ 8.4 ↘ 9.7 ↑ 10.7 * 7.8 →


beste Teiler 223.4 (19.) 623.2 (14.) 660.5 (16.)
 Trefferlage 0.94 mm rechts, 1.70 mm tief
 Streuwert 11.33, horizontal: 12.06, vertikal: 10.55



Serie 3:

8.9 → 8.8 → 8.7 ← 10.4 * 6.8 ↘
 10.6 * 10.0 → 9.5 ← 9.7 ↗ 10.7 *

beste Teiler 197.0 (30.) 261.2 (26.) 446.0 (24.)
 Trefferlage 0.94 mm rechts, 2.49 mm tief
 Streuwert 11.15, horizontal: 12.04, vertikal: 10.17



Serie 4:



9.5 ↘ 9.3 ↖ 10.6 * 9.9 ↑ 10.6 *
 9.4 ↗ 10.0 ↑ 9.8 ↑ 10.2 ↙ 9.9 ↘

beste Teiler 301.7 (35.) 312.0 (33.) 636.4 (39.)
 Trefferlage 2.28 mm links, 4.12 mm hoch
 Streuwert 5.72, horizontal: 5.04, vertikal: 6.33


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (376.5)
 Serien: 86 94 90 88
 Zähler: 12 18 7 2 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3289 (39), 2981 (9), 2430 (21)
 beste Teiler 272.2 (14.) 278.0 (11.) 416.0 (20.)
 Trefferlage 3.21 mm links, 0.53 mm hoch
 Streuwert 9.90, horizontal: 10.59, vertikal: 9.15




Serie 1:
 9.8 ↑ 9.3 ↑ 9.8 ↘ 8.0 ↙ 8.9 ↓
 9.3 ↘ 9.3 ← 9.1 ↑ 7.2 ↖ 9.0 ↙
 beste Teiler 906.3 (3.) 930.0 (1.) 1295.4 (6.)
 Trefferlage 8.46 mm links, 0.89 mm hoch
 Streuwert 10.92, horizontal: 10.21, vertikal: 11.58



Serie 2:
 10.6 * 8.6 ← 10.3 ↘ 10.6 * 10.3 ↗
 9.2 ↘ 9.4 ↓ 9.8 ↖ 9.1 ↗ 10.4 *
 beste Teiler 272.2 (14.) 278.0 (11.) 416.0 (20.)
 Trefferlage 2.80 mm links, 1.25 mm hoch
 Streuwert 7.41, horizontal: 8.12, vertikal: 6.62



Serie 3:
 7.9 ↓ 10.4 * 8.3 ↖ 10.0 ↖ 8.8 ←
 9.8 ↗ 10.3 ↑ 10.2 ← 9.9 ↓ 9.8 ←
 beste Teiler 421.0 (22.) 522.0 (27.) 624.3 (28.)
 Trefferlage 3.75 mm links, 1.00 mm tief
 Streuwert 9.35, horizontal: 10.01, vertikal: 8.65





Serie 4:
 10.1 ↖ 10.3 ↙ 10.0 ← 8.6 ↖ 9.7 ↘
 8.4 ↓ 9.6 ↘ 9.9 → 6.8 ↗ 9.7 →
 beste Teiler 555.3 (32.) 686.5 (31.) 728.0 (33.)
 Trefferlage 2.15 mm rechts, 0.98 mm hoch
 Streuwert 11.38, horizontal: 12.35, vertikal: 10.32


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **345** (360.6)
 Serien: 86 88 80 91
 Zähler: 12 10 11 5 2 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3756 (36), 3554 (17), 3167 (21)
 beste Teiler 209.4 (33.) 249.6 (19.) 426.5 (32.)
 Trefferlage 4.69 mm links, 1.33 mm tief
 Streuwert 12.40, horizontal: 12.28, vertikal: 12.52




Serie 1:
 10.2 ↘ 7.7 ↑ 9.2 ↘ 8.9 ↓ 9.8 ↘
 9.1 ↙ 8.0 ↑ 8.7 ↑ 10.2 ← 8.8 →
 beste Teiler 622.6 (1.) 628.0 (9.) 912.4 (5.)
 Trefferlage 0.18 mm rechts, 3.71 mm hoch
 Streuwert 11.96, horizontal: 8.72, vertikal: 14.49



Serie 2:
 7.7 ↑ 8.1 ↙ 8.3 ↙ 10.1 → 10.2 ↘
 10.0 ↑ 6.5 ↓ 10.1 → 10.6 * 9.0 ↘
 beste Teiler 249.6 (19.) 631.8 (15.) 698.4 (18.)
 Trefferlage 1.92 mm links, 2.14 mm tief
 Streuwert 13.52, horizontal: 10.59, vertikal: 15.92



Serie 3:
 7.0 ↙ 9.4 ↘ 10.1 ↙ 8.1 ← 8.7 ←
 8.1 ↗ 7.6 ↙ 8.0 ← 7.9 ↙ 8.4 →
 beste Teiler 643.8 (23.) 1212.0 (22.) 1781.4 (25.)
 Trefferlage 11.21 mm links, 2.47 mm tief
 Streuwert 13.95, horizontal: 16.40, vertikal: 10.97





Serie 4:
 9.5 ↙ 10.4 * 10.7 * 9.8 ↗ 9.4 ↙
 6.3 ↙ 9.7 ↓ 9.8 ↓ 10.3 ↘ 10.2 ↙
 beste Teiler 209.4 (33.) 426.5 (32.) 526.4 (39.)
 Trefferlage 5.82 mm links, 4.44 mm tief
 Streuwert 9.16, horizontal: 10.64, vertikal: 7.39

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **326** (344.7)
 Serien: 85 80 81 80
 Zähler: 2 15 12 9 2 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3598 (32), 3356 (27), 3185 (16)
 beste Teiler 9.4 (40.) 711.1 (29.) 852.7 (1.)
 Trefferlage 3.04 mm links, 3.03 mm hoch
 Streuwert 14.17, horizontal: 14.70, vertikal: 13.61



Serie 1:

9.9 ↘ 9.8 ↖ 8.0 ← 8.7 ↗ 8.8 ↙
 9.3 ↓ 9.1 ↖ 9.3 ↗ 9.0 ↖ 7.2 ↖


beste Teiler 852.7 (1.) 906.9 (2.) 1298.6 (6.)
 Trefferlage 7.62 mm links, 3.73 mm hoch
 Streuwert 11.30, horizontal: 11.43, vertikal: 11.17



Serie 2:

7.9 ↖ 9.5 ↑ 9.4 ↓ 7.6 ↑ 7.8 ↗
 7.0 ↑ 9.0 ↗ 8.5 ↑ 8.6 ↑ 9.3 ↖


beste Teiler 1181.3 (12.) 1209.3 (13.) 1313.2 (20.)
 Trefferlage 0.80 mm rechts, 15.25 mm hoch
 Streuwert 10.70, horizontal: 9.43, vertikal: 11.84



Serie 3:

9.2 ↑ 9.7 ↖ 9.4 ↖ 8.5 ↘ 8.1 ↓
 7.8 ↙ 6.8 ← 7.6 → 10.1 ↖ 8.0 →

beste Teiler 711.1 (29.) 1009.9 (22.) 1207.9 (23.)
 Trefferlage 0.01 mm links, 2.56 mm tief
 Streuwert 15.61, horizontal: 18.12, vertikal: 12.61



Serie 4:



9.7 ↓ 6.5 ← 7.3 ← 9.4 ↙ 7.7 ↘
 8.7 ↙ 8.9 ↓ 8.5 ↗ 8.2 ↙ 10.9 *

beste Teiler 9.4 (40.) 1002.0 (31.) 1250.0 (34.)
 Trefferlage 5.35 mm links, 4.27 mm tief
 Streuwert 15.02, horizontal: 18.25, vertikal: 10.86


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (370.6)
 Serien: 87 87 90 90
 Zähler: 9 18 11 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3001 (23), 2864 (38), 2358 (30)
 beste Teiler 23.0 (17.) 247.4 (35.) 443.0 (29.)
 Trefferlage 0.59 mm links, 1.62 mm hoch
 Streuwert 10.68, horizontal: 9.25, vertikal: 11.93




Serie 1:
 8.3 ↑ 9.7 ↓ 9.3 → 8.6 ↑ 8.7 ←
 9.8 ↓ 9.2 ↘ 9.7 ↘ 9.5 ↖ 9.0 ↗
 beste Teiler 906.9 (6.) 991.0 (2.) 1022.2 (8.)
 Trefferlage 0.48 mm rechts, 2.71 mm hoch
 Streuwert 10.66, horizontal: 9.40, vertikal: 11.79



Serie 2:
 8.1 ↑ 10.3 ↘ 9.2 ← 8.6 ↖ 8.6 ↓
 9.7 ↑ 10.9 * 8.9 ↘ 8.5 ↘ 9.3 ↖
 beste Teiler 23.0 (17.) 537.6 (12.) 996.4 (16.)
 Trefferlage 1.46 mm links, 1.90 mm tief
 Streuwert 11.36, horizontal: 9.85, vertikal: 12.69





Serie 3:
 10.1 ↖ 9.7 ↖ 7.2 ↖ 10.1 ↖ 9.4 ↑
 9.5 → 9.9 ↓ 9.5 ↗ 10.4 * 8.0 ↑
 beste Teiler 443.0 (29.) 658.8 (21.) 662.3 (24.)
 Trefferlage 0.29 mm links, 6.63 mm hoch
 Streuwert 9.78, horizontal: 9.09, vertikal: 10.42




Serie 4:
 8.6 ↘ 9.2 ↓ 10.1 ↖ 10.0 ↑ 10.6 *
 10.4 * 9.1 → 7.4 ↑ 9.1 ← 8.4 ←
 beste Teiler 247.4 (35.) 464.0 (36.) 650.9 (33.)
 Trefferlage 1.09 mm links, 0.93 mm tief
 Streuwert 11.36, horizontal: 10.02, vertikal: 12.56

Unterschrift des Schützen


Ergebnis: **356** (373.4)
 Serien: 91 90 89 86
 Zähler: 11 19 8 1 0 0 1 0 0 0
 Innenzehner: 5
 weiteste: 4884 (36), 2874 (11), 2054 (38)
 beste Teiler 242.1 (10.) 244.0 (40.) 254.6 (19.)
 Trefferlage 0.44 mm rechts, 0.12 mm tief
 Streuwert 10.91, horizontal: 10.80, vertikal: 11.02




Serie 1:
 9.2 ↙ 8.6 ← 9.3 ← 9.6 ↘ 10.0 ↑
 9.3 ↘ 8.6 ↗ 9.2 ↗ 10.6 * 10.6 *
 beste Teiler 242.1 (10.) 270.4 (9.) 729.0 (5.)
 Trefferlage 0.00 mm , 0.10 mm hoch
 Streuwert 9.56, horizontal: 10.68, vertikal: 8.30



Serie 2:
 7.4 ← 9.1 ↗ 9.8 ↘ 9.5 ← 10.0 →
 9.3 ↘ 10.0 ↘ 9.6 ↘ 10.6 * 8.6 ↑
 beste Teiler 254.6 (19.) 721.0 (17.) 788.4 (15.)
 Trefferlage 2.49 mm links, 4.47 mm hoch
 Streuwert 9.89, horizontal: 11.84, vertikal: 7.44



Serie 3:
 10.6 * 8.4 ↘ 9.3 ↙ 8.7 → 9.7 ←
 9.3 ↙ 8.9 ↘ 10.2 ↑ 9.6 ↙ 9.1 ↘
 beste Teiler 277.9 (21.) 626.6 (28.) 973.1 (25.)
 Trefferlage 1.02 mm links, 2.37 mm tief
 Streuwert 9.87, horizontal: 11.59, vertikal: 7.79





Serie 4:
 10.2 → 9.4 ↘ 8.7 ↑ 9.2 ↘ 10.3 ↑
 4.8 ↘ 9.3 ↘ 8.4 ↗ 9.8 ← 10.6 *
 beste Teiler 244.0 (40.) 557.5 (35.) 601.0 (31.)
 Trefferlage 5.28 mm rechts, 2.72 mm tief
 Streuwert 13.84, horizontal: 8.89, vertikal: 17.44


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **355** (371.9)
 Serien: 87 92 89 87
 Zähler: 12 16 8 3 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3743 (24), 3181 (33), 2744 (23)
 beste Teiler 312.4 (19.) 383.5 (35.) 421.8 (17.)
 Trefferlage 1.24 mm rechts, 3.24 mm tief
 Streuwert 10.82, horizontal: 12.49, vertikal: 8.85




Serie 1:
 10.3 ↑ 9.0 ↓ 8.4 ↘ 9.0 ↓ 7.9 ↓
 9.9 ← 8.5 ↓ 8.3 ↘ 10.4 * 9.5 ↓
 beste Teiler 439.0 (9.) 491.1 (1.) 830.3 (6.)
 Trefferlage 2.36 mm rechts, 10.10 mm tief
 Streuwert 9.11, horizontal: 10.03, vertikal: 8.08



Serie 2:
 9.3 → 9.9 ← 10.2 → 8.0 ↓ 9.4 ↗
 9.4 ↑ 10.4 * 10.2 ↓ 10.6 * 8.5 ↗
 beste Teiler 312.4 (19.) 421.8 (17.) 628.0 (18.)
 Trefferlage 4.73 mm rechts, 0.58 mm hoch
 Streuwert 8.78, horizontal: 8.26, vertikal: 9.26



Serie 3:
 10.3 → 9.7 ↓ 7.5 ↘ 6.3 → 10.3 →
 9.2 ↓ 9.7 ↓ 10.1 ← 9.8 ↓ 10.2 ↘
 beste Teiler 483.2 (21.) 498.6 (25.) 629.7 (30.)
 Trefferlage 0.51 mm rechts, 1.71 mm tief
 Streuwert 12.32, horizontal: 14.70, vertikal: 9.35





Serie 4:
 10.3 ↓ 8.7 → 7.0 ← 9.7 → 10.5 *
 9.7 ← 9.7 → 9.2 → 8.7 ↙ 8.2 ←
 beste Teiler 383.5 (35.) 487.4 (31.) 991.0 (36.)
 Trefferlage 2.63 mm links, 1.74 mm tief
 Streuwert 11.96, horizontal: 16.10, vertikal: 5.19

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **352** (369.1)
 Serien: 87 88 86 91
 Zähler: 11 14 11 4 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3120 (3), 3085 (9), 2549 (39)
 beste Teiler 251.2 (37.) 273.0 (32.) 455.0 (31.)
 Trefferlage 0.96 mm rechts, 5.96 mm tief
 Streuwert 10.40, horizontal: 9.46, vertikal: 11.26



Serie 1:

9.2 ← 8.0 ↙ 7.1 ↓ 10.1 ← 9.2 ↓
 9.0 ↙ 8.9 ↘ 10.1 ↑ 7.1 ↓ 10.1 ↗


beste Teiler 646.0 (8.) 646.5 (10.) 686.8 (4.)
 Trefferlage 2.92 mm links, 10.17 mm tief
 Streuwert 11.54, horizontal: 8.90, vertikal: 13.68



Serie 2:

8.6 ↓ 8.0 → 8.2 → 9.4 ↗ 9.8 →
 8.5 → 9.8 ↗ 10.2 ↘ 10.3 ↑ 9.8 ↘


beste Teiler 531.5 (19.) 571.1 (18.) 905.7 (15.)
 Trefferlage 6.18 mm rechts, 3.61 mm tief
 Streuwert 9.89, horizontal: 11.97, vertikal: 7.22



Serie 3:

10.3 → 8.6 ↓ 8.9 → 9.0 ↗ 8.9 ↓
 9.4 ↗ 8.5 ↑ 8.3 ↗ 9.9 ↘ 9.6 ↘

beste Teiler 499.0 (21.) 866.6 (29.) 1100.4 (30.)
 Trefferlage 0.61 mm links, 5.67 mm tief
 Streuwert 10.68, horizontal: 9.82, vertikal: 11.48



Serie 4:



10.4 * 10.6 * 10.0 ↓ 7.9 ↓ 10.1 ↘
 9.9 ↗ 10.6 * 9.4 ↓ 7.8 ↑ 9.6 ↘

beste Teiler 251.2 (37.) 273.0 (32.) 455.0 (31.)
 Trefferlage 1.21 mm rechts, 4.40 mm tief
 Streuwert 9.18, horizontal: 4.33, vertikal: 12.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (380.1)
 Serien: 92 92 94 87
 Zähler: 14 18 7 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2686 (33), 2369 (19), 2263 (18)
 beste Teiler 218.2 (23.) 241.2 (30.) 408.0 (13.)
 Trefferlage 0.92 mm links, 3.79 mm tief
 Streuwert 8.92, horizontal: 10.10, vertikal: 7.57




Serie 1:
 9.6 ↙ 9.9 ↘ 9.1 ↙ 9.0 ↓ 9.1 ↑
 10.4 * 9.9 ↘ 10.1 ↙ 9.9 ↙ 9.2 →
 beste Teiler 437.2 (6.) 720.9 (8.) 843.0 (7.)
 Trefferlage 1.34 mm links, 3.88 mm tief
 Streuwert 7.86, horizontal: 7.48, vertikal: 8.21



Serie 2:
 10.2 ↘ 9.4 ↗ 10.4 * 10.0 ↘ 9.9 ↘
 9.3 ↓ 9.7 ↓ 8.1 ↙ 8.0 ↘ 10.0 ↓
 beste Teiler 408.0 (13.) 640.4 (11.) 778.9 (20.)
 Trefferlage 2.26 mm rechts, 5.55 mm tief
 Streuwert 8.76, horizontal: 10.40, vertikal: 6.74



Serie 3:
 8.2 ↘ 8.6 ↗ 10.7 * 9.5 ↘ 10.3 ↖
 9.3 → 10.4 * 10.0 ↗ 10.1 ↙ 10.6 *
 beste Teiler 218.2 (23.) 241.2 (30.) 410.2 (27.)
 Trefferlage 0.64 mm rechts, 2.12 mm hoch
 Streuwert 8.28, horizontal: 9.03, vertikal: 7.47





Serie 4:
 10.2 ↘ 9.1 ↘ 7.6 ↖ 8.9 ↖ 9.3 ↓
 9.5 ↙ 9.5 → 10.2 ↓ 8.5 ↙ 8.4 ↖
 beste Teiler 578.7 (38.) 599.3 (31.) 1132.2 (37.)
 Trefferlage 5.27 mm links, 7.86 mm tief
 Streuwert 9.48, horizontal: 12.68, vertikal: 4.37


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **247** (266.5)
 Serien: 57 62 62 66
 Zähler: 2 5 6 5 9 3 6 1 1 1
 Innenzehner: 0
 weiteste: 8190 (18), 7551 (36), 7118 (2)
 beste Teiler 538.7 (1.) 659.1 (11.) 974.9 (39.)
 Trefferlage 11.21 mm links, 3.07 mm tief
 Streuwert 26.59, horizontal: 29.67, vertikal: 23.09




Serie 1:
 10.3 ↗ 2.1 ← 3.4 ↗ 4.2 ↖ 9.6 ↓
 6.9 ← 7.2 ↗ 6.4 ← 5.8 ↓ 5.7 ↖
 beste Teiler 538.7 (1.) 1099.2 (5.) 3038.0 (7.)
 Trefferlage 29.28 mm links, 0.99 mm hoch
 Streuwert 23.46, horizontal: 26.01, vertikal: 20.59



Serie 2:
 10.1 ↓ 8.8 → 4.8 ↗ 7.2 ← 6.9 ↑
 5.5 ← 9.6 ↗ 0.0 ↓ 9.5 ↓ 4.9 →
 beste Teiler 659.1 (11.) 1120.7 (17.) 1180.4 (19.)
 Trefferlage 0.83 mm rechts, 6.35 mm tief
 Streuwert 29.31, horizontal: 28.34, vertikal: 30.25



Serie 3:
 6.5 → 8.8 ↗ 6.0 → 6.6 ↓ 6.2 ↖
 4.3 ↗ 7.2 ↓ 4.6 ↗ 6.6 ↗ 9.1 ↖
 beste Teiler 1517.5 (30.) 1690.4 (22.) 3026.3 (27.)
 Trefferlage 4.49 mm links, 6.09 mm tief
 Streuwert 26.84, horizontal: 29.54, vertikal: 23.83





Serie 4:
 7.8 → 8.6 ← 7.6 ↓ 4.7 ← 6.0 ↑
 1.5 ← 8.9 ↘ 8.3 ↓ 9.7 → 8.6 ←
 beste Teiler 974.9 (39.) 1631.6 (37.) 1841.4 (32.)
 Trefferlage 11.92 mm links, 0.85 mm tief
 Streuwert 24.95, horizontal: 29.79, vertikal: 18.92


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **323** (341.0)
 Serien: 84 78 79 82
 Zähler: 6 11 10 10 1 0 2 0 0 0
 Innenzehner: 3
 weiteste: 5097 (11), 5003 (19), 3205 (7)
 beste Teiler 368.4 (1.) 415.8 (16.) 473.8 (2.)
 Trefferlage 1.97 mm links, 2.82 mm tief
 Streuwert 15.68, horizontal: 13.65, vertikal: 17.49




Serie 1:
 10.5 * 10.4 * 9.2 ↙ 9.7 ↘ 9.6 ↙
 7.5 ↓ 6.9 ↘ 8.5 ↗ 7.9 ↗ 9.0 ↑
 beste Teiler 368.4 (1.) 473.8 (2.) 1027.3 (4.)
 Trefferlage 1.55 mm rechts, 0.31 mm tief
 Streuwert 13.80, horizontal: 11.53, vertikal: 15.75



Serie 2:
 4.6 ↗ 9.2 ↙ 10.2 ← 8.9 ↙ 7.6 ↑
 10.4 * 8.4 ↓ 9.4 ↑ 4.7 ↘ 9.2 ↑
 beste Teiler 415.8 (16.) 613.3 (13.) 1279.4 (18.)
 Trefferlage 3.12 mm links, 7.45 mm tief
 Streuwert 19.00, horizontal: 13.96, vertikal: 22.95



Serie 3:
 8.3 ↘ 7.4 ← 7.4 ← 10.0 ↗ 8.4 ↘
 7.8 ↓ 8.2 ↘ 7.5 ↙ 8.3 ↘ 9.5 ↓
 beste Teiler 787.9 (24.) 1142.6 (30.) 2030.0 (25.)
 Trefferlage 7.06 mm links, 9.50 mm tief
 Streuwert 14.19, horizontal: 17.84, vertikal: 9.18





Serie 4:
 7.9 ↓ 9.0 ↗ 8.7 ↓ 7.1 ↗ 8.5 ↘
 7.6 ↘ 10.0 ↓ 9.9 ↘ 9.6 ↘ 8.1 ↗
 beste Teiler 775.0 (37.) 857.6 (38.) 1108.6 (39.)
 Trefferlage 0.70 mm rechts, 5.98 mm hoch
 Streuwert 14.28, horizontal: 10.44, vertikal: 17.29


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **325** (344.1)
 Serien: 87 80 74 84
 Zähler: 5 12 15 3 3 1 0 1 0 0
 Innenzehner: 2
 weiteste: 5624 (12), 4075 (26), 3379 (11)
 beste Teiler 265.8 (20.) 359.9 (5.) 586.9 (9.)
 Trefferlage 1.99 mm rechts, 5.58 mm hoch
 Streuwert 14.80, horizontal: 14.42, vertikal: 15.17




Serie 1:
 7.7 ↗ 9.6 ↙ 9.9 → 8.8 → 10.5 *
 8.0 ↖ 9.1 ↘ 8.5 ↙ 10.2 → 9.6 ↘
 beste Teiler 359.9 (5.) 586.9 (9.) 859.3 (3.)
 Trefferlage 1.23 mm rechts, 0.95 mm tief
 Streuwert 11.61, horizontal: 13.09, vertikal: 9.91



Serie 2:
 6.7 → 3.9 ↗ 9.2 ↙ 8.2 ↗ 10.0 ↖
 8.0 ↑ 9.4 ↘ 8.0 ↑ 9.6 ↘ 10.6 *
 beste Teiler 265.8 (20.) 776.8 (15.) 1111.8 (19.)
 Trefferlage 4.26 mm rechts, 12.28 mm hoch
 Streuwert 16.23, horizontal: 15.78, vertikal: 16.67





Serie 3:
 8.5 ↗ 8.2 ↗ 9.1 ↘ 6.7 ↗ 6.8 ↗
 5.9 ↗ 9.5 ↖ 8.6 → 8.9 ↙ 7.5 ↗
 beste Teiler 1187.4 (27.) 1517.6 (23.) 1672.5 (29.)
 Trefferlage 11.11 mm rechts, 10.59 mm hoch
 Streuwert 15.20, horizontal: 13.25, vertikal: 16.92




Serie 4:
 10.1 ↖ 8.4 ↗ 8.6 ← 8.4 ↘ 8.6 ↙
 9.3 ↖ 9.9 ← 7.6 ↘ 8.5 ↖ 9.5 ↓
 beste Teiler 661.5 (31.) 860.4 (37.) 1186.1 (40.)
 Trefferlage 8.64 mm links, 0.41 mm hoch
 Streuwert 11.41, horizontal: 9.00, vertikal: 13.40

Unterschrift des Schützen


Ergebnis: **345** (360.5)
 Serien: 82 87 84 92
 Zähler: 9 16 9 4 1 1 0 0 0 0
 Innenzehner: 3
 weiteste: 4227 (2), 3270 (10), 2622 (18)
 beste Teiler 235.8 (5.) 279.6 (39.) 448.0 (36.)
 Trefferlage 2.19 mm rechts, 2.50 mm hoch
 Streuwert 12.35, horizontal: 11.63, vertikal: 13.03




Serie 1:
 9.7 ↘ 5.7 ↘ 8.6 ↗ 9.8 ↗ 10.7 *
 10.0 ↗ 8.0 ↓ 8.5 ← 9.1 ↓ 6.9 ↘
 beste Teiler 235.8 (5.) 735.4 (6.) 903.2 (4.)
 Trefferlage 4.50 mm links, 4.34 mm hoch
 Streuwert 15.32, horizontal: 14.01, vertikal: 16.53



Serie 2:
 8.1 → 10.2 ↑ 9.3 ↑ 9.0 ↑ 8.5 ↗
 9.4 ↗ 9.0 ↘ 7.7 ↘ 9.3 ↑ 9.4 ↑
 beste Teiler 563.7 (12.) 1229.7 (20.) 1233.6 (16.)
 Trefferlage 3.51 mm rechts, 9.45 mm hoch
 Streuwert 9.81, horizontal: 10.64, vertikal: 8.89



Serie 3:
 9.3 ↗ 7.9 → 8.4 ↓ 7.9 ↓ 9.9 ↘
 10.1 ↗ 8.4 ↘ 9.0 ↗ 7.7 → 10.2 ↘
 beste Teiler 625.6 (30.) 666.5 (26.) 873.4 (25.)
 Trefferlage 8.58 mm rechts, 4.82 mm tief
 Streuwert 11.27, horizontal: 9.54, vertikal: 12.77





Serie 4:
 8.2 ↘ 9.3 ↘ 9.5 ↓ 9.3 ↗ 9.0 →
 10.4 * 10.0 ↗ 10.0 → 10.6 * 8.5 ↗
 beste Teiler 279.6 (39.) 448.0 (36.) 730.0 (37.)
 Trefferlage 1.19 mm rechts, 1.04 mm hoch
 Streuwert 9.70, horizontal: 9.36, vertikal: 10.03

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **353** (371.2)
 Serien: 90 90 85 88
 Zähler: 8 20 9 3 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2868 (28), 2674 (29), 2611 (31)
 beste Teiler 159.2 (11.) 352.2 (12.) 470.1 (14.)
 Trefferlage 2.20 mm links, 1.36 mm hoch
 Streuwert 10.47, horizontal: 10.59, vertikal: 10.35



Serie 1:

9.1 ↖ 10.3 ↗ 8.9 ← 9.7 ← 9.1 ↗
 9.3 ↙ 9.8 → 9.1 ↑ 9.3 ↘ 9.9 →


beste Teiler 533.3 (2.) 827.4 (10.) 917.0 (7.)
 Trefferlage 1.43 mm links, 2.99 mm hoch
 Streuwert 8.95, horizontal: 9.09, vertikal: 8.81



Serie 2:

10.8 * 10.5 * 9.4 ↖ 10.4 * 10.1 ↖
 9.5 ↙ 8.8 ↓ 8.2 ↓ 8.8 ↙ 8.6 ↘


beste Teiler 159.2 (11.) 352.2 (12.) 470.1 (14.)
 Trefferlage 2.98 mm links, 6.55 mm tief
 Streuwert 8.50, horizontal: 8.35, vertikal: 8.66



Serie 3:

10.0 ↑ 9.7 → 9.5 ↖ 9.3 ↙ 8.0 ↖
 9.8 ↗ 9.6 ↖ 7.4 ↖ 7.6 → 8.9 ↑

beste Teiler 731.9 (21.) 884.6 (26.) 986.5 (22.)
 Trefferlage 0.85 mm links, 7.96 mm hoch
 Streuwert 11.47, horizontal: 12.59, vertikal: 10.21



Serie 4:



7.7 ↖ 8.3 ← 10.2 ↙ 9.0 ↙ 10.1 ↙
 9.6 → 9.8 ↘ 9.4 ↙ 8.1 ↗ 9.6 ↗

beste Teiler 599.4 (33.) 647.7 (35.) 923.3 (37.)
 Trefferlage 3.53 mm links, 1.07 mm hoch
 Streuwert 11.33, horizontal: 13.05, vertikal: 9.29


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (375.9)
 Serien: 89 88 90 91
 Zähler: 9 21 9 1 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2695 (18), 2193 (4), 2063 (26)
 beste Teiler 203.0 (38.) 452.0 (5.) 504.5 (9.)
 Trefferlage 3.57 mm rechts, 0.89 mm hoch
 Streuwert 9.37, horizontal: 8.72, vertikal: 9.98




Serie 1:
 8.4 ↑ 8.9 ↘ 9.3 → 8.2 ↗ 10.4 *
 9.0 ↓ 9.7 → 9.2 ↗ 10.3 ↓ 9.6 ↓
 beste Teiler 452.0 (5.) 504.5 (9.) 1025.5 (7.)
 Trefferlage 4.34 mm rechts, 0.36 mm hoch
 Streuwert 10.26, horizontal: 7.12, vertikal: 12.65



Serie 2:
 9.9 ← 8.8 ↑ 10.0 ↑ 9.4 → 9.6 ↗
 10.0 ↘ 9.1 ↘ 7.6 → 9.0 ↑ 8.7 →
 beste Teiler 735.3 (13.) 747.8 (16.) 848.6 (11.)
 Trefferlage 5.16 mm rechts, 0.41 mm hoch
 Streuwert 10.47, horizontal: 10.85, vertikal: 10.07



Serie 3:
 10.3 ↗ 9.9 ↘ 9.2 ↑ 9.8 ↓ 10.0 ←
 8.4 → 8.7 ← 9.6 → 8.5 ↓ 10.0 ↗
 beste Teiler 506.8 (21.) 751.1 (25.) 797.1 (30.)
 Trefferlage 1.09 mm rechts, 0.65 mm tief
 Streuwert 9.86, horizontal: 10.77, vertikal: 8.85





Serie 4:
 9.3 ↑ 10.1 ↘ 9.9 ↓ 9.2 ↗ 9.9 →
 9.1 ↑ 9.7 → 10.7 * 8.6 ↗ 9.9 ↓
 beste Teiler 203.0 (38.) 656.6 (32.) 805.7 (33.)
 Trefferlage 3.67 mm rechts, 3.44 mm hoch
 Streuwert 7.60, horizontal: 5.88, vertikal: 9.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (374.3)
 Serien: 88 86 90 90
 Zähler: 9 19 9 3 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2901 (13), 2542 (7), 2510 (37)
 beste Teiler 142.8 (32.) 203.5 (31.) 234.5 (5.)
 Trefferlage 1.65 mm links, 0.01 mm tief
 Streuwert 10.18, horizontal: 10.84, vertikal: 9.47




Serie 1:
 9.8 → 9.8 ↗ 9.4 ↗ 8.7 ↖ 10.7 *
 9.5 ↓ 7.8 ← 8.9 ↖ 9.9 ↘ 10.1 ←
 beste Teiler 234.5 (5.) 715.9 (10.) 805.5 (9.)
 Trefferlage 3.10 mm links, 2.71 mm tief
 Streuwert 9.58, horizontal: 11.64, vertikal: 6.94



Serie 2:
 9.8 ↓ 8.6 ↓ 7.3 ↘ 8.8 ↑ 8.1 ←
 10.0 → 8.4 ↗ 9.3 ← 10.3 ← 9.6 ←
 beste Teiler 513.3 (19.) 757.3 (16.) 937.7 (11.)
 Trefferlage 0.15 mm links, 0.46 mm tief
 Streuwert 12.71, horizontal: 13.83, vertikal: 11.49



Serie 3:
 8.6 ↖ 9.4 ↗ 10.4 * 10.1 ↖ 9.3 ↗
 8.9 ↘ 9.7 → 9.0 ↗ 9.1 ↖ 9.0 ↑
 beste Teiler 453.2 (23.) 719.4 (24.) 965.1 (27.)
 Trefferlage 0.11 mm links, 7.53 mm hoch
 Streuwert 8.25, horizontal: 9.80, vertikal: 6.33





Serie 4:
 10.7 * 10.8 * 9.8 ↖ 9.3 ↘ 9.0 ↓
 9.7 ↑ 7.8 ← 8.9 ↓ 9.4 ↖ 10.6 *
 beste Teiler 142.8 (32.) 203.5 (31.) 305.3 (40.)
 Trefferlage 3.25 mm links, 4.40 mm tief
 Streuwert 8.72, horizontal: 8.75, vertikal: 8.69


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **349** (368.4)
 Serien: 88 88 85 88
 Zähler: 9 18 7 5 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3595 (20), 3095 (5), 3081 (28)
 beste Teiler 257.6 (16.) 322.2 (37.) 343.4 (14.)
 Trefferlage 2.62 mm rechts, 6.92 mm hoch
 Streuwert 10.45, horizontal: 9.79, vertikal: 11.07




Serie 1:
 10.2 ↖ 8.5 ↖ 7.2 ↗ 10.0 → 7.1 ↑
 9.9 ↖ 9.6 → 10.3 ↖ 9.8 ↓ 9.2 ↑
 beste Teiler 492.2 (8.) 587.7 (1.) 800.0 (4.)
 Trefferlage 1.90 mm rechts, 7.48 mm hoch
 Streuwert 11.16, horizontal: 9.04, vertikal: 12.94



Serie 2:
 9.8 ↑ 7.6 ↗ 9.8 ↖ 10.5 * 10.0 →
 10.6 * 9.6 → 9.4 ↖ 9.9 → 6.5 ↖
 beste Teiler 257.6 (16.) 343.4 (14.) 775.8 (15.)
 Trefferlage 1.44 mm rechts, 7.28 mm hoch
 Streuwert 10.68, horizontal: 10.30, vertikal: 11.05



Serie 3:
 9.1 ↖ 7.8 → 8.3 ↑ 9.2 ↖ 9.7 ↓
 9.9 → 9.7 ↖ 7.1 ↗ 8.7 → 10.3 →
 beste Teiler 550.9 (30.) 870.6 (26.) 996.3 (25.)
 Trefferlage 7.71 mm rechts, 4.18 mm hoch
 Streuwert 11.37, horizontal: 11.34, vertikal: 11.41





Serie 4:
 8.0 ↑ 8.7 ↖ 8.1 ↑ 9.8 ↑ 9.6 →
 9.7 ↖ 10.5 * 9.6 ↑ 8.7 ↖ 10.4 *
 beste Teiler 322.2 (37.) 423.3 (40.) 881.9 (34.)
 Trefferlage 0.56 mm links, 8.74 mm hoch
 Streuwert 8.81, horizontal: 7.52, vertikal: 9.94

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (382.5)
 Serien: 92 94 94 87
 Zähler: 14 19 7 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2309 (40), 2095 (5), 2060 (38)
 beste Teiler 116.9 (21.) 124.7 (17.) 142.8 (4.)
 Trefferlage 1.15 mm links, 1.58 mm tief
 Streuwert 8.82, horizontal: 9.46, vertikal: 8.14



Serie 1:

9.4 ↘ 8.5 ↓ 9.1 ← 10.8 * 8.3 ↙
 9.9 ← 10.3 ↗ 9.9 → 10.1 ↘ 10.2 ↗


beste Teiler 142.8 (4.) 546.2 (7.) 593.2 (10.)
 Trefferlage 4.07 mm links, 3.68 mm tief
 Streuwert 7.98, horizontal: 8.74, vertikal: 7.15



Serie 2:

9.8 ← 9.1 → 10.5 * 10.5 * 9.1 ↙
 9.5 ↑ 10.8 * 9.3 ↗ 9.4 ↘ 10.3 ↘


beste Teiler 124.7 (17.) 366.0 (13.) 400.5 (14.)
 Trefferlage 1.33 mm rechts, 0.49 mm hoch
 Streuwert 7.56, horizontal: 7.55, vertikal: 7.56



Serie 3:

10.8 * 10.4 * 10.1 → 9.4 ↘ 9.3 ↙
 9.1 ↓ 9.6 → 9.4 ↙ 10.0 ↑ 9.3 →

beste Teiler 116.9 (21.) 475.6 (22.) 664.0 (23.)
 Trefferlage 0.14 mm links, 0.23 mm tief
 Streuwert 7.81, horizontal: 8.11, vertikal: 7.49



Serie 4:



10.2 ↘ 8.7 ← 8.7 ↘ 10.1 ↑ 9.0 →
 9.2 ↘ 9.2 ↘ 8.4 ↗ 8.7 → 8.1 ↙

beste Teiler 581.0 (31.) 643.6 (34.) 1367.1 (37.)
 Trefferlage 1.74 mm links, 2.90 mm tief
 Streuwert 11.82, horizontal: 13.06, vertikal: 10.42


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **355** (369.3)
 Serien: 89 88 89 89
 Zähler: 13 11 14 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3086 (29), 2729 (15), 2368 (18)
 beste Teiler 159.8 (16.) 232.4 (35.) 270.1 (32.)
 Trefferlage 0.02 mm links, 2.03 mm hoch
 Streuwert 11.06, horizontal: 11.33, vertikal: 10.79




Serie 1:
 8.5 ↗ 9.0 ↘ 9.2 ↓ 8.0 ↖ 8.3 →
 8.4 ← 10.0 ↖ 10.0 ← 9.9 ↑ 10.2 ↖
 beste Teiler 561.8 (10.) 753.5 (7.) 769.1 (8.)
 Trefferlage 3.78 mm links, 2.78 mm hoch
 Streuwert 11.13, horizontal: 12.23, vertikal: 9.92



Serie 2:
 10.5 * 10.2 ↗ 8.4 ↓ 8.7 ↘ 7.5 ↗
 10.8 * 9.4 ↑ 8.0 ← 8.4 ↑ 10.0 →
 beste Teiler 159.8 (16.) 370.4 (11.) 637.0 (12.)
 Trefferlage 0.69 mm rechts, 3.73 mm hoch
 Streuwert 11.96, horizontal: 11.73, vertikal: 12.18



Serie 3:
 10.3 ↗ 9.6 ↘ 8.4 ← 10.1 ↖ 9.3 ←
 9.0 → 9.4 → 8.6 ↗ 7.1 ↓ 10.2 →
 beste Teiler 486.5 (21.) 607.4 (30.) 660.6 (24.)
 Trefferlage 0.02 mm links, 0.94 mm tief
 Streuwert 11.81, horizontal: 12.09, vertikal: 11.53





Serie 4:
 10.3 ↘ 10.6 * 9.4 ↘ 8.9 ↗ 10.7 *
 9.7 ↑ 8.2 → 9.0 ↑ 8.7 ↖ 8.4 ↘
 beste Teiler 232.4 (35.) 270.1 (32.) 506.7 (31.)
 Trefferlage 3.01 mm rechts, 2.57 mm hoch
 Streuwert 10.19, horizontal: 9.83, vertikal: 10.54

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (374.2)
 Serien: 88 86 94 90
 Zähler: 12 16 10 2 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3101 (17), 2538 (7), 2250 (39)
 beste Teiler 242.5 (37.) 379.6 (34.) 425.6 (3.)
 Trefferlage 0.51 mm links, 2.99 mm hoch
 Streuwert 10.06, horizontal: 10.93, vertikal: 9.10



Serie 1:

9.7 ↘ 9.1 ↙ 10.4 * 8.7 ↓ 8.5 ↖
 9.8 ↙ 7.8 ↗ 10.4 * 9.0 ↑ 9.0 ↓


beste Teiler 425.6 (3.) 469.1 (8.) 954.9 (6.)
 Trefferlage 1.53 mm links, 2.44 mm tief
 Streuwert 11.09, horizontal: 9.73, vertikal: 12.29



Serie 2:

8.8 → 9.6 ↗ 9.1 ↗ 10.3 → 9.0 ↘
 8.2 ↘ 7.1 ← 9.9 ↖ 9.9 ↗ 8.5 ↖


beste Teiler 540.4 (14.) 851.4 (19.) 867.5 (18.)
 Trefferlage 0.09 mm links, 5.97 mm hoch
 Streuwert 11.79, horizontal: 14.20, vertikal: 8.74



Serie 3:

10.2 ↘ 10.0 ↑ 10.1 ← 9.3 ↑ 9.9 →
 9.4 ↙ 9.5 ↖ 8.6 ↗ 10.1 ↙ 10.0 ↙

beste Teiler 593.0 (21.) 697.4 (29.) 716.0 (23.)
 Trefferlage 1.71 mm links, 2.85 mm hoch
 Streuwert 7.56, horizontal: 8.28, vertikal: 6.75



Serie 4:



10.0 ← 8.6 → 8.8 ← 10.5 * 8.4 ↑
 9.5 ↖ 10.6 * 10.4 * 8.1 → 9.4 ↗

beste Teiler 242.5 (37.) 379.6 (34.) 430.3 (38.)
 Trefferlage 1.28 mm rechts, 5.58 mm hoch
 Streuwert 9.53, horizontal: 12.07, vertikal: 6.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **343** (360.8)
 Serien: 86 92 87 78
 Zähler: 10 12 14 1 2 0 1 0 0 0
 Innenzehner: 3
 weiteste: 5489 (35), 3717 (28), 3377 (34)
 beste Teiler 110.2 (23.) 287.2 (13.) 364.7 (32.)
 Trefferlage 4.76 mm links, 0.73 mm tief
 Streuwert 12.84, horizontal: 14.05, vertikal: 11.51




Serie 1:
 8.5 ← 8.2 ↖ 9.7 ↘ 9.4 ↖ 8.1 ↗
 8.1 → 9.5 ↗ 10.2 ↙ 9.7 ↓ 8.1 ↗
 beste Teiler 561.4 (8.) 965.9 (3.) 1012.8 (9.)
 Trefferlage 0.47 mm links, 6.32 mm hoch
 Streuwert 11.97, horizontal: 14.51, vertikal: 8.72



Serie 2:
 10.2 ↖ 8.9 ↖ 10.6 * 8.3 ↖ 10.0 ↖
 8.5 ↙ 10.1 ↖ 10.1 ↘ 9.4 ↑ 9.5 ↑
 beste Teiler 287.2 (13.) 574.6 (11.) 652.8 (18.)
 Trefferlage 4.51 mm links, 4.91 mm hoch
 Streuwert 7.96, horizontal: 7.00, vertikal: 8.83



Serie 3:
 9.6 ↖ 8.9 ← 10.8 * 9.9 ↓ 9.5 ↙
 8.4 → 10.2 ↗ 6.3 ← 10.3 ↙ 8.9 ↙
 beste Teiler 110.2 (23.) 486.5 (29.) 569.2 (27.)
 Trefferlage 6.34 mm links, 2.03 mm tief
 Streuwert 11.21, horizontal: 14.78, vertikal: 5.71



Serie 4:
 8.3 ↙ 10.5 * 8.6 ← 6.7 ↙ 4.1 ↙
 9.7 ↑ 7.9 ↘ 9.2 ↓ 8.0 ↓ 9.9 ↘
 beste Teiler 364.7 (32.) 855.6 (40.) 967.0 (36.)
 Trefferlage 7.70 mm links, 12.14 mm tief
 Streuwert 15.73, horizontal: 18.55, vertikal: 12.27

Unterschrift des Schützen