





Ergebnis: **378** (396.4)
 Serien: 93 94 98 93
 Zähler: 18 22 0 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1382 (8), 1376 (16), 1372 (1)
 beste Teiler 99.2 (13.) 191.9 (21.) 220.5 (26.)
 Trefferlage 1.55 mm rechts, 0.84 mm hoch
 Streuwert 6.37, horizontal: 7.36, vertikal: 5.20




Serie 1:
 9.2 ↘ 10.5 * 9.8 ↙ 9.4 → 10.4 *
 10.2 → 9.8 ↘ 9.2 → 9.4 ↓ 9.8 ↖
 beste Teiler 338.4 (2.) 429.4 (5.) 625.0 (6.)
 Trefferlage 4.33 mm rechts, 3.43 mm tief
 Streuwert 6.27, horizontal: 7.23, vertikal: 5.13



Serie 2:
 9.3 ↙ 10.5 * 10.8 * 9.6 → 9.9 ↙
 9.2 → 10.4 * 10.0 ↗ 9.9 ↗ 9.5 →
 beste Teiler 99.2 (13.) 328.2 (12.) 403.6 (17.)
 Trefferlage 2.60 mm rechts, 0.34 mm hoch
 Streuwert 6.59, horizontal: 8.46, vertikal: 3.92



Serie 3:
 10.7 * 10.4 * 10.2 ↖ 10.5 * 10.3 ↑
 10.7 * 9.5 → 9.9 → 10.2 ↖ 10.1 ↑
 beste Teiler 191.9 (21.) 220.5 (26.) 355.4 (24.)
 Trefferlage 0.05 mm rechts, 1.70 mm hoch
 Streuwert 4.50, horizontal: 5.61, vertikal: 3.01





Serie 4:
 9.7 ↖ 10.0 ↗ 9.8 ↘ 10.0 → 9.5 ↑
 9.9 ↑ 9.2 ↘ 9.2 ↖ 9.5 → 10.3 ↓
 beste Teiler 553.2 (40.) 762.7 (34.) 789.9 (32.)
 Trefferlage 0.77 mm links, 4.76 mm hoch
 Streuwert 6.67, horizontal: 7.80, vertikal: 5.29


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (396.6)
 Serien: 94 93 94 96
 Zähler: 20 18 1 1 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2499 (10), 1762 (28), 1594 (18)
 beste Teiler 169.8 (40.) 198.3 (34.) 305.5 (33.)
 Trefferlage 0.36 mm links, 2.62 mm tief
 Streuwert 6.44, horizontal: 5.91, vertikal: 6.92




Serie 1:
 9.5 ↘ 10.1 ↓ 9.9 ↘ 10.4 * 9.8 ↓
 10.4 * 10.3 ↗ 10.1 ↖ 10.3 ↙ 7.8 ↘
 beste Teiler 401.3 (6.) 416.4 (4.) 531.9 (9.)
 Trefferlage 1.76 mm rechts, 4.17 mm tief
 Streuwert 7.05, horizontal: 6.79, vertikal: 7.30



Serie 2:
 9.4 ↓ 10.3 ↗ 9.8 → 9.8 ↓ 9.6 ↓
 9.9 ← 9.9 ↓ 9.0 ↙ 10.0 ↙ 10.5 *
 beste Teiler 345.4 (20.) 537.7 (12.) 782.0 (19.)
 Trefferlage 0.65 mm rechts, 5.33 mm tief
 Streuwert 6.03, horizontal: 5.99, vertikal: 6.07



Serie 3:
 9.9 ↘ 10.2 ↑ 10.1 ↖ 10.5 * 10.0 ↑
 9.2 ← 9.9 ↖ 8.7 ↓ 9.7 ↓ 10.3 *
 beste Teiler 335.1 (24.) 519.6 (30.) 592.9 (22.)
 Trefferlage 2.29 mm links, 1.10 mm tief
 Streuwert 6.91, horizontal: 5.50, vertikal: 8.08





Serie 4:
 9.7 ← 10.3 → 10.6 * 10.7 * 9.7 ↓
 9.3 ↘ 9.9 ↗ 10.0 → 10.4 * 10.7 *
 beste Teiler 169.8 (40.) 198.3 (34.) 305.5 (33.)
 Trefferlage 1.58 mm links, 0.11 mm hoch
 Streuwert 5.37, horizontal: 5.23, vertikal: 5.51


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (387.8)
 Serien: 91 91 92 96
 Zähler: 13 24 3 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2173 (18), 1878 (19), 1658 (28)
 beste Teiler 264.2 (12.) 430.3 (25.) 498.8 (36.)
 Trefferlage 0.67 mm rechts, 2.05 mm tief
 Streuwert 7.57, horizontal: 8.79, vertikal: 6.11




Serie 1:
 9.6 ↘ 9.8 ↘ 9.5 ↘ 9.7 → 9.9 ↘
 9.3 ← 9.8 → 9.4 → 9.0 ↘ 10.0 →
 beste Teiler 788.2 (10.) 864.9 (5.) 923.9 (2.)
 Trefferlage 2.17 mm rechts, 0.66 mm hoch
 Streuwert 8.11, horizontal: 10.01, vertikal: 5.60



Serie 2:
 9.9 → 10.6 * 9.7 ↘ 9.5 ↗ 10.3 ↘
 9.8 ↗ 10.3 ↘ 8.2 ↗ 8.6 → 9.2 ↗
 beste Teiler 264.2 (12.) 553.6 (17.) 554.2 (15.)
 Trefferlage 3.67 mm rechts, 0.37 mm tief
 Streuwert 8.55, horizontal: 9.28, vertikal: 7.75



Serie 3:
 10.1 ↘ 9.2 ← 9.3 ↘ 9.5 ← 10.4 *
 9.5 ↘ 9.9 ↓ 8.9 ← 10.3 ↘ 9.2 ←
 beste Teiler 430.3 (25.) 545.4 (29.) 711.2 (21.)
 Trefferlage 3.47 mm links, 3.99 mm tief
 Streuwert 7.40, horizontal: 9.27, vertikal: 4.86





Serie 4:
 10.0 ↗ 9.5 ↓ 10.1 ↘ 9.9 ↘ 10.3 ↘
 10.3 * 9.2 → 10.0 ↓ 10.2 ↘ 9.9 ↓
 beste Teiler 498.8 (36.) 551.1 (35.) 639.7 (39.)
 Trefferlage 0.30 mm rechts, 4.50 mm tief
 Streuwert 5.28, horizontal: 5.56, vertikal: 4.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	382	(397.6)
Serien:	96 93 97 96	
Zähler:	24 14 2 0 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	1904 (13), 1811 (11), 1486 (8)	
beste Teiler	142.4 (21.) 258.5 (31.) 262.6 (14.)	
Trefferlage	2.07 mm links, 0.93 mm hoch	
Streuwert	6.34, horizontal: 6.09, vertikal: 6.58	




Serie 1:					
	10.6 *	10.0 ←	10.3 *	9.9 ↗	9.6 ↘
	10.2 ↘	10.1 ←	9.1 ↘	9.2 ↗	10.0 ↘
beste Teiler	270.8 (1.)	485.2 (3.)	587.3 (6.)		
Trefferlage	1.38 mm links, 5.51 mm hoch				
Streuwert	5.30, horizontal: 6.09, vertikal: 4.37				



Serie 2:					
	8.7 ↘	10.1 ↗	8.6 ↘	10.6 *	9.4 ↘
	9.2 ↓	10.3 ←	10.0 ←	10.3 ↘	9.9 ↓
beste Teiler	262.6 (14.)	542.2 (17.)	550.1 (19.)		
Trefferlage	3.67 mm links, 1.84 mm hoch				
Streuwert	7.96, horizontal: 6.23, vertikal: 9.37				



Serie 3:					
	10.8 *	10.1 ↘	10.1 ↓	10.3 *	10.1 ↘
	10.1 ↑	9.6 ←	9.8 ←	10.2 ↙	9.1 ↙
beste Teiler	142.4 (21.)	519.9 (24.)	634.0 (29.)		
Trefferlage	1.96 mm links, 2.86 mm tief				
Streuwert	5.45, horizontal: 6.38, vertikal: 4.32				





Serie 4:					
	10.6 *	10.3 *	9.9 ↗	9.2 ←	10.6 *
	10.0 ↓	10.4 *	10.6 *	9.9 ←	9.8 ↗
beste Teiler	258.5 (31.)	288.3 (38.)	304.5 (35.)		
Trefferlage	1.26 mm links, 0.75 mm tief				
Streuwert	5.41, horizontal: 6.31, vertikal: 4.32				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (392.4)
 Serien: 93 93 93 92
 Zähler: 16 19 5 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2195 (3), 2083 (22), 1801 (14)
 beste Teiler 133.1 (17.) 199.4 (28.) 258.5 (6.)
 Trefferlage 0.11 mm rechts, 0.70 mm hoch
 Streuwert 7.46, horizontal: 7.96, vertikal: 6.93




Serie 1:
 10.0 → 10.2 ↑ 8.2 ↘ 9.9 → 10.1 →
 10.6 * 10.6 * 8.9 ↓ 9.1 ↗ 9.7 ↖
 beste Teiler 258.5 (6.) 301.9 (7.) 583.9 (2.)
 Trefferlage 4.36 mm rechts, 0.13 mm hoch
 Streuwert 7.80, horizontal: 6.32, vertikal: 9.05



Serie 2:
 9.8 ← 9.4 ↑ 10.4 * 8.7 ↘ 9.9 ↖
 10.3 * 10.8 * 9.4 ↘ 10.1 ↓ 9.6 ↖
 beste Teiler 133.1 (17.) 443.3 (13.) 506.6 (16.)
 Trefferlage 1.62 mm links, 1.69 mm hoch
 Streuwert 7.24, horizontal: 5.90, vertikal: 8.37



Serie 3:
 10.6 * 8.3 ↖ 10.6 * 9.9 → 9.2 ↖
 9.1 → 9.9 ↓ 10.7 * 10.5 * 9.9 ↘
 beste Teiler 199.4 (28.) 283.9 (23.) 318.0 (21.)
 Trefferlage 0.66 mm links, 0.13 mm hoch
 Streuwert 7.82, horizontal: 10.02, vertikal: 4.66





Serie 4:
 8.9 ← 9.7 ↖ 9.8 → 9.3 ↗ 9.8 ←
 9.7 ↗ 10.0 ↖ 9.8 ↑ 10.4 * 10.6 *
 beste Teiler 320.4 (40.) 430.8 (39.) 789.5 (37.)
 Trefferlage 1.61 mm links, 0.86 mm hoch
 Streuwert 7.24, horizontal: 8.50, vertikal: 5.71


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **353** (371.1)
 Serien: 87 84 97 85
 Zähler: 10 17 9 4 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2602 (38), 2564 (12), 2547 (32)
 beste Teiler 446.8 (27.) 463.1 (25.) 480.3 (23.)
 Trefferlage 0.19 mm rechts, 2.88 mm hoch
 Streuwert 10.49, horizontal: 12.29, vertikal: 8.32




Serie 1:
 9.7 ← 9.8 ↗ 9.1 ↗ 9.4 ↗ 8.3 ↑
 9.3 → 8.0 → 9.3 ↖ 7.9 ↙ 10.3 *
 beste Teiler 504.0 (10.) 936.0 (2.) 984.8 (1.)
 Trefferlage 2.10 mm rechts, 3.16 mm hoch
 Streuwert 11.50, horizontal: 13.30, vertikal: 9.35



Serie 2:
 8.6 ↖ 7.7 → 9.5 → 9.9 ↖ 9.3 ↑
 8.3 ← 9.3 ← 8.7 ↖ 8.4 ↖ 9.7 ←
 beste Teiler 805.5 (14.) 981.0 (20.) 1131.6 (13.)
 Trefferlage 6.30 mm links, 5.72 mm hoch
 Streuwert 10.84, horizontal: 14.64, vertikal: 4.55



Serie 3:
 8.8 → 10.3 * 10.4 * 10.1 ↖ 10.4 *
 10.1 ↖ 10.4 * 10.2 ↙ 9.8 → 10.1 ↖
 beste Teiler 446.8 (27.) 463.1 (25.) 480.3 (23.)
 Trefferlage 0.34 mm links, 1.45 mm hoch
 Streuwert 5.93, horizontal: 7.27, vertikal: 4.18





Serie 4:
 8.5 → 7.8 ↘ 9.7 ↑ 9.8 ↙ 9.3 →
 9.4 ← 8.0 ↘ 7.7 ↑ 10.0 → 9.8 ↑
 beste Teiler 779.8 (39.) 917.8 (34.) 940.4 (40.)
 Trefferlage 5.30 mm rechts, 1.20 mm hoch
 Streuwert 12.04, horizontal: 11.40, vertikal: 12.64


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	371	(391.3)
Serien:	93 93 94 91	
Zähler:	14 23 3 0 0 0 0 0 0 0	
Innenzehner:	7	
weiteste:	1895 (6), 1836 (11), 1700 (34)	
beste Teiler	147.5 (29.) 292.1 (37.) 322.4 (38.)	
Trefferlage	0.26 mm links, 0.04 mm hoch	
Streuwert	7.24, horizontal: 5.84, vertikal: 8.40	




Serie 1:	9.8 ↑	10.0 ↗	10.1 ↗	10.0 ↑	10.4 *
	8.6 ↘	9.6 ↓	9.9 ↑	9.4 ↘	9.6 ↘
beste Teiler	416.5 (5.)	674.0 (3.)	722.8 (2.)		
Trefferlage	1.50 mm rechts, 1.65 mm hoch				
Streuwert	7.55, horizontal: 7.06, vertikal: 8.01				



Serie 2:	8.7 ↓	10.0 ↙	10.4 *	9.6 ↓	9.9 ↓
	10.0 ←	10.0 ↓	9.5 ↘	9.7 ↘	9.7 →
beste Teiler	408.4 (13.)	783.3 (12.)	792.0 (17.)		
Trefferlage	0.57 mm rechts, 5.02 mm tief				
Streuwert	6.66, horizontal: 6.12, vertikal: 7.16				



Serie 3:	9.1 ←	10.1 ↘	9.0 ↖	9.7 ↗	10.3 *
	10.5 *	9.6 ↓	9.7 ↓	10.8 *	9.6 ↑
beste Teiler	147.5 (29.)	327.0 (26.)	498.5 (25.)		
Trefferlage	1.65 mm links, 1.34 mm hoch				
Streuwert	7.19, horizontal: 5.75, vertikal: 8.39				





Serie 4:	9.8 ←	9.8 ↖	9.7 ↙	8.8 ↑	9.4 ↖
	9.9 ↑	10.6 *	10.5 *	9.9 ↘	9.6 ↓
beste Teiler	292.1 (37.)	322.4 (38.)	806.2 (36.)		
Trefferlage	1.49 mm links, 2.21 mm hoch				
Streuwert	7.11, horizontal: 4.39, vertikal: 9.05				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (393.3)
 Serien: 94 96 94 93
 Zähler: 21 15 4 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2011 (33), 1812 (16), 1689 (29)
 beste Teiler 200.2 (30.) 246.6 (23.) 292.3 (5.)
 Trefferlage 0.44 mm links, 0.60 mm hoch
 Streuwert 7.21, horizontal: 8.23, vertikal: 6.02




Serie 1:
 9.3 ← 10.2 ↗ 9.3 ↘ 10.2 ✓ 10.6 *
 10.5 * 8.9 ↗ 10.1 ↖ 9.9 ↑ 9.9 ←
 beste Teiler 292.3 (5.) 340.8 (6.) 601.7 (4.)
 Trefferlage 1.19 mm links, 1.42 mm hoch
 Streuwert 6.86, horizontal: 7.00, vertikal: 6.72



Serie 2:
 9.9 ↓ 10.4 * 10.4 * 10.1 ✓ 10.2 ↖
 8.7 ← 10.3 ← 10.3 ✓ 9.2 ← 10.1 ←
 beste Teiler 464.6 (13.) 470.6 (12.) 560.5 (17.)
 Trefferlage 5.24 mm links, 1.44 mm tief
 Streuwert 5.47, horizontal: 6.53, vertikal: 4.14



Serie 3:
 10.3 * 10.4 * 10.6 * 9.2 → 9.4 →
 10.5 * 9.1 ↖ 9.2 → 8.8 ← 10.7 *
 beste Teiler 200.2 (30.) 246.6 (23.) 367.6 (26.)
 Trefferlage 2.39 mm rechts, 0.54 mm hoch
 Streuwert 7.62, horizontal: 9.41, vertikal: 5.25





Serie 4:
 10.4 * 10.2 ↓ 8.4 ↖ 9.6 ↗ 9.5 ↗
 9.1 ↓ 9.4 ↗ 10.0 ↓ 10.3 * 9.7 ↑
 beste Teiler 410.9 (31.) 514.2 (39.) 607.6 (32.)
 Trefferlage 2.26 mm rechts, 1.89 mm hoch
 Streuwert 8.06, horizontal: 8.39, vertikal: 7.73


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **380** (397.0)
 Serien: 96 97 94 93
 Zähler: 21 18 1 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 1956 (21), 1557 (40), 1548 (2)
 beste Teiler 271.5 (37.) 276.0 (16.) 276.9 (22.)
 Trefferlage 2.14 mm rechts, 1.71 mm tief
 Streuwert 6.37, horizontal: 7.10, vertikal: 5.55




Serie 1:
 10.5 * 9.0 → 10.2 ↙ 9.3 → 9.9 ←
 9.2 ↑ 10.4 * 10.4 * 10.5 * 10.4 *
 beste Teiler 334.4 (9.) 370.7 (1.) 401.3 (7.)
 Trefferlage 1.62 mm rechts, 0.03 mm hoch
 Streuwert 6.55, horizontal: 7.49, vertikal: 5.44



Serie 2:
 9.1 → 9.2 ↘ 9.6 ↗ 10.6 * 10.2 ↑
 10.6 * 10.2 ↘ 10.2 ← 10.5 * 10.4 *
 beste Teiler 276.0 (16.) 303.9 (14.) 332.5 (19.)
 Trefferlage 0.66 mm rechts, 1.42 mm hoch
 Streuwert 5.99, horizontal: 7.19, vertikal: 4.49



Serie 3:
 8.5 → 10.6 * 10.3 * 9.8 ↓ 10.3 ←
 10.2 ← 10.6 * 9.7 ↘ 9.9 → 9.9 ↓
 beste Teiler 276.9 (22.) 304.2 (27.) 525.1 (23.)
 Trefferlage 1.77 mm rechts, 3.47 mm tief
 Streuwert 6.06, horizontal: 7.60, vertikal: 3.97





Serie 4:
 10.1 ↗ 9.8 ↗ 9.9 ↓ 9.1 → 9.4 →
 10.0 ↘ 10.6 * 9.0 ↓ 9.9 ↓ 9.0 ↙
 beste Teiler 271.5 (37.) 702.4 (31.) 733.8 (36.)
 Trefferlage 4.50 mm rechts, 4.85 mm tief
 Streuwert 6.45, horizontal: 6.62, vertikal: 6.28


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381** (399.0)
 Serien: 95 95 95 96
 Zähler: 23 15 2 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 1779 (37), 1671 (27), 1394 (1)
 beste Teiler 62.1 (5.) 104.1 (23.) 143.4 (22.)
 Trefferlage 1.15 mm rechts, 1.23 mm hoch
 Streuwert 6.19, horizontal: 6.78, vertikal: 5.52




Serie 1:
 9.2 ↖ 9.9 ← 10.5 * 10.1 → 10.9 *
 9.8 → 10.0 → 10.4 * 9.4 → 9.9 ↘
 beste Teiler 62.1 (5.) 321.2 (3.) 429.6 (8.)
 Trefferlage 2.11 mm rechts, 0.64 mm tief
 Streuwert 6.09, horizontal: 7.50, vertikal: 4.22



Serie 2:
 10.2 ↖ 10.1 ↓ 10.2 ↖ 9.5 ↑ 9.9 ↙
 9.3 ↘ 10.5 * 9.2 ↑ 9.6 ↗ 10.3 *
 beste Teiler 329.8 (17.) 523.7 (20.) 596.8 (13.)
 Trefferlage 0.57 mm rechts, 2.08 mm hoch
 Streuwert 6.62, horizontal: 4.41, vertikal: 8.26



Serie 3:
 10.5 * 10.8 * 10.8 * 10.3 * 10.3 ↗
 10.1 → 8.9 → 9.9 ↗ 9.6 → 9.4 ↘
 beste Teiler 104.1 (23.) 143.4 (22.) 322.8 (21.)
 Trefferlage 3.13 mm rechts, 1.45 mm hoch
 Streuwert 5.91, horizontal: 6.62, vertikal: 5.10





Serie 4:
 9.9 ↖ 10.3 * 10.0 ↖ 10.1 ↗ 10.5 *
 10.3 ↑ 8.7 → 10.2 ↘ 10.0 ← 9.5 ↖
 beste Teiler 355.9 (35.) 530.7 (32.) 554.0 (36.)
 Trefferlage 1.18 mm links, 2.02 mm hoch
 Streuwert 6.44, horizontal: 8.25, vertikal: 3.85


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (383.3)
 Serien: 90 93 93 90
 Zähler: 14 20 4 2 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2786 (4), 2503 (22), 2303 (39)
 beste Teiler 368.0 (11.) 421.2 (29.) 422.5 (10.)
 Trefferlage 4.79 mm links, 0.19 mm hoch
 Streuwert 8.26, horizontal: 9.31, vertikal: 7.05




Serie 1:
 10.0 ↘ 10.3 ↗ 9.0 ↖ 7.5 ↙ 9.9 ←
 9.8 ← 8.7 ← 9.7 ↓ 9.4 ↓ 10.4 *
 beste Teiler 422.5 (10.) 559.7 (2.) 800.9 (1.)
 Trefferlage 7.37 mm links, 1.33 mm tief
 Streuwert 8.43, horizontal: 9.67, vertikal: 6.97



Serie 2:
 10.5 * 9.8 ↘ 9.9 ↗ 10.2 ↖ 9.4 ↖
 10.3 ↘ 9.6 ↗ 9.9 ↗ 9.1 ↖ 9.7 ↖
 beste Teiler 368.0 (11.) 539.8 (16.) 604.6 (14.)
 Trefferlage 3.78 mm links, 1.17 mm hoch
 Streuwert 6.44, horizontal: 6.68, vertikal: 6.18





Serie 3:
 10.2 ↗ 7.8 ↖ 10.4 * 10.1 ↑ 9.7 ↖
 10.2 ↘ 8.4 ↖ 10.0 ↗ 10.4 * 9.1 ←
 beste Teiler 421.2 (29.) 444.0 (23.) 594.1 (21.)
 Trefferlage 6.25 mm links, 2.04 mm hoch
 Streuwert 7.98, horizontal: 8.09, vertikal: 7.87




Serie 4:
 9.1 ↗ 9.2 ↘ 10.4 * 9.9 → 10.1 ↗
 8.2 ← 9.6 ↖ 9.7 ↓ 8.1 ← 9.6 ↓
 beste Teiler 457.6 (33.) 693.4 (35.) 859.3 (34.)
 Trefferlage 1.74 mm links, 1.11 mm tief
 Streuwert 10.21, horizontal: 12.28, vertikal: 7.58

Unterschrift des Schützen


Ergebnis:	381	(401.3)
Serien:	95 95 96 95	
Zähler:	21 19 0 0 0 0 0 0 0 0	
Innenzehner:	14	
weiteste:	1582 (31), 1403 (33), 1371 (18)	
beste Teiler	81.8 (6.) 115.1 (36.) 197.2 (3.)	
Trefferlage	2.37 mm links, 0.13 mm hoch	
Streuwert	5.69, horizontal: 4.27, vertikal: 6.83	




Serie 1:	9.5 ↑	10.6 *	10.7 *	9.6 ↓	9.8 ↗
	10.8 *	10.6 *	9.9 ↓	10.0 ↓	9.6 ↑
beste Teiler	81.8 (6.) 197.2 (3.) 310.8 (7.)				
Trefferlage	0.68 mm rechts, 0.19 mm tief				
Streuwert	5.75, horizontal: 1.99, vertikal: 7.89				



Serie 2:	9.8 ↓	10.5 *	10.5 *	10.2 ↑	10.3 *
	9.9 ↑	9.9 ↓	9.2 ←	9.4 ↘	10.2 ↘
beste Teiler	322.9 (13.) 384.2 (12.) 516.2 (15.)				
Trefferlage	3.85 mm links, 0.42 mm hoch				
Streuwert	5.52, horizontal: 4.68, vertikal: 6.25				





Serie 3:	9.3 ↖	10.7 *	10.4 *	9.8 ↖	9.6 ↑
	10.0 ↓	10.6 *	9.9 ←	10.3 ↘	10.3 *
beste Teiler	239.8 (22.) 315.8 (27.) 464.7 (23.)				
Trefferlage	3.27 mm links, 1.17 mm hoch				
Streuwert	5.15, horizontal: 2.14, vertikal: 6.96				




Serie 4:	9.0 ↘	9.5 ↓	9.2 ↘	10.2 ↖	10.3 *
	10.8 *	10.2 ↘	9.9 ←	9.7 ←	10.6 *
beste Teiler	115.1 (36.) 253.0 (40.) 493.7 (35.)				
Trefferlage	3.06 mm links, 0.85 mm tief				
Streuwert	6.49, horizontal: 5.86, vertikal: 7.06				

Unterschrift des Schützen


Ergebnis: **370** (389.3)
 Serien: 94 94 92 90
 Zähler: 13 24 3 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2377 (26), 1732 (34), 1676 (39)
 beste Teiler 289.4 (27.) 394.1 (21.) 491.6 (36.)
 Trefferlage 1.96 mm links, 3.30 mm hoch
 Streuwert 7.05, horizontal: 6.50, vertikal: 7.55




Serie 1:
 10.1 ↘ 10.3 * 9.9 ↘ 9.4 ↖ 9.8 ↖
 10.3 ↘ 9.5 ↖ 9.6 ← 10.1 ← 9.9 ↗
 beste Teiler 492.6 (2.) 553.0 (6.) 671.2 (1.)
 Trefferlage 3.53 mm links, 0.76 mm hoch
 Streuwert 6.05, horizontal: 6.74, vertikal: 5.27



Serie 2:
 9.4 ← 9.5 ↓ 9.8 → 10.1 ↑ 10.0 ↗
 9.2 ↑ 10.1 ↓ 9.4 ↗ 9.7 ↙ 10.1 ←
 beste Teiler 652.9 (17.) 667.2 (20.) 692.4 (14.)
 Trefferlage 2.40 mm links, 1.06 mm hoch
 Streuwert 7.25, horizontal: 5.87, vertikal: 8.40



Serie 3:
 10.5 * 10.3 * 9.9 → 9.9 ↗ 9.7 ↘
 8.0 ↑ 10.6 * 9.5 ↗ 9.7 ← 9.3 ↖
 beste Teiler 289.4 (27.) 394.1 (21.) 501.0 (22.)
 Trefferlage 0.49 mm rechts, 4.45 mm hoch
 Streuwert 7.73, horizontal: 7.01, vertikal: 8.38





Serie 4:
 9.6 ↑ 9.5 ↘ 9.6 ↗ 8.8 ↑ 9.2 ←
 10.3 * 10.0 ↑ 9.9 ↘ 8.9 ↖ 9.9 ↑
 beste Teiler 491.6 (36.) 798.3 (37.) 839.7 (40.)
 Trefferlage 2.43 mm links, 6.95 mm hoch
 Streuwert 6.85, horizontal: 6.66, vertikal: 7.04


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **382** (399.5)
 Serien: 92 97 98 95
 Zähler: 25 12 3 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 2102 (8), 1964 (38), 1718 (12)
 beste Teiler 121.2 (21.) 204.2 (9.) 207.5 (10.)
 Trefferlage 0.94 mm rechts, 0.68 mm tief
 Streuwert 6.33, horizontal: 7.06, vertikal: 5.51




Serie 1:
 9.2 ← 9.3 ↖ 9.7 ↘ 9.8 → 9.3 ↘
 10.2 → 9.8 ↓ 8.3 ↙ 10.7 * 10.7 *
 beste Teiler 204.2 (9.) 207.5 (10.) 561.7 (6.)
 Trefferlage 0.63 mm links, 2.40 mm tief
 Streuwert 8.20, horizontal: 10.37, vertikal: 5.17



Serie 2:
 9.5 ↘ 8.8 → 10.1 ↗ 10.6 * 10.0 ↘
 10.2 ← 10.2 → 10.3 ↓ 10.6 * 10.1 ↓
 beste Teiler 272.8 (14.) 319.0 (19.) 547.9 (18.)
 Trefferlage 2.74 mm rechts, 1.22 mm tief
 Streuwert 5.76, horizontal: 6.58, vertikal: 4.81



Serie 3:
 10.8 * 10.4 * 10.4 * 9.9 ↘ 9.9 ↘
 10.1 ↘ 10.6 * 10.5 * 10.4 * 10.1 ↖
 beste Teiler 121.2 (21.) 282.1 (27.) 335.0 (28.)
 Trefferlage 1.46 mm rechts, 0.72 mm tief
 Streuwert 3.93, horizontal: 3.94, vertikal: 3.91





Serie 4:
 10.6 * 10.0 ← 9.9 ↘ 9.4 ↘ 10.3 *
 10.2 ↑ 10.3 * 8.5 ↑ 10.2 ↖ 9.6 ←
 beste Teiler 246.9 (31.) 497.4 (35.) 524.7 (37.)
 Trefferlage 0.20 mm rechts, 1.61 mm hoch
 Streuwert 7.03, horizontal: 6.48, vertikal: 7.53


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (388.3)
 Serien: 94 91 93 92
 Zähler: 17 16 7 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2379 (2), 2108 (1), 1892 (19)
 beste Teiler 191.0 (4.) 304.8 (39.) 372.4 (24.)
 Trefferlage 1.09 mm rechts, 0.66 mm tief
 Streuwert 8.09, horizontal: 9.82, vertikal: 5.86




Serie 1:
 8.3 ↘ 8.0 → 10.5 * 10.7 * 9.8 ↑
 9.8 ↑ 10.5 * 10.4 * 10.0 ↓ 10.1 ↘
 beste Teiler 191.0 (4.) 386.6 (3.) 393.7 (7.)
 Trefferlage 4.62 mm rechts, 0.66 mm tief
 Streuwert 7.95, horizontal: 8.79, vertikal: 7.01



Serie 2:
 10.3 ↘ 9.8 ↖ 10.1 → 8.9 ↘ 9.9 ↗
 9.8 ↘ 8.7 → 10.1 ← 8.6 → 10.0 ↖
 beste Teiler 544.7 (11.) 661.1 (13.) 719.4 (18.)
 Trefferlage 4.19 mm rechts, 1.63 mm tief
 Streuwert 8.06, horizontal: 10.04, vertikal: 5.41



Serie 3:
 9.9 ← 9.2 ← 10.1 → 10.5 * 8.8 →
 8.8 ↙ 9.7 ↖ 10.2 ↓ 10.4 * 10.2 ↑
 beste Teiler 372.4 (24.) 436.7 (29.) 590.3 (30.)
 Trefferlage 1.84 mm links, 0.54 mm hoch
 Streuwert 7.84, horizontal: 10.02, vertikal: 4.74





Serie 4:
 10.3 * 9.1 ↖ 9.8 ↓ 9.1 ↑ 9.4 ←
 9.4 ↘ 9.5 → 9.6 ← 10.6 * 9.4 ←
 beste Teiler 304.8 (39.) 527.6 (31.) 940.9 (33.)
 Trefferlage 2.60 mm links, 0.88 mm tief
 Streuwert 8.22, horizontal: 9.50, vertikal: 6.71


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (389.7)
 Serien: 92 91 93 96
 Zähler: 16 20 4 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 2089 (36), 1720 (15), 1633 (16)
 beste Teiler 105.3 (40.) 278.2 (1.) 306.1 (13.)
 Trefferlage 1.29 mm links, 0.11 mm hoch
 Streuwert 7.67, horizontal: 8.10, vertikal: 7.23




Serie 1:
 10.6 * 9.1 ↘ 9.9 ↗ 9.9 ↓ 9.8 →
 9.6 ↘ 9.3 ← 9.1 ↗ 9.9 ↓ 10.0 ↘
 beste Teiler 278.2 (1.) 781.0 (10.) 856.4 (3.)
 Trefferlage 3.41 mm rechts, 2.61 mm tief
 Streuwert 7.19, horizontal: 7.30, vertikal: 7.09



Serie 2:
 8.9 ↘ 10.0 → 10.6 * 9.4 ↓ 8.8 ←
 8.9 ↘ 10.3 * 9.8 ↓ 10.4 * 9.6 ↘
 beste Teiler 306.1 (13.) 435.4 (19.) 503.5 (17.)
 Trefferlage 3.04 mm links, 2.04 mm tief
 Streuwert 8.06, horizontal: 8.15, vertikal: 7.97



Serie 3:
 10.0 ↗ 9.6 ↖ 9.2 ↖ 9.1 ↖ 10.3 *
 9.2 ↖ 9.2 ← 9.8 ← 9.2 ← 10.4 *
 beste Teiler 414.9 (30.) 493.3 (25.) 775.2 (21.)
 Trefferlage 7.14 mm links, 3.12 mm hoch
 Streuwert 6.24, horizontal: 7.43, vertikal: 4.75





Serie 4:
 10.4 * 10.3 * 10.4 * 10.5 * 10.3 *
 8.3 ↑ 10.3 * 9.1 ↘ 9.4 ↗ 10.8 *
 beste Teiler 105.3 (40.) 346.1 (34.) 467.9 (31.)
 Trefferlage 1.58 mm rechts, 1.99 mm hoch
 Streuwert 6.94, horizontal: 5.82, vertikal: 7.90


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361** (379.3)
 Serien: 90 91 90 90
 Zähler: 12 17 11 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2235 (35), 2099 (17), 2016 (29)
 beste Teiler 157.4 (18.) 200.0 (3.) 303.9 (39.)
 Trefferlage 0.74 mm links, 6.39 mm hoch
 Streuwert 8.20, horizontal: 9.56, vertikal: 6.57




Serie 1:
 8.5 ↑ 8.5 → 10.7 * 9.9 ↗ 9.2 ↑
 9.3 ↘ 10.5 * 9.3 ↖ 9.6 ← 9.4 ↘
 beste Teiler 200.0 (3.) 386.1 (7.) 812.8 (4.)
 Trefferlage 3.20 mm links, 6.06 mm hoch
 Streuwert 8.28, horizontal: 8.76, vertikal: 7.77



Serie 2:
 9.6 ↖ 9.1 ↑ 8.5 ↗ 10.0 ↖ 10.3 *
 9.2 ↑ 8.3 → 10.8 * 9.9 ↘ 9.2 ↗
 beste Teiler 157.4 (18.) 519.0 (15.) 754.7 (14.)
 Trefferlage 3.06 mm rechts, 5.64 mm hoch
 Streuwert 8.56, horizontal: 9.69, vertikal: 7.25



Serie 3:
 10.0 ↑ 9.6 ↗ 8.9 ↗ 9.9 ↗ 9.4 ←
 10.4 * 10.3 * 8.8 → 8.4 → 9.2 ↖
 beste Teiler 415.4 (26.) 517.7 (27.) 752.0 (21.)
 Trefferlage 2.24 mm rechts, 6.13 mm hoch
 Streuwert 8.15, horizontal: 11.09, vertikal: 3.10





Serie 4:
 8.8 ↗ 10.3 ↖ 8.8 ↑ 8.7 ↖ 8.2 ↖
 10.5 * 9.3 ↖ 10.0 ↖ 10.6 * 9.4 ↖
 beste Teiler 303.9 (39.) 350.6 (36.) 547.4 (32.)
 Trefferlage 5.09 mm links, 7.75 mm hoch
 Streuwert 7.42, horizontal: 6.97, vertikal: 7.85


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (381.3)
 Serien: 87 89 93 93
 Zähler: 11 21 7 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2599 (10), 2138 (1), 2093 (13)
 beste Teiler 306.1 (20.) 358.2 (23.) 411.9 (26.)
 Trefferlage 0.62 mm rechts, 0.31 mm tief
 Streuwert 8.97, horizontal: 11.07, vertikal: 6.19




Serie 1:
 8.3 ↗ 9.7 ↙ 10.4 * 9.5 ↘ 8.5 ↘
 8.6 → 8.8 ↗ 10.2 ↘ 10.1 → 7.7 ←
 beste Teiler 446.5 (3.) 596.4 (8.) 684.9 (9.)
 Trefferlage 4.01 mm rechts, 1.23 mm tief
 Streuwert 11.33, horizontal: 14.06, vertikal: 7.68



Serie 2:
 9.4 → 8.5 ← 8.3 ← 9.6 ↓ 9.9 ↗
 9.8 ↗ 9.1 ← 9.5 ← 9.2 ← 10.6 *
 beste Teiler 306.1 (20.) 828.5 (15.) 929.1 (16.)
 Trefferlage 4.86 mm links, 0.15 mm tief
 Streuwert 9.33, horizontal: 12.14, vertikal: 5.19



Serie 3:
 10.1 ↙ 9.6 → 10.5 * 9.4 ↗ 9.9 ↑
 10.4 * 9.6 → 10.3 * 8.9 ↓ 9.6 ↘
 beste Teiler 358.2 (23.) 411.9 (26.) 486.7 (28.)
 Trefferlage 3.61 mm rechts, 0.34 mm hoch
 Streuwert 6.74, horizontal: 6.21, vertikal: 7.22





Serie 4:
 9.3 ↗ 9.9 ↗ 9.8 ↙ 10.1 ↓ 9.6 →
 9.4 ↙ 10.3 * 10.1 → 9.0 ← 9.8 ↘
 beste Teiler 511.6 (37.) 693.5 (38.) 718.7 (34.)
 Trefferlage 0.25 mm links, 0.21 mm tief
 Streuwert 7.64, horizontal: 9.51, vertikal: 5.12

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	383	(404.8)
Serien:	94 93 97 99	
Zähler:	24 15 1 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	1700 (8), 1264 (18), 1253 (9)	
beste Teiler	170.1 (30.) 179.9 (20.) 188.4 (34.)	
Trefferlage	2.36 mm rechts, 0.52 mm tief	
Streuwert	5.17, horizontal: 5.61, vertikal: 4.68	




Serie 1:

10.6 *	9.9 →	10.6 *	10.6 *	9.5 →
9.9 ↓	10.3 ↘	8.8 →	9.4 →	10.2 ↓
beste Teiler	243.3 (3.)	250.3 (1.)	295.7 (4.)	
Trefferlage	5.47 mm rechts, 2.08 mm tief			
Streuwert	5.12, horizontal: 5.98, vertikal: 4.08			




Serie 2:

9.6 ↘	9.7 ↘	9.4 ←	9.9 ←	9.9 ↑
10.3 *	10.4 *	9.4 →	9.8 ↗	10.7 *
beste Teiler	179.9 (20.)	451.9 (17.)	500.6 (16.)	
Trefferlage	1.28 mm rechts, 0.78 mm tief			
Streuwert	6.62, horizontal: 7.33, vertikal: 5.84			



Serie 3:

9.9 ↗	9.9 ↗	10.3 ↑	10.7 *	10.7 *
10.1 ↑	10.5 *	10.3 ↓	9.7 ↘	10.7 *
beste Teiler	170.1 (30.)	196.0 (24.)	231.6 (25.)	
Trefferlage	3.14 mm rechts, 1.37 mm hoch			
Streuwert	3.73, horizontal: 2.94, vertikal: 4.38			





Serie 4:

9.7 ↓	10.6 *	10.2 →	10.7 *	10.1 ←
10.4 *	10.5 *	10.4 *	10.5 *	10.0 ↗
beste Teiler	188.4 (34.)	300.3 (32.)	322.1 (37.)	
Trefferlage	0.43 mm links, 0.61 mm tief			
Streuwert	4.19, horizontal: 4.10, vertikal: 4.28			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **374** (390.9)
 Serien: 90 94 94 96
 Zähler: 20 14 6 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2042 (4), 2025 (6), 1996 (28)
 beste Teiler 105.4 (32.) 292.3 (22.) 323.5 (15.)
 Trefferlage 0.12 mm rechts, 2.59 mm tief
 Streuwert 7.56, horizontal: 7.49, vertikal: 7.63




Serie 1:
 10.4 * 9.9 ↘ 9.3 ← 8.4 ↓ 9.8 ↖
 8.4 ↓ 8.6 ↙ 9.9 ↙ 10.3 ← 10.1 ↑
 beste Teiler 452.3 (1.) 557.8 (9.) 698.2 (10.)
 Trefferlage 4.64 mm links, 4.10 mm tief
 Streuwert 8.52, horizontal: 5.04, vertikal: 10.94



Serie 2:
 10.2 ↖ 10.0 ↙ 9.4 ↘ 8.5 ↘ 10.5 *
 10.2 ↘ 10.0 ↓ 10.4 * 8.9 ↑ 9.3 ↖
 beste Teiler 323.5 (15.) 474.6 (18.) 565.3 (11.)
 Trefferlage 0.99 mm rechts, 1.04 mm tief
 Streuwert 8.04, horizontal: 7.46, vertikal: 8.59



Serie 3:
 10.1 → 10.6 * 10.1 ↙ 10.3 * 9.0 ↓
 9.6 ↓ 10.4 * 8.5 ↘ 9.2 → 9.0 ↖
 beste Teiler 292.3 (22.) 418.8 (27.) 495.1 (24.)
 Trefferlage 2.43 mm rechts, 4.00 mm tief
 Streuwert 7.93, horizontal: 9.35, vertikal: 6.18



Serie 4:
 9.6 → 10.8 * 10.5 * 10.5 * 10.4 *
 10.4 * 9.8 ↘ 10.0 ← 9.9 ↘ 9.7 ←
 beste Teiler 105.4 (32.) 326.7 (34.) 339.0 (33.)
 Trefferlage 1.73 mm rechts, 1.24 mm tief
 Streuwert 5.04, horizontal: 6.31, vertikal: 3.32

Unterschrift des Schützen

Meyton Elektronik