





Ergebnis:	<b>366</b>	(386.0)
Serien:	89 90 95 92	
Zähler:	11 24 5 0 0 0 0 0 0 0	
Innenzehner:	5	
weiteste:	1969 (11), 1862 (8), 1772 (16)	
beste Teiler	101.4 (17.) 236.2 (39.) 300.1 (37.)	
Trefferlage	0.40 mm rechts, 4.70 mm tief	
Streuwert	7.32, horizontal: 7.79, vertikal: 6.81	




Serie 1:	10.0 ↘	9.2 ↘	9.7 ↓	8.8 ↓	9.4 ↘
	9.0 ←	9.6 ↘	8.6 ↓	9.6 ↗	9.6 ←
beste Teiler	726.2 (1.) 980.6 (3.) 1043.1 (10.)				
Trefferlage	2.65 mm rechts, 7.33 mm tief				
Streuwert	7.90, horizontal: 8.79, vertikal: 6.90				



Serie 2:	8.5 ↙	9.6 ↙	8.8 ↙	10.3 ↙	9.3 ↘
	8.7 ←	10.8 *	9.5 ↙	9.6 ↓	10.6 *
beste Teiler	101.4 (17.) 310.9 (20.) 559.1 (14.)				
Trefferlage	5.03 mm links, 6.40 mm tief				
Streuwert	7.14, horizontal: 8.05, vertikal: 6.08				



Serie 3:	9.8 ↗	9.9 ↙	9.0 ↘	10.4 *	10.1 ↙
	9.8 ↑	10.1 ↘	10.1 ↓	10.0 ↘	9.8 →
beste Teiler	443.1 (24.) 644.9 (28.) 658.4 (27.)				
Trefferlage	2.42 mm rechts, 2.26 mm tief				
Streuwert	6.08, horizontal: 5.92, vertikal: 6.23				





Serie 4:	9.5 ↘	9.8 ↖	9.8 ↘	9.2 ↓	9.6 ↗
	9.7 ↓	10.6 *	9.5 ↓	10.7 *	9.4 ←
beste Teiler	236.2 (39.) 300.1 (37.) 883.1 (33.)				
Trefferlage	1.55 mm rechts, 2.80 mm tief				
Streuwert	6.97, horizontal: 6.44, vertikal: 7.47				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (396.1)  
 Serien: 95 92 94 97  
 Zähler: 20 19 0 1 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 2898 (15), 1516 (17), 1502 (6)  
 beste Teiler 211.1 (12.) 223.6 (24.) 270.6 (35.)  
 Trefferlage 0.95 mm links, 3.47 mm hoch  
 Streuwert 6.50, horizontal: 7.22, vertikal: 5.70




Serie 1:  
 9.6 ↘                      9.9 ↙                      10.4 \*                      10.5 \*                      10.1 →  
 9.1 ↘                      10.1 ↘                      9.8 ↘                      9.7 ↘                      10.5 \*  
 beste Teiler 364.5 (10.) 383.4 (4.) 446.0 (3.)  
 Trefferlage 0.63 mm links, 2.61 mm hoch  
 Streuwert 6.15, horizontal: 6.26, vertikal: 6.04



Serie 2:  
 10.1 ↘                      10.7 \*                      10.1 ↓                      9.7 ↖                      7.3 ↖  
 9.1 ↘                      9.1 ↘                      9.6 ←                      10.5 \*                      9.6 ↖  
 beste Teiler 211.1 (12.) 380.8 (19.) 659.6 (11.)  
 Trefferlage 6.45 mm links, 5.56 mm hoch  
 Streuwert 7.45, horizontal: 8.29, vertikal: 6.52



Serie 3:  
 9.8 ↘                      9.6 ↘                      10.6 \*                      10.7 \*                      10.6 \*  
 9.2 ↗                      9.5 ↑                      9.8 ↑                      9.7 ↗                      10.5 \*  
 beste Teiler 223.6 (24.) 289.6 (25.) 290.7 (23.)  
 Trefferlage 1.64 mm rechts, 4.38 mm hoch  
 Streuwert 5.46, horizontal: 5.19, vertikal: 5.71





Serie 4:  
 10.1 ↘                      10.2 →                      9.4 ↗                      9.5 →                      10.6 \*  
 10.2 ←                      10.0 ↓                      10.1 ↘                      9.9 ↘                      10.6 \*  
 beste Teiler 270.6 (35.) 309.1 (40.) 583.8 (36.)  
 Trefferlage 1.62 mm rechts, 1.34 mm hoch  
 Streuwert 5.48, horizontal: 6.51, vertikal: 4.21


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>381</b>	(400.3)
Serien:	96	97 93 95
Zähler:	23 15 2 0 0 0 0 0 0	
Innenzehner:	14	
weiteste:	2187 (8), 1603 (19), 1543 (30)	
beste Teiler	34.1 (2.) 107.6 (12.) 115.1 (34.)	
Trefferlage	1.76 mm rechts, 0.59 mm hoch	
Streuwert	6.17, horizontal: 5.84, vertikal: 6.47	




Serie 1:	9.9 ↑	10.9 *	10.5 *	10.6 *	10.6 *
	10.4 *	9.6 ↘	8.2 →	10.2 ↗	10.6 *
beste Teiler	34.1 (2.)	258.9 (4.)	293.4 (5.)		
Trefferlage	3.64 mm rechts, 1.26 mm hoch				
Streuwert	5.83, horizontal: 7.11, vertikal: 4.17				



Serie 2:	10.4 *	10.8 *	9.9 ↘	10.0 ↖	10.3 *
	10.0 ←	10.3 ↗	10.0 ↘	8.9 ↘	10.0 →
beste Teiler	107.6 (12.)	436.0 (11.)	530.8 (15.)		
Trefferlage	0.20 mm links, 1.47 mm hoch				
Streuwert	5.90, horizontal: 5.87, vertikal: 5.93				



Serie 3:	9.4 ↘	9.8 ↑	10.7 *	9.8 ↖	10.0 ↗
	9.7 ↑	9.4 ↓	9.8 ↙	10.5 *	9.0 ↘
beste Teiler	187.5 (23.)	357.0 (29.)	800.3 (25.)		
Trefferlage	2.17 mm rechts, 0.19 mm tief				
Streuwert	7.24, horizontal: 4.94, vertikal: 8.98				





Serie 4:	9.2 ↘	9.8 ↗	10.3 *	10.8 *	10.1 ↖
	9.9 →	10.6 *	9.8 ↘	10.1 →	9.5 ↓
beste Teiler	115.1 (34.)	290.7 (37.)	507.9 (33.)		
Trefferlage	1.43 mm rechts, 0.17 mm tief				
Streuwert	6.15, horizontal: 5.48, vertikal: 6.76				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **387** (402.8)  
 Serien: 96 98 99 94  
 Zähler: 27 13 0 0 0 0 0 0 0 0  
 Innenzehner: 17  
 weiteste: 1522 (37), 1514 (34), 1335 (3)  
 beste Teiler 90.0 (11.) 215.6 (12.) 283.2 (1.)  
 Trefferlage 0.43 mm links, 0.66 mm tief  
 Streuwert 5.63, horizontal: 5.85, vertikal: 5.41




Serie 1:  
 10.6 \*                      9.8 →                      9.3 ↓                      10.4 \*                      10.4 \*  
 9.7 ←                      9.7 ←                      10.3 \*                      10.1 ←                      10.5 \*  
 beste Teiler 283.2 (1.) 340.0 (10.) 411.5 (5.)  
 Trefferlage 0.96 mm links, 1.15 mm tief  
 Streuwert 5.65, horizontal: 6.37, vertikal: 4.82



Serie 2:  
 10.8 \*                      10.7 \*                      9.4 ↖                      10.5 \*                      10.2 ↓  
 10.4 \*                      10.1 ↗                      10.0 ↑                      9.6 ↓                      10.3 \*  
 beste Teiler 90.0 (11.) 215.6 (12.) 331.3 (14.)  
 Trefferlage 1.22 mm links, 0.22 mm tief  
 Streuwert 4.99, horizontal: 4.45, vertikal: 5.46



Serie 3:  
 10.6 \*                      10.3 ↓                      10.4 \*                      10.4 \*                      9.8 ↓  
 10.0 ↓                      10.5 \*                      10.1 ↑                      10.3 \*                      10.5 \*  
 beste Teiler 317.2 (21.) 380.2 (27.) 393.7 (30.)  
 Trefferlage 0.40 mm links, 2.90 mm tief  
 Streuwert 3.67, horizontal: 2.81, vertikal: 4.37





Serie 4:  
 9.4 ↗                      10.4 \*                      9.5 ↙                      9.1 →                      9.5 →  
 10.2 ↘                      9.0 ↘                      10.1 ↙                      10.2 →                      9.7 ↓  
 beste Teiler 404.8 (32.) 567.7 (36.) 607.0 (39.)  
 Trefferlage 0.86 mm rechts, 1.62 mm hoch  
 Streuwert 7.73, horizontal: 8.77, vertikal: 6.54


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (383.2)  
 Serien: 90 91 92 91  
 Zähler: 15 16 7 2 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 2672 (9), 2517 (18), 2276 (20)  
 beste Teiler 192.0 (10.) 215.5 (30.) 256.8 (21.)  
 Trefferlage 0.61 mm links, 0.45 mm tief  
 Streuwert 9.22, horizontal: 11.15, vertikal: 6.77




Serie 1:  
 10.5 \*                      10.5 \*                      9.0 ↘                      9.6 ↘                      9.8 ↘  
 9.2 ↓                      9.8 ↙                      8.7 →                      7.6 →                      10.7 \*  
 beste Teiler 192.0 (10.) 344.0 (2.) 381.9 (1.)  
 Trefferlage 5.75 mm rechts, 3.70 mm tief  
 Streuwert 8.66, horizontal: 10.65, vertikal: 6.06



Serie 2:  
 10.2 ↖                      10.0 ←                      9.3 ←                      9.4 ↑                      10.3 ↖  
 9.7 →                      9.6 ↖                      7.8 ↖                      10.4 \*                      8.1 ←  
 beste Teiler 432.9 (19.) 539.7 (15.) 572.7 (11.)  
 Trefferlage 7.43 mm links, 2.89 mm hoch  
 Streuwert 8.16, horizontal: 9.84, vertikal: 6.04



Serie 3:  
 10.6 \*                      8.1 ←                      10.6 \*                      9.3 →                      10.4 \*  
 8.2 ↖                      10.2 ↑                      9.6 ↓                      8.4 ↘                      10.7 \*  
 beste Teiler 215.5 (30.) 256.8 (21.) 279.0 (23.)  
 Trefferlage 0.24 mm links, 1.28 mm tief  
 Streuwert 9.96, horizontal: 12.48, vertikal: 6.51





Serie 4:  
 9.9 ←                      8.8 ↘                      10.3 \*                      9.9 ↗                      10.1 →  
 8.8 ↖                      9.0 ↘                      9.9 ←                      9.9 ↖                      10.3 \*  
 beste Teiler 492.7 (33.) 495.0 (40.) 652.6 (35.)  
 Trefferlage 0.51 mm links, 0.26 mm hoch  
 Streuwert 8.16, horizontal: 8.69, vertikal: 7.59


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>378</b>	(395.5)
Serien:	95	90 98 95
Zähler:	20	18 2 0 0 0 0 0 0 0
Innenzehner:	7	
weiteste:	1860	(19), 1793 (13), 1591 (15)
beste Teiler	277.3	(10.) 310.4 (1.) 316.5 (34.)
Trefferlage	2.45 mm	links, 1.80 mm hoch
Streuwert	6.32,	horizontal: 7.09, vertikal: 5.45




Serie 1:	10.6 *	9.6 ↘	10.4 *	9.8 ←	9.7 ↘
	10.0 ↘	10.3 ←	9.7 →	9.3 ↑	10.6 *
beste Teiler	277.3	(10.) 310.4 (1.)	477.1 (3.)		
Trefferlage	2.15 mm	links, 3.73 mm	hoch		
Streuwert	5.37,	horizontal: 5.30,	vertikal: 5.44		



Serie 2:	10.0 ↘	9.7 →	8.7 ←	10.3 ↗	9.0 ←
	9.7 ←	9.1 ←	9.4 ↘	8.6 ↘	9.7 →
beste Teiler	533.1	(14.) 762.5 (11.)	981.8 (16.)		
Trefferlage	4.07 mm	links, 1.61 mm	tief		
Streuwert	9.13,	horizontal: 11.39,	vertikal: 6.08		



Serie 3:	10.2 ↘	10.1 ↘	9.9 ↘	9.6 →	10.0 ↑
	10.1 ↘	10.2 ←	10.4 *	10.4 *	10.0 ←
beste Teiler	403.7	(28.) 416.6 (29.)	597.6 (27.)		
Trefferlage	2.71 mm	links, 2.79 mm	hoch		
Streuwert	4.43,	horizontal: 4.64,	vertikal: 4.20		





Serie 4:	10.2 ↑	10.2 →	9.7 ↘	10.6 *	9.9 ↘
	9.9 ↘	9.8 ↘	9.7 ←	10.0 ↗	10.4 *
beste Teiler	316.5	(34.) 427.3 (40.)	574.9 (31.)		
Trefferlage	0.85 mm	links, 2.30 mm	hoch		
Streuwert	5.40,	horizontal: 5.69,	vertikal: 5.08		

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>350</b>	(365.9)
Serien:	94	82 83 91
Zähler:	17	12 9 0 0 0 0 0 0 0
Innenzehner:	7	
weiteste:	2253 (20), 2229 (39), 2032 (24)	
beste Teiler	116.7 (15.) 215.0 (16.) 310.6 (19.)	
Trefferlage	1.58 mm rechts, 3.15 mm tief	
Streuwert	8.32, horizontal: 9.58, vertikal: 6.82	




Serie 1:

10.2 →	8.8 ←	9.8 ↓	10.4 *	10.0 ↘
10.2 ↘	10.2 ↘	9.6 ↘	9.3 ↘	9.7 ↗
beste Teiler	465.1 (4.) 603.3 (7.) 627.7 (6.)			
Trefferlage	1.95 mm rechts, 2.90 mm tief			
Streuwert	6.92, horizontal: 8.09, vertikal: 5.51			




Serie 2:

9.8 ↓	10.2 ↙	9.0 ↘	8.7 →	10.8 *
10.7 *	8.5 →	0.0F	10.6 *	8.1 ←
beste Teiler	116.7 (15.) 215.0 (16.) 310.6 (19.) <sup>MIS</sup>			
Trefferlage	2.14 mm rechts, 2.08 mm tief			
Streuwert	9.70, horizontal: 13.18, vertikal: 3.80			



Serie 3:

10.4 *	9.7 ↘	8.7 →	8.4 ↘	9.8 ↗
10.0 ↘	10.3 *	9.0 ↓	0.0F <sup>MIS</sup>	10.3 ←
beste Teiler	454.4 (21.) 489.4 (27.) 543.5 (30.)			
Trefferlage	3.48 mm rechts, 4.66 mm tief			
Streuwert	7.80, horizontal: 8.99, vertikal: 6.39			



Serie 4:



9.4 ↓	9.5 ↓	9.2 ↗	8.8 ↗	10.1 ↗
10.2 ↙	10.4 *	10.1 ↓	8.2 ↓	8.8 ←
beste Teiler	427.9 (37.) 624.6 (36.) 649.4 (38.)			
Trefferlage	1.00 mm links, 3.02 mm tief			
Streuwert	9.55, horizontal: 8.61, vertikal: 10.40			

MIS – Treffer wurde manuell eingefügt, da der Schütze die Scheibe verfehlt hat


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>381</b>	(400.0)
Serien:	97 97 94 93	
Zähler:	21 19 0 0 0 0 0 0 0 0	
Innenzehner:	12	
weiteste:	1536 (19), 1440 (30), 1433 (29)	
beste Teiler	141.7 (33.) 174.8 (4.) 218.3 (12.)	
Trefferlage	0.13 mm rechts, 0.82 mm hoch	
Streuwert	6.05, horizontal: 6.39, vertikal: 5.69	




Serie 1:	10.1 ↑	9.9 ↘	10.4 *	10.7 *	10.4 *
	10.2 ↑	10.1 ↗	9.8 ↘	10.6 *	9.9 →
beste Teiler	174.8 (4.) 272.6 (9.) 455.8 (5.)				
Trefferlage	1.52 mm rechts, 1.15 mm hoch				
Streuwert	4.50, horizontal: 4.39, vertikal: 4.61				



Serie 2:	10.4 *	10.7 *	10.0 ↖	9.7 ↑	10.3 ↗
	10.6 *	10.6 *	9.9 ↗	9.0 ↗	10.3 ↖
beste Teiler	218.3 (12.) 262.0 (17.) 278.4 (16.)				
Trefferlage	0.28 mm rechts, 4.00 mm hoch				
Streuwert	4.74, horizontal: 5.58, vertikal: 3.71				



Serie 3:	10.4 *	9.7 ↗	9.7 ↑	9.8 ↑	10.6 *
	10.0 →	9.7 ↖	10.2 ↖	9.2 ↘	9.2 ↓
beste Teiler	294.0 (25.) 447.0 (21.) 569.0 (28.)				
Trefferlage	1.97 mm rechts, 0.80 mm tief				
Streuwert	6.91, horizontal: 6.30, vertikal: 7.47				





Serie 4:	9.4 ↖	10.4 *	10.8 *	9.2 ↖	9.9 ←
	9.3 ↓	9.9 →	9.2 ←	9.7 ↑	10.1 →
beste Teiler	141.7 (33.) 476.5 (32.) 654.2 (40.)				
Trefferlage	3.23 mm links, 1.05 mm tief				
Streuwert	7.06, horizontal: 8.27, vertikal: 5.60				

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **367** (387.1)  
 Serien: 95 91 92 89  
 Zähler: 13 21 6 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 2249 (33), 2138 (11), 1966 (31)  
 beste Teiler 276.7 (37.) 352.1 (6.) 364.8 (5.)  
 Trefferlage 2.25 mm links, 1.55 mm hoch  
 Streuwert 7.91, horizontal: 8.60, vertikal: 7.16




Serie 1:  
 10.5 \* 9.9 ↑ 10.1 ↗ 9.7 ↘ 10.5 \*  
 10.5 \* 9.8 ↑ 9.7 ↘ 10.0 ↘ 9.5 ↑  
 beste Teiler 352.1 (6.) 364.8 (5.) 397.2 (1.)  
 Trefferlage 0.05 mm links, 3.62 mm hoch  
 Streuwert 5.37, horizontal: 4.93, vertikal: 5.77



Serie 2:  
 8.3 → 9.4 ↘ 9.5 ↑ 10.3 \* 10.3 \*  
 9.9 ↓ 9.5 ↓ 9.6 ↘ 9.9 ↙ 9.9 ↑  
 beste Teiler 520.5 (15.) 530.9 (14.) 809.4 (16.)  
 Trefferlage 3.59 mm rechts, 2.24 mm tief  
 Streuwert 7.75, horizontal: 7.33, vertikal: 8.15



Serie 3:  
 9.9 → 10.3 \* 9.2 ↑ 9.9 ↘ 9.0 ↘  
 10.4 \* 9.2 ↘ 8.6 ← 10.0 ← 9.9 ↘  
 beste Teiler 426.5 (26.) 497.4 (22.) 724.7 (29.)  
 Trefferlage 5.22 mm links, 5.60 mm hoch  
 Streuwert 6.17, horizontal: 7.19, vertikal: 4.95





Serie 4:  
 8.5 ← 10.5 \* 8.1 ↘ 8.9 ↙ 8.6 ←  
 10.1 ← 10.6 \* 9.9 ↓ 9.3 → 9.4 ↑  
 beste Teiler 276.7 (37.) 373.6 (32.) 680.7 (36.)  
 Trefferlage 7.31 mm links, 0.75 mm tief  
 Streuwert 9.00, horizontal: 10.43, vertikal: 7.28


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>380</b>	(396.3)
Serien:	95 93 96 96	
Zähler:	22 16 2 0 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	1777 (12), 1745 (11), 1561 (15)	
beste Teiler	229.1 (19.) 264.1 (8.) 300.1 (32.)	
Trefferlage	3.26 mm rechts, 2.58 mm tief	
Streuwert	6.00, horizontal: 6.23, vertikal: 5.77	




Serie 1:	10.4 *	9.9 ↓	9.3 ↘	10.6 *	10.5 *
	9.7 →	10.3 *	10.6 *	9.2 ↓	9.6 ↘
beste Teiler	264.1 (8.)	319.8 (4.)	386.5 (5.)		
Trefferlage	3.41 mm rechts, 3.12 mm tief				
Streuwert	5.44, horizontal: 5.47, vertikal: 5.41				



Serie 2:	8.8 →	8.7 ↘	9.7 ↓	10.2 ↓	9.0 →
	10.0 →	10.0 ↓	10.0 →	10.7 *	9.4 →
beste Teiler	229.1 (19.)	567.7 (14.)	724.0 (16.)		
Trefferlage	7.84 mm rechts, 4.24 mm tief				
Streuwert	5.51, horizontal: 6.01, vertikal: 4.95				



Serie 3:	10.4 *	10.2 →	9.9 ↓	9.8 →	9.9 ↓
	9.8 ↘	10.1 ↙	10.3 *	10.5 *	10.2 ↗
beste Teiler	367.3 (29.)	401.0 (21.)	485.3 (28.)		
Trefferlage	1.18 mm rechts, 1.13 mm tief				
Streuwert	5.01, horizontal: 4.68, vertikal: 5.32				





Serie 4:	9.9 ←	10.6 *	10.0 ↗	10.2 ↓	9.1 ↘
	9.1 →	10.2 ↙	10.3 ↘	10.1 ↓	9.1 ↙
beste Teiler	300.1 (32.)	559.2 (38.)	562.5 (37.)		
Trefferlage	0.64 mm rechts, 1.83 mm tief				
Streuwert	7.08, horizontal: 6.68, vertikal: 7.46				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **382** (401.4)  
 Serien: 96 95 95 96  
 Zähler: 24 14 2 0 0 0 0 0 0 0  
 Innenzehner: 18  
 weiteste: 1933 (28), 1643 (34), 1396 (36)  
 beste Teiler 129.3 (21.) 141.7 (8.) 187.0 (27.)  
 Trefferlage 1.24 mm rechts, 1.25 mm hoch  
 Streuwert 5.95, horizontal: 7.09, vertikal: 4.53




Serie 1:  
 10.3 \* 9.8 ↖ 10.5 \* 9.2 ← 9.9 →  
 10.6 \* 10.4 \* 10.8 \* 10.4 \* 9.4 ↘  
 beste Teiler 141.7 (8.) 247.8 (6.) 377.8 (3.)  
 Trefferlage 1.39 mm links, 1.62 mm hoch  
 Streuwert 5.54, horizontal: 6.74, vertikal: 3.99



Serie 2:  
 9.6 ↖ 9.9 ↖ 10.3 \* 10.4 \* 10.3 \*  
 9.8 ↗ 10.5 \* 10.5 \* 9.7 ↘ 9.7 →  
 beste Teiler 354.7 (17.) 396.3 (18.) 476.3 (14.)  
 Trefferlage 0.19 mm rechts, 1.45 mm hoch  
 Streuwert 5.61, horizontal: 6.58, vertikal: 4.45



Serie 3:  
 10.8 \* 10.1 ↗ 9.7 ↖ 10.2 ↘ 10.4 \*  
 9.8 ↖ 10.7 \* 8.5 → 10.3 → 9.5 ↑  
 beste Teiler 129.3 (21.) 187.0 (27.) 427.9 (25.)  
 Trefferlage 1.88 mm rechts, 2.00 mm hoch  
 Streuwert 6.49, horizontal: 8.10, vertikal: 4.31





Serie 4:  
 10.0 ↓ 9.3 ↗ 10.3 \* 8.9 → 10.5 \*  
 9.2 → 10.4 \* 10.7 \* 10.0 → 10.1 →  
 beste Teiler 188.7 (38.) 341.9 (35.) 464.0 (37.)  
 Trefferlage 4.30 mm rechts, 0.04 mm tief  
 Streuwert 6.16, horizontal: 6.63, vertikal: 5.65

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **389** (407.8)  
 Serien: 97 95 98 99  
 Zähler: 29 11 0 0 0 0 0 0 0 0  
 Innenzehner: 19  
 weiteste: 1417 (4), 1264 (18), 1221 (16)  
 beste Teiler 217.8 (21.) 221.8 (39.) 238.8 (22.)  
 Trefferlage 1.20 mm rechts, 1.04 mm tief  
 Streuwert 4.78, horizontal: 4.97, vertikal: 4.58




Serie 1:  
 10.7 \*                      10.4 \*                      9.7 ↗                      9.2 →                      10.4 \*  
 9.9 →                      10.3 \*                      10.4 \*                      10.3 →                      10.5 \*  
 beste Teiler 240.1 (1.) 379.2 (10.) 444.2 (2.)  
 Trefferlage 4.85 mm rechts, 1.13 mm tief  
 Streuwert 3.79, horizontal: 4.22, vertikal: 3.31



Serie 2:  
 9.8 ↘                      9.7 ↘                      10.5 \*                      9.9 ↘                      10.1 ←  
 9.4 ↖                      10.3 ↖                      9.4 ↖                      10.4 \*                      10.5 \*  
 beste Teiler 335.5 (13.) 398.4 (20.) 430.3 (19.)  
 Trefferlage 2.61 mm links, 1.94 mm tief  
 Streuwert 5.74, horizontal: 5.90, vertikal: 5.58



Serie 3:  
 10.7 \*                      10.7 \*                      9.8 ↘                      10.3 ↑                      10.0 ↑  
 10.3 \*                      10.4 \*                      10.6 \*                      10.0 ↘                      9.9 ↘  
 beste Teiler 217.8 (21.) 238.8 (22.) 288.1 (28.)  
 Trefferlage 1.46 mm rechts, 1.07 mm tief  
 Streuwert 4.34, horizontal: 3.40, vertikal: 5.12





Serie 4:  
 10.3 ↘                      10.6 \*                      10.4 \*                      10.4 \*                      10.3 →  
 9.8 ↘                      10.6 \*                      10.0 ↗                      10.7 \*                      10.2 ↓  
 beste Teiler 221.8 (39.) 294.5 (32.) 304.0 (37.)  
 Trefferlage 1.13 mm rechts, 0.02 mm tief  
 Streuwert 4.03, horizontal: 3.45, vertikal: 4.55


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>385</b>	(400.3)
Serien:	97 98 95 95	
Zähler:	26 13 1 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	1870 (25), 1578 (33), 1509 (5)	
beste Teiler	102.9 (38.) 135.5 (7.) 163.7 (35.)	
Trefferlage	2.36 mm rechts, 2.02 mm tief	
Streuwert	5.80, horizontal: 5.47, vertikal: 6.11	




Serie 1:	10.0 ↗	10.1 ↙	9.8 ↘	10.2 ↘	9.1 →
	10.0 →	10.8 *	9.8 ↙	10.0 ↙	10.6 *
beste Teiler	135.5 (7.)	282.6 (10.)	564.9 (4.)		
Trefferlage	2.24 mm rechts, 2.74 mm tief				
Streuwert	5.42, horizontal: 6.28, vertikal: 4.40				



Serie 2:	10.6 *	10.4 *	10.0 ↙	10.1 ↓	10.1 ↘
	10.5 *	10.4 *	9.2 →	10.2 →	9.6 ↙
beste Teiler	261.2 (11.)	373.8 (16.)	453.4 (12.)		
Trefferlage	1.19 mm rechts, 3.86 mm tief				
Streuwert	4.76, horizontal: 5.91, vertikal: 3.23				



Serie 3:	10.7 *	9.5 →	10.3 *	9.6 →	8.6 ↘
	10.6 *	9.7 ↗	10.3 *	10.6 *	10.3 ↘
beste Teiler	178.7 (21.)	270.7 (29.)	271.0 (26.)		
Trefferlage	4.63 mm rechts, 0.92 mm tief				
Streuwert	5.62, horizontal: 4.93, vertikal: 6.23				





Serie 4:	9.1 ↘	9.6 ↓	9.0 ↗	10.1 ↑	10.7 *
	9.5 →	10.2 ↘	10.8 *	10.0 ↘	9.6 ↓
beste Teiler	102.9 (38.)	163.7 (35.)	597.0 (37.)		
Trefferlage	1.40 mm rechts, 0.58 mm tief				
Streuwert	7.34, horizontal: 4.77, vertikal: 9.22				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (388.4)  
 Serien: 91 94 92 93  
 Zähler: 16 18 6 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2306 (5), 2106 (29), 1959 (12)  
 beste Teiler 382.1 (1.) 403.4 (15.) 497.5 (6.)  
 Trefferlage 0.33 mm links, 3.96 mm tief  
 Streuwert 7.41, horizontal: 7.83, vertikal: 6.98




Serie 1:  
 10.5 \* 9.5 ↓ 9.9 ← 8.5 ↘ 8.1 ↓  
 10.3 \* 9.4 ↘ 9.1 → 9.8 ↖ 10.3 ↓  
 beste Teiler 382.1 (1.) 497.5 (6.) 537.6 (10.)  
 Trefferlage 2.61 mm rechts, 5.50 mm tief  
 Streuwert 8.36, horizontal: 8.20, vertikal: 8.52



Serie 2:  
 10.2 ↓ 8.5 ← 9.9 → 9.9 ↖ 10.4 \*  
 10.1 ↓ 10.3 ↗ 9.4 ↘ 9.5 ↓ 10.3 ←  
 beste Teiler 403.4 (15.) 548.0 (17.) 553.9 (20.)  
 Trefferlage 0.40 mm links, 3.06 mm tief  
 Streuwert 7.03, horizontal: 8.39, vertikal: 5.35



Serie 3:  
 10.1 ↘ 9.8 ↓ 9.7 → 10.0 ↙ 9.9 ↓  
 9.8 ↖ 10.3 \* 10.1 ↓ 8.3 ↘ 8.8 ↓  
 beste Teiler 522.5 (27.) 680.9 (28.) 694.6 (21.)  
 Trefferlage 2.55 mm rechts, 6.05 mm tief  
 Streuwert 6.78, horizontal: 6.77, vertikal: 6.78





Serie 4:  
 10.3 \* 8.7 ← 9.8 ↖ 9.5 ← 9.4 ↓  
 9.7 ↓ 10.3 ↖ 9.9 ← 10.0 ↙ 10.1 ↓  
 beste Teiler 523.1 (31.) 537.2 (37.) 659.6 (40.)  
 Trefferlage 6.08 mm links, 1.24 mm tief  
 Streuwert 6.05, horizontal: 5.13, vertikal: 6.86


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (374.8)  
 Serien: 93 82 91 93  
 Zähler: 12 16 11 1 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 2775 (11), 2307 (16), 2261 (5)  
 beste Teiler 130.3 (8.) 435.3 (6.) 462.9 (3.)  
 Trefferlage 1.48 mm links, 0.83 mm hoch  
 Streuwert 10.04, horizontal: 11.53, vertikal: 8.28




Serie 1:  
 9.3 ← 10.3 ↗ 10.4 \* 10.0 ↓ 8.1 →  
 10.4 \* 9.3 ← 10.8 \* 8.9 ← 9.7 ↙  
 beste Teiler 130.3 (8.) 435.3 (6.) 462.9 (3.)  
 Trefferlage 2.29 mm links, 1.03 mm hoch  
 Streuwert 8.52, horizontal: 10.99, vertikal: 4.93



Serie 2:  
 7.5 → 8.2 ↘ 8.7 ↑ 9.5 → 8.6 ↖  
 8.1 ← 8.9 ↗ 9.2 ↘ 8.8 ↖ 9.6 ←  
 beste Teiler 1046.4 (20.) 1182.2 (14.) 1403.0 (18.)  
 Trefferlage 2.88 mm links, 5.50 mm hoch  
 Streuwert 13.09, horizontal: 15.39, vertikal: 10.29



Serie 3:  
 9.6 → 10.4 \* 8.3 ← 10.3 \* 10.0 →  
 9.2 ↘ 9.0 ↑ 8.5 → 9.0 ← 9.5 ↙  
 beste Teiler 480.0 (22.) 505.5 (24.) 784.9 (25.)  
 Trefferlage 0.40 mm rechts, 1.18 mm hoch  
 Streuwert 10.17, horizontal: 12.58, vertikal: 6.98





Serie 4:  
 9.9 ↓ 10.2 ↖ 9.4 ↗ 9.7 ↓ 9.0 ↙  
 8.4 ↘ 10.3 \* 10.3 \* 9.5 ↘ 10.0 ←  
 beste Teiler 482.1 (38.) 484.3 (37.) 573.4 (32.)  
 Trefferlage 1.15 mm links, 4.37 mm tief  
 Streuwert 7.65, horizontal: 7.31, vertikal: 7.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (394.7)  
 Serien: 90 96 94 96  
 Zähler: 20 16 4 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 1733 (11), 1693 (4), 1673 (36)  
 beste Teiler 182.1 (2.) 286.1 (32.) 305.6 (34.)  
 Trefferlage 1.70 mm links, 0.49 mm tief  
 Streuwert 6.79, horizontal: 6.67, vertikal: 6.90




Serie 1:  
 9.8 ↗ 10.7 \* 9.4 ↘ 8.8 ↓ 9.9 ↓  
 10.1 ↓ 9.7 ← 9.2 ← 9.7 ← 8.9 ↘  
 beste Teiler 182.1 (2.) 695.9 (6.) 851.1 (5.)  
 Trefferlage 2.65 mm links, 3.20 mm tief  
 Streuwert 8.10, horizontal: 8.10, vertikal: 8.10



Serie 2:  
 8.8 → 10.2 → 10.3 ↓ 9.1 ↓ 10.6 \*  
 10.6 \* 10.3 \* 10.0 ← 10.2 ↓ 9.4 ↘  
 beste Teiler 307.0 (16.) 319.5 (15.) 521.8 (17.)  
 Trefferlage 0.46 mm rechts, 1.02 mm tief  
 Streuwert 6.96, horizontal: 7.11, vertikal: 6.81



Serie 3:  
 9.8 ← 10.4 \* 10.0 ← 9.8 ↘ 9.6 ←  
 9.3 ↘ 10.4 \* 9.7 ↑ 9.9 ↑ 10.1 ←  
 beste Teiler 446.3 (22.) 449.6 (27.) 647.4 (30.)  
 Trefferlage 4.55 mm links, 1.90 mm hoch  
 Streuwert 5.30, horizontal: 3.50, vertikal: 6.62





Serie 4:  
 10.0 → 10.6 \* 10.0 ↓ 10.6 \* 9.6 ←  
 8.9 ↗ 10.4 \* 9.8 ← 10.1 ← 10.0 ↑  
 beste Teiler 286.1 (32.) 305.6 (34.) 466.7 (37.)  
 Trefferlage 0.08 mm links, 0.35 mm hoch  
 Streuwert 6.36, horizontal: 6.79, vertikal: 5.91

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **383** (400.1)  
 Serien: 97 93 96 97  
 Zähler: 23 17 0 0 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 1515 (30), 1427 (20), 1377 (19)  
 beste Teiler 215.9 (29.) 244.4 (4.) 299.0 (26.)  
 Trefferlage 0.86 mm links, 0.21 mm tief  
 Streuwert 6.02, horizontal: 6.25, vertikal: 5.78




Serie 1:  
 9.6 ↘                      10.2 ↘                      10.1 ↑                      10.6 \*                      10.3 \*  
 9.5 ↗                      10.3 \*                      10.3 \*                      9.4 ↙                      10.3 \*  
 beste Teiler 244.4 (4.) 504.5 (10.) 506.1 (5.)  
 Trefferlage 0.07 mm rechts, 1.19 mm hoch  
 Streuwert 5.75, horizontal: 6.13, vertikal: 5.34



Serie 2:  
 9.9 ↙                      9.8 ↖                      10.5 \*                      10.5 \*                      10.2 ↙  
 9.7 ↘                      9.3 →                      9.5 ↑                      9.2 ←                      9.2 ↗  
 beste Teiler 343.6 (13.) 353.8 (14.) 577.5 (15.)  
 Trefferlage 1.90 mm links, 1.84 mm hoch  
 Streuwert 7.31, horizontal: 8.23, vertikal: 6.26



Serie 3:  
 10.3 ↙                      10.2 ↘                      10.0 ↙                      9.6 ↑                      10.5 \*  
 10.6 \*                      9.7 →                      9.7 ↙                      10.7 \*                      9.1 ↙  
 beste Teiler 215.9 (29.) 299.0 (26.) 321.4 (25.)  
 Trefferlage 1.30 mm links, 3.22 mm tief  
 Streuwert 5.67, horizontal: 5.67, vertikal: 5.67





Serie 4:  
 10.5 \*                      10.2 ↙                      10.6 \*                      10.5 \*                      10.4 \*  
 9.8 ↘                      9.5 ↙                      10.2 →                      9.6 ↖                      10.0 ←  
 beste Teiler 302.8 (33.) 327.4 (31.) 344.4 (34.)  
 Trefferlage 0.31 mm links, 0.67 mm tief  
 Streuwert 5.33, horizontal: 5.39, vertikal: 5.27


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381** (398.5)  
 Serien: 92 97 94 98  
 Zähler: 25 12 2 1 0 0 0 0 0 0  
 Innenzehner: 15  
 weiteste: 2767 (9), 2176 (6), 1914 (29)  
 beste Teiler 228.5 (37.) 235.9 (21.) 267.6 (39.)  
 Trefferlage 0.35 mm links, 0.43 mm hoch  
 Streuwert 6.83, horizontal: 7.97, vertikal: 5.44




Serie 1:  
 10.2 ↘ 10.1 ↗ 10.4 \* 10.6 \* 10.2 ←  
 8.2 ↘ 9.2 ↗ 9.5 ↑ 7.5 → 9.7 ↙  
 beste Teiler 304.7 (4.) 451.1 (3.) 576.3 (5.)  
 Trefferlage 2.72 mm rechts, 0.58 mm hoch  
 Streuwert 9.86, horizontal: 11.32, vertikal: 8.14



Serie 2:  
 10.5 \* 10.3 \* 9.4 ↘ 10.2 ↘ 9.8 ←  
 10.4 \* 9.9 ↘ 10.1 ↙ 10.2 ↘ 10.5 \*  
 beste Teiler 344.8 (20.) 367.6 (11.) 401.7 (16.)  
 Trefferlage 1.57 mm links, 0.36 mm tief  
 Streuwert 5.15, horizontal: 5.76, vertikal: 4.46



Serie 3:  
 10.7 \* 9.4 ← 10.3 \* 10.3 \* 9.7 ↗  
 9.8 ↙ 9.7 ↑ 10.1 → 8.6 ← 10.4 \*  
 beste Teiler 235.9 (21.) 465.7 (30.) 519.7 (24.)  
 Trefferlage 2.45 mm links, 0.13 mm tief  
 Streuwert 7.01, horizontal: 8.30, vertikal: 5.42





Serie 4:  
 10.2 ↗ 10.0 ↗ 10.2 ↗ 9.9 → 10.6 \*  
 9.7 ← 10.7 \* 10.4 \* 10.6 \* 10.3 \*  
 beste Teiler 228.5 (37.) 267.6 (39.) 270.1 (35.)  
 Trefferlage 0.12 mm links, 1.64 mm hoch  
 Streuwert 4.38, horizontal: 5.33, vertikal: 3.15


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (378.1)  
 Serien: 91 92 85 92  
 Zähler: 14 14 10 2 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 2628 (8), 2539 (38), 2354 (25)  
 beste Teiler 138.8 (29.) 240.1 (19.) 338.1 (16.)  
 Trefferlage 1.52 mm rechts, 0.50 mm tief  
 Streuwert 9.85, horizontal: 11.75, vertikal: 7.50




Serie 1:  
 9.6 ↘                      9.8 →                      10.0 ↙                      9.8 ↓                      10.1 ↑  
 9.6 ↖                      9.7 ↓                      7.7 →                      10.4 \*                      9.7 ←  
 beste Teiler 410.5 (9.) 647.0 (5.) 755.8 (3.)  
 Trefferlage 3.00 mm rechts, 2.91 mm tief  
 Streuwert 8.29, horizontal: 10.23, vertikal: 5.71



Serie 2:  
 10.2 ↗                      8.6 →                      8.5 →                      9.2 ↓                      10.3 \*  
 10.5 \*                      8.4 ↑                      9.4 ↗                      10.7 \*                      10.3 \*  
 beste Teiler 240.1 (19.) 338.1 (16.) 513.5 (20.)  
 Trefferlage 5.94 mm rechts, 0.12 mm hoch  
 Streuwert 8.37, horizontal: 8.21, vertikal: 8.53



Serie 3:  
 8.6 ←                      8.8 →                      8.8 →                      8.1 →                      8.0 ↖  
 9.2 ↖                      9.5 ↓                      9.5 ↖                      10.8 \*                      8.0 ↓  
 beste Teiler 138.8 (29.) 1141.2 (27.) 1177.3 (28.)  
 Trefferlage 1.85 mm rechts, 1.29 mm tief  
 Streuwert 12.83, horizontal: 15.98, vertikal: 8.59





Serie 4:  
 10.2 ↑                      10.3 \*                      10.2 ↗                      10.4 \*                      10.4 \*  
 8.2 ←                      9.9 ↖                      7.8 ↖                      9.0 ↘                      9.9 ↙  
 beste Teiler 410.2 (34.) 419.7 (35.) 514.6 (32.)  
 Trefferlage 4.71 mm links, 2.07 mm hoch  
 Streuwert 8.73, horizontal: 10.15, vertikal: 7.04


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (384.2)  
 Serien: 90 92 93 90  
 Zähler: 11 23 6 0 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 2311 (36), 1904 (31), 1726 (37)  
 beste Teiler 67.6 (38.) 203.0 (17.) 254.2 (24.)  
 Trefferlage 0.16 mm links, 0.87 mm hoch  
 Streuwert 8.48, horizontal: 9.05, vertikal: 7.86




Serie 1:  
 9.5 ↓                      9.7 ↘                      8.8 ↘                      9.2 ↑                      9.9 ↑  
 10.4 \*                      9.9 ↑                      10.0 ↗                      9.0 ↗                      8.9 ↘  
 beste Teiler 421.7 (6.) 728.7 (8.) 826.8 (7.)  
 Trefferlage 5.42 mm rechts, 1.00 mm hoch  
 Streuwert 7.95, horizontal: 6.39, vertikal: 9.26



Serie 2:  
 9.8 ↓                      8.9 ↗                      9.2 ←                      9.2 ↖                      9.8 ↓  
 10.1 ↗                      10.7 \*                      10.1 ↘                      9.0 ←                      9.8 ↑  
 beste Teiler 203.0 (17.) 648.0 (16.) 680.8 (18.)  
 Trefferlage 5.34 mm links, 0.06 mm tief  
 Streuwert 7.31, horizontal: 7.69, vertikal: 6.91



Serie 3:  
 9.6 →                      9.1 ↘                      9.5 ↑                      10.6 \*                      9.7 ↑  
 9.3 →                      9.5 ↘                      10.6 \*                      9.0 ↓                      10.2 ←  
 beste Teiler 254.2 (24.) 317.7 (28.) 577.8 (30.)  
 Trefferlage 3.61 mm rechts, 0.49 mm tief  
 Streuwert 7.65, horizontal: 7.59, vertikal: 7.72





Serie 4:  
 8.6 ←                      9.7 ↗                      10.3 \*                      9.7 ↗                      10.4 \*  
 8.1 ↘                      8.8 ↖                      10.9 \*                      9.4 ↗                      9.3 ↑  
 beste Teiler 67.6 (38.) 449.2 (35.) 491.2 (33.)  
 Trefferlage 4.33 mm links, 3.06 mm hoch  
 Streuwert 9.06, horizontal: 9.89, vertikal: 8.16

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>368</b>	(387.5)
Serien:	89	94 94 91
Zähler:	17	14 9 0 0 0 0 0 0 0
Innenzehner:	14	
weiteste:	2308 (20),	2279 (27), 2066 (38)
beste Teiler	193.3 (9.)	277.7 (24.) 310.6 (13.)
Trefferlage	2.78 mm links, 0.52 mm hoch	
Streuwert	8.17, horizontal: 9.56, vertikal: 6.50	




Serie 1:

9.8 ↙	9.2 ↙	9.0 ↗	8.9 →	9.8 →
9.9 ↘	8.7 ↖	10.1 ↗	10.7 *	8.6 ↖
beste Teiler	193.3 (9.) 658.0 (8.) 875.5 (6.)			
Trefferlage	0.73 mm links, 1.47 mm hoch			
Streuwert	9.59, horizontal: 11.09, vertikal: 7.79			




Serie 2:

8.9 ←	10.1 ↓	10.6 *	9.7 ↖	10.3 *
10.3 *	10.1 ←	10.3 *	9.9 →	8.1 ←
beste Teiler	310.6 (13.) 485.7 (18.) 490.6 (16.)			
Trefferlage	3.79 mm links, 1.23 mm tief			
Streuwert	7.38, horizontal: 9.15, vertikal: 5.01			



Serie 3:

10.4 *	9.5 →	9.5 ↙	10.6 *	9.7 ↓
10.5 *	8.1 ←	9.9 ↗	10.5 *	10.5 *
beste Teiler	277.7 (24.) 382.5 (30.) 384.4 (29.)			
Trefferlage	1.90 mm links, 2.18 mm tief			
Streuwert	7.28, horizontal: 9.09, vertikal: 4.83			





Serie 4:

10.3 *	8.9 ↖	9.6 →	10.5 *	10.3 *
8.6 ←	9.0 ↖	8.4 ↑	9.2 ↖	10.5 *
beste Teiler	332.7 (34.) 340.3 (40.) 484.1 (31.)			
Trefferlage	4.72 mm links, 4.06 mm hoch			
Streuwert	8.46, horizontal: 9.79, vertikal: 6.87			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (396.9)  
 Serien: 94 94 94 96  
 Zähler: 19 20 1 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 1950 (29), 1502 (4), 1491 (20)  
 beste Teiler 147.6 (1.) 242.5 (18.) 268.7 (38.)  
 Trefferlage 1.77 mm links, 0.30 mm hoch  
 Streuwert 6.35, horizontal: 6.73, vertikal: 5.95




Serie 1:  
 10.8 \*                      9.9 ↘                      9.7 ↑                      9.1 ↘                      9.7 →  
 9.9 ↓                      10.2 ↘                      9.9 →                      10.0 ↑                      10.4 \*  
 beste Teiler 147.6 (1.) 476.2 (10.) 582.2 (7.)  
 Trefferlage 4.09 mm rechts, 0.02 mm hoch  
 Streuwert 5.67, horizontal: 5.57, vertikal: 5.77



Serie 2:  
 9.7 ↘                      10.2 ↘                      9.9 ↓                      10.2 ↘                      9.8 →  
 10.3 ↑                      9.8 ↖                      10.6 \*                      9.9 ←                      9.1 ↘  
 beste Teiler 242.5 (18.) 542.8 (16.) 569.1 (14.)  
 Trefferlage 1.58 mm links, 1.40 mm hoch  
 Streuwert 6.16, horizontal: 6.31, vertikal: 6.01



Serie 3:  
 9.2 ↖                      9.3 ←                      10.2 ↓                      9.2 ↘                      10.4 \*  
 10.3 →                      10.4 \*                      9.3 ←                      8.5 ↓                      10.3 \*  
 beste Teiler 427.1 (25.) 468.5 (27.) 501.3 (30.)  
 Trefferlage 6.54 mm links, 0.69 mm tief  
 Streuwert 6.76, horizontal: 6.70, vertikal: 6.83





Serie 4:  
 10.1 ↓                      9.8 ←                      9.5 ↓                      10.3 \*                      10.3 \*  
 10.4 \*                      10.0 ↘                      10.6 \*                      9.8 ↖                      9.9 ↖  
 beste Teiler 268.7 (38.) 472.2 (36.) 505.9 (34.)  
 Trefferlage 3.07 mm links, 0.48 mm hoch  
 Streuwert 5.01, horizontal: 3.92, vertikal: 5.90


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (393.3)  
 Serien: 92 95 96 92  
 Zähler: 18 20 1 1 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 2467 (10), 2192 (31), 1525 (17)  
 beste Teiler 171.5 (20.) 280.4 (9.) 283.2 (18.)  
 Trefferlage 0.97 mm rechts, 0.71 mm tief  
 Streuwert 7.24, horizontal: 7.90, vertikal: 6.51




Serie 1:  
 10.6 \* 9.2 ↘ 9.7 ↓ 9.6 ↓ 10.5 \*  
 10.1 → 9.8 ↙ 9.4 ← 10.6 \* 7.9 →  
 beste Teiler 280.4 (9.) 297.1 (1.) 384.6 (5.)  
 Trefferlage 1.17 mm rechts, 3.30 mm tief  
 Streuwert 8.19, horizontal: 9.94, vertikal: 5.97



Serie 2:  
 9.4 ← 9.6 ↙ 10.4 \* 9.5 ↘ 9.8 ↙  
 10.2 ↙ 9.0 → 10.6 \* 10.3 \* 10.7 \*  
 beste Teiler 171.5 (20.) 283.2 (18.) 474.0 (13.)  
 Trefferlage 0.11 mm rechts, 2.65 mm tief  
 Streuwert 6.41, horizontal: 7.73, vertikal: 4.75



Serie 3:  
 10.2 ← 9.8 ← 9.0 ↗ 10.1 ↓ 9.9 ↘  
 9.6 → 10.1 ↘ 10.1 ↑ 10.2 → 10.1 →  
 beste Teiler 583.0 (29.) 624.0 (21.) 678.0 (28.)  
 Trefferlage 3.24 mm rechts, 0.26 mm hoch  
 Streuwert 6.06, horizontal: 6.05, vertikal: 6.08





Serie 4:  
 8.2 ↘ 9.4 ← 10.3 → 10.5 \* 9.6 ↘  
 9.8 ↑ 9.2 ↓ 10.6 \* 9.9 → 9.8 →  
 beste Teiler 307.7 (38.) 330.6 (34.) 559.2 (33.)  
 Trefferlage 0.63 mm links, 2.83 mm hoch  
 Streuwert 8.00, horizontal: 8.13, vertikal: 7.86


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **391** (408.7)  
 Serien: 98 97 99 97  
 Zähler: 31 9 0 0 0 0 0 0 0 0  
 Innenzehner: 22  
 weiteste: 1577 (39), 1541 (21), 1372 (15)  
 beste Teiler 126.2 (23.) 127.9 (37.) 146.3 (17.)  
 Trefferlage 0.95 mm links, 0.16 mm hoch  
 Streuwert 4.92, horizontal: 4.67, vertikal: 5.16




Serie 1:  
 10.7 \* 9.5 ↘ 10.4 \* 10.1 ↑ 9.9 ↓  
 10.3 \* 10.4 \* 10.6 \* 10.7 \* 10.0 ←  
 beste Teiler 172.1 (1.) 222.1 (9.) 308.7 (8.)  
 Trefferlage 2.48 mm links, 1.26 mm hoch  
 Streuwert 4.17, horizontal: 3.75, vertikal: 4.55



Serie 2:  
 10.4 \* 10.7 \* 10.6 \* 9.8 ↘ 9.2 ↘  
 10.0 ↙ 10.8 \* 9.7 ↓ 10.5 \* 10.6 \*  
 beste Teiler 146.3 (17.) 180.4 (12.) 286.2 (20.)  
 Trefferlage 1.59 mm links, 1.39 mm hoch  
 Streuwert 4.82, horizontal: 4.33, vertikal: 5.27



Serie 3:  
 9.0 ↘ 10.5 \* 10.8 \* 10.4 \* 10.1 ↘  
 10.6 \* 10.1 ← 10.6 \* 10.4 \* 10.2 ↙  
 beste Teiler 126.2 (23.) 263.3 (28.) 279.7 (26.)  
 Trefferlage 0.06 mm rechts, 1.35 mm tief  
 Streuwert 4.81, horizontal: 5.30, vertikal: 4.28





Serie 4:  
 9.4 ↑ 10.4 \* 9.9 ↘ 10.1 ↘ 10.5 \*  
 10.6 \* 10.8 \* 10.2 ↘ 9.0 ↙ 10.2 →  
 beste Teiler 127.9 (37.) 317.0 (36.) 373.9 (35.)  
 Trefferlage 0.21 mm rechts, 0.63 mm tief  
 Streuwert 5.92, horizontal: 5.29, vertikal: 6.49

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **378** (394.3)  
 Serien: 93 93 95 97  
 Zähler: 20 18 2 0 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 1765 (5), 1611 (28), 1487 (39)  
 beste Teiler 247.6 (25.) 266.7 (2.) 324.3 (15.)  
 Trefferlage 2.21 mm links, 1.15 mm tief  
 Streuwert 6.68, horizontal: 6.64, vertikal: 6.71




Serie 1:  
 10.3 \* 10.6 \* 9.4 ↗ 9.7 ← 8.7 ↘  
 10.1 ↘ 10.0 ↑ 9.8 ↘ 9.4 ↘ 9.3 ↓  
 beste Teiler 266.7 (2.) 511.9 (1.) 661.6 (6.)  
 Trefferlage 2.69 mm links, 1.23 mm hoch  
 Streuwert 7.61, horizontal: 6.70, vertikal: 8.42



Serie 2:  
 10.4 \* 9.1 ↘ 9.7 ↘ 9.3 ↘ 10.5 \*  
 9.3 ← 9.7 ↓ 10.1 ↙ 9.4 ↙ 9.9 ↙  
 beste Teiler 324.3 (15.) 441.6 (11.) 697.7 (18.)  
 Trefferlage 0.72 mm links, 4.77 mm tief  
 Streuwert 6.87, horizontal: 8.66, vertikal: 4.40



Serie 3:  
 10.5 \* 9.4 ← 9.3 ← 9.4 ← 10.6 \*  
 10.1 ↘ 10.2 ↙ 8.9 ↓ 10.2 ↓ 10.1 ↘  
 beste Teiler 247.6 (25.) 326.7 (21.) 574.2 (27.)  
 Trefferlage 4.70 mm links, 3.00 mm tief  
 Streuwert 5.80, horizontal: 6.11, vertikal: 5.47





Serie 4:  
 10.3 \* 10.5 \* 10.5 \* 10.3 \* 9.9 ↓  
 10.2 ← 10.1 ↗ 9.6 ↑ 9.1 ↘ 10.4 \*  
 beste Teiler 327.3 (33.) 342.7 (32.) 458.7 (40.)  
 Trefferlage 0.76 mm links, 1.90 mm hoch  
 Streuwert 5.54, horizontal: 4.66, vertikal: 6.31


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>392</b>	(409.5)
Serien:	98	97 99 98
Zähler:	32	8 0 0 0 0 0 0 0 0
Innenzehner:	17	
weiteste:	1463	(30), 1243 (17), 1175 (35)
beste Teiler	96.2	(19.) 102.9 (26.) 130.3 (21.)
Trefferlage	0.71 mm	links, 0.35 mm tief
Streuwert	4.59,	horizontal: 5.06, vertikal: 4.05




Serie 1:	10.6 *	10.2 →	10.7 *	9.9 ←	10.2 ↗
	9.7 ↓	10.2 ↘	10.3 *	10.3 ↙	10.1 ↖
beste Teiler	233.4	(3.) 242.5 (1.)	482.2 (8.)		
Trefferlage	0.58 mm	links, 1.23 mm tief			
Streuwert	4.43,	horizontal: 4.65, vertikal: 4.20			



Serie 2:	9.9 ↘	10.4 *	9.7 ↗	10.2 ↖	10.1 ↓
	10.3 ↙	9.4 →	10.5 *	10.8 *	10.2 ↓
beste Teiler	96.2	(19.) 344.0 (18.)	423.3 (12.)		
Trefferlage	0.54 mm	rechts, 0.64 mm tief			
Streuwert	5.25,	horizontal: 5.21, vertikal: 5.30			



Serie 3:	10.8 *	10.3 *	10.4 *	10.6 *	10.4 *
	10.8 *	10.2 →	10.2 ←	10.5 *	9.1 ↖
beste Teiler	102.9	(26.) 130.3 (21.)	283.2 (24.)		
Trefferlage	1.72 mm	links, 0.46 mm hoch			
Streuwert	4.36,	horizontal: 5.59, vertikal: 2.60			





Serie 4:	10.4 *	10.7 *	10.7 *	10.2 ↗	9.5 ↙
	10.8 *	10.1 ↘	9.7 ↘	10.2 ↖	10.2 ↖
beste Teiler	138.1	(36.) 208.4 (33.)	240.6 (32.)		
Trefferlage	1.08 mm	links, 0.01 mm tief			
Streuwert	4.74,	horizontal: 5.30, vertikal: 4.10			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>385</b>	(401.7)
Serien:	95 97 96 97	
Zähler:	26 13 1 0 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	1603 (22), 1541 (21), 1317 (36)	
beste Teiler	183.7 (39.) 226.8 (25.) 267.1 (16.)	
Trefferlage	1.90 mm rechts, 2.62 mm tief	
Streuwert	5.17, horizontal: 5.24, vertikal: 5.11	




Serie 1:				
9.8 →	10.2 ↓	9.8 ↗	10.5 *	10.4 *
10.0 ↗	10.2 ↗	9.8 ↘	9.8 ↑	9.9 ←
beste Teiler	358.6 (4.) 445.0 (5.) 592.8 (2.)			
Trefferlage	2.80 mm rechts, 1.33 mm hoch			
Streuwert	5.13, horizontal: 5.81, vertikal: 4.35			



Serie 2:				
10.3 ↖	9.8 ↓	10.3 *	10.1 ↓	10.1 ↓
10.6 *	9.9 ↓	9.5 ↘	10.1 ↓	10.2 ↓
beste Teiler	267.1 (16.) 507.3 (13.) 535.5 (11.)			
Trefferlage	0.95 mm rechts, 5.27 mm tief			
Streuwert	3.60, horizontal: 4.06, vertikal: 3.07			



Serie 3:				
9.0 ↘	8.9 ↓	10.3 *	10.2 ↓	10.7 *
10.2 ↖	10.6 *	10.1 ↘	10.1 ↓	9.7 ↓
beste Teiler	226.8 (25.) 288.6 (27.) 525.3 (23.)			
Trefferlage	0.75 mm rechts, 4.90 mm tief			
Streuwert	5.62, horizontal: 5.84, vertikal: 5.39			





Serie 4:				
9.6 ↘	10.2 ↗	10.5 *	9.6 ↓	10.1 ↖
9.3 →	10.1 ↑	10.3 *	10.7 *	10.2 ↘
beste Teiler	183.7 (39.) 322.1 (33.) 482.3 (38.)			
Trefferlage	3.08 mm rechts, 1.64 mm tief			
Streuwert	5.16, horizontal: 5.45, vertikal: 4.85			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (393.9)  
 Serien: 95 92 94 97  
 Zähler: 19 20 1 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 1621 (17), 1522 (33), 1509 (15)  
 beste Teiler 166.4 (12.) 287.5 (7.) 333.0 (36.)  
 Trefferlage 0.53 mm rechts, 0.12 mm hoch  
 Streuwert 6.90, horizontal: 7.54, vertikal: 6.18




Serie 1:  
 9.8 ↙ 10.2 ↗ 10.3 \* 9.6 → 9.2 ↖  
 10.3 \* 10.6 \* 10.5 \* 9.6 ← 9.5 →  
 beste Teiler 287.5 (7.) 359.2 (8.) 485.8 (3.)  
 Trefferlage 0.31 mm rechts, 0.22 mm hoch  
 Streuwert 6.45, horizontal: 7.22, vertikal: 5.57



Serie 2:  
 9.8 ↗ 10.7 \* 9.2 ↖ 9.2 → 9.1 ↘  
 10.2 ↘ 8.9 ↙ 9.8 ↖ 9.5 ↘ 10.5 \*  
 beste Teiler 166.4 (12.) 339.7 (20.) 579.1 (16.)  
 Trefferlage 1.04 mm rechts, 3.77 mm tief  
 Streuwert 7.75, horizontal: 8.93, vertikal: 6.36



Serie 3:  
 10.2 ↘ 9.4 ↗ 9.6 ↖ 10.3 ↙ 9.4 →  
 9.2 ↙ 9.8 ↖ 10.5 \* 10.1 ↖ 9.2 ←  
 beste Teiler 373.0 (28.) 537.2 (24.) 628.8 (21.)  
 Trefferlage 1.93 mm links, 0.57 mm hoch  
 Streuwert 7.42, horizontal: 8.16, vertikal: 6.60



Serie 4:  
 10.3 ↖ 10.1 ↘ 9.0 ↗ 10.0 ↗ 10.1 →  
 10.5 \* 10.1 → 10.2 ↗ 9.7 ↖ 9.7 ↗  
 beste Teiler 333.0 (36.) 555.6 (31.) 570.0 (38.)  
 Trefferlage 2.70 mm rechts, 3.50 mm hoch  
 Streuwert 5.31, horizontal: 5.99, vertikal: 4.54

Unterschrift des Schützen