





Ergebnis: **369** (386.8)  
 Serien: 88 96 94 91  
 Zähler: 19 15 4 1 0 1 0 0 0 0  
 Innenzehner: 13  
 weiteste: 4381 (4), 2640 (34), 2322 (2)  
 beste Teiler 99.0 (17.) 278.1 (9.) 280.7 (13.)  
 Trefferlage 0.17 mm links, 0.20 mm tief  
 Streuwert 9.30, horizontal: 11.71, vertikal: 5.99




Serie 1:  
 9.0 ↘ 8.0 → 8.5 ← 5.5 ↖ 10.6 \*  
 10.4 \* 9.8 → 9.0 → 10.6 \* 10.5 \*  
 beste Teiler 278.1 (9.) 285.5 (5.) 373.3 (10.)  
 Trefferlage 1.07 mm links, 1.28 mm tief  
 Streuwert 13.79, horizontal: 18.16, vertikal: 7.09



Serie 2:  
 10.5 \* 9.7 ← 10.6 \* 9.7 ↑ 10.3 ←  
 9.9 → 10.8 \* 10.0 ↑ 9.8 ↘ 10.3 \*  
 beste Teiler 99.0 (17.) 280.7 (13.) 343.4 (11.)  
 Trefferlage 0.58 mm rechts, 2.02 mm hoch  
 Streuwert 5.02, horizontal: 5.27, vertikal: 4.75



Serie 3:  
 10.6 \* 10.0 → 10.5 \* 9.1 ↘ 9.1 ↘  
 10.1 ← 10.0 ↘ 9.2 ← 8.8 ↘ 9.9 →  
 beste Teiler 296.7 (21.) 371.6 (23.) 684.0 (26.)  
 Trefferlage 0.05 mm rechts, 0.19 mm tief  
 Streuwert 8.04, horizontal: 9.72, vertikal: 5.90





Serie 4:  
 8.9 ↙ 9.3 ← 9.5 ↓ 7.7 → 9.9 ↘  
 10.4 \* 9.2 ↘ 10.5 \* 10.6 \* 10.0 ←  
 beste Teiler 310.2 (39.) 386.1 (38.) 405.0 (36.)  
 Trefferlage 0.26 mm links, 1.37 mm tief  
 Streuwert 9.48, horizontal: 11.84, vertikal: 6.28


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369** (387.1)  
 Serien: 96 91 92 90  
 Zähler: 18 17 4 0 0 0 1 0 0 0  
 Innenzehner: 9  
 weiteste: 5163 (40), 1935 (8), 1898 (20)  
 beste Teiler 195.3 (37.) 208.7 (19.) 252.8 (12.)  
 Trefferlage 4.08 mm links, 1.67 mm tief  
 Streuwert 8.78, horizontal: 8.36, vertikal: 9.19




Serie 1:  
 10.1 ↘                      10.2 ↓                      10.6 \*                      10.2 ↗                      10.1 ←  
 10.6 \*                      9.6 →                      8.5 ←                      9.5 ↙                      10.5 \*  
 beste Teiler 304.6 (3.) 314.1 (6.) 393.3 (10.)  
 Trefferlage 2.30 mm links, 1.08 mm tief  
 Streuwert 6.46, horizontal: 8.10, vertikal: 4.22



Serie 2:  
 9.6 ↓                      10.6 \*                      9.2 ←                      9.9 ↑                      9.8 ↗  
 10.3 →                      9.1 ←                      8.8 ←                      10.7 \*                      8.6 ←  
 beste Teiler 208.7 (19.) 252.8 (12.) 535.1 (16.)  
 Trefferlage 5.61 mm links, 0.63 mm hoch  
 Streuwert 7.72, horizontal: 9.40, vertikal: 5.53



Serie 3:  
 9.5 ↙                      10.0 ↓                      9.3 ↙                      9.7 ↑                      10.5 \*  
 9.3 ↓                      9.8 ←                      10.3 \*                      8.9 ↘                      9.2 ←  
 beste Teiler 349.5 (25.) 492.4 (28.) 755.1 (22.)  
 Trefferlage 3.23 mm links, 1.42 mm tief  
 Streuwert 7.81, horizontal: 8.21, vertikal: 7.40





Serie 4:  
 9.6 ←                      9.8 ←                      9.3 ←                      10.4 \*                      10.1 →  
 10.2 →                      10.7 \*                      10.2 ↓                      9.3 ←                      4.5 ↓  
 beste Teiler 195.3 (37.) 436.6 (34.) 561.9 (36.)  
 Trefferlage 5.19 mm links, 4.82 mm tief  
 Streuwert 12.61, horizontal: 8.53, vertikal: 15.66


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (389.3)  
 Serien: 93 95 91 91  
 Zähler: 17 18 3 2 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 2525 (38), 2473 (37), 1932 (25)  
 beste Teiler 164.9 (32.) 182.0 (20.) 336.2 (27.)  
 Trefferlage 0.75 mm rechts, 1.51 mm hoch  
 Streuwert 7.94, horizontal: 9.71, vertikal: 5.64




Serie 1:  
 10.3 →                      9.7 ←                      9.8 ↙                      9.2 ↘                      9.6 ↗  
 9.9 ←                      8.7 ↘                      10.2 ←                      10.4 \*                      10.4 \*  
 beste Teiler 406.7 (10.) 467.2 (9.) 543.2 (1.)  
 Trefferlage 3.33 mm links, 0.29 mm hoch  
 Streuwert 6.99, horizontal: 8.17, vertikal: 5.55



Serie 2:  
 10.2 ←                      9.9 ↑                      10.5 \*                      9.7 ↑                      9.7 ↘  
 10.2 ↓                      9.3 ←                      9.5 ↗                      10.5 \*                      10.7 \*  
 beste Teiler 182.0 (20.) 378.9 (19.) 382.8 (13.)  
 Trefferlage 0.70 mm rechts, 1.47 mm hoch  
 Streuwert 6.09, horizontal: 6.44, vertikal: 5.72



Serie 3:  
 9.4 →                      10.4 \*                      9.3 ↗                      9.5 →                      8.5 ←  
 10.0 ←                      10.5 \*                      8.9 ↘                      9.5 ↘                      9.5 ↑  
 beste Teiler 336.2 (27.) 457.3 (22.) 733.9 (26.)  
 Trefferlage 2.39 mm rechts, 1.62 mm hoch  
 Streuwert 8.76, horizontal: 11.13, vertikal: 5.45





Serie 4:  
 9.0 →                      10.7 \*                      10.2 ↗                      9.3 →                      10.0 ↙  
 10.4 \*                      7.9 ↘                      7.8 →                      10.4 \*                      9.7 ↑  
 beste Teiler 164.9 (32.) 401.6 (39.) 466.8 (36.)  
 Trefferlage 3.24 mm rechts, 2.64 mm hoch  
 Streuwert 9.74, horizontal: 12.18, vertikal: 6.45


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **351** (369.3)  
 Serien: 85 85 88 93  
 Zähler: 12 15 7 4 2 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 3523 (2), 3477 (1), 2823 (24)  
 beste Teiler 86.4 (17.) 283.5 (13.) 325.2 (35.)  
 Trefferlage 4.09 mm links, 0.92 mm hoch  
 Streuwert 11.29, horizontal: 14.48, vertikal: 6.72




Serie 1:  
 6.6 ← 6.5 ← 9.5 → 10.5 \* 9.6 ↗  
 9.2 ← 9.2 ↘ 9.5 ↗ 9.3 ↗ 9.2 ↑  
 beste Teiler 364.4 (4.) 1096.5 (5.) 1132.8 (8.)  
 Trefferlage 5.09 mm links, 5.58 mm hoch  
 Streuwert 12.96, horizontal: 17.36, vertikal: 5.87



Serie 2:  
 10.5 \* 8.1 ← 10.6 \* 7.6 ← 8.3 →  
 7.6 ← 10.8 \* 8.6 ← 8.8 → 9.7 ↑  
 beste Teiler 86.4 (17.) 283.5 (13.) 398.5 (11.)  
 Trefferlage 5.14 mm links, 1.11 mm tief  
 Streuwert 12.77, horizontal: 17.19, vertikal: 5.56





Serie 3:  
 8.4 ← 9.4 ↗ 10.2 ↘ 7.4 → 9.2 ←  
 8.6 ← 10.2 ↗ 10.0 ↑ 7.8 ← 10.4 \*  
 beste Teiler 415.2 (30.) 584.4 (23.) 599.3 (27.)  
 Trefferlage 3.94 mm links, 0.07 mm hoch  
 Streuwert 11.93, horizontal: 15.58, vertikal: 6.49




Serie 4:  
 9.8 ↑ 10.3 \* 9.3 ↘ 10.3 \* 10.5 \*  
 8.1 ← 9.9 ← 10.1 ↓ 9.8 ↑ 9.9 ↗  
 beste Teiler 325.2 (35.) 499.1 (32.) 503.2 (34.)  
 Trefferlage 2.20 mm links, 0.83 mm tief  
 Streuwert 7.70, horizontal: 7.94, vertikal: 7.44

Unterschrift des Schützen


Ergebnis: **358** (378.4)  
 Serien: 84 92 92 90  
 Zähler: 12 19 4 5 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2929 (2), 2846 (3), 2626 (5)  
 beste Teiler 167.6 (9.) 190.6 (8.) 290.9 (37.)  
 Trefferlage 0.90 mm rechts, 2.52 mm tief  
 Streuwert 9.73, horizontal: 12.19, vertikal: 6.38




Serie 1:  
 10.0 ↗ 7.3 ↘ 7.4 ↘ 9.4 ↓ 7.7 ←  
 9.3 ↘ 7.8 ↖ 10.7 \* 10.7 \* 8.5 ←  
 beste Teiler 167.6 (9.) 190.6 (8.) 776.9 (1.)  
 Trefferlage 0.42 mm links, 4.38 mm tief  
 Streuwert 14.06, horizontal: 17.62, vertikal: 9.23



Serie 2:  
 9.8 ↙ 9.7 ↘ 9.4 → 10.2 ↘ 9.8 ↙  
 9.2 ↘ 9.9 → 10.3 ↓ 9.3 → 9.2 →  
 beste Teiler 538.0 (18.) 579.5 (14.) 839.8 (17.)  
 Trefferlage 5.56 mm rechts, 3.65 mm tief  
 Streuwert 6.05, horizontal: 8.03, vertikal: 2.93



Serie 3:  
 8.4 ↘ 9.2 → 10.3 \* 9.9 ↘ 9.5 ↙  
 10.2 ↓ 10.4 \* 9.3 ↗ 10.1 ↓ 8.9 ↖  
 beste Teiler 468.2 (27.) 490.9 (23.) 632.2 (26.)  
 Trefferlage 2.17 mm rechts, 0.72 mm tief  
 Streuwert 8.59, horizontal: 10.13, vertikal: 6.71





Serie 4:  
 9.8 ← 9.6 ↙ 10.3 \* 9.5 → 10.3 ↘  
 9.9 ↘ 10.6 \* 9.9 → 7.9 ← 8.8 ↙  
 beste Teiler 290.9 (37.) 529.1 (33.) 532.8 (35.)  
 Trefferlage 3.70 mm links, 1.33 mm tief  
 Streuwert 8.42, horizontal: 10.71, vertikal: 5.21


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369** (385.7)  
 Serien: 93 91 95 90  
 Zähler: 17 15 8 0 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 2157 (24), 2157 (36), 2108 (35)  
 beste Teiler 117.6 (33.) 154.0 (2.) 223.6 (5.)  
 Trefferlage 0.49 mm links, 4.33 mm hoch  
 Streuwert 8.11, horizontal: 9.04, vertikal: 7.05




Serie 1:  
 10.4 \* 10.8 \* 8.9 ↗ 9.6 ↘ 10.7 \*  
 9.4 ↘ 9.1 ↗ 9.3 ↘ 10.2 ↙ 9.3 ←  
 beste Teiler 154.0 (2.) 223.6 (5.) 414.2 (1.)  
 Trefferlage 0.38 mm links, 4.38 mm hoch  
 Streuwert 7.39, horizontal: 8.18, vertikal: 6.52



Serie 2:  
 10.1 ↙ 9.6 ↗ 9.9 ← 9.2 ↗ 8.4 ↘  
 10.3 \* 10.6 \* 8.4 → 9.7 ↗ 9.1 ↗  
 beste Teiler 274.6 (17.) 505.6 (16.) 645.8 (11.)  
 Trefferlage 2.59 mm rechts, 5.78 mm hoch  
 Streuwert 8.16, horizontal: 10.17, vertikal: 5.45



Serie 3:  
 10.0 ↗ 9.8 ↘ 10.1 ↘ 8.3 ↘ 10.3 ↘  
 10.4 \* 9.2 ↗ 10.3 \* 9.4 ↗ 10.3 \*  
 beste Teiler 423.2 (26.) 485.6 (28.) 494.5 (30.)  
 Trefferlage 2.29 mm links, 5.39 mm hoch  
 Streuwert 6.47, horizontal: 5.77, vertikal: 7.11





Serie 4:  
 9.7 ↑ 10.6 \* 10.8 \* 10.1 ← 8.3 →  
 8.3 ↘ 8.4 ↙ 10.5 \* 9.0 ↘ 8.9 ←  
 beste Teiler 117.6 (33.) 273.0 (32.) 322.2 (38.)  
 Trefferlage 1.92 mm links, 1.75 mm hoch  
 Streuwert 10.39, horizontal: 11.58, vertikal: 9.05


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (384.4)  
 Serien: 92 88 89 95  
 Zähler: 14 18 6 2 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 2908 (27), 2751 (17), 2065 (30)  
 beste Teiler 263.9 (5.) 281.1 (3.) 298.2 (11.)  
 Trefferlage 2.73 mm links, 2.30 mm tief  
 Streuwert 8.57, horizontal: 10.87, vertikal: 5.34




Serie 1:  
 9.8 ↖                      9.0 ←                      10.6 \*                      9.8 ↘                      10.6 \*  
 10.4 \*                      9.8 ↓                      8.8 →                      9.9 ←                      9.8 ←  
 beste Teiler 263.9 (5.) 281.1 (3.) 429.7 (6.)  
 Trefferlage 1.35 mm links, 1.35 mm tief  
 Streuwert 7.17, horizontal: 8.94, vertikal: 4.78



Serie 2:  
 10.6 \*                      8.9 ←                      10.2 ↖                      8.9 ←                      9.5 ↙  
 9.0 ←                      7.5 →                      9.4 →                      9.7 ↑                      9.5 ↘  
 beste Teiler 298.2 (11.) 580.2 (13.) 1011.0 (19.)  
 Trefferlage 2.52 mm links, 2.20 mm tief  
 Streuwert 10.61, horizontal: 13.95, vertikal: 5.50



Serie 3:  
 9.7 ↗                      9.1 ←                      9.1 ↘                      10.4 \*                      9.2 ←  
 9.8 ↓                      7.3 ←                      9.8 ↘                      10.6 \*                      8.4 ←  
 beste Teiler 300.1 (29.) 422.0 (24.) 939.8 (26.)  
 Trefferlage 5.49 mm links, 3.05 mm tief  
 Streuwert 10.06, horizontal: 13.08, vertikal: 5.58



Serie 4:  
 9.8 ↘                      8.6 ←                      10.5 \*                      10.1 ↘                      10.3 \*  
 10.0 ↓                      10.6 \*                      8.9 ↖                      10.5 \*                      10.0 ↙  
 beste Teiler 300.2 (37.) 343.0 (33.) 376.4 (39.)  
 Trefferlage 1.56 mm links, 2.58 mm tief  
 Streuwert 6.78, horizontal: 7.36, vertikal: 6.15

Unterschrift des Schützen

Meyton Elektronik