





Ergebnis: **387.3** (369)
 Serien: 93.0 94.7 100.3 99.3
 Zaehler: 18 15 5 2 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 819 (17), 803 (1), 697 (18)
 beste Teiler 44.0 (35.) 46.6 (38.) 47.1 (23.)
 Trefferlage 0.84 mm links, 0.38 mm tief
 Streuwert 2.64, horizontal: 2.77, vertikal: 2.49




Serie 1:
 7.7 ↙ 9.6 ↘ 9.2 ← 9.4 → 10.1 ↘
 10.0 → 10.0 ↖ 9.9 ↙ 8.6 → 8.5 ←
 beste Teiler 225.9 (5.) 229.8 (6.) 235.4 (7.)
 Trefferlage 0.19 mm links, 1.16 mm tief
 Streuwert 3.26, horizontal: 3.87, vertikal: 2.50



Serie 2:
 9.5 ↘ 10.8 * 10.5 * 10.0 ↘ 8.7 ↙
 9.7 ↑ 7.7 ← 8.2 ↘ 10.2 * 9.4 ↑
 beste Teiler 49.2 (12.) 119.9 (13.) 180.9 (19.)
 Trefferlage 1.15 mm links, 0.41 mm tief
 Streuwert 3.20, horizontal: 3.01, vertikal: 3.37



Serie 3:
 9.6 ↙ 10.4 * 10.8 * 9.5 ↙ 10.7 *
 9.3 ↖ 10.1 ↙ 10.2 * 9.7 ↖ 10.0 ←
 beste Teiler 47.1 (23.) 62.6 (25.) 136.8 (22.)
 Trefferlage 1.41 mm links, 0.19 mm tief
 Streuwert 1.65, horizontal: 1.18, vertikal: 2.01





Serie 4:
 9.2 ← 9.7 ↗ 8.6 ← 10.3 * 10.8 *
 9.5 ↘ 10.6 * 10.8 * 10.6 * 9.2 ↑
 beste Teiler 44.0 (35.) 46.6 (38.) 78.3 (37.)
 Trefferlage 0.59 mm links, 0.25 mm hoch
 Streuwert 2.34, horizontal: 2.62, vertikal: 2.03


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **385.8** (371)
 Serien: 98.2 93.2 96.6 97.8
 Zaehler: 17 17 6 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 701 (2), 690 (30), 636 (16)
 beste Teiler 53.0 (31.) 57.7 (19.) 73.4 (6.)
 Trefferlage 0.00 mm , 0.81 mm tief
 Streuwert 2.61, horizontal: 2.99, vertikal: 2.16




Serie 1:
 10.2 * 8.1 ↙ 10.3 * 9.6 ↓ 10.0 ↑
 10.7 * 8.5 → 10.4 * 10.4 * 10.0 ↙
 beste Teiler 73.4 (6.) 127.7 (9.) 130.5 (8.)
 Trefferlage 0.05 mm rechts, 1.00 mm tief
 Streuwert 2.46, horizontal: 2.72, vertikal: 2.17



Serie 2:
 9.1 ↑ 9.4 → 9.3 ↙ 9.5 → 9.7 ↓
 8.4 ← 8.4 ← 9.4 → 10.7 * 9.3 →
 beste Teiler 57.7 (19.) 309.4 (15.) 373.2 (14.)
 Trefferlage 0.20 mm rechts, 0.63 mm tief
 Streuwert 3.22, horizontal: 4.08, vertikal: 2.02



Serie 3:
 9.9 ← 10.6 * 10.6 * 10.2 * 10.2 *
 9.2 ↙ 9.4 ↙ 9.2 ↗ 9.1 → 8.2 ↙
 beste Teiler 81.0 (23.) 92.6 (22.) 181.7 (24.)
 Trefferlage 0.64 mm links, 0.68 mm tief
 Streuwert 2.69, horizontal: 3.15, vertikal: 2.13





Serie 4:
 10.7 * 9.2 → 9.4 ↙ 10.5 * 10.0 ↑
 10.3 * 10.1 ↙ 9.2 ↓ 9.7 ↓ 8.7 ↗
 beste Teiler 53.0 (31.) 102.8 (34.) 164.6 (36.)
 Trefferlage 0.34 mm rechts, 0.94 mm tief
 Streuwert 2.35, horizontal: 2.06, vertikal: 2.61


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **365.5** (348)
 Serien: 91.9 89.2 90.1 94.3
 Zaehler: 8 20 7 3 1 1 0 0 0 0
 Innenzehner: 5
 weiteste: 1324 (2), 1222 (15), 964 (12)
 beste Teiler 91.4 (35.) 95.6 (1.) 157.4 (36.)
 Trefferlage 1.60 mm links, 1.43 mm hoch
 Streuwert 3.50, horizontal: 4.17, vertikal: 2.67




Serie 1:
 10.6 * 5.7 ↘ 9.3 ↘ 8.7 ← 9.8 ↑
 9.2 ↙ 9.9 ↗ 9.5 ← 9.3 ↗ 9.9 ↘
 beste Teiler 95.6 (1.) 254.9 (7.) 258.6 (10.)
 Trefferlage 2.47 mm links, 1.59 mm hoch
 Streuwert 3.41, horizontal: 3.97, vertikal: 2.74



Serie 2:
 9.5 ↓ 7.1 → 9.1 ↑ 9.5 ↑ 6.1 ↖
 9.3 ↖ 10.0 ← 10.1 ↖ 9.7 ↑ 8.8 ↓
 beste Teiler 213.0 (18.) 246.9 (17.) 312.8 (19.)
 Trefferlage 0.74 mm links, 0.63 mm hoch
 Streuwert 4.38, horizontal: 5.17, vertikal: 3.42



Serie 3:
 9.8 ↗ 8.1 ↖ 9.9 ↑ 9.3 ↖ 10.2 *
 9.3 ← 7.5 ↖ 9.7 ↗ 8.2 ← 8.1 →
 beste Teiler 194.3 (25.) 273.3 (23.) 289.9 (21.)
 Trefferlage 1.70 mm links, 1.83 mm hoch
 Streuwert 3.55, horizontal: 4.39, vertikal: 2.45





Serie 4:
 9.5 ↖ 7.4 ↖ 8.6 ← 8.5 ↖ 10.6 *
 10.3 * 9.4 ↑ 10.3 * 9.6 ↘ 10.1 ↑
 beste Teiler 91.4 (35.) 157.4 (36.) 165.8 (38.)
 Trefferlage 1.50 mm links, 1.68 mm hoch
 Streuwert 2.87, horizontal: 3.43, vertikal: 2.18


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **350.6** (330)
 Serien: 84.5 89.1 85.8 91.2
 Zaehler: 4 13 16 5 1 0 1 0 0 0
 Innenzehner: 2
 weiteste: 1675 (30), 1007 (8), 934 (2)
 beste Teiler 176.9 (25.) 198.0 (15.) 247.2 (33.)
 Trefferlage 0.85 mm links, 0.72 mm hoch
 Streuwert 4.32, horizontal: 4.42, vertikal: 4.22




Serie 1:
 7.8 ↑ 7.2 ← 8.7 ← 9.9 ↙ 8.9 ←
 9.7 ↗ 7.6 ↖ 6.9 ← 8.9 ↖ 8.9 ↑
 beste Teiler 266.6 (4.) 317.8 (6.) 509.0 (5.)
 Trefferlage 4.20 mm links, 2.43 mm hoch
 Streuwert 3.43, horizontal: 3.99, vertikal: 2.75



Serie 2:
 8.9 → 7.6 ← 9.1 ↑ 9.7 ↓ 10.2 *
 9.6 ↗ 8.5 → 8.0 ↘ 8.9 ↓ 8.6 ↘
 beste Teiler 198.0 (15.) 315.1 (14.) 334.7 (16.)
 Trefferlage 0.60 mm rechts, 0.37 mm hoch
 Streuwert 4.02, horizontal: 4.09, vertikal: 3.95



Serie 3:
 9.3 ↗ 8.1 → 7.6 → 9.9 ← 10.2 *
 8.4 ↘ 9.5 ↓ 9.0 ↓ 9.5 ↙ 4.3 ↘
 beste Teiler 176.9 (25.) 252.0 (24.) 354.6 (27.)
 Trefferlage 0.90 mm rechts, 0.10 mm tief
 Streuwert 5.33, horizontal: 4.85, vertikal: 5.77





Serie 4:
 8.1 ↑ 10.0 ↘ 10.0 ↓ 8.3 ↖ 8.9 ←
 9.4 ↙ 8.8 ↓ 9.9 ↘ 8.2 ↘ 9.6 →
 beste Teiler 247.2 (33.) 248.4 (32.) 260.3 (38.)
 Trefferlage 0.69 mm links, 0.19 mm hoch
 Streuwert 3.64, horizontal: 3.18, vertikal: 4.04


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **382.4** (363)
 Serien: 98.1 94.0 91.5 98.8
 Zaehler: 13 21 5 0 0 0 1 0 0 0
 Innenzehner: 11
 weiteste: 1572 (23), 662 (17), 575 (22)
 beste Teiler 33.5 (40.) 78.3 (5.) 97.6 (34.)
 Trefferlage 1.14 mm links, 0.23 mm tief
 Streuwert 2.95, horizontal: 3.59, vertikal: 2.14




Serie 1:
 9.2 ↙ 10.6 * 10.5 * 9.5 ↖ 10.6 *
 9.6 ↘ 9.3 ↑ 9.3 ↗ 10.3 * 9.2 ↘
 beste Teiler 78.3 (5.) 99.0 (2.) 103.7 (3.)
 Trefferlage 0.17 mm links, 0.56 mm tief
 Streuwert 2.34, horizontal: 2.35, vertikal: 2.33



Serie 2:
 9.9 ↘ 8.8 ↖ 10.0 ↖ 10.5 * 9.1 ←
 9.5 ← 8.3 ← 9.7 ↗ 9.3 ↘ 8.9 ←
 beste Teiler 113.4 (14.) 232.7 (13.) 275.2 (11.)
 Trefferlage 2.74 mm links, 0.47 mm tief
 Streuwert 2.33, horizontal: 2.79, vertikal: 1.74



Serie 3:
 9.7 ↖ 8.7 ↖ 4.7 ← 9.7 ↑ 9.3 →
 10.4 * 10.0 ↓ 10.4 * 9.6 ← 9.0 ↖
 beste Teiler 127.0 (26.) 129.8 (28.) 247.6 (27.)
 Trefferlage 2.42 mm links, 0.49 mm hoch
 Streuwert 4.08, horizontal: 5.14, vertikal: 2.62





Serie 4:
 9.9 ↗ 9.4 ↖ 9.7 ↘ 10.6 * 10.3 *
 9.5 ↓ 9.2 → 8.9 → 10.5 * 10.8 *
 beste Teiler 33.5 (40.) 97.6 (34.) 119.5 (39.)
 Trefferlage 0.75 mm rechts, 0.41 mm tief
 Streuwert 2.24, horizontal: 2.51, vertikal: 1.93


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **393.8** (374)
 Serien: 98.9 97.3 98.5 99.1
 Zaehler: 17 21 1 1 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 831 (11), 588 (26), 490 (7)
 beste Teiler 39.3 (39.) 41.4 (10.) 50.8 (23.)
 Trefferlage 0.04 mm links, 1.32 mm hoch
 Streuwert 2.09, horizontal: 1.90, vertikal: 2.27




Serie 1:
 10.5 * 9.6 ↗ 9.9 ↗ 10.5 * 9.1 ↘
 9.5 ↓ 9.0 ↗ 9.9 → 10.1 ↘ 10.8 *
 beste Teiler 41.4 (10.) 109.8 (1.) 116.7 (4.)
 Trefferlage 0.62 mm links, 1.35 mm hoch
 Streuwert 1.97, horizontal: 1.60, vertikal: 2.28



Serie 2:
 7.6 ↑ 9.8 → 9.9 ↗ 10.1 ↑ 9.7 ↗
 10.5 * 9.6 ↓ 10.0 → 10.3 * 9.8 ↑
 beste Teiler 124.1 (16.) 172.3 (19.) 201.4 (14.)
 Trefferlage 1.10 mm rechts, 1.74 mm hoch
 Streuwert 2.15, horizontal: 1.23, vertikal: 2.78



Serie 3:
 9.8 ↗ 9.9 → 10.8 * 9.2 ↑ 9.7 ↘
 8.6 ↘ 10.6 * 9.3 → 10.2 * 10.4 *
 beste Teiler 50.8 (23.) 81.2 (27.) 137.3 (30.)
 Trefferlage 0.18 mm rechts, 1.34 mm hoch
 Streuwert 2.16, horizontal: 2.55, vertikal: 1.70





Serie 4:
 10.2 * 9.0 ↘ 9.2 ↓ 10.7 * 9.7 ↑
 9.6 ↑ 10.2 * 10.6 * 10.8 * 9.1 ↑
 beste Teiler 39.3 (39.) 66.0 (34.) 100.6 (38.)
 Trefferlage 0.82 mm links, 0.87 mm hoch
 Streuwert 2.08, horizontal: 1.57, vertikal: 2.48


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **372.0** (359)
 Serien: 93.7 92.8 97.1 88.4
 Zaehler: 11 22 4 2 0 1 0 0 0 0
 Innenzehner: 5
 weiteste: 1432 (36), 945 (12), 830 (25)
 beste Teiler 73.7 (26.) 179.4 (28.) 182.8 (18.)
 Trefferlage 0.98 mm rechts, 0.77 mm tief
 Streuwert 3.29, horizontal: 4.05, vertikal: 2.29




Serie 1:
 9.4 ↘ 10.0 ↗ 9.2 ↖ 8.8 ↘ 9.7 ↓
 10.2 * 9.0 → 9.1 → 9.4 ↓ 8.9 ←
 beste Teiler 198.5 (6.) 239.6 (2.) 304.7 (5.)
 Trefferlage 0.84 mm rechts, 1.02 mm tief
 Streuwert 2.90, horizontal: 3.41, vertikal: 2.28



Serie 2:
 9.4 → 7.2 ↘ 9.3 ↘ 9.3 → 10.1 ↓
 9.2 ↙ 9.4 ← 10.2 * 9.4 → 9.3 →
 beste Teiler 182.8 (18.) 222.0 (15.) 377.8 (17.)
 Trefferlage 2.03 mm rechts, 1.36 mm tief
 Streuwert 2.91, horizontal: 3.78, vertikal: 1.62





Serie 3:
 9.8 ← 9.6 ← 10.1 ↗ 10.0 ↖ 7.6 ↖
 10.7 * 10.2 * 10.2 * 9.8 ↘ 9.1 ←
 beste Teiler 73.7 (26.) 179.4 (28.) 198.3 (27.)
 Trefferlage 1.68 mm links, 0.97 mm hoch
 Streuwert 2.33, horizontal: 2.95, vertikal: 1.47




Serie 4:
 9.3 ↘ 9.6 ↘ 9.3 ↘ 8.2 ↓ 9.4 ←
 5.2 → 10.0 ↑ 10.0 ↘ 9.1 ↓ 8.3 →
 beste Teiler 243.6 (37.) 248.3 (38.) 342.2 (32.)
 Trefferlage 2.75 mm rechts, 1.68 mm tief
 Streuwert 3.99, horizontal: 4.89, vertikal: 2.82

Unterschrift des Schuetzen


Ergebnis: **390.1** (373)
 Serien: 90.9 98.5 101.4 99.3
 Zaehler: 20 13 7 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 715 (3), 679 (17), 607 (8)
 beste Teiler 9.0 (15.) 36.3 (28.) 47.6 (33.)
 Trefferlage 0.31 mm rechts, 0.46 mm tief
 Streuwert 2.45, horizontal: 2.95, vertikal: 1.82




Serie 1:
 10.1 ↗ 9.0 → 8.1 ↘ 9.3 ↘ 8.8 ↗
 8.8 ↙ 9.9 ↘ 8.5 ↘ 8.7 ↙ 9.7 ↘
 beste Teiler 202.2 (1.) 264.3 (7.) 324.2 (10.)
 Trefferlage 1.97 mm rechts, 1.28 mm tief
 Streuwert 3.20, horizontal: 4.10, vertikal: 1.91



Serie 2:
 9.9 ↙ 9.4 → 10.1 ↗ 10.0 ↓ 10.9 *
 10.2 * 8.2 ↙ 9.4 → 10.4 * 10.0 →
 beste Teiler 9.0 (15.) 133.3 (19.) 185.0 (16.)
 Trefferlage 0.04 mm links, 1.23 mm tief
 Streuwert 2.22, horizontal: 2.77, vertikal: 1.50



Serie 3:
 10.6 * 10.3 * 10.4 * 10.3 * 10.0 ↘
 10.2 * 9.8 ↙ 10.8 * 8.8 ↘ 10.2 *
 beste Teiler 36.3 (28.) 91.8 (21.) 138.9 (23.)
 Trefferlage 0.11 mm links, 0.02 mm hoch
 Streuwert 1.77, horizontal: 1.69, vertikal: 1.84





Serie 4:
 9.8 ↙ 9.0 ↙ 10.8 * 10.0 ↗ 9.9 ↘
 9.5 ↘ 10.2 * 9.4 ↘ 10.0 → 10.7 *
 beste Teiler 47.6 (33.) 54.3 (40.) 177.2 (37.)
 Trefferlage 0.54 mm links, 0.62 mm hoch
 Streuwert 2.04, horizontal: 2.50, vertikal: 1.46


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **388.2** (373)
 Serien: 95.7 97.0 96.9 98.6
 Zaehler: 18 18 3 1 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 792 (13), 692 (2), 661 (27)
 beste Teiler 84.8 (8.) 122.4 (34.) 128.5 (20.)
 Trefferlage 0.27 mm links, 0.25 mm hoch
 Streuwert 2.51, horizontal: 2.64, vertikal: 2.37




Serie 1:
 9.8 → 8.2 ↑ 8.6 ↗ 9.8 ↑ 9.9 →
 9.2 ↑ 10.3 * 10.6 * 9.2 ↑ 10.1 ↓
 beste Teiler 84.8 (8.) 159.1 (7.) 215.6 (10.)
 Trefferlage 1.31 mm rechts, 2.12 mm hoch
 Streuwert 2.23, horizontal: 1.70, vertikal: 2.65



Serie 2:
 9.3 ↙ 9.1 ↖ 7.8 ↖ 10.1 ↖ 9.9 ↖
 9.4 ↑ 10.4 * 10.2 * 10.4 * 10.4 *
 beste Teiler 128.5 (20.) 136.3 (17.) 149.3 (19.)
 Trefferlage 1.93 mm links, 0.74 mm hoch
 Streuwert 2.28, horizontal: 2.70, vertikal: 1.77



Serie 3:
 10.0 ↓ 9.6 ↘ 9.5 ↖ 10.4 * 10.3 *
 9.5 ↘ 8.3 ← 10.3 * 9.5 ↓ 9.5 ↙
 beste Teiler 136.4 (24.) 157.4 (25.) 160.3 (28.)
 Trefferlage 0.76 mm links, 1.04 mm tief
 Streuwert 2.39, horizontal: 2.79, vertikal: 1.90





Serie 4:
 10.4 * 9.3 ↓ 10.1 ↓ 10.5 * 10.0 ↙
 9.2 ↘ 10.0 ← 10.2 * 9.3 → 9.6 ←
 beste Teiler 122.4 (34.) 143.3 (31.) 192.8 (38.)
 Trefferlage 0.29 mm rechts, 0.78 mm tief
 Streuwert 2.14, horizontal: 2.41, vertikal: 1.82


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis:	389.2	(371)
Serien:	93.6	96.4 98.9 100.3
Zaehler:	18 15 7 0 0 0 0 0 0 0	
Innenzehner:	8	
weiteste:	730 (1), 604 (35), 599 (8)	
beste Teiler	42.1 (22.) 58.2 (19.) 70.0 (40.)	
Trefferlage	0.43 mm links, 0.88 mm hoch	
Streuwert	2.40, horizontal: 2.35, vertikal: 2.45	




Serie 1:	8.0 ↘	9.6 ↘	8.8 ↘	9.6 ↘	9.0 ↑
	10.0 ↘	10.4 *	8.6 ↘	9.7 ↗	9.9 ↗
beste Teiler	133.7 (7.)	239.3 (6.)	275.4 (10.)		
Trefferlage	1.86 mm links, 1.51 mm hoch				
Streuwert	2.75, horizontal: 2.75, vertikal: 2.74				



Serie 2:	9.5 ↘	9.5 ↗	9.5 ←	8.6 ↘	10.0 ←
	9.9 →	10.0 ↘	10.1 ↑	10.7 *	8.6 ↗
beste Teiler	58.2 (19.)	210.8 (18.)	240.6 (17.)		
Trefferlage	0.32 mm links, 0.75 mm hoch				
Streuwert	2.63, horizontal: 2.82, vertikal: 2.43				



Serie 3:	9.9 →	10.8 *	9.5 ↗	10.1 ↑	9.3 ↘
	10.1 ↘	9.8 ↗	10.4 *	10.1 ↘	8.9 ↘
beste Teiler	42.1 (22.)	143.5 (28.)	217.6 (29.)		
Trefferlage	0.56 mm rechts, 0.55 mm hoch				
Streuwert	2.14, horizontal: 1.87, vertikal: 2.37				





Serie 4:	10.5 *	10.4 *	10.5 *	10.1 ↘	8.5 ↑
	9.9 ↘	9.5 ↑	10.1 ↘	10.1 ←	10.7 *
beste Teiler	70.0 (40.)	105.5 (33.)	121.7 (31.)		
Trefferlage	0.11 mm links, 0.73 mm hoch				
Streuwert	1.95, horizontal: 1.15, vertikal: 2.51				


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **365.3** (347)
 Serien: 87.9 94.2 86.3 96.9
 Zaehler: 8 14 16 1 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 1037 (30), 869 (1), 739 (23)
 beste Teiler 103.0 (35.) 122.8 (34.) 181.2 (32.)
 Trefferlage 0.68 mm rechts, 0.24 mm hoch
 Streuwert 3.56, horizontal: 4.03, vertikal: 3.03




Serie 1:
 7.5 ↘ 9.5 → 8.6 ↘ 9.7 → 9.3 ←
 8.6 ↙ 9.0 → 8.9 ← 8.1 ← 8.7 →
 beste Teiler 320.7 (4.) 371.3 (2.) 405.5 (5.)
 Trefferlage 0.38 mm links, 1.76 mm tief
 Streuwert 3.98, horizontal: 4.87, vertikal: 2.82



Serie 2:
 9.9 ← 9.9 ↖ 10.1 ↗ 9.3 ↘ 8.2 ↖
 9.6 ↘ 10.2 * 9.8 ↘ 9.1 ← 8.1 →
 beste Teiler 191.4 (17.) 221.3 (13.) 262.8 (12.)
 Trefferlage 0.53 mm links, 0.77 mm hoch
 Streuwert 3.11, horizontal: 3.43, vertikal: 2.74



Serie 3:
 8.2 → 9.8 ↙ 8.0 ↑ 8.9 ↑ 8.6 →
 8.7 → 8.4 → 9.1 → 9.8 ↑ 6.8 →
 beste Teiler 286.6 (22.) 297.8 (29.) 460.8 (28.)
 Trefferlage 3.66 mm rechts, 1.89 mm hoch
 Streuwert 3.41, horizontal: 3.73, vertikal: 3.06





Serie 4:
 8.9 ← 10.2 * 9.4 ↘ 10.5 * 10.5 *
 10.1 ↘ 10.0 ↗ 8.9 ↘ 10.1 ← 8.3 ↖
 beste Teiler 103.0 (35.) 122.8 (34.) 181.2 (32.)
 Trefferlage 0.01 mm links, 0.07 mm hoch
 Streuwert 2.69, horizontal: 2.73, vertikal: 2.65


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **374.8** (358)
 Serien: 90.2 94.6 92.9 97.1
 Zaehler: 12 17 8 3 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 896 (35), 842 (4), 831 (9)
 beste Teiler 63.0 (34.) 90.0 (38.) 142.8 (26.)
 Trefferlage 0.31 mm links, 0.42 mm hoch
 Streuwert 3.19, horizontal: 3.46, vertikal: 2.89




Serie 1:
 8.8 ↗ 9.3 ↗ 9.3 ↗ 7.6 ↘ 9.4 ↘
 9.1 → 9.0 ← 10.0 ↙ 7.6 ← 10.1 ↖
 beste Teiler 206.5 (10.) 235.2 (8.) 396.1 (5.)
 Trefferlage 0.83 mm links, 0.05 mm tief
 Streuwert 3.85, horizontal: 3.75, vertikal: 3.94



Serie 2:
 9.6 ↙ 10.4 * 9.3 → 9.3 ↖ 9.9 ↓
 8.2 ← 9.5 → 9.8 ↘ 9.8 ↘ 8.8 ↑
 beste Teiler 148.9 (12.) 254.1 (15.) 277.6 (18.)
 Trefferlage 0.27 mm rechts, 0.12 mm hoch
 Streuwert 2.98, horizontal: 3.31, vertikal: 2.62



Serie 3:
 9.5 ↘ 10.0 ↙ 9.6 ↗ 8.4 ↖ 9.3 ↑
 10.4 * 10.2 * 8.9 ↑ 8.2 ← 8.4 →
 beste Teiler 142.8 (26.) 190.6 (27.) 230.5 (22.)
 Trefferlage 0.52 mm links, 0.85 mm hoch
 Streuwert 3.33, horizontal: 3.87, vertikal: 2.68





Serie 4:
 10.2 * 9.9 → 10.3 * 10.7 * 7.4 ←
 10.1 ↑ 10.2 * 10.6 * 9.1 → 8.6 ↑
 beste Teiler 63.0 (34.) 90.0 (38.) 164.4 (33.)
 Trefferlage 0.19 mm links, 0.77 mm hoch
 Streuwert 2.91, horizontal: 3.33, vertikal: 2.43


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **386.4** (368)
 Serien: 96.4 94.9 99.3 95.8
 Zaehler: 17 16 6 0 1 0 0 0 0 0
 Innenzehner: 14
 weiteste: 1195 (19), 740 (30), 666 (31)
 beste Teiler 40.1 (21.) 44.0 (29.) 92.8 (20.)
 Trefferlage 0.58 mm rechts, 0.18 mm hoch
 Streuwert 2.77, horizontal: 3.18, vertikal: 2.29




Serie 1:
 9.3 ↗ 9.8 ↘ 10.5 * 9.4 ↘ 9.0 ↗
 10.1 ↓ 8.8 ↖ 9.2 ↖ 10.1 ↑ 10.2 *
 beste Teiler 106.1 (3.) 200.8 (10.) 202.8 (6.)
 Trefferlage 0.78 mm rechts, 0.60 mm hoch
 Streuwert 2.55, horizontal: 2.57, vertikal: 2.54



Serie 2:
 9.3 ↗ 10.3 * 9.8 → 9.2 ↘ 10.3 *
 8.7 ← 10.2 * 10.3 * 6.2 → 10.6 *
 beste Teiler 92.8 (20.) 161.2 (15.) 166.4 (12.)
 Trefferlage 1.44 mm rechts, 0.20 mm tief
 Streuwert 3.42, horizontal: 4.46, vertikal: 1.88



Serie 3:
 10.8 * 9.9 ↖ 10.6 * 10.2 * 8.9 ↑
 10.3 * 9.7 ↖ 10.1 ↓ 10.8 * 8.0 ↘
 beste Teiler 40.1 (21.) 44.0 (29.) 94.0 (23.)
 Trefferlage 0.36 mm rechts, 0.57 mm hoch
 Streuwert 2.42, horizontal: 2.52, vertikal: 2.32



Serie 4:
 8.3 ↘ 9.7 ↘ 9.9 ↘ 9.7 ↖ 9.5 ↖
 9.4 ↖ 10.4 * 9.8 ↘ 10.4 * 8.7 ↖
 beste Teiler 130.1 (39.) 133.3 (37.) 264.1 (33.)
 Trefferlage 0.24 mm links, 0.24 mm tief
 Streuwert 2.81, horizontal: 3.04, vertikal: 2.56

Unterschrift des Schuetzen

Meyton Elektronik