





Ergebnis: **604.9** (576)
 Serien: 101.3 97.1 100.6 101.6 100.8 103.5
 Zähler: 36 24 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 1511 (14), 1316 (43), 1305 (2)
 beste Teiler 45.2 (51.) 130.1 (60.) 143.3 (26.)
 Trefferlage 0.59 mm links, 0.79 mm hoch
 Streuwert 5.44, horizontal: 5.62, vertikal: 5.25




Serie 1:
 9.6 ↘ 9.3 → 10.6 * 10.2 ↘ 9.8 ↑
 10.5 * 10.1 → 10.5 * 10.0 ↑ 10.7 *
 beste Teiler 235.9 (10.) 280.5 (3.) 329.7 (6.)
 Trefferlage 4.04 mm rechts, 0.14 mm tief
 Streuwert 4.66, horizontal: 3.62, vertikal: 5.51




Serie 2:
 10.0 ↓ 9.6 ← 9.9 ↓ 9.1 ← 10.2 ↗
 9.8 ← 9.9 ↘ 9.6 ↘ 9.4 ↑ 9.6 ←
 beste Teiler 605.6 (15.) 721.8 (11.) 849.5 (13.)
 Trefferlage 2.98 mm links, 0.58 mm tief
 Streuwert 7.32, horizontal: 8.02, vertikal: 6.55




Serie 3:
 10.0 ← 9.9 ↓ 10.1 ↓ 9.7 ↗ 10.1 ↘
 10.8 * 9.9 ← 9.5 ↓ 10.5 * 10.1 ↑
 beste Teiler 143.3 (26.) 367.9 (29.) 643.3 (23.)
 Trefferlage 1.96 mm links, 0.67 mm tief
 Streuwert 5.39, horizontal: 4.36, vertikal: 6.25



Serie 4:
 10.2 ↘ 10.2 ↗ 10.6 * 10.4 * 10.2 ↗
 9.8 ↑ 10.6 * 10.3 * 9.8 ← 9.5 ←
 beste Teiler 282.1 (37.) 297.3 (33.) 434.4 (34.)
 Trefferlage 1.95 mm links, 2.24 mm hoch
 Streuwert 4.61, horizontal: 5.38, vertikal: 3.68



Serie 5:
 9.9 ← 10.6 * 9.3 ↘ 9.9 ↘ 10.1 ↑
 10.6 * 10.0 ↗ 10.0 ↘ 10.4 * 10.0 →
 beste Teiler 253.6 (46.) 275.0 (42.) 404.2 (49.)
 Trefferlage 0.00 mm , 2.55 mm hoch
 Streuwert 5.25, horizontal: 5.80, vertikal: 4.64



Serie 6:
 10.9 * 10.5 * 10.1 ↗ 10.7 * 9.9 ↘
 9.9 ↑ 9.9 ← 10.7 * 10.1 ↓ 10.8 *
 beste Teiler 45.2 (51.) 130.1 (60.) 164.1 (54.)
 Trefferlage 0.73 mm links, 1.39 mm hoch
 Streuwert 4.18, horizontal: 3.63, vertikal: 4.66

Meyton Elektronik

ISSF Prone Men – *Wertung* – **Senioren2_m**

StandNr: 16

Zobl,, Gerhard #70717063

StartNr: 16



29. Juli 2017 10:04

SG_Tannheim

Unterschrift des Schützen

Meyton Elektronik



Ergebnis: **77.4** (73)
 Serien: 77.4
 Zähler: 1 3 3 1 0 1 0 0 0 0
 Innenzehner: 1
 weiteste: 4153 (9), 2471 (8), 2226 (4)
 beste Teiler 351.2 (1.) 1105.5 (7.) 1375.9 (2.)
 Trefferlage 2.45 mm rechts, 11.09 mm tief
 Streuwert 13.57, horizontal: 16.81, vertikal: 9.24




Serie 1:
 10.5 * 9.2 ← 9.1 ↓ 8.2 ✓ 8.6 ↓
 8.5 ↓ 9.6 ← 7.9 ↘ 5.8 ↘
 beste Teiler 351.2 (1.) 1105.5 (7.) 1375.9 (2.)
 Trefferlage 2.45 mm rechts, 11.09 mm tief
 Streuwert 13.57, horizontal: 16.81, vertikal: 9.24

Unterschrift des Schützen

Ergebnis: **601.9** (573)
 Serien: 98.2 101.6 100.7 100.7 102.0 98.7
 Zähler: 34 25 1 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 2120 (7), 1410 (39), 1376 (57)
 beste Teiler 54.0 (27.) 165.4 (45.) 190.9 (20.)
 Trefferlage 0.91 mm rechts, 0.02 mm hoch
 Streuwert 5.82, horizontal: 5.98, vertikal: 5.66




Serie 1:
 10.3 ↘ 10.1 ↖ 10.2 ↖ 10.4 * 9.8 ↖
 9.5 ↓ 8.3 ↙ 10.1 ↑ 9.9 ↘ 9.6 ↖
 beste Teiler 430.1 (4.) 550.8 (1.) 591.6 (3.)
 Trefferlage 3.80 mm links, 0.85 mm tief
 Streuwert 6.97, horizontal: 6.01, vertikal: 7.82




Serie 2:
 9.9 ↙ 10.6 * 9.7 ↘ 10.0 ↘ 10.3 *
 10.0 ↗ 10.6 * 9.9 ↘ 9.9 ↗ 10.7 *
 beste Teiler 190.9 (20.) 264.6 (17.) 309.5 (12.)
 Trefferlage 2.34 mm rechts, 0.10 mm hoch
 Streuwert 4.81, horizontal: 4.48, vertikal: 5.12




Serie 3:
 9.6 ↘ 10.3 * 9.9 → 9.9 ↘ 9.9 ↑
 9.7 ↘ 10.9 * 10.1 ↘ 9.7 ↖ 10.7 *
 beste Teiler 54.0 (27.) 211.1 (30.) 488.6 (22.)
 Trefferlage 2.82 mm rechts, 0.21 mm tief
 Streuwert 5.43, horizontal: 6.00, vertikal: 4.80



Serie 4:
 10.4 * 10.5 * 10.0 ↖ 10.4 * 10.6 *
 9.7 ↖ 9.5 ↖ 10.2 ↑ 9.2 → 10.2 ↖
 beste Teiler 275.9 (35.) 368.9 (32.) 427.5 (34.)
 Trefferlage 0.66 mm links, 2.68 mm hoch
 Streuwert 5.54, horizontal: 6.27, vertikal: 4.70



Serie 5:
 9.7 ↖ 9.9 → 10.1 ↘ 10.6 * 10.7 *
 9.7 ↘ 10.1 ↘ 10.2 ↖ 10.5 * 10.5 *
 beste Teiler 165.4 (45.) 274.5 (44.) 323.1 (50.)
 Trefferlage 1.44 mm rechts, 0.82 mm tief
 Streuwert 4.76, horizontal: 5.45, vertikal: 3.95



Serie 6:
 9.5 ↘ 10.2 ↘ 9.9 ↘ 10.5 * 9.2 ↑
 10.4 * 9.2 ↘ 10.0 → 10.3 ↓ 9.5 ↖
 beste Teiler 348.1 (54.) 470.9 (56.) 542.7 (59.)
 Trefferlage 3.37 mm rechts, 0.76 mm tief
 Streuwert 6.46, horizontal: 5.67, vertikal: 7.17

Meyton Elektronik

ISSF Prone Men – Wertung – Senioren2_m

StandNr: 18

Zangerl,, Ernst #70512018

StartNr: 18



29. Juli 2017 10:10

SG_See


Unterschrift des Schützen

Meyton Elektronik

| | | |
|--------------|--|-------|
| Ergebnis: | 603.9 | (576) |
| Serien: | 101.0 101.3 100.7 100.5 100.0 100.4 | |
| Zähler: | 36 24 0 0 0 0 0 0 0 | |
| Innenzehner: | 23 | |
| weiteste: | 1552 (1), 1358 (41), 1357 (12) | |
| beste Teiler | 148.4 (7.) 156.9 (8.) 291.9 (14.) | |
| Trefferlage | 1.14 mm rechts, 1.37 mm tief | |
| Streuwert | 5.41, horizontal: 5.89, vertikal: 4.89 | |




| | | | | | |
|--------------|--|------------|------------|--------|-------|
| Serie 1: | 9.0 ↓ | 9.9 → | 9.8 ↓ | 10.3 * | 9.9 ↖ |
| | 10.6 * | 10.8 * | 10.8 * | 10.3 ↗ | 9.6 ↘ |
| beste Teiler | 148.4 (7.) | 156.9 (8.) | 298.2 (6.) | | |
| Trefferlage | 1.79 mm rechts, 2.78 mm tief | | | | |
| Streuwert | 5.45, horizontal: 4.72, vertikal: 6.09 | | | | |




| | | | | | |
|--------------|--|-------------|-------------|--------|--------|
| Serie 2: | 9.7 ↖ | 9.3 → | 10.6 * | 10.6 * | 9.9 ↖ |
| | 9.8 ↗ | 10.3 * | 10.4 * | 10.3 * | 10.4 * |
| beste Teiler | 291.9 (14.) | 311.1 (13.) | 459.0 (20.) | | |
| Trefferlage | 1.20 mm rechts, 0.09 mm tief | | | | |
| Streuwert | 5.49, horizontal: 6.69, vertikal: 3.94 | | | | |




| | | | | | |
|--------------|--|-------------|-------------|-------|--------|
| Serie 3: | 9.9 ↘ | 10.5 * | 10.3 * | 9.7 ↙ | 9.9 → |
| | 9.8 ↗ | 10.3 * | 10.5 * | 9.6 ↘ | 10.2 ↙ |
| beste Teiler | 321.0 (28.) | 358.7 (22.) | 505.3 (23.) | | |
| Trefferlage | 2.44 mm rechts, 1.78 mm tief | | | | |
| Streuwert | 4.99, horizontal: 5.72, vertikal: 4.14 | | | | |



| | | | | | |
|--------------|--|-------------|-------------|--------|--------|
| Serie 4: | 9.7 ↓ | 10.3 → | 10.4 * | 10.4 * | 10.2 ↗ |
| | 9.6 ↖ | 10.4 * | 10.3 * | 9.8 → | 9.4 → |
| beste Teiler | 404.9 (33.) | 450.7 (37.) | 452.1 (34.) | | |
| Trefferlage | 0.56 mm rechts, 0.29 mm hoch | | | | |
| Streuwert | 5.74, horizontal: 6.93, vertikal: 4.22 | | | | |



| | | | | | |
|--------------|--|-------------|-------------|-------|--------|
| Serie 5: | 9.3 → | 10.4 * | 10.1 ↗ | 9.9 ↘ | 9.6 ↙ |
| | 10.0 ↗ | 10.3 ↘ | 10.5 * | 9.5 ↓ | 10.4 * |
| beste Teiler | 353.7 (48.) | 438.0 (42.) | 461.1 (50.) | | |
| Trefferlage | 2.92 mm rechts, 1.67 mm tief | | | | |
| Streuwert | 5.73, horizontal: 6.20, vertikal: 5.22 | | | | |



| | | | | | |
|--------------|--|-------------|-------------|--------|--------|
| Serie 6: | 10.2 → | 10.2 ↘ | 10.1 ↙ | 10.3 * | 10.0 ↖ |
| | 9.5 ↘ | 10.1 ↙ | 10.3 ↓ | 9.3 ↓ | 10.4 * |
| beste Teiler | 435.7 (60.) | 502.0 (54.) | 554.8 (58.) | | |
| Trefferlage | 2.03 mm links, 2.21 mm tief | | | | |
| Streuwert | 5.37, horizontal: 4.91, vertikal: 5.80 | | | | |

Meyton Elektronik

ISSF Prone Men – *Wertung* – **Senioren2_m**

StandNr: 19

Fuchs,, Norbert #70414008

StartNr: 19



29. Juli 2017 10:11

SG_Langkampfen


Unterschrift des Schützen

Meyton Elektronik


| | | |
|--------------|--|------------------------------|
| Ergebnis: | 601.9 | (576) |
| Serien: | 98.1 | 100.2 102.0 99.8 101.2 100.6 |
| Zähler: | 37 22 1 0 0 0 0 0 0 | |
| Innenzehner: | 16 | |
| weiteste: | 1722 (1), 1452 (7), 1414 (10) | |
| beste Teiler | 131.3 (41.) | 140.0 (24.) 232.7 (13.) |
| Trefferlage | 0.67 mm links, 0.44 mm tief | |
| Streuwert | 5.70, horizontal: 5.77, vertikal: 5.64 | |




| | | | | | |
|--------------|--|------------|------------|--------|--|
| Serie 1: | | | | | |
| 8.8 → | 10.4 * | 10.1 ↓ | 10.6 * | 10.2 ↗ | |
| 10.0 ↘ | 9.1 ↖ | 10.1 ↘ | 9.6 ↖ | 9.2 ↘ | |
| beste Teiler | 311.3 (4.) | 476.4 (2.) | 618.7 (5.) | | |
| Trefferlage | 2.70 mm links, 0.77 mm tief | | | | |
| Streuwert | 7.36, horizontal: 8.15, vertikal: 6.47 | | | | |



| | | | | | |
|--------------|--|-------------|-------------|--------|--|
| Serie 2: | | | | | |
| 9.8 ↘ | 10.0 ← | 10.7 * | 9.9 → | 10.2 ↑ | |
| 9.5 ↘ | 9.7 ↓ | 10.2 ↘ | 10.2 ↘ | 10.0 → | |
| beste Teiler | 232.7 (13.) | 561.2 (18.) | 585.2 (15.) | | |
| Trefferlage | 0.16 mm links, 0.88 mm hoch | | | | |
| Streuwert | 5.68, horizontal: 5.92, vertikal: 5.43 | | | | |




| | | | | | |
|--------------|--|-------------|-------------|--------|--|
| Serie 3: | | | | | |
| 10.1 ↓ | 10.3 * | 10.5 * | 10.8 * | 10.2 ↗ | |
| 9.9 → | 9.8 ↓ | 10.5 * | 10.1 ↓ | 9.8 ← | |
| beste Teiler | 140.0 (24.) | 348.4 (23.) | 357.0 (28.) | | |
| Trefferlage | 0.10 mm rechts, 2.22 mm tief | | | | |
| Streuwert | 4.60, horizontal: 5.09, vertikal: 4.06 | | | | |



| | | | | | |
|--------------|--|-------------|-------------|--------|--|
| Serie 4: | | | | | |
| 10.6 * | 9.9 ↓ | 9.3 ↑ | 10.5 * | 9.7 ↑ | |
| 10.2 ← | 9.7 ↘ | 9.4 ↘ | 10.0 → | 10.5 * | |
| beste Teiler | 309.0 (31.) | 373.1 (34.) | 391.8 (40.) | | |
| Trefferlage | 1.30 mm rechts, 1.08 mm tief | | | | |
| Streuwert | 6.19, horizontal: 5.51, vertikal: 6.79 | | | | |



| | | | | | |
|--------------|--|-------------|-------------|--------|--|
| Serie 5: | | | | | |
| 10.8 * | 10.6 * | 9.7 ← | 9.8 ↑ | 9.6 ↑ | |
| 10.4 * | 9.8 ↓ | 10.2 ↖ | 10.3 * | 10.0 ↘ | |
| beste Teiler | 131.3 (41.) | 285.1 (42.) | 466.3 (46.) | | |
| Trefferlage | 0.60 mm links, 0.89 mm hoch | | | | |
| Streuwert | 5.43, horizontal: 4.51, vertikal: 6.21 | | | | |



| | | | | | |
|--------------|--|-------------|-------------|--------|--|
| Serie 6: | | | | | |
| 10.1 ↗ | 10.2 ↓ | 10.3 ↖ | 9.9 ↓ | 10.3 * | |
| 10.0 → | 10.1 ↖ | 10.4 * | 9.6 ← | 9.7 ↑ | |
| beste Teiler | 463.7 (58.) | 496.4 (55.) | 535.3 (53.) | | |
| Trefferlage | 2.00 mm links, 0.38 mm tief | | | | |
| Streuwert | 5.29, horizontal: 5.32, vertikal: 5.26 | | | | |

Meyton Elektronik

ISSF Prone Men – Wertung – Senioren2_m

StandNr: 20

Waibl, Emmerich #70506122

StartNr: 20



29. Juli 2017 10:16

SG_Landeck


Unterschrift des Schützen

Meyton Elektronik


| | | |
|--------------|--------------|----------------------------------|
| Ergebnis: | 601.6 | (574) |
| Serien: | 99.7 | 101.9 100.0 98.4 100.0 101.6 |
| Zähler: | 36 | 22 2 0 0 0 0 0 0 0 |
| Innenzehner: | 21 | |
| weiteste: | 1783 | (50), 1700 (37), 1409 (34) |
| beste Teiler | 115.0 | (10.) 119.3 (12.) 123.0 (19.) |
| Trefferlage | 1.00 mm | rechts, 0.99 mm hoch |
| Streuwert | 5.90, | horizontal: 6.39, vertikal: 5.36 |




| | | | | | |
|--------------|---------|-------------------|----------------|--------|--------|
| Serie 1: | 9.8 ↘ | 9.6 ↘ | 9.3 ↗ | 10.5 * | 10.2 ↖ |
| | 9.4 ← | 10.6 * | 9.4 ← | 10.1 ↖ | 10.8 * |
| beste Teiler | 115.0 | (10.) 282.4 | (7.) 354.1 | (4.) | |
| Trefferlage | 0.84 mm | links, 0.01 mm | tief | | |
| Streuwert | 6.58, | horizontal: 7.68, | vertikal: 5.25 | | |




| | | | | | |
|--------------|---------|-------------------|----------------|--------|--------|
| Serie 2: | 10.4 * | 10.8 * | 9.3 → | 10.3 * | 10.3 * |
| | 10.5 * | 10.4 * | 9.8 ↑ | 10.8 * | 9.3 ↘ |
| beste Teiler | 119.3 | (12.) 123.0 | (19.) 321.9 | (16.) | |
| Trefferlage | 4.33 mm | rechts, 0.90 mm | hoch | | |
| Streuwert | 4.45, | horizontal: 4.72, | vertikal: 4.17 | | |




| | | | | | |
|--------------|---------|-------------------|----------------|--------|--------|
| Serie 3: | 10.3 * | 10.1 ↖ | 10.7 * | 9.3 ↖ | 10.2 → |
| | 10.2 ↖ | 9.6 ↖ | 9.4 ↗ | 10.0 ↘ | 10.2 → |
| beste Teiler | 183.8 | (23.) 488.3 | (21.) 576.5 | (25.) | |
| Trefferlage | 0.22 mm | rechts, 1.90 mm | hoch | | |
| Streuwert | 6.04, | horizontal: 6.01, | vertikal: 6.06 | | |



| | | | | | |
|--------------|---------|-------------------|----------------|-------|--------|
| Serie 4: | 9.5 ↑ | 10.2 → | 10.3 ↖ | 9.2 → | 10.4 * |
| | 10.1 ↘ | 8.8 → | 10.0 ↗ | 9.7 ↘ | 10.2 ↓ |
| beste Teiler | 444.2 | (35.) 555.1 | (33.) 563.4 | (32.) | |
| Trefferlage | 5.54 mm | rechts, 1.29 mm | hoch | | |
| Streuwert | 5.86, | horizontal: 6.07, | vertikal: 5.65 | | |



| | | | | | |
|--------------|---------|-------------------|----------------|--------|--------|
| Serie 5: | 10.3 ↗ | 10.4 * | 10.4 * | 10.6 * | 10.1 ← |
| | 9.9 ↓ | 9.9 ↓ | 9.8 ↑ | 9.9 ↖ | 8.7 ↖ |
| beste Teiler | 299.4 | (44.) 405.1 | (42.) 439.1 | (43.) | |
| Trefferlage | 2.26 mm | links, 1.68 mm | hoch | | |
| Streuwert | 6.05, | horizontal: 4.81, | vertikal: 7.07 | | |



| | | | | | |
|--------------|---------|-------------------|----------------|--------|--------|
| Serie 6: | 10.4 * | 10.6 * | 9.8 ↑ | 9.8 ↖ | 9.5 ↘ |
| | 10.4 * | 9.9 ↖ | 10.7 * | 10.1 ← | 10.4 * |
| beste Teiler | 232.3 | (58.) 306.3 | (52.) 405.1 | (60.) | |
| Trefferlage | 0.99 mm | links, 0.21 mm | hoch | | |
| Streuwert | 5.28, | horizontal: 5.87, | vertikal: 4.61 | | |

ISSF Prone Men – *Wertung* – **Senioren2_m**

StandNr: 21

Gufler,, Arno #70208003

StartNr: 21



29. Juli 2017 10:11

SG_Hall


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **594.9** (567)
 Serien: 99.6 101.5 98.7 100.5 100.1 94.5
 Zähler: 32 23 5 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 2307 (51), 2288 (30), 2133 (54)
 beste Teiler 46.0 (46.) 81.9 (8.) 89.3 (34.)
 Trefferlage 0.65 mm rechts, 1.40 mm tief
 Streuwert 6.91, horizontal: 7.23, vertikal: 6.56




Serie 1:
 9.9 ↘ 9.4 → 10.4 * 9.6 ← 10.3 *
 10.1 ← 9.9 → 10.8 * 9.4 ← 9.8 →
 beste Teiler 81.9 (8.) 435.3 (3.) 499.1 (5.)
 Trefferlage 0.19 mm rechts, 1.46 mm tief
 Streuwert 6.29, horizontal: 8.30, vertikal: 3.20




Serie 2:
 10.2 ↙ 10.8 * 10.4 * 10.1 ↗ 9.7 ↓
 10.6 * 9.2 ← 10.4 * 10.4 * 9.7 →
 beste Teiler 158.2 (12.) 311.2 (16.) 449.3 (18.)
 Trefferlage 2.15 mm links, 1.94 mm tief
 Streuwert 5.09, horizontal: 5.62, vertikal: 4.51




Serie 3:
 10.7 * 10.2 ← 10.2 → 9.0 ← 10.2 ↑
 9.7 ↗ 9.6 → 10.7 * 10.3 → 8.1 ↓
 beste Teiler 162.6 (21.) 184.3 (28.) 555.8 (29.)
 Trefferlage 1.27 mm rechts, 3.95 mm tief
 Streuwert 7.18, horizontal: 8.09, vertikal: 6.15




Serie 4:
 10.1 ↘ 10.4 * 10.2 ↗ 10.8 * 9.4 →
 9.4 → 9.4 → 10.5 * 9.8 ↓ 10.5 *
 beste Teiler 89.3 (34.) 331.5 (40.) 352.1 (38.)
 Trefferlage 3.85 mm rechts, 2.80 mm tief
 Streuwert 4.99, horizontal: 5.76, vertikal: 4.07



Serie 5:
 10.4 * 10.1 ↖ 10.1 ↓ 10.8 * 9.9 ↗
 10.9 * 9.5 ↘ 9.7 → 10.3 * 8.4 ↓
 beste Teiler 46.0 (46.) 141.4 (44.) 433.2 (41.)
 Trefferlage 0.02 mm rechts, 1.01 mm tief
 Streuwert 6.86, horizontal: 5.22, vertikal: 8.18



Serie 6:
 8.1 → 8.8 → 9.4 ↑ 8.3 ↑ 10.1 ↖
 9.5 ↘ 10.4 * 9.9 ← 9.6 ↗ 10.4 *
 beste Teiler 414.8 (60.) 459.8 (57.) 706.7 (55.)
 Trefferlage 0.73 mm rechts, 2.77 mm hoch
 Streuwert 9.92, horizontal: 9.78, vertikal: 10.07



ISSF Prone Men – Wertung – Senioren2_m

StandNr: 22

Jesner,, Martin #70506037

StartNr: 22



29. Juli 2017 10:03

SG_Landeck


Unterschrift des Schützen

Meyton Elektronik


| | | |
|--------------|---|-------|
| Ergebnis: | 568.5 | (543) |
| Serien: | 93.2 92.6 97.0 97.1 94.1 94.5 | |
| Zähler: | 20 25 13 2 0 0 0 0 0 0 | |
| Innenzehner: | 8 | |
| weiteste: | 2990 (1), 2444 (56), 2379 (18) | |
| beste Teiler | 147.9 (28.) 278.7 (49.) 287.0 (55.) | |
| Trefferlage | 1.26 mm rechts, 3.40 mm tief | |
| Streuwert | 9.12, horizontal: 7.92, vertikal: 10.17 | |




| | | | | |
|--------------|---|------------|-------------|--------|
| Serie 1: | | | | |
| 7.2 → | 9.6 ↗ | 10.3 * | 9.6 ↗ | 10.2 → |
| 9.4 ↘ | 9.5 ↑ | 9.0 ↓ | 9.6 ↘ | 8.8 ↘ |
| beste Teiler | 485.7 (3.) | 615.1 (5.) | 1051.8 (4.) | |
| Trefferlage | 6.53 mm rechts, 0.91 mm tief | | | |
| Streuwert | 9.69, horizontal: 10.27, vertikal: 9.07 | | | |




| | | | | |
|--------------|--|-------------|-------------|--------|
| Serie 2: | | | | |
| 8.9 ↗ | 8.6 ↓ | 9.1 ↘ | 10.0 → | 10.0 ↗ |
| 8.5 ↙ | 10.0 ↗ | 8.0 ↙ | 9.8 → | 9.7 ↙ |
| beste Teiler | 730.0 (14.) | 774.1 (17.) | 800.2 (15.) | |
| Trefferlage | 1.18 mm links, 4.20 mm tief | | | |
| Streuwert | 10.42, horizontal: 9.36, vertikal: 11.38 | | | |




| | | | | |
|--------------|--|-------------|-------------|--------|
| Serie 3: | | | | |
| 9.3 ↓ | 9.1 ↙ | 9.7 ↗ | 9.1 ↗ | 10.5 * |
| 10.3 * | 9.4 ← | 10.8 * | 10.1 ↑ | 8.7 ↓ |
| beste Teiler | 147.9 (28.) | 372.6 (25.) | 503.4 (26.) | |
| Trefferlage | 0.23 mm links, 1.26 mm tief | | | |
| Streuwert | 8.37, horizontal: 7.08, vertikal: 9.49 | | | |



| | | | | |
|--------------|--|-------------|-------------|--------|
| Serie 4: | | | | |
| 10.5 * | 9.6 ← | 9.6 ← | 9.3 ↑ | 10.0 ↘ |
| 9.7 ↘ | 10.2 → | 8.3 ↓ | 9.8 ↓ | 10.1 ↓ |
| beste Teiler | 329.0 (31.) | 570.6 (37.) | 698.1 (40.) | |
| Trefferlage | 0.72 mm rechts, 3.26 mm tief | | | |
| Streuwert | 7.73, horizontal: 6.34, vertikal: 8.91 | | | |



| | | | | |
|--------------|--|-------------|-------------|-------|
| Serie 5: | | | | |
| 8.8 ↘ | 10.6 * | 9.7 ↑ | 9.3 ↓ | 8.8 ↘ |
| 10.2 ↓ | 8.1 ↘ | 9.1 ↑ | 10.6 * | 8.9 ↓ |
| beste Teiler | 278.7 (49.) | 301.2 (42.) | 579.6 (46.) | |
| Trefferlage | 2.12 mm rechts, 2.16 mm tief | | | |
| Streuwert | 10.09, horizontal: 7.55, vertikal: 12.11 | | | |



| | | | | |
|--------------|---|-------------|-------------|--------|
| Serie 6: | | | | |
| 8.0 ↓ | 10.0 ↗ | 10.2 ↘ | 10.1 ↓ | 10.6 * |
| 7.9 ↓ | 9.1 ↓ | 9.9 ↘ | 8.9 ↓ | 9.8 ↖ |
| beste Teiler | 287.0 (55.) | 627.8 (53.) | 709.1 (54.) | |
| Trefferlage | 0.39 mm links, 8.60 mm tief | | | |
| Streuwert | 8.15, horizontal: 5.20, vertikal: 10.30 | | | |

Meyton Elektronik

ISSF Prone Men – *Wertung* – **Senioren2_m**

StandNr: 23

Huber,, Erwin #70807033

StartNr: 23



29. Juli 2017 10:14

SG_Jenbach–Buch


Unterschrift des Schützen

Meyton Elektronik


| | | |
|--------------|---|-------|
| Ergebnis: | 565.5 | (540) |
| Serien: | 94.0 98.3 94.9 93.0 95.3 90.0 | |
| Zähler: | 18 26 14 2 0 0 0 0 0 0 | |
| Innenzehner: | 8 | |
| weiteste: | 2993 (52), 2571 (58), 2369 (41) | |
| beste Teiler | 317.0 (46.) 407.8 (11.) 461.5 (50.) | |
| Trefferlage | 2.26 mm rechts, 1.66 mm hoch | |
| Streuwert | 9.45, horizontal: 8.25, vertikal: 10.52 | |




| | | | | | |
|--------------|--|--------|-------|--------|-------|
| Serie 1: | 9.0 ↘ | 10.1 ↓ | 9.5 ↓ | 10.1 ← | 9.6 ↓ |
| | 10.0 ↓ | 9.3 ↓ | 8.9 ← | 8.7 ↗ | 8.8 ↘ |
| beste Teiler | 641.4 (2.) 671.6 (4.) 731.5 (6.) | | | | |
| Trefferlage | 0.18 mm rechts, 2.62 mm tief | | | | |
| Streuwert | 9.47, horizontal: 9.39, vertikal: 9.54 | | | | |




| | | | | | |
|--------------|--|-------|--------|--------|--------|
| Serie 2: | 10.4 * | 8.4 ↙ | 10.3 * | 8.4 ↙ | 10.3 ↗ |
| | 10.0 ↑ | 9.9 ↘ | 10.2 ↘ | 10.3 * | 10.1 ↘ |
| beste Teiler | 407.8 (11.) 516.3 (19.) 518.7 (13.) | | | | |
| Trefferlage | 2.72 mm links, 1.04 mm tief | | | | |
| Streuwert | 7.65, horizontal: 6.79, vertikal: 8.42 | | | | |




| | | | | | |
|--------------|---|--------|-------|--------|-------|
| Serie 3: | 9.4 ↙ | 10.2 ↗ | 9.7 ↘ | 10.3 * | 8.7 ↗ |
| | 10.3 * | 9.3 ↙ | 8.6 ↑ | 9.1 ↗ | 9.3 ↙ |
| beste Teiler | 481.5 (24.) 513.0 (26.) 634.1 (22.) | | | | |
| Trefferlage | 2.91 mm links, 3.50 mm hoch | | | | |
| Streuwert | 8.67, horizontal: 5.85, vertikal: 10.77 | | | | |



| | | | | | |
|--------------|---|-------|-------|-------|-------|
| Serie 4: | 10.3 * | 8.3 ↓ | 9.9 ← | 9.4 ↑ | 8.7 ↗ |
| | 9.1 ↑ | 9.5 ↑ | 8.6 ↑ | 9.4 ↗ | 9.8 ↑ |
| beste Teiler | 522.3 (31.) 811.9 (33.) 934.6 (40.) | | | | |
| Trefferlage | 3.51 mm rechts, 7.41 mm hoch | | | | |
| Streuwert | 8.50, horizontal: 5.04, vertikal: 10.91 | | | | |



| | | | | | |
|--------------|--|-------|--------|-------|--------|
| Serie 5: | 8.0 ↘ | 8.6 ↑ | 9.9 ↑ | 9.2 → | 10.0 ↗ |
| | 10.6 * | 8.6 ↑ | 10.2 ↑ | 9.8 ↘ | 10.4 * |
| beste Teiler | 317.0 (46.) 461.5 (50.) 593.4 (48.) | | | | |
| Trefferlage | 5.35 mm rechts, 4.81 mm hoch | | | | |
| Streuwert | 8.26, horizontal: 6.50, vertikal: 9.70 | | | | |



| | | | | | |
|--------------|--|-------|-------|-------|-------|
| Serie 6: | 9.2 → | 7.2 → | 8.6 ↗ | 9.0 ↓ | 9.8 ↗ |
| | 9.3 ↓ | 9.5 ↗ | 7.7 ↓ | 9.8 ↑ | 9.9 → |
| beste Teiler | 855.5 (60.) 919.5 (55.) 957.5 (59.) | | | | |
| Trefferlage | 10.19 mm rechts, 2.07 mm tief | | | | |
| Streuwert | 10.11, horizontal: 8.09, vertikal: 11.80 | | | | |

Meyton Elektronik

ISSF Prone Men – Wertung – Senioren2_m

StandNr: 24

Voglbauer,, Franz #70212016

StartNr: 24



29. Juli 2017 10:14

SG_Innsbrucker-HG


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **618.6** (588)
 Serien: 101.7 105.5 104.0 102.1 103.7 101.6
 Zähler: 48 12 0 0 0 0 0 0 0
 Innenzehner: 30
 weiteste: 1083 (38), 1015 (55), 995 (21)
 beste Teiler 77.0 (12.) 90.2 (9.) 99.2 (39.)
 Trefferlage 0.99 mm rechts, 0.45 mm hoch
 Streuwert 4.12, horizontal: 3.78, vertikal: 4.43




Serie 1:
 10.4 * 9.7 ↑ 9.8 ↗ 10.3 ↑ 10.4 *
 10.1 ↓ 10.1 ↗ 9.9 → 10.8 * 10.2 ↑
 beste Teiler 90.2 (9.) 402.0 (1.) 405.1 (5.)
 Trefferlage 1.89 mm rechts, 2.92 mm hoch
 Streuwert 4.28, horizontal: 3.76, vertikal: 4.75




Serie 2:
 10.6 * 10.9 * 10.6 * 10.6 * 10.7 *
 10.5 * 10.7 * 10.4 * 10.6 * 9.9 ↗
 beste Teiler 77.0 (12.) 185.6 (17.) 219.9 (15.)
 Trefferlage 0.11 mm rechts, 1.86 mm hoch
 Streuwert 2.52, horizontal: 3.12, vertikal: 1.72




Serie 3:
 9.7 ↗ 10.6 * 10.8 * 10.3 * 10.8 *
 10.6 * 10.0 ↗ 10.8 * 10.2 ↓ 10.2 ↗
 beste Teiler 107.9 (25.) 123.3 (23.) 148.3 (28.)
 Trefferlage 2.20 mm rechts, 1.36 mm hoch
 Streuwert 3.37, horizontal: 3.07, vertikal: 3.64



Serie 4:
 9.7 ↗ 10.2 → 10.6 * 10.4 * 10.0 →
 10.6 * 10.2 ↘ 9.6 ↘ 10.8 * 10.0 ↓
 beste Teiler 99.2 (39.) 266.3 (36.) 318.5 (33.)
 Trefferlage 2.09 mm rechts, 0.49 mm tief
 Streuwert 4.66, horizontal: 4.99, vertikal: 4.31



Serie 5:
 10.6 * 10.3 * 10.2 → 10.5 * 10.2 ↙
 10.7 * 10.5 * 10.0 ↓ 9.9 ↓ 10.8 *
 beste Teiler 134.3 (50.) 221.4 (46.) 281.1 (41.)
 Trefferlage 1.36 mm rechts, 2.48 mm tief
 Streuwert 3.31, horizontal: 2.99, vertikal: 3.60



Serie 6:
 9.9 ↘ 9.9 ↙ 10.0 ↙ 10.3 ↖ 9.7 ↑
 10.8 * 10.3 ↑ 10.3 ↓ 10.5 * 9.9 ↘
 beste Teiler 114.0 (56.) 371.9 (59.) 535.3 (54.)
 Trefferlage 1.70 mm links, 0.42 mm tief
 Streuwert 5.02, horizontal: 3.68, vertikal: 6.08

Meyton Elektronik



ISSF Prone Men – *Wertung* – **Senioren2_m**
StandNr: 25
Schrettl,, Hans–Peter #70405009

StartNr: 25
29. Juli 2017 9:51
SG_Brixlegg


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **604.7** (579)
 Serien: 99.9 100.7 104.6 98.5 100.9 100.1
 Zähler: 41 17 2 0 0 0 0 0 0 0
 Innenzehner: 25
 weiteste: 1866 (7), 1681 (57), 1577 (14)
 beste Teiler 202.2 (25.) 202.7 (23.) 221.4 (13.)
 Trefferlage 0.93 mm rechts, 0.79 mm tief
 Streuwert 5.60, horizontal: 6.29, vertikal: 4.82




Serie 1:
 10.4 * 10.2 ↘ 10.1 ↘ 10.2 ↖ 10.6 *
 10.4 * 8.6 ↙ 9.8 ↖ 9.5 ← 10.1 ↙
 beste Teiler 243.4 (5.) 427.6 (1.) 457.7 (6.)
 Trefferlage 2.24 mm links, 2.01 mm tief
 Streuwert 6.20, horizontal: 6.01, vertikal: 6.38




Serie 2:
 10.0 ← 10.1 ↙ 10.7 * 9.0 ← 10.6 *
 9.3 ↙ 10.0 → 10.4 * 10.3 * 10.3 *
 beste Teiler 221.4 (13.) 268.5 (15.) 470.1 (18.)
 Trefferlage 1.73 mm links, 0.43 mm tief
 Streuwert 5.93, horizontal: 6.86, vertikal: 4.82




Serie 3:
 10.4 * 10.6 * 10.7 * 10.1 → 10.7 *
 10.4 * 10.1 ↓ 10.6 * 10.4 * 10.6 *
 beste Teiler 202.2 (25.) 202.7 (23.) 254.6 (22.)
 Trefferlage 1.55 mm rechts, 0.29 mm tief
 Streuwert 3.01, horizontal: 2.73, vertikal: 3.27



Serie 4:
 9.5 ↙ 10.4 * 9.4 → 9.7 ← 9.6 ↘
 10.0 ↗ 9.1 → 10.5 * 9.8 ↓ 10.5 *
 beste Teiler 349.2 (38.) 363.3 (40.) 415.0 (32.)
 Trefferlage 3.02 mm rechts, 2.37 mm tief
 Streuwert 6.46, horizontal: 7.56, vertikal: 5.11



Serie 5:
 9.5 → 10.2 ↓ 10.2 ↑ 10.0 ↖ 10.1 ↗
 10.4 * 10.5 * 9.5 ← 10.6 * 9.9 ←
 beste Teiler 310.6 (49.) 327.9 (47.) 472.0 (46.)
 Trefferlage 0.55 mm links, 1.39 mm hoch
 Streuwert 5.39, horizontal: 6.26, vertikal: 4.35



Serie 6:
 9.8 ↘ 9.9 ↘ 10.1 ↓ 10.7 * 9.8 →
 10.6 * 8.8 → 9.8 → 10.4 * 10.2 ↗
 beste Teiler 238.0 (54.) 308.8 (56.) 450.4 (59.)
 Trefferlage 5.54 mm rechts, 1.04 mm tief
 Streuwert 4.71, horizontal: 4.66, vertikal: 4.76

Meyton Elektronik

ISSF Prone Men – Wertung – Senioren2_m

StandNr: 26

Entner,, Reinhard #70404022

StartNr: 26



29. Juli 2017 10:00

SG_Breitenbach

Unterschrift des Schützen


Meyton Elektronik

| | | |
|--------------|--|-------|
| Ergebnis: | 585.2 | (559) |
| Serien: | 96.9 99.2 98.9 97.2 94.7 98.3 | |
| Zähler: | 28 25 6 0 1 0 0 0 0 0 | |
| Innenzehner: | 16 | |
| weiteste: | 3422 (47), 2362 (2), 1997 (48) | |
| beste Teiler | 71.1 (45.) 280.0 (9.) 282.7 (53.) | |
| Trefferlage | 0.94 mm rechts, 2.57 mm tief | |
| Streuwert | 7.72, horizontal: 8.98, vertikal: 6.19 | |




Serie 1:

| | | | | |
|--------------|--|------------|------------|-------|
| 8.8 ↘ | 8.0 ↘ | 8.9 ↘ | 10.3 * | 9.7 ↘ |
| 10.4 * | 10.3 * | 10.5 * | 10.6 * | 9.4 ↙ |
| beste Teiler | 280.0 (9.) | 327.6 (8.) | 404.2 (6.) | |
| Trefferlage | 4.36 mm rechts, 4.25 mm tief | | | |
| Streuwert | 7.83, horizontal: 9.02, vertikal: 6.42 | | | |




Serie 2:

| | | | | |
|--------------|--|-------------|-------------|--------|
| 10.0 ↙ | 10.3 → | 10.3 * | 8.8 → | 10.5 * |
| 10.6 * | 10.0 ↘ | 10.4 * | 9.3 ↘ | 9.0 → |
| beste Teiler | 288.1 (16.) | 332.8 (15.) | 416.1 (18.) | |
| Trefferlage | 4.14 mm rechts, 2.61 mm tief | | | |
| Streuwert | 6.01, horizontal: 7.33, vertikal: 4.31 | | | |




Serie 3:

| | | | | |
|--------------|--|-------------|-------------|--------|
| 10.0 → | 9.8 ↘ | 10.1 → | 9.3 ↙ | 9.8 ↘ |
| 9.5 ← | 10.5 * | 9.7 ↘ | 10.2 ↑ | 10.0 ↘ |
| beste Teiler | 370.8 (27.) | 606.8 (29.) | 712.9 (23.) | |
| Trefferlage | 2.19 mm rechts, 2.48 mm tief | | | |
| Streuwert | 6.15, horizontal: 6.38, vertikal: 5.92 | | | |




Serie 4:

| | | | | |
|--------------|--|-------------|-------------|--------|
| 9.0 ↘ | 9.8 ↘ | 10.1 → | 9.4 ← | 10.0 → |
| 9.7 ↘ | 9.3 ← | 10.1 ↘ | 10.3 * | 9.5 ↘ |
| beste Teiler | 522.3 (39.) | 642.0 (38.) | 668.4 (33.) | |
| Trefferlage | 1.86 mm links, 2.75 mm tief | | | |
| Streuwert | 7.21, horizontal: 8.14, vertikal: 6.14 | | | |



Serie 5:

| | | | | |
|--------------|--|-------------|-------------|--------|
| 9.2 → | 10.2 ↙ | 9.8 ↘ | 10.4 * | 10.9 * |
| 9.9 ← | 6.7 ↘ | 8.5 ← | 9.5 ← | 9.6 ↙ |
| beste Teiler | 71.1 (45.) | 442.6 (44.) | 590.3 (42.) | |
| Trefferlage | 0.94 mm links, 5.37 mm tief | | | |
| Streuwert | 10.37, horizontal: 12.57, vertikal: 7.54 | | | |



Serie 6:

| | | | | |
|--------------|--|-------------|-------------|--------|
| 8.6 ← | 9.4 ← | 10.6 * | 10.4 * | 10.3 ↓ |
| 9.3 ↗ | 9.8 → | 9.7 ← | 9.8 ↑ | 10.4 * |
| beste Teiler | 282.7 (53.) | 444.4 (60.) | 464.8 (54.) | |
| Trefferlage | 2.22 mm links, 2.02 mm hoch | | | |
| Streuwert | 7.27, horizontal: 8.90, vertikal: 5.16 | | | |

ISSF Prone Men – Wertung – Senioren2_m

StandNr: 28

Felderer,, Raimund #70404027

StartNr: 28

29. Juli 2017 10:07

SG_Breitenbach

Unterschrift des Schützen

Meyton Elektronik