

Ergebnis: **600.9** (574)

Serien: 99.1 101.8 100.9 102.3 99.8 97.0

Zähler: 38 19 2 1 0 0 0 0 0 0



Innenzehner: 18

weiteste: 2456 (60), 1971 (56), 1651 (51)

beste Teiler 172.6 (54.) 175.4 (27.) 193.1 (42.)

Trefferlage 0.34 mm rechts, 1.23 mm hoch

Streuwert 6.10, horizontal: 7.28, vertikal: 4.61




Serie 1:

10.1 ←	9.5 ↘	9.4 ↑	9.4 →	9.9 ↑
10.1 →	10.2 ↗	10.3 →	10.0 ←	10.2 →

beste Teiler 538.3 (8.) 593.9 (7.) 638.3 (10.)

Trefferlage 1.25 mm rechts, 1.86 mm hoch

Streuwert 6.22, horizontal: 6.48, vertikal: 5.96




Serie 2:

9.8 ↘	10.6 *	10.2 ↗	9.8 ↘	10.1 ↘
10.3 *	10.4 *	10.3 ↑	10.2 ↙	10.1 ↑

beste Teiler 312.4 (12.) 478.5 (17.) 482.8 (16.)

Trefferlage 1.05 mm links, 2.43 mm hoch

Streuwert 4.33, horizontal: 4.22, vertikal: 4.45




Serie 3:

10.0 ↖	10.4 *	9.8 →	10.5 *	10.3 *
9.9 ↖	10.7 *	9.1 ↘	10.4 *	9.8 ↑

beste Teiler 175.4 (27.) 333.4 (24.) 408.8 (22.)

Trefferlage 0.93 mm links, 3.05 mm hoch

Streuwert 5.29, horizontal: 5.84, vertikal: 4.68




Serie 4:

10.2 →	9.5 →	10.2 ←	10.4 *	10.1 ↙
10.6 *	10.6 *	9.3 →	10.7 *	10.7 *

beste Teiler 197.4 (39.) 233.1 (40.) 259.9 (36.)

Trefferlage 1.43 mm rechts, 0.64 mm tief

Streuwert 5.03, horizontal: 6.74, vertikal: 2.27




Serie 5:

9.7 →	10.7 *	9.3 ↑	10.0 ↘	10.5 *
9.6 →	9.8 →	10.1 ↘	9.9 →	10.2 ↑

beste Teiler 193.1 (42.) 330.9 (45.) 596.3 (50.)

Trefferlage 3.32 mm rechts, 3.40 mm hoch

Streuwert 5.15, horizontal: 5.94, vertikal: 4.22



Serie 6:

8.9 →	10.1 ←	9.9 ←	10.7 *	9.9 ←
8.5 →	10.1 ←	10.5 *	10.5 *	7.9 ←

beste Teiler 172.6 (54.) 359.2 (58.) 375.4 (59.)

Trefferlage 1.94 mm links, 2.71 mm tief

Streuwert 8.90, horizontal: 12.30, vertikal: 2.67

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 25

Sailer,, Werner #70503074

StartNr: 12



25. Juli 2020 9:59

SG_Kappl


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	614.8	(586)
Serien:	99.8	102.6 103.5 101.2 106.1 101.6
Zähler:	46	14 0 0 0 0 0 0 0 0
Innenzehner:	32	
weiteste:	1590 (7), 1186 (55), 1102 (6)	
beste Teiler	57.8 (44.)	129.8 (28.) 135.0 (24.)
Trefferlage	1.25 mm rechts,	0.60 mm hoch
Streuwert	4.53,	horizontal: 5.12, vertikal: 3.85




Serie 1:	9.7 ↖	9.9 ↗	10.1 ↗	9.8 ↖	10.4 *
	9.6 →	9.0 ↘	10.5 *	10.1 ↗	10.7 *
beste Teiler	224.6 (10.)	351.4 (8.)	430.0 (5.)		
Trefferlage	4.05 mm rechts, 1.58 mm hoch				
Streuwert	5.61, horizontal: 6.05, vertikal: 5.14				




Serie 2:	10.4 *	10.3 *	10.1 ↘	10.1 ↘	10.4 *
	10.4 *	10.0 ↖	10.6 *	9.7 →	10.6 *
beste Teiler	253.5 (18.)	312.3 (20.)	417.4 (16.)		
Trefferlage	1.34 mm rechts, 0.76 mm tief				
Streuwert	4.18, horizontal: 4.82, vertikal: 3.41				




Serie 3:	10.1 ↖	9.9 →	10.2 ↖	10.8 *	9.9 ↖
	10.6 *	10.7 *	10.8 *	10.1 ↘	10.4 *
beste Teiler	129.8 (28.)	135.0 (24.)	220.2 (27.)		
Trefferlage	0.44 mm rechts, 0.52 mm hoch				
Streuwert	4.12, horizontal: 5.00, vertikal: 2.98				



Serie 4:	10.6 *	10.5 *	9.7 →	10.0 ↘	9.7 →
	10.4 *	10.6 *	9.7 →	10.0 ↘	10.0 →
beste Teiler	282.0 (31.)	312.0 (37.)	394.3 (32.)		
Trefferlage	4.74 mm rechts, 1.69 mm tief				
Streuwert	3.93, horizontal: 4.92, vertikal: 2.60				



Serie 5:	10.7 *	10.6 *	10.7 *	10.9 *	10.5 *
	10.8 *	10.2 ↖	10.3 *	10.7 *	10.7 *
beste Teiler	57.8 (44.)	154.6 (46.)	203.0 (49.)		
Trefferlage	0.89 mm links, 1.64 mm hoch				
Streuwert	1.98, horizontal: 2.00, vertikal: 1.96				



Serie 6:	10.4 *	10.7 *	10.7 *	10.0 ↓	9.5 ↖
	9.7 ←	10.3 *	9.7 ↖	10.4 *	10.2 ↑
beste Teiler	209.0 (52.)	222.2 (53.)	408.0 (51.)		
Trefferlage	2.16 mm links, 2.35 mm hoch				
Streuwert	4.68, horizontal: 4.23, vertikal: 5.08				

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 26

Zobl,, Gerhard #70717063

StartNr: 13



25. Juli 2020 10:11

SG_Tannheim


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	603.4	(574)
Serien:	101.4	101.0 100.7 101.9 98.9 99.5
Zähler:	36	22 2 0 0 0 0 0 0 0
Innenzehner:	23	
weiteste:	1738	(53), 1691 (26), 1403 (60)
beste Teiler	26.3	(8.) 87.0 (21.) 232.7 (32.)
Trefferlage	0.53 mm	links, 2.30 mm hoch
Streuwert	5.58,	horizontal: 5.27, vertikal: 5.88




Serie 1:	9.9 ↗	10.0 ↗	10.4 *	10.5 *	9.5 ↓
	10.5 *	9.4 ↓	10.9 *	10.4 *	9.9 ↘
beste Teiler	26.3	(8.) 325.3	(4.) 380.1	(6.)	
Trefferlage	1.58 mm	links, 0.14 mm	tief		
Streuwert	5.40,	horizontal: 2.61,	vertikal: 7.18		




Serie 2:	9.6 ↘	9.8 →	10.6 *	10.1 ↗	10.6 *
	10.6 *	10.4 *	10.3 *	9.3 ↘	9.7 ↗
beste Teiler	260.0	(15.) 280.9	(16.) 298.8	(13.)	
Trefferlage	0.60 mm	links, 4.32 mm	hoch		
Streuwert	4.85,	horizontal: 5.78,	vertikal: 3.69		




Serie 3:	10.8 *	9.6 ↓	9.9 ↗	10.2 ↖	9.8 ↗
	8.8 ↘	10.5 *	10.5 *	10.3 *	10.3 ↖
beste Teiler	87.0	(21.) 371.4	(27.) 378.0	(28.)	
Trefferlage	1.40 mm	links, 1.52 mm	hoch		
Streuwert	5.95,	horizontal: 5.20,	vertikal: 6.62		



Serie 4:	10.5 *	10.7 *	9.8 ↘	10.6 *	10.4 *
	9.4 ↗	10.5 *	9.6 ↖	10.5 *	9.9 ↘
beste Teiler	232.7	(32.) 260.0	(34.) 331.9	(37.)	
Trefferlage	1.70 mm	links, 3.95 mm	hoch		
Streuwert	4.21,	horizontal: 4.31,	vertikal: 4.10		



Serie 5:	9.2 ↘	9.8 ↗	9.5 ↘	10.1 →	9.5 ↘
	10.0 ↘	9.9 ↗	10.0 ↖	10.6 *	10.3 ←
beste Teiler	276.4	(49.) 545.5	(50.) 702.3	(44.)	
Trefferlage	1.03 mm	rechts, 1.31 mm	hoch		
Streuwert	6.64,	horizontal: 7.03,	vertikal: 6.22		



Serie 6:	10.4 *	10.6 *	8.8 ↘	10.0 ↗	10.3 ↘
	10.2 ↗	9.7 ↘	10.2 →	10.1 ↖	9.2 ↘
beste Teiler	303.2	(52.) 480.3	(51.) 559.1	(55.)	
Trefferlage	1.03 mm	rechts, 2.82 mm	hoch		
Streuwert	6.45,	horizontal: 6.12,	vertikal: 6.77		

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 27

Zangerl,, Ernst #70512018

StartNr: 14



25. Juli 2020 10:15

SG_See

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	592.7	(563)
Serien:	98.6 98.6 99.3 98.0 97.6 100.6	
Zähler:	25 33 2 0 0 0 0 0 0	
Innenzehner:	14	
weiteste:	1973 (2), 1880 (47), 1566 (32)	
beste Teiler	111.3 (52.) 206.6 (37.) 354.5 (14.)	
Trefferlage	0.40 mm rechts, 0.12 mm hoch	
Streuwert	6.70, horizontal: 6.89, vertikal: 6.51	




Serie 1:

9.9 →	8.5 ↓	10.3 *	9.4 ←	9.7 ←
10.5 *	9.9 ↑	10.3 ↗	9.8 ↓	10.3 ←
beste Teiler	385.0 (6.) 518.9 (3.) 546.9 (8.)			
Trefferlage	1.20 mm links, 1.95 mm tief			
Streuwert	7.11, horizontal: 6.68, vertikal: 7.52			




Serie 2:

9.6 ↗	9.3 ↘	10.1 ↓	10.5 *	9.8 ↖
9.8 ↗	9.6 ↖	9.3 ↑	10.2 ←	10.4 *
beste Teiler	354.5 (14.) 473.2 (20.) 597.6 (19.)			
Trefferlage	0.84 mm rechts, 3.51 mm hoch			
Streuwert	6.42, horizontal: 6.71, vertikal: 6.12			




Serie 3:

9.6 ←	9.8 ↖	10.2 →	9.2 ↓	10.3 ↖
10.4 *	10.3 ↓	10.1 ↓	10.3 *	9.1 →
beste Teiler	418.6 (26.) 527.5 (29.) 537.7 (27.)			
Trefferlage	0.00 mm , 1.25 mm tief			
Streuwert	6.53, horizontal: 6.54, vertikal: 6.52			




Serie 4:

10.1 ↑	9.0 ←	9.6 ↓	9.7 ↘	10.4 *
9.3 ↑	10.7 *	9.9 →	9.7 ↑	9.6 ←
beste Teiler	206.6 (37.) 414.6 (35.) 708.4 (31.)			
Trefferlage	1.16 mm links, 1.16 mm hoch			
Streuwert	7.35, horizontal: 7.43, vertikal: 7.26			



Serie 5:

10.2 ↖	9.9 ↖	9.9 ↓	9.9 ↓	9.7 ↑
9.8 ↖	8.6 ↘	9.7 ↘	10.3 *	9.6 →
beste Teiler	498.8 (49.) 623.6 (41.) 854.1 (43.)			
Trefferlage	0.42 mm rechts, 0.83 mm tief			
Streuwert	7.56, horizontal: 7.41, vertikal: 7.70			



Serie 6:

9.3 →	10.8 *	10.4 *	9.3 ←	10.0 →
9.7 →	10.3 *	10.5 *	10.4 *	9.9 →
beste Teiler	111.3 (52.) 376.4 (58.) 451.4 (59.)			
Trefferlage	3.51 mm rechts, 0.11 mm hoch			
Streuwert	5.45, horizontal: 7.20, vertikal: 2.76			

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 28

Jesner,, Martin #70506037

StartNr: 15



25. Juli 2020 10:07

SG_Landeck


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	585.0	(555)
Serien:	96.7 97.3 98.8 97.1 97.7 97.4	
Zähler:	24 28 7 1 0 0 0 0 0	
Innenzehner:	12	
weiteste:	2611 (8), 1901 (34), 1747 (18)	
beste Teiler	122.3 (20.) 382.0 (17.) 382.9 (12.)	
Trefferlage	0.20 mm links, 0.31 mm hoch	
Streuwert	7.62, horizontal: 8.88, vertikal: 6.11	




Serie 1:	8.9 →	10.5 *	10.3 *	9.9 ←	9.9 →
	10.3 *	9.7 ←	7.7 →	10.0 ←	9.5 →
beste Teiler	393.6 (2.) 517.6 (3.) 529.2 (6.)				
Trefferlage	3.80 mm rechts, 0.58 mm hoch				
Streuwert	8.51, horizontal: 11.40, vertikal: 3.86				




Serie 2:	9.1 →	10.5 *	10.1 →	9.2 →	10.0 ↖
	9.4 ←	10.5 *	8.8 ↘	8.9 ↖	10.8 *
beste Teiler	122.3 (20.) 382.0 (17.) 382.9 (12.)				
Trefferlage	0.53 mm links, 3.43 mm hoch				
Streuwert	8.00, horizontal: 9.84, vertikal: 5.58				




Serie 3:	9.9 ↑	9.3 ←	9.9 ←	10.1 ↘	9.2 ↘
	10.1 ↙	10.4 *	10.0 ↘	10.2 ↙	9.7 →
beste Teiler	427.1 (27.) 569.3 (29.) 666.8 (24.)				
Trefferlage	2.64 mm links, 2.41 mm tief				
Streuwert	6.19, horizontal: 7.29, vertikal: 4.83				



Serie 4:	9.3 ↗	9.8 ↘	9.9 ←	8.6 ↘	10.4 *
	9.5 →	9.7 ↗	9.9 ↘	9.9 ↘	10.1 ↙
beste Teiler	438.5 (35.) 657.3 (40.) 843.5 (33.)				
Trefferlage	0.63 mm links, 3.51 mm tief				
Streuwert	7.54, horizontal: 7.73, vertikal: 7.34				



Serie 5:	9.2 ↖	9.7 ↖	9.7 ←	10.4 *	9.1 ↖
	10.2 ↘	9.9 →	9.7 →	9.5 →	10.3 *
beste Teiler	410.7 (44.) 517.4 (50.) 636.4 (46.)				
Trefferlage	0.70 mm rechts, 3.02 mm hoch				
Streuwert	7.14, horizontal: 8.38, vertikal: 5.62				



Serie 6:	10.2 ↑	10.2 ↓	9.7 ↖	8.9 ←	8.8 ↖
	10.4 *	9.8 ↑	10.4 *	10.1 ↓	8.9 ↘
beste Teiler	412.9 (56.) 439.8 (58.) 567.9 (51.)				
Trefferlage	1.94 mm links, 0.75 mm hoch				
Streuwert	7.87, horizontal: 8.82, vertikal: 6.79				

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 29

Adamer,, Klaus #70404028

StartNr: 16

25. Juli 2020 10:07

SG_Breitenbach

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **602.0** (574)

Serien: 104.0 100.9 98.8 100.0 100.0 98.3

Zähler: 35 24 1 0 0 0 0 0 0 0



Innenzehner: 21

weiteste: 1783 (24), 1584 (51), 1491 (27)

beste Teiler 131.9 (8.) 152.0 (16.) 205.0 (14.)

Trefferlage 1.42 mm rechts, 0.27 mm tief

Streuwert 5.76, horizontal: 5.78, vertikal: 5.74




Serie 1:

10.0 ↘	10.0 ↓	10.3 *	10.7 *	10.5 *
10.3 ↙	10.4 *	10.8 *	10.5 *	10.5 *

beste Teiler 131.9 (8.) 236.7 (4.) 324.0 (10.)

Trefferlage 0.22 mm rechts, 1.73 mm tief

Streuwert 3.40, horizontal: 3.74, vertikal: 3.01




Serie 2:

10.0 ←	9.9 ↗	10.4 *	10.7 *	9.3 ↘
10.8 *	10.1 ↗	9.8 ↘	9.8 ↖	10.1 →

beste Teiler 152.0 (16.) 205.0 (14.) 455.3 (13.)

Trefferlage 2.06 mm rechts, 0.00 mm

Streuwert 5.56, horizontal: 5.91, vertikal: 5.19




Serie 3:

9.7 ↓	10.3 *	9.9 ↖	8.7 ↑	10.3 *
9.9 ↖	9.1 ←	10.1 →	10.6 *	10.2 ↙

beste Teiler 290.9 (29.) 510.7 (25.) 514.6 (22.)

Trefferlage 1.43 mm links, 2.42 mm hoch

Streuwert 6.89, horizontal: 6.48, vertikal: 7.28




Serie 4:

9.8 ↓	9.8 ↙	10.0 ←	9.8 →	10.6 *
10.4 *	10.0 →	9.6 ↘	10.1 ↑	9.9 →

beste Teiler 241.3 (35.) 403.9 (36.) 680.4 (39.)

Trefferlage 1.72 mm rechts, 1.24 mm tief

Streuwert 5.72, horizontal: 6.17, vertikal: 5.24




Serie 5:

9.8 ↗	10.4 *	10.0 →	9.8 ↗	10.4 *
9.2 ↓	10.6 *	9.7 ↓	10.4 *	9.7 →

beste Teiler 290.0 (47.) 433.1 (42.) 435.8 (49.)

Trefferlage 4.75 mm rechts, 1.73 mm tief

Streuwert 5.00, horizontal: 3.22, vertikal: 6.30



Serie 6:

9.0 ↖	9.6 ↖	10.7 *	10.4 *	9.5 ↘
9.6 ↖	10.2 ←	9.5 ↑	9.8 ↗	10.0 →

beste Teiler 214.0 (53.) 453.4 (54.) 566.1 (57.)

Trefferlage 1.19 mm rechts, 0.64 mm hoch

Streuwert 7.12, horizontal: 7.50, vertikal: 6.72

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 30

Schrettl,, Hans–Peter #70807087

StartNr: 17



25. Juli 2020 9:59

SG_Jenbach–Buch

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	579.2	(551)				
Serien:	97.5	96.3	95.6	96.3	97.5	96.0
Zähler:	26	23	7	4	0	0
Innenzehner:	14					
weiteste:	3190 (45), 2756 (29), 2657 (24)					
beste Teiler	87.4 (49.) 109.6 (57.) 171.9 (5.)					
Trefferlage	1.05 mm links, 1.45 mm hoch					
Streuwert	8.76, horizontal: 8.31, vertikal: 9.19					




Serie 1:

10.0 ↗	9.9 →	10.3 *	9.8 →	10.7 *	
8.1 ↘	9.8 →	10.2 ←	8.4 ↖	10.3 *	
beste Teiler	171.9 (5.) 486.5 (10.) 501.3 (3.)				
Trefferlage	2.02 mm rechts, 0.22 mm tief				
Streuwert	8.43, horizontal: 7.21, vertikal: 9.49				




Serie 2:

10.2 ↗	10.6 *	9.7 ↓	10.1 ↑	9.6 ↖
8.8 ↖	9.1 ↖	9.0 ↓	9.4 ↓	9.8 ↗
beste Teiler	277.9 (12.) 602.1 (11.) 667.4 (14.)			
Trefferlage	2.01 mm links, 0.61 mm hoch			
Streuwert	8.35, horizontal: 7.42, vertikal: 9.18			




Serie 3:

10.5 *	9.9 ↓	10.6 *	7.6 ↑	10.4 *
9.7 ↓	8.7 ↖	10.5 *	7.5 ↑	10.2 ↓
beste Teiler	310.6 (23.) 332.0 (28.) 343.7 (21.)			
Trefferlage	1.73 mm links, 4.76 mm hoch			
Streuwert	9.95, horizontal: 3.73, vertikal: 13.56			




Serie 4:

10.5 *	9.2 ↘	10.5 *	9.6 ↑	8.8 ↓
9.4 ←	7.9 ←	10.1 →	10.2 ↓	10.1 ↑
beste Teiler	354.6 (31.) 366.0 (33.) 624.0 (39.)			
Trefferlage	0.82 mm links, 2.48 mm tief			
Streuwert	9.01, horizontal: 9.96, vertikal: 7.96			



Serie 5:

10.2 ↖	10.1 ←	10.1 ↓	9.9 ↖	7.0 →
10.4 *	9.6 ↑	10.2 ←	10.8 *	9.2 ←
beste Teiler	87.4 (49.) 470.7 (46.) 587.0 (48.)			
Trefferlage	0.35 mm links, 1.20 mm hoch			
Streuwert	9.33, horizontal: 12.22, vertikal: 4.99			



Serie 6:

9.2 ↖	8.5 ↖	10.6 *	9.5 ↖	9.3 ↖
9.5 ↑	10.8 *	9.9 ↖	8.9 ↓	9.8 ↗
beste Teiler	109.6 (57.) 282.9 (53.) 850.9 (58.)			
Trefferlage	3.42 mm links, 4.86 mm hoch			
Streuwert	7.91, horizontal: 8.03, vertikal: 7.79			

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 31

Oberdanner,, Franz #70208008

StartNr: 18



25. Juli 2020 10:02

SG_Hall

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	593.4	(569)
Serien:	99.4 99.4 97.8 100.2 99.3 97.3	
Zähler:	35 19 6 0 0 0 0 0 0	
Innenzehner:	20	
weiteste:	2188 (52), 2028 (26), 1996 (33)	
beste Teiler	80.4 (37.) 134.6 (25.) 163.9 (13.)	
Trefferlage	2.94 mm links, 1.39 mm tief	
Streuwert	6.72, horizontal: 7.39, vertikal: 5.97	




Serie 1:

9.1 ↘	9.4 ↓	9.5 ↖	10.6 *	10.1 ↓
9.4 ↖	10.4 *	10.5 *	10.4 *	10.0 ↑
beste Teiler	264.9 (4.) 358.5 (8.) 446.8 (9.)			
Trefferlage	3.62 mm links, 1.23 mm hoch			
Streuwert	6.12, horizontal: 4.48, vertikal: 7.40			




Serie 2:

10.6 *	10.3 *	10.7 *	10.3 *	10.6 *
9.0 ↘	10.0 ↘	9.3 →	8.9 ←	9.7 ←
beste Teiler	163.9 (13.) 252.8 (15.) 311.9 (11.)			
Trefferlage	1.27 mm rechts, 2.23 mm tief			
Streuwert	6.84, horizontal: 8.63, vertikal: 4.35			




Serie 3:

8.9 ↖	10.3 ←	10.2 ↘	9.5 ↙	10.8 *
8.4 ↘	9.6 ↗	9.4 ↖	10.5 *	10.2 ↘
beste Teiler	134.6 (25.) 329.8 (29.) 556.7 (22.)			
Trefferlage	5.53 mm links, 0.67 mm hoch			
Streuwert	7.04, horizontal: 6.96, vertikal: 7.11			




Serie 4:

10.6 *	10.1 ↓	8.5 ↘	10.6 *	10.2 ↖
10.0 ↘	10.9 *	9.0 ↖	10.1 ↗	10.2 ↗
beste Teiler	80.4 (37.) 262.8 (31.) 306.6 (34.)			
Trefferlage	0.05 mm links, 2.74 mm tief			
Streuwert	6.73, horizontal: 8.33, vertikal: 4.59			



Serie 5:

10.5 *	9.7 ←	10.2 ↙	9.7 ↘	9.3 ←
10.5 *	8.9 ↖	10.6 *	9.5 ↓	10.4 *
beste Teiler	267.8 (48.) 378.9 (41.) 389.1 (46.)			
Trefferlage	3.38 mm links, 2.79 mm tief			
Streuwert	6.21, horizontal: 6.43, vertikal: 5.98			



Serie 6:

10.0 ↓	8.2 ↙	9.1 ←	10.4 *	9.5 ←
9.9 ↖	10.1 ←	10.2 ↘	9.3 ↘	10.6 *
beste Teiler	265.3 (60.) 432.1 (54.) 606.8 (58.)			
Trefferlage	6.33 mm links, 2.49 mm tief			
Streuwert	6.64, horizontal: 7.38, vertikal: 5.80			

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 32

Gufler,, Arno #70208003

StartNr: 19

25. Juli 2020 10:13

SG_Hall

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **604.4** (576)

Serien: 103.7 102.6 100.8 96.6 99.9 100.8

Zähler: 37 22 1 0 0 0 0 0 0 0



Innenzehner: 23

weiteste: 1687 (47), 1516 (33), 1452 (28)

beste Teiler 67.3 (6.) 96.1 (29.) 122.4 (41.)

Trefferlage 0.63 mm rechts, 1.24 mm tief

Streuwert 5.61, horizontal: 6.32, vertikal: 4.79




Serie 1:

10.6 *	9.7 ←	10.3 ↘	9.9 →	10.6 *
10.9 *	10.6 *	10.7 *	10.0 →	10.4 *

beste Teiler 67.3 (6.) 169.8 (8.) 264.5 (5.)

Trefferlage 1.19 mm rechts, 0.65 mm hoch

Streuwert 4.02, horizontal: 5.36, vertikal: 1.88




Serie 2:

10.3 →	10.2 ↘	10.1 ←	9.8 →	10.4 *
10.0 →	10.4 *	10.4 *	10.4 *	10.6 *

beste Teiler 263.9 (20.) 418.9 (18.) 419.1 (19.)

Trefferlage 2.76 mm rechts, 2.51 mm tief

Streuwert 3.40, horizontal: 4.57, vertikal: 1.48




Serie 3:

10.4 *	9.2 ←	10.0 →	9.9 →	10.4 *
10.4 *	10.6 *	9.1 ↓	10.8 *	10.0 →

beste Teiler 96.1 (29.) 320.1 (27.) 404.8 (25.)

Trefferlage 0.83 mm rechts, 2.39 mm tief

Streuwert 5.76, horizontal: 6.82, vertikal: 4.45




Serie 4:

9.8 ←	9.3 ←	9.1 ↓	9.6 ←	9.4 ↙
9.8 →	9.8 ←	9.6 ↘	10.0 ↓	10.2 ↓

beste Teiler 609.4 (40.) 800.4 (39.) 891.4 (31.)

Trefferlage 4.02 mm links, 6.20 mm tief

Streuwert 5.80, horizontal: 7.20, vertikal: 3.92




Serie 5:

10.8 *	10.3 *	10.4 *	10.4 *	9.6 ↗
9.4 →	8.8 ↗	10.2 ↑	9.9 →	10.1 ↘

beste Teiler 122.4 (41.) 404.6 (44.) 421.9 (43.)

Trefferlage 3.29 mm rechts, 5.05 mm hoch

Streuwert 4.72, horizontal: 5.81, vertikal: 3.28



Serie 6:

9.8 →	10.6 *	9.9 ←	10.8 *	10.0 ↗
9.8 ←	9.7 ↓	9.6 ↘	10.3 *	10.3 →

beste Teiler 151.4 (54.) 292.5 (52.) 514.4 (59.)

Trefferlage 0.26 mm links, 2.05 mm tief

Streuwert 5.52, horizontal: 6.44, vertikal: 4.40

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 35

Felderer,, Raimund #70404027

StartNr: 22

25. Juli 2020 10:07

SG_Breitenbach

Unterschrift des Schützen

Meyton Elektronik