

Ergebnis: **605.2** (577)

Serien: 101.6 99.8 99.1 103.1 101.3 100.3

Zähler: 38 21 1 0 0 0 0 0 0



Innenzehner: 22

weiteste: 1678 (16), 1516 (23), 1464 (51)

beste Teiler 80.7 (12.) 130.8 (34.) 206.9 (31.)

Trefferlage 2.01 mm links, 1.99 mm tief

Streuwert 5.13, horizontal: 5.03, vertikal: 5.22




Serie 1:

9.4 ↙	10.4 *	10.3 ←	10.2 ↖	10.5 *
10.2 ↘	10.6 *	9.9 ↗	9.9 ←	10.2 ↘

beste Teiler 256.0 (7.) 384.3 (5.) 473.1 (2.)

Trefferlage 4.62 mm links, 0.28 mm hoch

Streuwert 3.79, horizontal: 2.60, vertikal: 4.69




Serie 2:

9.8 ↗	10.9 *	9.5 ↓	10.1 ↘	10.4 *
8.9 ↙	10.2 ←	9.7 ↙	9.8 ↓	10.5 *

beste Teiler 80.7 (12.) 328.1 (20.) 416.8 (15.)

Trefferlage 2.43 mm links, 4.19 mm tief

Streuwert 5.59, horizontal: 4.57, vertikal: 6.44




Serie 3:

9.8 ↘	10.6 *	9.1 ←	9.9 ↗	9.9 ←
10.4 *	9.5 ↙	9.7 ←	9.8 ↗	10.4 *

beste Teiler 278.8 (22.) 410.1 (30.) 414.3 (26.)

Trefferlage 5.45 mm links, 0.10 mm tief

Streuwert 5.30, horizontal: 5.16, vertikal: 5.44




Serie 4:

10.7 *	9.6 ↓	10.5 *	10.8 *	10.3 *
9.9 ↓	10.5 *	10.0 ←	10.3 *	10.5 *

beste Teiler 130.8 (34.) 206.9 (31.) 353.0 (33.)

Trefferlage 0.88 mm links, 2.36 mm tief

Streuwert 3.95, horizontal: 3.60, vertikal: 4.28




Serie 5:

10.3 *	10.2 ↓	10.0 ←	10.3 ↘	9.5 ↓
10.4 *	10.2 ↘	10.5 *	9.8 →	10.1 ↗

beste Teiler 352.9 (48.) 468.5 (46.) 485.8 (41.)

Trefferlage 1.41 mm rechts, 2.03 mm tief

Streuwert 4.80, horizontal: 4.54, vertikal: 5.05



Serie 6:

9.1 ↓	10.3 *	10.2 ↘	10.3 →	9.6 ↘
10.0 ↙	10.1 ←	10.6 *	9.4 ←	10.7 *

beste Teiler 239.4 (60.) 293.6 (58.) 491.1 (52.)

Trefferlage 0.07 mm links, 3.53 mm tief

Streuwert 5.57, horizontal: 6.17, vertikal: 4.90

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 8

Sautner, Konrad #1000000380

StartNr: 48



16. August 2018 10:26

B – SSV Breitenbrunn / Burgenland1


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	608.5	(582)
Serien:	100.9	103.1 102.1 100.8 99.8 101.8
Zähler:	42	18 0 0 0 0 0 0 0 0
Innenzehner:	25	
weiteste:	1360	(49), 1304 (26), 1193 (38)
beste Teiler	37.4	(54.) 142.5 (60.) 160.5 (16.)
Trefferlage	0.44 mm	links, 1.60 mm tief
Streuwert	5.03,	horizontal: 4.67, vertikal: 5.36




Serie 1:	10.0 ↑	10.4 *	9.6 ↙	10.5 *	10.0 ↘
	10.4 *	10.6 *	10.1 ↙	9.6 ↓	9.7 ↘
beste Teiler	281.4	(7.) 330.0 (4.)	441.2 (6.)		
Trefferlage	0.16 mm	links, 2.61 mm tief			
Streuwert	5.23,	horizontal: 4.56, vertikal: 5.83			




Serie 2:	10.5 *	10.2 ↓	10.2 ↖	10.6 *	10.3 *
	10.8 *	10.5 *	9.6 ↓	10.0 ↓	10.4 *
beste Teiler	160.5	(16.) 303.8 (14.)	340.5 (11.)		
Trefferlage	0.63 mm	links, 2.70 mm tief			
Streuwert	3.77,	horizontal: 3.00, vertikal: 4.41			




Serie 3:	10.3 *	9.7 ↓	10.4 *	10.2 ↖	10.6 *
	9.3 ↘	10.6 *	10.7 *	10.3 ↙	10.0 ←
beste Teiler	235.1	(28.) 272.2 (27.)	313.4 (25.)		
Trefferlage	0.51 mm	links, 2.00 mm tief			
Streuwert	4.78,	horizontal: 4.15, vertikal: 5.34			



Serie 4:	9.9 ↓	10.3 *	10.6 *	10.4 *	10.2 ↙
	10.4 *	9.5 ↖	9.5 ↓	10.2 ↑	9.8 ↓
beste Teiler	246.2	(33.) 449.2 (34.)	466.6 (36.)		
Trefferlage	0.45 mm	rechts, 2.05 mm tief			
Streuwert	5.47,	horizontal: 4.19, vertikal: 6.51			



Serie 5:	10.1 ↗	9.6 ←	10.1 ↑	9.8 ←	10.5 *
	9.9 ↑	9.8 ↓	10.7 *	9.3 ←	10.0 ↓
beste Teiler	229.0	(48.) 371.3 (45.)	643.5 (41.)		
Trefferlage	3.22 mm	links, 0.35 mm hoch			
Streuwert	5.71,	horizontal: 5.95, vertikal: 5.46			



Serie 6:	9.6 ↗	10.0 ↖	10.0 →	10.9 *	10.6 *
	10.4 *	9.6 ↙	10.1 ↓	9.8 →	10.8 *
beste Teiler	37.4	(54.) 142.5 (60.)	258.4 (55.)		
Trefferlage	1.42 mm	rechts, 0.60 mm tief			
Streuwert	5.26,	horizontal: 5.42, vertikal: 5.10			

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 9

Jezt, Josef #1000000381

StartNr: 49

16. August 2018 10:42

ST – SG Trofaiach / Steiermark 1

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **603.3** (575)

Serien: 100.4 100.9 100.7 100.7 101.6 99.0

Zähler: 36 23 1 0 0 0 0 0 0 0



Innenzehner: 23

weiteste: 1677 (2), 1417 (35), 1417 (36)

beste Teiler 100.6 (31.) 141.1 (38.) 175.1 (27.)

Trefferlage 0.59 mm rechts, 0.42 mm hoch

Streuwert 5.69, horizontal: 6.19, vertikal: 5.14




Serie 1:

10.3 *	8.9 ↘	10.4 *	10.0 ↗	10.5 *
10.4 *	9.8 ↓	10.6 *	10.0 ↗	9.5 ↗

beste Teiler 249.9 (8.) 374.8 (5.) 402.0 (3.)

Trefferlage 0.86 mm rechts, 1.51 mm hoch

Streuwert 6.12, horizontal: 6.24, vertikal: 6.00




Serie 2:

10.3 *	9.6 ↖	9.8 ↑	10.5 *	10.6 *
9.8 ↓	10.0 ←	9.9 ↖	9.8 →	10.6 *

beste Teiler 300.4 (20.) 317.0 (15.) 391.2 (14.)

Trefferlage 0.17 mm rechts, 2.50 mm hoch

Streuwert 5.30, horizontal: 4.99, vertikal: 5.59




Serie 3:

9.9 ↗	9.4 ↗	10.6 *	9.7 ↘	10.1 ↗
10.3 *	10.7 *	10.0 ↓	9.7 ↖	10.3 *

beste Teiler 175.1 (27.) 289.3 (23.) 501.5 (26.)

Trefferlage 1.53 mm rechts, 0.47 mm hoch

Streuwert 5.67, horizontal: 5.73, vertikal: 5.62




Serie 4:

10.8 *	9.8 ↘	9.4 ↗	10.6 *	9.2 ↙
9.2 ←	10.1 ↘	10.8 *	10.6 *	10.2 →

beste Teiler 100.6 (31.) 141.1 (38.) 250.8 (34.)

Trefferlage 1.18 mm rechts, 1.35 mm tief

Streuwert 6.33, horizontal: 7.38, vertikal: 5.05




Serie 5:

10.5 *	10.0 →	9.9 ↘	10.2 ↙	9.8 ↓
10.5 *	10.0 ↘	10.4 *	10.0 ↓	10.3 *

beste Teiler 327.2 (41.) 359.0 (46.) 402.8 (48.)

Trefferlage 0.05 mm links, 1.56 mm tief

Streuwert 4.68, horizontal: 4.80, vertikal: 4.55



Serie 6:

9.5 ←	9.7 ↖	10.4 *	9.9 ↗	9.7 ↖
10.1 ↘	9.3 →	10.0 →	10.5 *	9.9 →

beste Teiler 342.9 (59.) 472.4 (53.) 679.2 (56.)

Trefferlage 0.14 mm links, 0.99 mm hoch

Streuwert 6.64, horizontal: 8.61, vertikal: 3.75

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 10

Kerschbaumer, Rudolf #1000000382

StartNr: 50



16. August 2018 10:33

K – SV Obermölltal / Kärnten1


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **576.7** (547)
 Serien: 99.2 91.1 98.5 92.8 96.3 98.8
 Zähler: 20 30 7 3 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 2985 (31), 2590 (37), 2424 (17)
 beste Teiler 83.0 (33.) 128.7 (54.) 146.5 (9.)
 Trefferlage 0.82 mm links, 1.24 mm hoch
 Streuwert 8.76, horizontal: 9.96, vertikal: 7.35




Serie 1:
 10.4 * 10.4 * 10.3 ↘ 9.7 ↓ 9.3 →
 9.9 ↘ 9.4 → 9.6 → 10.8 * 9.4 ↙
 beste Teiler 146.5 (9.) 441.0 (2.) 472.1 (1.)
 Trefferlage 3.08 mm rechts, 2.50 mm tief
 Streuwert 6.19, horizontal: 7.27, vertikal: 4.88




Serie 2:
 9.7 ↗ 8.0 ↖ 9.6 ↖ 8.8 ← 8.6 ←
 9.4 → 7.9 ↘ 9.7 → 9.2 ↓ 10.2 ↗
 beste Teiler 620.7 (20.) 983.7 (11.) 1022.0 (18.)
 Trefferlage 0.82 mm links, 1.09 mm hoch
 Streuwert 11.85, horizontal: 14.45, vertikal: 8.50




Serie 3:
 9.7 ← 9.5 → 10.3 * 8.7 ↖ 8.7 ↘
 10.4 * 10.2 ← 10.2 ↗ 10.4 * 10.4 *
 beste Teiler 424.5 (30.) 429.9 (29.) 432.2 (26.)
 Trefferlage 0.87 mm links, 0.71 mm hoch
 Streuwert 7.59, horizontal: 8.40, vertikal: 6.69



Serie 4:
 7.2 → 9.8 ↙ 10.8 * 9.8 ↑ 8.7 ↗
 9.5 ↘ 7.7 ↖ 9.3 ↘ 9.5 ↑ 10.5 *
 beste Teiler 83.0 (33.) 369.0 (40.) 921.3 (32.)
 Trefferlage 1.75 mm rechts, 2.99 mm hoch
 Streuwert 11.47, horizontal: 12.60, vertikal: 10.23



Serie 5:
 9.4 ↖ 10.7 * 9.3 ↗ 9.9 ↑ 9.7 ↖
 8.8 ↙ 9.4 ← 9.9 ← 9.0 → 10.2 ←
 beste Teiler 180.4 (42.) 609.6 (50.) 819.7 (48.)
 Trefferlage 3.45 mm links, 2.17 mm hoch
 Streuwert 7.96, horizontal: 8.85, vertikal: 6.96



Serie 6:
 10.1 ↖ 9.0 ↖ 9.3 ↖ 10.8 * 10.5 *
 9.3 ← 9.8 ↖ 10.0 ← 9.8 ↙ 10.2 →
 beste Teiler 128.7 (54.) 349.8 (55.) 584.3 (60.)
 Trefferlage 4.60 mm links, 3.00 mm hoch
 Streuwert 5.92, horizontal: 5.79, vertikal: 6.05

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 11

Köhbach, Johann #1000000383

StartNr: 51

16. August 2018 10:44

W – SSV 10 / Wien 1

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **615.2** (589)

Serien: 102.2 103.1 102.2 102.9 102.0 102.8

Zähler: 49 11 0 0 0 0 0 0 0



Innenzehner: 35

weiteste: 1403 (45), 1126 (16), 1106 (17)

beste Teiler 119.0 (11.) 160.8 (7.) 171.8 (13.)

Trefferlage 0.28 mm links, 0.47 mm hoch

Streuwert 4.41, horizontal: 4.36, vertikal: 4.45




Serie 1:

9.9 ↙	10.2 ↙	9.9 ↗	9.6 →	10.4 *
10.3 ↘	10.8 *	10.6 *	10.3 *	10.2 ↗

beste Teiler 160.8 (7.) 259.8 (8.) 410.5 (5.)

Trefferlage 0.99 mm rechts, 0.32 mm hoch

Streuwert 4.74, horizontal: 5.23, vertikal: 4.19




Serie 2:

10.8 *	10.1 ↓	10.7 *	10.3 *	10.7 *
9.5 ↘	9.6 ↘	10.4 *	10.4 *	10.6 *

beste Teiler 119.0 (11.) 171.8 (13.) 185.8 (15.)

Trefferlage 0.67 mm links, 1.45 mm hoch

Streuwert 4.40, horizontal: 3.76, vertikal: 4.95




Serie 3:

9.7 ↘	10.4 *	10.6 *	10.4 *	10.2 ↗
10.5 *	10.2 ↗	10.3 *	9.7 ↑	10.2 ↘

beste Teiler 320.3 (23.) 374.0 (26.) 443.0 (24.)

Trefferlage 0.53 mm rechts, 0.13 mm tief

Streuwert 4.65, horizontal: 3.70, vertikal: 5.44




Serie 4:

10.3 *	10.4 *	10.5 *	9.6 ↘	9.9 ↘
10.4 *	10.4 *	10.6 *	10.3 *	10.5 *

beste Teiler 270.6 (38.) 361.0 (33.) 382.9 (40.)

Trefferlage 0.93 mm rechts, 1.47 mm tief

Streuwert 4.04, horizontal: 4.21, vertikal: 3.86




Serie 5:

10.0 ↘	10.3 *	10.3 *	10.7 *	9.2 ←
10.0 ↙	10.4 *	10.7 *	10.0 ↑	10.4 *

beste Teiler 205.2 (48.) 223.2 (44.) 418.8 (50.)

Trefferlage 3.24 mm links, 2.30 mm hoch

Streuwert 4.10, horizontal: 4.35, vertikal: 3.83



Serie 6:

10.2 →	10.2 ↓	10.6 *	10.0 ↗	10.0 ←
10.5 *	10.3 *	10.7 *	9.7 ↑	10.6 *

beste Teiler 237.6 (58.) 241.0 (53.) 275.8 (60.)

Trefferlage 0.23 mm links, 0.39 mm hoch

Streuwert 4.36, horizontal: 4.36, vertikal: 4.35

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 12

Pfefferkorn, Günter #1000000384

StartNr: 52

16. August 2018 10:38

V-SG Lech / Vorarlberg 1

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **604.0** (577)

Serien: 101.7 99.2 101.4 102.2 99.7 99.8

Zähler: 38 21 1 0 0 0 0 0 0 0



Innenzehner: 23

weiteste: 2042 (19), 1512 (54), 1489 (28)

beste Teiler 79.6 (22.) 166.9 (44.) 236.0 (58.)

Trefferlage 1.79 mm rechts, 0.69 mm hoch

Streuwert 5.54, horizontal: 4.66, vertikal: 6.30




Serie 1:

10.2 ↘	10.2 ↗	10.5 *	10.0 ↘	10.3 ↖
10.1 ↘	10.4 *	9.7 ↑	10.1 ↗	10.2 ↗

beste Teiler 392.7 (3.) 416.0 (7.) 533.8 (5.)

Trefferlage 2.13 mm rechts, 2.16 mm hoch

Streuwert 4.28, horizontal: 3.35, vertikal: 5.04




Serie 2:

10.6 *	10.4 *	10.0 ↖	10.3 *	10.1 ↘
9.8 ↘	9.7 ↗	10.5 *	8.4 ↗	9.4 →

beste Teiler 249.8 (11.) 387.4 (18.) 443.0 (12.)

Trefferlage 3.14 mm rechts, 0.11 mm hoch

Streuwert 6.76, horizontal: 5.80, vertikal: 7.60




Serie 3:

10.5 *	10.9 *	10.6 *	10.4 *	9.9 ↘
9.9 ↘	10.3 *	9.1 ↘	9.9 ↑	9.9 ↘

beste Teiler 79.6 (22.) 308.3 (23.) 357.9 (21.)

Trefferlage 0.18 mm rechts, 2.83 mm tief

Streuwert 5.21, horizontal: 3.89, vertikal: 6.26




Serie 4:

9.9 ↑	10.3 *	10.5 *	10.6 *	9.7 ↑
9.9 ↑	10.0 ↑	10.2 →	10.6 *	10.5 *

beste Teiler 254.6 (39.) 302.0 (34.) 332.8 (40.)

Trefferlage 0.64 mm links, 3.24 mm hoch

Streuwert 4.03, horizontal: 2.87, vertikal: 4.92




Serie 5:

10.4 *	9.4 ↗	10.3 *	10.7 *	10.2 ↘
10.1 →	9.8 ↓	9.6 ↘	9.8 ←	9.4 →

beste Teiler 166.9 (44.) 440.3 (41.) 513.0 (43.)

Trefferlage 2.23 mm rechts, 1.97 mm tief

Streuwert 5.89, horizontal: 6.44, vertikal: 5.29



Serie 6:

9.5 ↘	10.5 *	10.0 ↖	9.1 ↑	10.6 *
9.4 ↗	9.4 ↗	10.7 *	10.0 ↘	10.6 *

beste Teiler 236.0 (58.) 264.0 (55.) 304.1 (60.)

Trefferlage 3.69 mm rechts, 3.43 mm hoch

Streuwert 5.56, horizontal: 4.08, vertikal: 6.72

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 13

Schrempf, Wilhelm #1000000385

StartNr: 53



16. August 2018 10:44

ST – SV Kainisch / Steiermark 1


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	605.2	(575)
Serien:	100.9 100.6 100.9 100.5 100.4 101.9	
Zähler:	36 23 1 0 0 0 0 0 0	
Innenzehner:	21	
weiteste:	1670 (33), 1581 (30), 1300 (51)	
beste Teiler	141.1 (57.) 144.5 (11.) 221.6 (14.)	
Trefferlage	0.57 mm links, 1.39 mm tief	
Streuwert	5.39, horizontal: 5.40, vertikal: 5.37	




Serie 1:	9.9 ↖	10.5 *	9.8 ↖	10.5 *	9.7 ↘
	10.6 *	9.9 →	9.6 ↓	10.0 ↗	10.4 *
beste Teiler	287.2 (6.)	329.1 (4.)	346.4 (2.)		
Trefferlage	0.05 mm links, 0.37 mm hoch				
Streuwert	5.53, horizontal: 5.03, vertikal: 5.98				




Serie 2:	10.8 *	10.7 *	9.7 ↘	10.7 *	10.0 ↘
	9.8 ↙	9.4 ↖	9.6 ↙	9.8 ←	10.1 ↗
beste Teiler	144.5 (11.)	221.6 (14.)	233.0 (12.)		
Trefferlage	3.14 mm links, 2.26 mm tief				
Streuwert	5.31, horizontal: 4.78, vertikal: 5.79				




Serie 3:	10.2 ↖	10.2 ↖	10.1 →	9.9 ↘	10.3 *
	10.0 →	10.7 *	10.4 *	10.1 ↘	9.0 ↗
beste Teiler	230.1 (27.)	404.2 (28.)	487.8 (25.)		
Trefferlage	3.71 mm rechts, 1.92 mm tief				
Streuwert	4.77, horizontal: 5.34, vertikal: 4.12				



Serie 4:	9.9 ↗	10.1 ↓	8.9 ↓	10.5 *	10.5 *
	10.1 ↓	9.9 ↓	10.2 ↙	9.9 ←	10.5 *
beste Teiler	322.8 (35.)	365.4 (40.)	380.4 (34.)		
Trefferlage	0.15 mm links, 4.75 mm tief				
Streuwert	4.95, horizontal: 4.25, vertikal: 5.56				



Serie 5:	9.8 ↘	10.2 ↙	9.8 ↖	9.9 ←	10.3 ←
	10.2 ↙	9.7 ←	10.3 *	10.5 *	9.7 ↖
beste Teiler	398.5 (49.)	530.1 (48.)	551.3 (45.)		
Trefferlage	4.61 mm links, 0.53 mm tief				
Streuwert	4.53, horizontal: 4.47, vertikal: 4.59				



Serie 6:	9.3 ↖	10.4 *	10.3 *	10.6 *	10.6 *
	10.5 *	10.8 *	9.7 ↘	9.5 ↑	10.2 ↓
beste Teiler	141.1 (57.)	287.6 (54.)	309.8 (55.)		
Trefferlage	0.78 mm rechts, 0.75 mm hoch				
Streuwert	5.27, horizontal: 5.27, vertikal: 5.27				

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 14

Zobl, Gerhard #70804099

StartNr: 54



16. August 2018 10:32

T – SG Tannheim / Tirol 1


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	593.8	(568)
Serien:	100.3 95.4 101.2 100.4 99.7 96.8	
Zähler:	30 28 2 0 0 0 0 0 0	
Innenzehner:	14	
weiteste:	2098 (12), 1652 (16), 1600 (3)	
beste Teiler	82.0 (60.) 173.2 (50.) 233.6 (27.)	
Trefferlage	3.81 mm links, 0.20 mm hoch	
Streuwert	5.99, horizontal: 5.87, vertikal: 6.12	




Serie 1:	10.2 ↙	9.9 ↙	9.0 ↘	10.6 *	10.2 ↘
	10.2 ↓	9.7 ↘	10.3 *	10.1 ↘	10.1 ←
beste Teiler	256.8 (4.)	516.2 (8.)	573.3 (5.)		
Trefferlage	3.80 mm links, 1.16 mm tief				
Streuwert	5.16, horizontal: 4.85, vertikal: 5.46				




Serie 2:	9.9 ↘	8.3 ←	9.8 ↘	10.4 *	9.1 ↙
	8.9 ←	9.9 ←	10.0 ↑	9.4 ↘	9.7 ←
beste Teiler	420.2 (14.)	725.2 (18.)	802.9 (11.)		
Trefferlage	7.41 mm links, 0.40 mm hoch				
Streuwert	7.19, horizontal: 7.83, vertikal: 6.49				




Serie 3:	9.6 ↓	10.0 ←	9.7 ←	10.3 *	10.0 ↘
	9.7 ↓	10.7 *	10.4 *	10.3 *	10.5 *
beste Teiler	233.6 (27.)	321.5 (30.)	411.5 (28.)		
Trefferlage	2.00 mm links, 1.79 mm tief				
Streuwert	4.90, horizontal: 4.77, vertikal: 5.03				



Serie 4:	10.1 ↓	9.5 ↙	10.1 ↑	9.8 ↘	10.3 *
	10.0 ↗	9.9 ↓	10.1 ↘	10.4 *	10.2 ↙
beste Teiler	419.8 (39.)	493.1 (35.)	597.8 (40.)		
Trefferlage	2.17 mm links, 0.88 mm tief				
Streuwert	5.39, horizontal: 4.49, vertikal: 6.16				



Serie 5:	9.2 ↓	9.6 ↘	10.4 *	9.6 ↗	10.1 ↘
	10.2 ←	9.9 ↓	9.9 ↑	10.1 ↘	10.7 *
beste Teiler	173.2 (50.)	447.4 (43.)	625.4 (46.)		
Trefferlage	0.58 mm links, 0.32 mm hoch				
Streuwert	6.28, horizontal: 4.53, vertikal: 7.64				



Serie 6:	9.5 ←	9.3 ↘	10.4 *	9.5 ↗	9.9 ↘
	9.2 ←	9.3 ↘	9.4 ↘	9.5 ↘	10.8 *
beste Teiler	82.0 (60.)	432.2 (53.)	822.1 (55.)		
Trefferlage	6.89 mm links, 4.37 mm hoch				
Streuwert	5.43, horizontal: 5.87, vertikal: 4.95				

KK liegend – Wertung – **Senioren_2m**

StartNr: 55

StandNr: 15

16. August 2018 10:30

Paternoster, Franz #1000000386

NÖ–HSV St. Pölten / Niederösterreich 1

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **593.6** (567)

Serien: 99.6 98.1 101.8 95.0 102.4 96.7

Zähler: 32 23 5 0 0 0 0 0 0 0



Innenzehner: 16

weiteste: 2199 (59), 2126 (35), 2058 (39)

beste Teiler 118.0 (48.) 154.8 (54.) 185.7 (17.)

Trefferlage 0.71 mm links, 2.10 mm hoch

Streuwert 6.78, horizontal: 7.15, vertikal: 6.39




Serie 1:

8.4 ←	9.9 ↘	10.1 ↑	10.3 *	10.0 ↗
9.9 →	10.5 *	10.3 ↑	10.0 ←	10.2 ←

beste Teiler 357.0 (7.) 483.1 (4.) 550.5 (8.)

Trefferlage 2.62 mm links, 2.48 mm hoch

Streuwert 6.16, horizontal: 7.93, vertikal: 3.62




Serie 2:

9.8 ↙	9.8 ↘	9.5 ↑	9.3 ↗	10.4 *
9.0 ↘	10.7 *	9.5 ↑	10.2 ↑	9.9 →

beste Teiler 185.7 (17.) 434.4 (15.) 596.6 (19.)

Trefferlage 1.15 mm rechts, 3.97 mm hoch

Streuwert 6.77, horizontal: 6.94, vertikal: 6.61




Serie 3:

9.7 →	10.4 *	9.5 ↑	10.5 *	10.3 ↓
10.3 ↗	10.7 *	10.3 ↘	10.4 *	9.7 ↓

beste Teiler 189.4 (27.) 399.2 (24.) 415.7 (22.)

Trefferlage 0.96 mm rechts, 0.05 mm hoch

Streuwert 5.06, horizontal: 4.06, vertikal: 5.89




Serie 4:

10.4 *	10.0 ↘	9.6 ↗	9.8 ↗	8.3 ↘
10.2 ↓	9.0 ↓	9.4 ↘	8.4 ↙	9.9 ↘

beste Teiler 401.8 (31.) 570.4 (36.) 723.8 (32.)

Trefferlage 1.43 mm links, 0.91 mm hoch

Streuwert 9.48, horizontal: 9.27, vertikal: 9.69




Serie 5:

10.2 ↗	9.8 ↘	10.2 ↓	10.3 *	10.6 *
10.4 *	9.7 →	10.8 *	10.2 ↗	10.2 ↓

beste Teiler 118.0 (48.) 248.6 (45.) 428.2 (46.)

Trefferlage 1.80 mm rechts, 0.50 mm tief

Streuwert 4.36, horizontal: 3.77, vertikal: 4.88



Serie 6:

9.6 ↑	10.3 *	10.2 ↗	10.8 *	9.7 ←
8.8 ←	10.4 *	9.4 ↘	8.2 ↘	9.3 ↗

beste Teiler 154.8 (54.) 403.2 (57.) 515.1 (52.)

Trefferlage 4.13 mm links, 5.68 mm hoch

Streuwert 7.17, horizontal: 8.72, vertikal: 5.16

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 16

Sailer, Werner #15

StartNr: 56



16. August 2018 10:26

T – SG Kappl / Tirol 2


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **587.5** (558)
 Serien: 93.8 94.3 101.2 101.7 97.0 99.5
 Zähler: 25 28 7 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2190 (11), 2125 (10), 1951 (43)
 beste Teiler 63.0 (40.) 99.2 (36.) 119.0 (29.)
 Trefferlage 0.96 mm links, 0.52 mm tief
 Streuwert 7.45, horizontal: 8.36, vertikal: 6.41




Serie 1:
 9.0 ← 9.4 ↙ 10.1 ↗ 10.1 ↗ 8.8 ←
 9.9 ↘ 9.6 ↘ 9.9 ← 8.7 ← 8.3 ←
 beste Teiler 692.8 (3.) 711.3 (4.) 827.1 (8.)
 Trefferlage 7.31 mm links, 0.89 mm tief
 Streuwert 8.46, horizontal: 10.18, vertikal: 6.29




Serie 2:
 8.2 ← 9.3 ↘ 10.5 * 9.7 ↘ 9.3 ↗
 8.8 ↘ 9.5 ↘ 10.1 → 9.8 ↘ 9.1 ↘
 beste Teiler 388.4 (13.) 661.3 (18.) 941.0 (19.)
 Trefferlage 3.93 mm rechts, 0.25 mm tief
 Streuwert 9.32, horizontal: 11.07, vertikal: 7.14




Serie 3:
 10.3 ↘ 10.2 ↘ 9.9 ← 9.9 ↑ 10.5 *
 10.1 ↘ 9.6 ↘ 9.9 ↙ 10.8 * 10.0 →
 beste Teiler 119.0 (29.) 343.1 (25.) 553.2 (21.)
 Trefferlage 1.33 mm rechts, 1.47 mm tief
 Streuwert 5.20, horizontal: 6.01, vertikal: 4.23



Serie 4:
 9.7 ↙ 10.2 ↙ 10.6 * 10.6 * 9.4 ↘
 10.8 * 9.3 ↙ 10.0 ↑ 10.2 ↗ 10.9 *
 beste Teiler 63.0 (40.) 99.2 (36.) 280.9 (33.)
 Trefferlage 2.42 mm links, 0.83 mm tief
 Streuwert 5.40, horizontal: 5.00, vertikal: 5.78



Serie 5:
 9.7 ↘ 9.6 ↘ 8.5 ↘ 9.7 ↘ 9.9 ↘
 9.9 ↑ 9.3 ↘ 9.6 ↘ 10.6 * 10.2 ←
 beste Teiler 248.6 (49.) 599.6 (50.) 833.2 (45.)
 Trefferlage 3.38 mm links, 2.77 mm hoch
 Streuwert 7.33, horizontal: 6.81, vertikal: 7.82



Serie 6:
 10.1 ↙ 10.1 ↙ 9.6 ↘ 10.1 → 9.8 ↘
 9.9 ↘ 8.7 ↓ 10.0 ↗ 10.4 * 10.8 *
 beste Teiler 144.2 (60.) 446.4 (59.) 669.9 (54.)
 Trefferlage 2.07 mm rechts, 2.45 mm tief
 Streuwert 6.17, horizontal: 5.25, vertikal: 6.97

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 17

Jax, Hagen #1000000387

StartNr: 57

16. August 2018 10:37

B – PSV Eisenstadt / Burgenland1

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **596.0** (566)

Serien: 100.5 98.1 101.0 99.7 100.8 95.9

Zähler: 29 28 3 0 0 0 0 0 0 0



Innenzehner: 18

weiteste: 2273 (60), 1978 (14), 1644 (6)

beste Teiler 146.0 (7.) 200.0 (2.) 245.0 (51.)

Trefferlage 0.20 mm rechts, 1.63 mm hoch

Streuwert 6.41, horizontal: 6.62, vertikal: 6.19




Serie 1:

9.9 ↖	10.7 *	10.1 ↘	9.9 ↗	10.3 *
8.9 ↘	10.8 *	10.4 *	10.0 ↖	9.5 ↘

beste Teiler 146.0 (7.) 200.0 (2.) 458.4 (8.)

Trefferlage 0.30 mm links, 3.85 mm hoch

Streuwert 5.45, horizontal: 5.48, vertikal: 5.41




Serie 2:

9.9 ↖	9.5 ↖	10.2 ↘	8.5 ↖	9.9 ←
10.1 ↗	9.5 ↖	9.7 ←	10.5 *	10.3 *

beste Teiler 322.4 (19.) 486.7 (20.) 583.1 (13.)

Trefferlage 5.25 mm links, 2.89 mm hoch

Streuwert 6.02, horizontal: 6.80, vertikal: 5.11




Serie 3:

10.3 *	9.9 ↘	10.5 *	9.1 ↗	10.1 ↘
9.7 ↗	9.9 →	10.4 *	10.6 *	10.5 *

beste Teiler 310.8 (29.) 333.6 (30.) 371.2 (23.)

Trefferlage 0.49 mm rechts, 2.47 mm hoch

Streuwert 5.31, horizontal: 4.89, vertikal: 5.70




Serie 4:

9.1 ↘	9.8 ↗	9.7 ↘	9.9 ←	10.5 *
10.5 *	9.9 ↗	10.2 ↓	10.3 →	9.8 ←

beste Teiler 327.7 (36.) 381.8 (35.) 535.6 (39.)

Trefferlage 0.15 mm rechts, 1.50 mm tief

Streuwert 6.20, horizontal: 5.93, vertikal: 6.46




Serie 5:

10.2 ←	10.3 ↗	9.9 ↘	9.9 ↗	10.5 *
10.3 *	10.5 *	10.2 ↘	9.3 ↗	9.7 ↘

beste Teiler 367.2 (47.) 384.6 (45.) 527.0 (46.)

Trefferlage 2.28 mm rechts, 0.85 mm hoch

Streuwert 5.36, horizontal: 5.02, vertikal: 5.68



Serie 6:

10.6 *	10.0 ↘	10.3 *	9.5 ↗	9.6 ↗
9.7 ↘	9.7 ↘	9.4 ↘	9.0 →	8.1 ↘

beste Teiler 245.0 (51.) 498.0 (53.) 722.7 (52.)

Trefferlage 3.85 mm rechts, 1.23 mm hoch

Streuwert 8.45, horizontal: 8.57, vertikal: 8.33

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 18

Waibl, Emmerich #1000000224

StartNr: 58



16. August 2018 10:41

T – HSV Landeck / Tirol 1


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	598.9	(572)					
Serien:	98.4	98.8	100.9	98.9	101.3	100.6	
Zähler:	34	24	2	0	0	0	0
Innenzehner:	16						
weiteste:	1937 (19), 1831 (1), 1600 (52)						
beste Teiler	109.0 (25.) 166.7 (47.) 213.8 (13.)						
Trefferlage	1.13 mm links, 1.02 mm hoch						
Streuwert	6.14, horizontal: 6.14, vertikal: 6.15						




Serie 1:	8.7 ↑	9.6 ↖	10.2 ↘	10.5 *	9.2 ↓
	9.8 ↓	10.4 *	10.5 *	9.2 ↖	10.3 *
beste Teiler	372.7 (8.) 375.0 (4.) 462.0 (7.)				
Trefferlage	1.62 mm links, 0.64 mm hoch				
Streuwert	7.54, horizontal: 5.13, vertikal: 9.35				




Serie 2:	10.6 *	9.7 ↘	10.7 *	10.6 *	9.6 ↖
	9.9 ↖	9.6 ↖	10.0 →	8.5 ↑	9.6 ↖
beste Teiler	213.8 (13.) 289.7 (11.) 316.2 (14.)				
Trefferlage	1.12 mm links, 4.93 mm hoch				
Streuwert	6.30, horizontal: 6.16, vertikal: 6.43				




Serie 3:	10.0 ↑	9.6 ↖	9.5 ↖	9.8 ↖	10.8 *
	9.8 ↖	10.1 ↓	10.4 *	10.7 *	10.2 ↖
beste Teiler	109.0 (25.) 223.0 (29.) 476.5 (28.)				
Trefferlage	3.92 mm links, 1.87 mm hoch				
Streuwert	4.84, horizontal: 5.06, vertikal: 4.61				



Serie 4:	10.1 →	9.9 →	10.0 ↖	9.6 →	9.9 ←
	9.6 ↗	9.9 ←	10.0 →	10.3 ↗	9.6 →
beste Teiler	557.8 (39.) 720.5 (31.) 753.5 (38.)				
Trefferlage	3.27 mm rechts, 1.09 mm hoch				
Streuwert	5.95, horizontal: 7.79, vertikal: 3.20				



Serie 5:	10.6 *	9.4 ←	10.6 *	10.2 ↓	10.1 ↓
	9.8 →	10.7 *	10.1 ↓	9.7 ↖	10.1 →
beste Teiler	166.7 (47.) 270.2 (43.) 275.5 (41.)				
Trefferlage	0.48 mm links, 0.92 mm tief				
Streuwert	5.33, horizontal: 6.20, vertikal: 4.29				



Serie 6:	10.3 *	9.0 ↖	10.2 ↖	10.6 *	10.3 ↓
	10.6 *	10.1 ↖	10.1 ↓	9.3 ↓	10.1 ←
beste Teiler	282.2 (54.) 289.1 (56.) 488.4 (51.)				
Trefferlage	2.92 mm links, 1.45 mm tief				
Streuwert	5.64, horizontal: 4.86, vertikal: 6.33				

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 19

Schatz, Rudolf #1000000388

StartNr: 59



16. August 2018 10:24

W – HSV Wien / Wien 1


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	582.5	(553)
Serien:	96.6 99.8 100.6 94.0 94.6 96.9	
Zähler:	22 30 7 1 0 0 0 0 0 0	
Innenzehner:	11	
weiteste:	2698 (31), 1985 (42), 1952 (8)	
beste Teiler	177.1 (25.) 214.7 (21.) 224.2 (5.)	
Trefferlage	0.91 mm rechts, 0.23 mm hoch	
Streuwert	7.95, horizontal: 8.86, vertikal: 6.91	




Serie 1:	9.5 ↙	10.3 *	9.5 ↘	10.3 *	10.7 *
	9.6 →	8.9 →	8.5 ↓	9.7 ↙	9.6 →
beste Teiler	224.2 (5.)	481.5 (4.)	507.3 (2.)		
Trefferlage	1.41 mm rechts, 6.42 mm tief				
Streuwert	7.03, horizontal: 8.16, vertikal: 5.67				




Serie 2:	9.2 →	10.2 →	10.4 *	10.3 ↘	9.2 ←
	10.2 ↘	9.9 ←	10.0 ↘	9.9 ←	10.5 *
beste Teiler	322.3 (20.)	455.0 (13.)	541.0 (14.)		
Trefferlage	1.68 mm links, 0.44 mm hoch				
Streuwert	6.19, horizontal: 7.85, vertikal: 3.87				




Serie 3:	10.7 *	9.6 →	10.3 ↑	9.7 ←	10.7 *
	10.3 ↙	9.5 ←	9.8 ↑	9.9 ↙	10.1 ↙
beste Teiler	177.1 (25.)	214.7 (21.)	531.5 (26.)		
Trefferlage	2.38 mm links, 0.37 mm tief				
Streuwert	5.60, horizontal: 6.13, vertikal: 5.02				



Serie 4:	7.6 ↘	9.6 ←	10.1 ↑	9.5 ↘	10.2 →
	8.9 →	9.2 ←	10.6 *	9.1 ↘	9.2 ←
beste Teiler	242.5 (38.)	593.9 (35.)	676.9 (33.)		
Trefferlage	3.42 mm links, 3.68 mm hoch				
Streuwert	9.78, horizontal: 11.97, vertikal: 6.91				



Serie 5:	8.6 ↘	8.5 ↘	10.0 ↓	9.9 →	9.7 ↑
	9.6 ↘	9.5 ↗	9.4 ↘	9.8 →	9.6 ↑
beste Teiler	799.4 (43.)	818.3 (44.)	903.2 (49.)		
Trefferlage	3.96 mm rechts, 3.12 mm hoch				
Streuwert	8.59, horizontal: 7.44, vertikal: 9.60				



Serie 6:	10.5 *	9.3 →	9.0 →	10.4 *	8.8 →
	9.9 ↑	8.8 →	10.4 *	9.7 ↑	10.1 ↘
beste Teiler	377.6 (51.)	413.8 (54.)	474.5 (58.)		
Trefferlage	7.60 mm rechts, 0.95 mm hoch				
Streuwert	6.24, horizontal: 7.05, vertikal: 5.30				

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 20

Horvath, Adi #1000000389

StartNr: 60



16. August 2018 10:24

V – SG Hohenems / Vorarlberg 1


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	607.7	(581)
Serien:	97.1	102.8 103.4 102.1 99.6 102.7
Zähler:	43	15 2 0 0 0 0 0 0 0
Innenzehner:	28	
weiteste:	1814 (4), 1732 (43), 1477 (50)	
beste Teiler	57.0 (22.)	204.7 (9.) 226.5 (57.)
Trefferlage	0.64 mm links, 0.54 mm tief	
Streuwert	5.35, horizontal: 5.30, vertikal: 5.39	




Serie 1:	9.8 ↙	9.4 ↘	10.1 →	8.7 ↘	9.1 ↘
	9.8 ←	10.1 ↙	9.7 →	10.7 *	9.7 ↓
beste Teiler	204.7 (9.) 650.7 (3.) 689.7 (7.)				
Trefferlage	0.66 mm rechts, 4.33 mm tief				
Streuwert	7.30, horizontal: 8.62, vertikal: 5.67				




Serie 2:	10.6 *	10.3 *	10.4 *	10.4 *	10.4 *
	9.9 ↓	10.4 *	10.2 ↓	10.2 ↑	10.0 ↓
beste Teiler	247.3 (11.) 417.4 (17.) 434.1 (13.)				
Trefferlage	0.15 mm rechts, 0.16 mm tief				
Streuwert	4.18, horizontal: 2.17, vertikal: 5.49				




Serie 3:	9.5 →	10.9 *	10.5 *	10.2 ↘	10.5 *
	10.5 *	9.9 ↓	10.1 ↑	10.6 *	10.7 *
beste Teiler	57.0 (22.) 238.8 (30.) 314.0 (29.)				
Trefferlage	0.00 mm , 0.45 mm hoch				
Streuwert	4.32, horizontal: 4.46, vertikal: 4.18				



Serie 4:	9.7 ↘	10.6 *	10.4 *	10.1 ↑	10.1 ↓
	10.4 *	10.1 ↘	10.2 ↓	10.3 *	10.2 ↑
beste Teiler	308.7 (32.) 446.0 (33.) 478.8 (36.)				
Trefferlage	0.64 mm rechts, 0.69 mm tief				
Streuwert	4.66, horizontal: 3.69, vertikal: 5.45				



Serie 5:	10.5 *	10.2 ↘	8.8 ↘	10.5 *	10.3 *
	10.3 *	9.6 ↙	10.1 ↘	10.2 ↙	9.1 ←
beste Teiler	337.5 (41.) 358.2 (44.) 482.6 (45.)				
Trefferlage	3.70 mm links, 0.15 mm tief				
Streuwert	6.12, horizontal: 6.29, vertikal: 5.93				



Serie 6:	9.7 ↘	9.7 ↓	10.5 *	10.6 *	10.3 *
	10.3 *	10.7 *	10.5 *	10.7 *	9.7 ↘
beste Teiler	226.5 (57.) 231.9 (59.) 317.5 (54.)				
Trefferlage	1.66 mm links, 1.60 mm hoch				
Streuwert	4.41, horizontal: 3.95, vertikal: 4.83				

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 21

Eder, Ferdinand #1000000390

StartNr: 61



16. August 2018 10:41

K – St.Veit/Glan / Kärnten1


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **573.0** (547)
 Serien: 96.1 93.3 97.9 93.8 95.9 96.0
 Zähler: 18 33 7 2 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2681 (29), 2551 (20), 2345 (44)
 beste Teiler 170.4 (58.) 192.7 (49.) 271.6 (21.)
 Trefferlage 4.50 mm links, 0.69 mm hoch
 Streuwert 8.24, horizontal: 8.25, vertikal: 8.24




Serie 1:
 9.0 ↖ 9.9 ← 10.4 * 10.1 ↘ 9.4 ↓
 10.1 ↘ 9.5 ← 9.6 ↓ 9.1 ← 9.0 ↓
 beste Teiler 453.9 (3.) 654.4 (6.) 703.1 (4.)
 Trefferlage 3.45 mm links, 3.15 mm tief
 Streuwert 7.70, horizontal: 8.63, vertikal: 6.64




Serie 2:
 8.6 ← 9.8 ↗ 9.9 → 9.8 ↑ 9.1 ↘
 9.4 ↓ 10.1 ↑ 10.2 ↘ 8.6 ↘ 7.8 ←
 beste Teiler 593.5 (18.) 670.1 (17.) 820.1 (13.)
 Trefferlage 5.62 mm links, 4.45 mm hoch
 Streuwert 9.30, horizontal: 11.53, vertikal: 6.33




Serie 3:
 10.6 * 9.9 ← 9.6 ← 10.1 ↘ 10.4 *
 10.2 ↙ 9.7 ← 9.9 ↓ 7.6 ↑ 9.9 ↓
 beste Teiler 271.6 (21.) 423.1 (25.) 609.7 (26.)
 Trefferlage 3.53 mm links, 0.14 mm tief
 Streuwert 7.91, horizontal: 4.94, vertikal: 10.04




Serie 4:
 9.7 ↘ 9.5 ← 9.4 ↗ 9.0 ← 9.3 ↙
 8.7 ↘ 10.2 → 9.6 ↓ 9.3 ← 9.1 ↓
 beste Teiler 617.1 (37.) 1004.7 (31.) 1093.9 (38.)
 Trefferlage 5.36 mm links, 1.57 mm tief
 Streuwert 8.74, horizontal: 8.92, vertikal: 8.55



Serie 5:
 9.7 ↙ 8.7 ← 10.4 * 8.0 ↘ 10.2 →
 9.0 ↑ 10.2 → 10.3 * 10.7 * 8.7 ↑
 beste Teiler 192.7 (49.) 423.7 (43.) 511.0 (48.)
 Trefferlage 3.72 mm links, 4.80 mm hoch
 Streuwert 8.33, horizontal: 8.88, vertikal: 7.74



Serie 6:
 9.2 ← 9.4 ↑ 8.5 ↘ 9.5 ↓ 9.4 ↙
 10.0 ↘ 10.0 ↘ 10.7 * 9.6 ↙ 9.7 ←
 beste Teiler 170.4 (58.) 750.6 (56.) 759.3 (57.)
 Trefferlage 5.34 mm links, 0.25 mm tief
 Streuwert 7.70, horizontal: 7.08, vertikal: 8.27



KK liegend – Wertung – **Senioren_2m**

StandNr: 22

Reschreiter, Josef #1000000391

StartNr: 62



16. August 2018 10:42

S – USSV Rußbach


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	599.2	(569)
Serien:	99.7	100.3 99.5 96.2 101.4 102.1
Zähler:	35	19 6 0 0 0 0 0 0 0
Innenzehner:	21	
weiteste:	1926 (35), 1788 (33), 1738 (21)	
beste Teiler	87.6 (8.)	88.4 (22.) 123.4 (20.)
Trefferlage	0.15 mm rechts,	0.13 mm tief
Streuwert	6.42,	horizontal: 7.73, vertikal: 4.75




Serie 1:	10.4 *	9.5 ←	10.4 *	9.2 ←	10.5 *
	10.1 →	10.7 *	10.8 *	8.9 ↘	9.2 →
beste Teiler	87.6 (8.)	230.6 (7.)	346.3 (5.)		
Trefferlage	0.18 mm rechts,	1.69 mm tief			
Streuwert	7.02,	horizontal: 8.96, vertikal: 4.28			




Serie 2:	10.4 *	9.6 ←	10.6 *	8.8 →	10.4 *
	9.8 ↙	10.2 →	10.1 →	9.6 ↘	10.8 *
beste Teiler	123.4 (20.)	312.9 (13.)	405.0 (11.)		
Trefferlage	1.20 mm rechts,	1.87 mm tief			
Streuwert	6.20,	horizontal: 8.13, vertikal: 3.30			




Serie 3:	8.8 ←	10.8 *	9.3 →	9.9 ↓	10.2 →
	9.6 ↓	10.3 *	10.7 *	9.9 ↓	10.0 →
beste Teiler	88.4 (22.)	240.6 (28.)	524.6 (27.)		
Trefferlage	0.25 mm links,	2.65 mm tief			
Streuwert	6.63,	horizontal: 7.96, vertikal: 4.97			



Serie 4:	8.9 →	9.8 ↘	8.7 ↗	10.3 *	8.5 →
	9.6 ←	9.9 ↘	9.8 ↗	10.0 ↗	10.7 *
beste Teiler	201.7 (40.)	500.3 (34.)	761.9 (39.)		
Trefferlage	4.65 mm rechts,	2.63 mm hoch			
Streuwert	7.84,	horizontal: 9.70, vertikal: 5.36			



Serie 5:	9.8 ←	10.1 ↘	10.5 *	10.0 ↙	10.1 ↘
	10.0 ↙	10.6 *	10.7 *	9.7 ←	9.9 ↑
beste Teiler	198.3 (48.)	255.3 (47.)	348.7 (43.)		
Trefferlage	4.06 mm links,	1.81 mm hoch			
Streuwert	3.97,	horizontal: 4.28, vertikal: 3.64			



Serie 6:	10.5 *	10.3 →	10.1 →	10.4 *	10.2 ↓
	9.8 ↘	9.4 ↑	10.7 *	10.0 ←	10.7 *
beste Teiler	216.1 (58.)	234.7 (60.)	322.5 (51.)		
Trefferlage	0.77 mm links,	0.98 mm hoch			
Streuwert	5.01,	horizontal: 5.03, vertikal: 4.99			

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 23

Schäfer, Karl #1000000392

StartNr: 63

16. August 2018 10:38

S – St. Pantaleon / Salzburg 1

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **603.7** (578)

Serien: 98.0 102.0 102.6 99.6 101.4 100.1

Zähler: 38 22 0 0 0 0 0 0 0 0



Innenzehner: 19

weiteste: 1566 (60), 1499 (11), 1360 (43)

beste Teiler 58.6 (41.) 80.4 (28.) 102.9 (19.)

Trefferlage 0.96 mm rechts, 1.64 mm tief

Streuwert 5.53, horizontal: 6.06, vertikal: 4.94




Serie 1:

10.3 ↙	10.2 ↗	9.3 ↖	10.3 *	9.5 ↘
9.5 →	9.6 →	9.8 ↘	9.6 ↓	9.9 ↓

beste Teiler 514.0 (4.) 552.0 (1.) 572.0 (2.)

Trefferlage 1.65 mm rechts, 3.53 mm tief

Streuwert 6.64, horizontal: 7.57, vertikal: 5.57




Serie 2:

9.1 ↖	10.0 ↓	10.4 *	9.5 →	10.6 *
10.1 ↓	10.8 *	10.6 *	10.8 *	10.1 ↗

beste Teiler 102.9 (19.) 158.3 (17.) 272.8 (15.)

Trefferlage 0.13 mm links, 0.71 mm hoch

Streuwert 5.46, horizontal: 6.16, vertikal: 4.66




Serie 3:

10.4 *	10.0 ↓	10.4 *	10.2 ↘	10.7 *
10.0 ↙	10.2 →	10.9 *	9.8 ↘	10.0 ↑

beste Teiler 80.4 (28.) 177.2 (25.) 423.2 (23.)

Trefferlage 0.71 mm rechts, 1.70 mm tief

Streuwert 4.38, horizontal: 4.12, vertikal: 4.64




Serie 4:

10.2 →	9.7 →	9.8 ↓	10.2 ↘	10.5 *
10.0 ↙	9.7 ↓	9.7 ↘	9.8 ←	10.0 ↓

beste Teiler 385.3 (35.) 586.6 (34.) 592.6 (31.)

Trefferlage 1.00 mm rechts, 4.06 mm tief

Streuwert 5.16, horizontal: 5.86, vertikal: 4.36




Serie 5:

10.9 *	9.6 ↖	9.3 ↖	10.1 ↙	10.6 *
10.2 ↘	10.7 *	9.4 ↓	10.3 *	10.3 ↗

beste Teiler 58.6 (41.) 173.2 (47.) 258.7 (45.)

Trefferlage 1.42 mm links, 0.56 mm tief

Streuwert 5.74, horizontal: 5.95, vertikal: 5.52



Serie 6:

9.8 →	10.4 *	10.4 *	10.4 *	10.4 *
10.1 ↓	9.8 →	10.1 ↙	9.7 ↗	9.0 →

beste Teiler 429.8 (55.) 432.0 (53.) 459.5 (54.)

Trefferlage 4.00 mm rechts, 0.70 mm tief

Streuwert 5.38, horizontal: 6.35, vertikal: 4.19

Meyton Elektronik

KK liegend – Wertung –

Senioren_2m

StartNr: 64

StandNr: 24

16. August 2018 10:22

Reichl, Norbert #1000000393

NÖ-OMV SG Prottes / Niederösterreich 1

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **596.8** (569)

Serien: 99.3 98.8 100.2 101.9 97.6 99.0

Zähler: 30 29 1 0 0 0 0 0 0



Innenzehner: 13

weiteste: 2020 (18), 1591 (2), 1400 (16)

beste Teiler 205.3 (27.) 290.0 (37.) 309.7 (60.)

Trefferlage 1.14 mm links, 1.84 mm hoch

Streuwert 6.07, horizontal: 6.69, vertikal: 5.38




Serie 1:

9.9 ↙	9.0 ←	10.3 ↗	9.8 →	10.4 *
9.6 ↘	9.7 ↗	9.9 ↘	10.2 ↖	10.5 *

beste Teiler 339.5 (10.) 465.3 (5.) 559.1 (3.)

Trefferlage 1.45 mm links, 1.60 mm tief

Streuwert 6.50, horizontal: 8.17, vertikal: 4.20




Serie 2:

10.0 ↘	10.5 *	9.9 ↑	10.2 →	9.8 ↘
9.2 ↘	10.0 ↘	8.4 ↘	10.5 *	10.3 ←

beste Teiler 370.3 (19.) 377.3 (12.) 538.7 (20.)

Trefferlage 1.05 mm links, 1.85 mm tief

Streuwert 7.24, horizontal: 8.24, vertikal: 6.08




Serie 3:

9.6 ↗	10.2 ↘	10.3 ↘	10.4 *	9.4 ↘
10.4 *	10.7 *	9.5 ↑	9.9 ↘	9.8 ↗

beste Teiler 205.3 (27.) 447.7 (26.) 468.1 (24.)

Trefferlage 1.11 mm links, 3.81 mm hoch

Streuwert 5.33, horizontal: 5.86, vertikal: 4.75




Serie 4:

9.7 ↘	10.5 *	10.1 ↑	10.5 *	10.1 ↘
10.4 *	10.6 *	9.9 ↘	9.5 ↑	10.6 *

beste Teiler 290.0 (37.) 317.8 (40.) 331.0 (32.)

Trefferlage 0.52 mm rechts, 2.79 mm hoch

Streuwert 4.56, horizontal: 3.88, vertikal: 5.15




Serie 5:

9.3 ↘	10.0 ↗	9.7 ↖	10.0 ↗	10.0 ←
10.2 ↗	9.2 ←	9.7 ↘	9.8 ↑	9.7 ↗

beste Teiler 571.6 (46.) 731.8 (45.) 781.9 (44.)

Trefferlage 2.76 mm links, 4.29 mm hoch

Streuwert 6.21, horizontal: 8.37, vertikal: 2.68



Serie 6:

9.6 ↑	9.9 ↑	9.5 ↑	10.2 ↘	9.6 ↘
10.0 ↘	9.9 ←	9.7 ↘	10.0 ↑	10.6 *

beste Teiler 309.7 (60.) 587.6 (54.) 775.7 (56.)

Trefferlage 1.01 mm links, 3.64 mm hoch

Streuwert 5.83, horizontal: 5.75, vertikal: 5.92

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 25

Fuchs, Norbert #1000000264

StartNr: 65



16. August 2018 10:36

T – SG Langkampfen / Tirol 2

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	584.6	(558)
Serien:	96.5 97.0 99.8 94.8 100.2 96.3	
Zähler:	25 28 7 0 0 0 0 0 0 0	
Innenzehner:	14	
weiteste:	2163 (3), 2085 (53), 1980 (19)	
beste Teiler	219.0 (10.) 307.0 (23.) 312.1 (52.)	
Trefferlage	4.17 mm links, 1.86 mm tief	
Streuwert	6.92, horizontal: 6.99, vertikal: 6.85	



Serie 1:

9.5 ↖	9.8 ↙	8.2 ←	8.8 ↘	10.2 ↗
9.9 ↘	10.2 ↓	9.4 ↙	9.8 ↘	10.7 *


beste Teiler 219.0 (10.) 591.5 (5.) 604.8 (7.)
 Trefferlage 6.65 mm links, 0.88 mm tief
 Streuwert 7.09, horizontal: 7.38, vertikal: 6.78



Serie 2:

9.2 ↙	10.4 *	9.9 ↘	10.3 *	9.5 ←
10.3 *	10.0 ←	10.1 ↙	8.5 ↓	8.8 ↙


beste Teiler 410.0 (12.) 484.7 (14.) 487.0 (16.)
 Trefferlage 6.02 mm links, 3.30 mm tief
 Streuwert 6.57, horizontal: 6.41, vertikal: 6.73



Serie 3:

9.7 ↘	9.4 ↙	10.6 *	10.5 *	10.3 ↓
9.8 ←	9.5 ←	9.6 ↗	10.3 →	10.1 ↖


beste Teiler 307.0 (23.) 391.2 (24.) 542.8 (25.)
 Trefferlage 1.36 mm links, 1.47 mm tief
 Streuwert 6.15, horizontal: 6.38, vertikal: 5.90



Serie 4:

8.8 ↘	9.4 ↙	9.4 ↑	9.2 ↓	9.7 ←
10.4 *	10.3 *	9.5 ↙	8.9 ↓	9.2 →


beste Teiler 415.0 (36.) 483.8 (37.) 1000.9 (35.)
 Trefferlage 3.07 mm links, 3.29 mm tief
 Streuwert 8.69, horizontal: 7.76, vertikal: 9.54



Serie 5:

10.3 *	10.2 ↓	10.0 ↘	10.1 ↓	10.3 *
10.3 *	9.9 ↑	9.5 ←	9.4 ↙	10.2 ←

beste Teiler 484.7 (45.) 500.3 (41.) 512.3 (46.)
 Trefferlage 2.03 mm links, 2.65 mm tief
 Streuwert 5.27, horizontal: 5.40, vertikal: 5.13



Serie 6:

9.3 ←	10.6 *	8.3 ↘	9.5 ←	9.6 ←
9.0 ↘	10.3 *	9.5 ↘	10.4 *	9.8 ↖

beste Teiler 312.1 (52.) 442.7 (59.) 486.4 (57.)
 Trefferlage 5.93 mm links, 0.45 mm hoch
 Streuwert 7.64, horizontal: 8.07, vertikal: 7.19

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 26

Berndl, Leopold #1000000394

StartNr: 66



16. August 2018 10:31

W – HSV Wien / Wien 1


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	599.5	(571)
Serien:	98.3 99.1 99.5 98.8 102.9 100.9	
Zähler:	34 23 3 0 0 0 0 0 0 0	
Innenzehner:	19	
weiteste:	1849 (5), 1718 (6), 1681 (27)	
beste Teiler	155.5 (44.) 201.5 (9.) 222.0 (47.)	
Trefferlage	0.35 mm rechts, 0.41 mm tief	
Streuwert	6.18, horizontal: 5.90, vertikal: 6.44	




Serie 1:	10.6 *	9.7 →	10.3 ↘	9.4 ↓	8.6 ↘
	8.8 ↓	9.5 ↘	10.3 ↗	10.7 *	10.4 *
beste Teiler	201.5 (9.)	306.1 (1.)	425.0 (10.)		
Trefferlage	3.30 mm rechts, 5.75 mm tief				
Streuwert	6.10, horizontal: 6.57, vertikal: 5.60				




Serie 2:	9.9 ↘	9.7 ↑	10.4 *	9.8 ↓	10.3 ↑
	9.7 ↘	10.6 *	10.0 ↓	9.4 ←	9.3 ↑
beste Teiler	281.4 (17.)	445.0 (13.)	558.0 (15.)		
Trefferlage	1.15 mm links, 1.45 mm hoch				
Streuwert	6.59, horizontal: 5.20, vertikal: 7.73				




Serie 3:	9.3 ↑	10.5 *	10.6 *	10.0 ←	10.3 *
	10.4 *	8.8 →	9.8 ↘	9.2 ↘	10.6 *
beste Teiler	271.8 (30.)	290.9 (23.)	365.4 (22.)		
Trefferlage	1.44 mm rechts, 2.07 mm hoch				
Streuwert	6.67, horizontal: 7.94, vertikal: 5.10				



Serie 4:	10.1 ↗	10.4 *	10.5 *	9.8 ↓	9.4 ←
	9.7 ←	9.6 ↓	9.7 ↑	9.7 ↓	9.9 ↘
beste Teiler	361.9 (33.)	449.8 (32.)	672.2 (31.)		
Trefferlage	1.88 mm links, 1.29 mm tief				
Streuwert	6.50, horizontal: 5.91, vertikal: 7.04				



Serie 5:	10.1 ↗	10.7 *	10.5 *	10.8 *	10.2 →
	10.2 ↙	10.7 *	9.5 ↓	10.1 ↑	10.1 ←
beste Teiler	155.5 (44.)	222.0 (47.)	232.6 (42.)		
Trefferlage	0.13 mm links, 0.00 mm				
Streuwert	4.51, horizontal: 3.97, vertikal: 5.00				



Serie 6:	10.5 *	10.2 ↑	9.6 ↘	10.1 ↗	10.2 ↘
	9.5 ↓	10.0 ↗	10.6 *	9.8 →	10.4 *
beste Teiler	301.3 (58.)	330.1 (51.)	419.0 (60.)		
Trefferlage	0.55 mm rechts, 1.05 mm hoch				
Streuwert	5.44, horizontal: 5.00, vertikal: 5.85				

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StartNr: 67

StandNr: 27

16. August 2018 10:29



Hochmayr, Karl #1000000395

OÖ – SG Marchtrenk / Oberösterreich 1

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	610.2	(579)					
Serien:	101.2	104.2	100.5	99.9	102.4	102.0	
Zähler:	39	21	0	0	0	0	0
Innenzehner:	28						
weiteste:	1368 (51), 1365 (8), 1350 (32)						
beste Teiler	32.2 (56.) 70.5 (46.) 100.1 (7.)						
Trefferlage	0.85 mm rechts, 0.61 mm tief						
Streuwert	5.12, horizontal: 5.13, vertikal: 5.10						




Serie 1:

9.6 ↓	9.9 →	9.9 ↗	10.4 *	10.7 *
10.1 →	10.8 *	9.2 ↘	10.1 ↓	10.5 *
beste Teiler	100.1 (7.) 187.6 (5.) 387.0 (10.)			
Trefferlage	2.10 mm rechts, 2.24 mm tief			
Streuwert	5.21, horizontal: 4.64, vertikal: 5.72			




Serie 2:

10.5 *	10.5 *	10.8 *	10.5 *	10.5 *
10.5 *	9.3 ↓	10.4 *	10.7 *	10.5 *
beste Teiler	122.1 (13.) 191.1 (19.) 343.2 (11.)			
Trefferlage	0.56 mm rechts, 1.92 mm tief			
Streuwert	3.72, horizontal: 2.54, vertikal: 4.60			




Serie 3:

10.1 ↓	10.6 *	10.0 ↑	10.3 *	9.3 ↓
9.9 ↙	9.8 ←	10.4 *	10.1 ↗	10.0 →
beste Teiler	289.4 (22.) 410.1 (28.) 509.3 (24.)			
Trefferlage	0.03 mm links, 0.90 mm tief			
Streuwert	5.69, horizontal: 5.16, vertikal: 6.17			




Serie 4:

9.8 ↖	9.3 →	10.4 *	10.6 *	9.9 →
9.8 ↘	9.6 ←	10.1 ↓	10.7 *	9.7 ↓
beste Teiler	184.5 (39.) 252.9 (34.) 440.1 (33.)			
Trefferlage	2.30 mm rechts, 1.91 mm tief			
Streuwert	5.85, horizontal: 6.72, vertikal: 4.82			



Serie 5:

10.3 ↑	9.9 ↗	10.8 *	10.0 ↖	10.0 ↖
10.9 *	9.8 →	9.9 ↓	10.5 *	10.3 →
beste Teiler	70.5 (46.) 148.0 (43.) 371.8 (49.)			
Trefferlage	0.54 mm rechts, 1.01 mm hoch			
Streuwert	4.78, horizontal: 5.28, vertikal: 4.22			



Serie 6:

9.2 →	10.6 *	10.6 *	10.6 *	9.8 ↑
10.9 *	10.8 *	10.3 *	9.5 ↖	9.7 ↖
beste Teiler	32.2 (56.) 159.7 (57.) 284.4 (54.)			
Trefferlage	0.34 mm links, 2.28 mm hoch			
Streuwert	5.34, horizontal: 6.20, vertikal: 4.32			

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 28

Eder, Josef #1000000396

StartNr: 68

16. August 2018 10:26

B – SSV Frauenkirchen / Burgenland1

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **609.5** (584)

Serien: 102.8 100.6 99.7 102.0 103.1 101.3

Zähler: 44 16 0 0 0 0 0 0 0 0



Innenzehner: 27

weiteste: 1349 (23), 1307 (41), 1294 (27)

beste Teiler 145.6 (7.) 161.9 (29.) 217.9 (32.)

Trefferlage 1.49 mm rechts, 0.50 mm tief

Streuwert 5.02, horizontal: 4.91, vertikal: 5.11




Serie 1:

10.0 ↑	10.5 *	10.1 ↓	10.6 *	10.1 ↘
10.3 ↓	10.8 *	10.3 *	10.4 *	9.7 ↓

beste Teiler 145.6 (7.) 242.0 (4.) 348.8 (2.)

Trefferlage 0.02 mm rechts, 1.80 mm tief

Streuwert 4.22, horizontal: 3.42, vertikal: 4.90




Serie 2:

10.5 *	9.7 ↘	10.1 ↘	10.2 ↖	10.2 ↓
9.8 ↘	10.3 *	9.7 ↑	9.9 ↑	10.2 ↑

beste Teiler 338.0 (11.) 494.4 (17.) 570.1 (14.)

Trefferlage 1.80 mm rechts, 0.36 mm hoch

Streuwert 5.34, horizontal: 4.20, vertikal: 6.27




Serie 3:

10.0 ↓	10.5 *	9.3 ↘	9.5 ←	9.8 ←
10.0 ↘	9.3 ↘	10.1 →	10.7 *	10.5 *

beste Teiler 161.9 (29.) 360.7 (30.) 396.0 (22.)

Trefferlage 0.74 mm rechts, 3.31 mm tief

Streuwert 6.07, horizontal: 7.06, vertikal: 4.89




Serie 4:

10.3 *	10.7 *	10.0 ↗	10.6 *	9.4 ↖
9.9 ↘	10.0 ↑	10.6 *	10.2 ↑	10.3 *

beste Teiler 217.9 (32.) 294.9 (34.) 312.1 (38.)

Trefferlage 0.69 mm rechts, 2.70 mm hoch

Streuwert 4.67, horizontal: 5.02, vertikal: 4.28




Serie 5:

9.3 ↗	10.4 *	10.5 *	10.5 *	10.7 *
9.7 ↘	10.7 *	10.7 *	10.1 ↓	10.5 *

beste Teiler 218.5 (48.) 224.3 (47.) 232.4 (45.)

Trefferlage 1.42 mm rechts, 0.32 mm tief

Streuwert 4.58, horizontal: 3.97, vertikal: 5.11



Serie 6:

10.5 *	10.2 ↑	10.5 *	9.4 ↘	10.5 *
10.5 *	10.2 ↗	9.5 →	10.5 *	9.5 ↘

beste Teiler 343.9 (53.) 348.3 (59.) 351.9 (55.)

Trefferlage 4.26 mm rechts, 0.66 mm tief

Streuwert 4.61, horizontal: 5.07, vertikal: 4.10

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 29

Beranek, Werner #1000000397

StartNr: 69



16. August 2018 10:45

V-USG Egg / Vorarlberg 1


Unterschrift des Schützen

Meyton Elektronik

Ergebnis:	608.2	(580)
Serien:	98.6	102.7 99.2 101.0 104.0 102.7
Zähler:	40	20 0 0 0 0 0 0 0 0
Innenzehner:	26	
weiteste:	1538	(37), 1475 (23), 1445 (6)
beste Teiler	69.0	(57.) 94.7 (48.) 127.0 (45.)
Trefferlage	0.95 mm	rechts, 0.47 mm hoch
Streuwert	5.29,	horizontal: 4.99, vertikal: 5.58




Serie 1:	10.1 ↗	9.6 ↘	9.8 ↑	10.4 *	10.0 ↘
	9.1 ↓	9.5 ↘	9.6 ↘	10.5 *	10.0 ↑
beste Teiler	353.4	(9.) 423.9 (4.) 689.5 (1.)			
Trefferlage	1.31 mm	rechts, 0.74 mm tief			
Streuwert	6.77,	horizontal: 5.51, vertikal: 7.82			




Serie 2:	9.9 →	10.2 ↑	10.7 *	10.6 *	10.5 *
	10.0 ↗	10.6 *	10.1 →	9.6 ↘	10.5 *
beste Teiler	218.2	(13.) 277.8 (14.) 308.3 (17.)			
Trefferlage	0.83 mm	rechts, 1.16 mm hoch			
Streuwert	4.40,	horizontal: 5.31, vertikal: 3.25			




Serie 3:	10.1 ↑	9.9 ↓	9.1 ↖	9.9 ↖	10.5 *
	10.2 ↖	9.8 ↘	9.7 ↑	10.3 *	9.7 ↓
beste Teiler	382.7	(25.) 503.0 (29.) 614.8 (26.)			
Trefferlage	2.00 mm	links, 3.42 mm hoch			
Streuwert	5.83,	horizontal: 4.03, vertikal: 7.20			



Serie 4:	10.0 →	10.6 *	10.4 *	10.2 ↘	10.0 ↘
	10.6 *	9.0 ↓	9.8 ↘	9.8 ↘	10.6 *
beste Teiler	257.7	(40.) 295.2 (36.) 301.4 (32.)			
Trefferlage	0.84 mm	rechts, 1.13 mm tief			
Streuwert	5.67,	horizontal: 5.99, vertikal: 5.34			



Serie 5:	10.8 *	9.5 ↘	9.7 ↘	10.3 *	10.8 *
	10.5 *	10.6 *	10.8 *	10.6 *	10.4 *
beste Teiler	94.7	(48.) 127.0 (45.) 157.0 (41.)			
Trefferlage	1.89 mm	rechts, 1.05 mm tief			
Streuwert	3.73,	horizontal: 4.29, vertikal: 3.07			



Serie 6:	9.4 ↗	10.5 *	10.1 ↘	10.3 ↘	10.8 *
	10.3 ↗	10.9 *	10.6 *	9.2 →	10.6 *
beste Teiler	69.0	(57.) 128.8 (55.) 253.8 (60.)			
Trefferlage	2.85 mm	rechts, 1.21 mm hoch			
Streuwert	4.68,	horizontal: 4.37, vertikal: 4.98			

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 30

Schrettl, Hans-Peter #1000000017

StartNr: 70

16. August 2018 10:19

T – SG Brixlegg / Tirol 1

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **599.4** (572)

Serien: 101.3 100.2 101.4 99.0 99.6 97.9

Zähler: 34 24 2 0 0 0 0 0 0 0



Innenzehner: 20

weiteste: 1724 (37), 1661 (56), 1471 (53)

beste Teiler 18.6 (9.) 111.3 (6.) 190.0 (36.)

Trefferlage 1.87 mm links, 1.18 mm hoch

Streuwert 6.02, horizontal: 5.56, vertikal: 6.45




Serie 1:

10.0 ↘	9.7 ←	9.9 ↗	10.4 *	10.1 ↗
10.8 *	9.9 ↓	9.9 ↓	10.9 *	9.7 ↘

beste Teiler 18.6 (9.) 111.3 (6.) 456.4 (4.)

Trefferlage 0.18 mm links, 1.29 mm tief

Streuwert 5.41, horizontal: 4.29, vertikal: 6.34




Serie 2:

9.5 ↘	10.7 *	9.6 ↓	10.2 ↖	10.5 *
9.6 ↙	9.4 ↑	10.1 ↑	10.3 *	10.3 *

beste Teiler 207.0 (12.) 340.0 (15.) 484.8 (19.)

Trefferlage 0.52 mm rechts, 0.78 mm tief

Streuwert 6.09, horizontal: 4.99, vertikal: 7.03




Serie 3:

10.6 *	10.4 *	10.1 ↖	10.1 ↖	9.8 ↖
9.8 ↑	10.5 *	9.1 ↖	10.5 *	10.5 *

beste Teiler 292.3 (21.) 372.6 (29.) 385.8 (27.)

Trefferlage 2.60 mm links, 3.45 mm hoch

Streuwert 4.37, horizontal: 3.08, vertikal: 5.36




Serie 4:

10.7 *	10.2 ↖	9.4 ↖	9.7 ↖	10.1 ↑
10.7 *	8.8 ↖	9.4 ↑	9.8 ↗	10.2 ↖

beste Teiler 190.0 (36.) 222.0 (31.) 571.8 (32.)

Trefferlage 2.39 mm links, 4.77 mm hoch

Streuwert 5.99, horizontal: 6.93, vertikal: 4.86




Serie 5:

9.3 ←	10.1 ←	10.7 *	9.8 ↑	10.0 ←
10.6 *	9.3 ↖	10.3 →	9.4 ↑	10.1 ↙

beste Teiler 200.4 (43.) 262.5 (46.) 548.2 (48.)

Trefferlage 3.19 mm links, 2.14 mm hoch

Streuwert 5.89, horizontal: 6.48, vertikal: 5.23



Serie 6:

10.3 *	10.6 *	9.1 ←	9.7 ↑	10.4 *
8.9 ↙	9.2 ↙	9.2 ↓	10.0 ↑	10.5 *

beste Teiler 261.5 (52.) 392.2 (60.) 402.1 (55.)

Trefferlage 3.42 mm links, 1.19 mm tief

Streuwert 7.40, horizontal: 6.67, vertikal: 8.07

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StartNr: 71

StandNr: 31

16. August 2018 10:39



Dreer, Thomas #1000000398

OÖ – Priv. SG Braunau / Oberösterreich 1


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	592.4	(563)
Serien:	99.2 97.0 98.6 99.4 99.8 98.4	
Zähler:	27 30 2 1 0 0 0 0 0 0	
Innenzehner:	15	
weiteste:	2668 (41), 1697 (31), 1612 (6)	
beste Teiler	67.4 (32.) 152.3 (42.) 173.0 (9.)	
Trefferlage	0.53 mm rechts, 1.26 mm hoch	
Streuwert	6.92, horizontal: 7.87, vertikal: 5.82	




Serie 1:	10.1 ↙	9.5 ↘	9.6 ↑	10.2 ↘	10.0 →
	8.9 ↗	10.5 *	10.2 ↑	10.7 *	9.5 ↘
beste Teiler	173.0 (9.)	393.7 (7.)	636.1 (4.)		
Trefferlage	0.45 mm rechts, 1.93 mm hoch				
Streuwert	6.71, horizontal: 7.06, vertikal: 6.35				




Serie 2:	9.7 ↗	9.7 ←	9.4 ↘	9.7 ↘	9.7 ↘
	10.6 *	9.2 ↗	10.3 *	9.5 ↗	9.2 →
beste Teiler	284.6 (16.)	512.3 (18.)	988.4 (14.)		
Trefferlage	3.84 mm rechts, 1.46 mm hoch				
Streuwert	7.31, horizontal: 7.90, vertikal: 6.66				




Serie 3:	9.6 ↙	10.4 *	9.4 →	10.2 ↗	10.6 *
	9.2 ↘	9.0 ←	9.8 ←	10.5 *	9.9 ↑
beste Teiler	281.4 (25.)	357.9 (29.)	430.1 (22.)		
Trefferlage	4.05 mm links, 1.59 mm hoch				
Streuwert	6.45, horizontal: 7.94, vertikal: 4.50				



Serie 4:	8.8 ↘	10.9 *	10.2 ↗	10.7 *	9.7 ↑
	9.8 ↑	9.9 ↑	9.8 ↗	9.6 ↘	10.0 ↗
beste Teiler	67.4 (32.)	193.9 (34.)	634.8 (33.)		
Trefferlage	1.78 mm rechts, 2.29 mm hoch				
Streuwert	6.48, horizontal: 5.33, vertikal: 7.46				



Serie 5:	7.6 ↘	10.8 *	10.6 *	9.5 ↗	10.1 ↘
	10.6 *	9.9 ↘	10.4 *	10.1 ←	10.2 ↘
beste Teiler	152.3 (42.)	244.8 (43.)	283.0 (46.)		
Trefferlage	2.98 mm rechts, 0.60 mm hoch				
Streuwert	7.41, horizontal: 9.41, vertikal: 4.62				



Serie 6:	10.2 ↘	9.8 ↗	9.2 ←	10.7 *	9.7 →
	9.3 ↘	10.0 ←	9.5 ↓	9.7 ←	10.3 *
beste Teiler	210.5 (54.)	489.4 (60.)	579.8 (51.)		
Trefferlage	1.82 mm links, 0.30 mm tief				
Streuwert	7.01, horizontal: 7.96, vertikal: 5.91				

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 32

Ronacher, Walter #1000000399

StartNr: 72



16. August 2018 10:31

S – USSV Rußbach / Salzburg 1


Unterschrift des Schützen

Meyton Elektronik

Ergebnis:	594.2	(567)
Serien:	99.4 99.7 97.3 97.8 100.6 99.4	
Zähler:	32 23 5 0 0 0 0 0 0	
Innenzehner:	18	
weiteste:	1833 (60), 1827 (31), 1767 (49)	
beste Teiler	61.0 (7.) 122.5 (57.) 239.2 (36.)	
Trefferlage	2.19 mm links, 2.56 mm tief	
Streuwert	6.41, horizontal: 6.77, vertikal: 6.02	




Serie 1:	10.1 ↘	9.9 ↙	9.5 ↓	10.6 *	9.1 ↘
	9.2 ↘	10.9 *	10.1 ↙	10.0 ↓	10.0 ↘
beste Teiler	61.0 (7.) 319.8 (4.) 690.3 (8.)				
Trefferlage	1.98 mm rechts, 6.51 mm tief				
Streuwert	4.51, horizontal: 5.01, vertikal: 3.95				




Serie 2:	10.3 ←	10.3 *	10.1 ↓	9.2 ↓	9.7 ←
	9.8 ↘	9.6 ↓	10.6 *	9.9 ←	10.2 ↙
beste Teiler	273.8 (18.) 483.0 (12.) 541.2 (11.)				
Trefferlage	3.53 mm links, 2.67 mm tief				
Streuwert	5.39, horizontal: 4.54, vertikal: 6.13				




Serie 3:	10.4 *	9.2 ↑	9.7 ↗	9.6 ↘	10.6 *
	10.2 ↗	9.5 ↘	9.3 ↙	9.7 ↘	9.1 ←
beste Teiler	286.5 (25.) 420.0 (21.) 573.5 (26.)				
Trefferlage	0.42 mm rechts, 0.33 mm tief				
Streuwert	7.81, horizontal: 8.13, vertikal: 7.47				



Serie 4:	8.7 ↓	10.5 *	10.2 ↓	10.4 *	10.2 ↘
	10.7 *	9.2 ↘	10.2 ↘	8.9 ↘	8.8 ↘
beste Teiler	239.2 (36.) 392.0 (32.) 403.0 (34.)				
Trefferlage	2.88 mm links, 0.77 mm tief				
Streuwert	7.98, horizontal: 7.68, vertikal: 8.27				



Serie 5:	10.3 ↓	10.6 *	10.4 *	10.5 *	9.4 ←
	10.6 *	10.0 ↙	9.7 ↙	8.7 ←	10.4 *
beste Teiler	305.0 (42.) 320.0 (46.) 371.9 (44.)				
Trefferlage	5.12 mm links, 1.08 mm tief				
Streuwert	5.02, horizontal: 6.38, vertikal: 3.11				



Serie 6:	9.7 ←	9.8 ↙	9.5 ↓	10.1 ↘	10.3 *
	10.6 *	10.8 *	10.6 *	9.3 ←	8.7 ↙
beste Teiler	122.5 (57.) 277.7 (58.) 288.4 (56.)				
Trefferlage	4.03 mm links, 3.98 mm tief				
Streuwert	5.75, horizontal: 6.82, vertikal: 4.43				

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 33

Matzer, Peter #1000000400

StartNr: 73

16. August 2018 10:38

ST – SV Feistritztal / Steiermark 1

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **597.7** (573)

Serien: 100.4 100.9 98.3 99.2 99.9 99.0

Zähler: 34 25 1 0 0 0 0 0 0



Innenzehner: 17

weiteste: 2243 (22), 1572 (51), 1453 (47)

beste Teiler 93.9 (18.) 160.5 (16.) 238.6 (1.)

Trefferlage 0.56 mm links, 0.53 mm hoch

Streuwert 6.35, horizontal: 6.59, vertikal: 6.10




Serie 1:

10.7 *	9.3 ↘	10.6 *	10.0 ↙	10.2 ↗
10.4 *	9.8 →	9.8 ↙	9.7 ↘	9.9 →

beste Teiler 238.6 (1.) 315.5 (3.) 443.8 (6.)

Trefferlage 1.57 mm rechts, 2.10 mm tief

Streuwert 5.71, horizontal: 5.94, vertikal: 5.46




Serie 2:

9.5 ↙	10.6 *	10.1 ↘	9.2 ↓	10.4 *
10.8 *	10.2 ↑	10.8 *	9.2 →	10.1 ↙

beste Teiler 93.9 (18.) 160.5 (16.) 264.8 (12.)

Trefferlage 0.18 mm rechts, 2.74 mm tief

Streuwert 5.78, horizontal: 5.71, vertikal: 5.85




Serie 3:

9.1 ↖	8.1 ↗	9.4 →	10.1 ↘	10.2 ↗
9.5 ↑	10.5 *	10.4 *	10.5 *	10.5 *

beste Teiler 350.6 (29.) 355.5 (30.) 380.5 (27.)

Trefferlage 2.04 mm rechts, 3.13 mm hoch

Streuwert 7.49, horizontal: 8.57, vertikal: 6.23




Serie 4:

10.2 ↙	9.6 ↓	10.0 ↘	9.2 ←	9.9 ←
9.9 ←	10.4 *	10.0 ↘	9.9 ↘	10.1 ↑

beste Teiler 415.6 (37.) 611.2 (31.) 716.7 (40.)

Trefferlage 3.22 mm links, 1.49 mm tief

Streuwert 5.75, horizontal: 5.92, vertikal: 5.59




Serie 5:

9.9 →	9.4 ↗	9.9 ↗	10.2 →	10.0 ←
10.0 ↘	9.1 ↖	10.6 *	10.5 *	10.3 ←

beste Teiler 256.1 (48.) 374.7 (49.) 558.8 (50.)

Trefferlage 0.15 mm rechts, 2.97 mm hoch

Streuwert 5.85, horizontal: 7.36, vertikal: 3.77



Serie 6:

9.0 ↑	9.8 ↘	10.4 *	9.2 ↙	9.6 ↘
10.2 ↘	9.6 ←	10.2 ↗	10.6 *	10.4 *

beste Teiler 273.9 (59.) 415.5 (60.) 467.6 (53.)

Trefferlage 4.14 mm links, 3.44 mm hoch

Streuwert 5.76, horizontal: 4.30, vertikal: 6.92

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StartNr: 74

StandNr: 34

16. August 2018 10:31



Gruber, Christian–Peter #1000000401

NÖ–SV Lilienfeld / Niederösterreich 1


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	586.0	(561)
Serien:	99.5 99.6 98.9 97.8 96.1 94.1	
Zähler:	26 29 5 0 0 0 0 0 0	
Innenzehner:	9	
weiteste:	1939 (58), 1859 (40), 1738 (1)	
beste Teiler	90.2 (3.) 229.2 (39.) 294.7 (15.)	
Trefferlage	2.38 mm links, 0.37 mm hoch	
Streuwert	7.17, horizontal: 8.00, vertikal: 6.23	




Serie 1:	8.8 ↗	10.2 ←	10.8 *	10.0 ↗	10.1 ↓
	10.0 ←	9.4 ↘	10.4 *	10.3 ↓	9.5 ↘
beste Teiler	90.2 (3.)	480.2 (8.)	533.4 (9.)		
Trefferlage	1.74 mm links, 1.37 mm hoch				
Streuwert	6.64, horizontal: 5.60, vertikal: 7.54				




Serie 2:	10.0 ↓	9.5 ↖	10.0 ↙	9.6 ←	10.6 *
	9.5 ↗	10.3 ↑	9.8 ↘	10.1 ↖	10.2 ↗
beste Teiler	294.7 (15.)	544.9 (17.)	617.2 (20.)		
Trefferlage	3.22 mm links, 1.25 mm hoch				
Streuwert	5.71, horizontal: 6.20, vertikal: 5.17				




Serie 3:	10.0 ↖	9.9 ↓	10.2 ←	10.0 ↙	9.8 ↘
	10.1 ↓	9.2 ↙	9.9 ←	10.5 *	9.3 ←
beste Teiler	333.0 (29.)	633.2 (23.)	713.9 (26.)		
Trefferlage	5.66 mm links, 2.73 mm tief				
Streuwert	4.70, horizontal: 4.08, vertikal: 5.24				



Serie 4:	10.2 →	9.4 ↘	9.6 ↗	10.5 *	9.8 ↗
	9.6 ↓	10.5 *	8.9 ←	10.7 *	8.6 ←
beste Teiler	229.2 (39.)	336.2 (34.)	361.9 (37.)		
Trefferlage	1.56 mm links, 1.49 mm hoch				
Streuwert	7.80, horizontal: 9.41, vertikal: 5.76				



Serie 5:	9.5 ←	9.9 ↓	9.1 →	9.6 ↙	10.3 *
	10.1 ←	9.6 ↘	9.3 ↘	9.9 ←	8.8 ←
beste Teiler	511.2 (45.)	649.9 (46.)	819.0 (42.)		
Trefferlage	5.29 mm links, 0.39 mm tief				
Streuwert	7.37, horizontal: 8.33, vertikal: 6.26				



Serie 6:	9.0 ←	10.4 *	9.1 →	9.6 ↘	9.5 ↘
	10.0 →	9.1 ↘	8.5 →	9.0 ↑	9.9 →
beste Teiler	451.0 (52.)	754.8 (56.)	808.1 (60.)		
Trefferlage	3.17 mm rechts, 1.24 mm hoch				
Streuwert	9.29, horizontal: 10.82, vertikal: 7.46				

KK liegend – Wertung – **Senioren_2m**

StandNr: 35

Zangerl, Ernst #19

StartNr: 75



16. August 2018 10:42

T – SG Kappl / Tirol 2


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	588.8	(556)
Serien:	95.3 98.2 99.3 100.0 97.3 98.7	
Zähler:	24 29 6 1 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	2569 (5), 2161 (3), 2022 (50)	
beste Teiler	112.6 (54.) 127.8 (9.) 200.8 (24.)	
Trefferlage	0.18 mm rechts, 0.01 mm hoch	
Streuwert	7.46, horizontal: 7.58, vertikal: 7.34	




Serie 1:	9.9 ↘	9.5 ↘	8.2 ←	9.7 ↑	7.7 ↓
	10.5 *	10.3 *	9.0 ↘	10.8 *	9.7 ↘
beste Teiler	127.8 (9.)	323.1 (6.)	484.3 (7.)		
Trefferlage	4.23 mm links, 0.19 mm tief				
Streuwert	9.53, horizontal: 8.70, vertikal: 10.28				




Serie 2:	10.0 ↓	9.9 ↓	10.1 ↓	9.1 ←	8.8 ↘
	10.3 *	10.2 ↓	9.7 ↓	10.2 ↑	9.9 ↓
beste Teiler	514.5 (16.)	587.3 (17.)	593.3 (19.)		
Trefferlage	1.70 mm links, 2.27 mm tief				
Streuwert	6.99, horizontal: 7.14, vertikal: 6.83				




Serie 3:	10.5 *	9.7 ↓	10.2 →	10.7 *	10.5 *
	10.5 *	8.8 ←	9.9 ↘	8.8 ←	9.7 →
beste Teiler	200.8 (24.)	326.1 (25.)	356.2 (21.)		
Trefferlage	0.33 mm links, 1.14 mm tief				
Streuwert	7.11, horizontal: 9.32, vertikal: 3.79				



Serie 4:	10.3 ↑	9.5 ↗	9.4 ↘	10.5 *	10.5 *
	9.5 ↑	9.9 ↘	10.6 *	9.9 ↓	9.9 →
beste Teiler	242.3 (38.)	353.1 (35.)	383.9 (34.)		
Trefferlage	0.93 mm links, 3.74 mm hoch				
Streuwert	5.57, horizontal: 5.05, vertikal: 6.05				



Serie 5:	10.5 *	10.6 *	9.6 ↘	9.8 ↗	10.5 *
	9.8 ↗	8.8 ↓	9.4 ↑	9.9 →	8.4 ↘
beste Teiler	271.9 (42.)	357.0 (45.)	381.2 (41.)		
Trefferlage	4.63 mm rechts, 1.98 mm tief				
Streuwert	7.42, horizontal: 6.81, vertikal: 7.99				



Serie 6:	9.2 →	9.9 ↘	9.2 ↑	10.8 *	9.8 ↑
	9.2 ↓	9.9 →	10.2 ↘	10.5 *	10.0 →
beste Teiler	112.6 (54.)	390.5 (59.)	623.4 (58.)		
Trefferlage	3.68 mm rechts, 1.95 mm hoch				
Streuwert	6.43, horizontal: 5.35, vertikal: 7.36				

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 36

Stadler, Ludwig #1000000402

StartNr: 76



16. August 2018 10:44

S – SV St.Pantaleon / Salzburg 1


Unterschrift des Schützen

Meyton Elektronik

Ergebnis:	606.2	(578)
Serien:	101.5	100.7 98.0 101.6 102.8 101.6
Zähler:	38	22 0 0 0 0 0 0 0 0
Innenzehner:	20	
weiteste:	1432 (27), 1375 (18), 1267 (30)	
beste Teiler	91.9 (46.)	107.2 (44.) 113.0 (60.)
Trefferlage	2.42 mm rechts,	1.55 mm hoch
Streuwert	4.96, horizontal:	5.04, vertikal: 4.88




Serie 1:	10.1 →	9.9 →	10.5 *	10.5 *	10.1 ↑
	10.6 *	10.0 ↕	10.1 ↕	9.6 →	10.1 ↑
beste Teiler	278.6 (6.)	324.8 (3.)	391.7 (4.)		
Trefferlage	2.44 mm rechts,	2.58 mm hoch			
Streuwert	4.41, horizontal:	4.68, vertikal: 4.13			




Serie 2:	9.9 ←	10.6 *	10.8 *	10.5 *	10.3 ↘
	9.8 ↑	9.9 →	9.2 ↘	9.8 ↘	9.9 →
beste Teiler	158.0 (13.)	288.9 (12.)	387.5 (14.)		
Trefferlage	3.92 mm rechts,	0.63 mm tief			
Streuwert	5.13, horizontal:	5.59, vertikal: 4.63			




Serie 3:	10.3 *	9.5 ↕	9.8 ↗	9.9 ↑	9.8 →
	10.5 *	9.2 ↘	9.5 ↑	10.1 ↕	9.4 →
beste Teiler	359.9 (26.)	485.9 (21.)	704.3 (29.)		
Trefferlage	3.26 mm rechts,	4.57 mm hoch			
Streuwert	6.01, horizontal:	6.69, vertikal: 5.23			



Serie 4:	9.6 ↘	9.8 ↗	10.3 *	9.9 →	10.2 ↑
	10.4 *	10.8 *	10.1 ↘	10.3 ↘	10.2 ↘
beste Teiler	128.1 (37.)	415.2 (36.)	505.3 (33.)		
Trefferlage	3.90 mm rechts,	0.26 mm hoch			
Streuwert	4.27, horizontal:	3.49, vertikal: 4.93			



Serie 5:	10.5 *	9.8 ↖	10.1 ↘	10.8 *	10.2 →
	10.8 *	10.0 →	9.7 ↑	10.5 *	10.4 *
beste Teiler	91.9 (46.)	107.2 (44.)	346.5 (49.)		
Trefferlage	1.20 mm rechts,	1.03 mm hoch			
Streuwert	4.44, horizontal:	4.85, vertikal: 3.99			



Serie 6:	9.6 ↘	9.7 ↕	10.1 ↑	10.3 *	10.0 ↑
	10.5 *	10.2 ↑	10.0 ←	10.4 *	10.8 *
beste Teiler	113.0 (60.)	366.3 (56.)	410.2 (59.)		
Trefferlage	0.21 mm links,	1.50 mm hoch			
Streuwert	4.97, horizontal:	4.24, vertikal: 5.60			

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 37

Wallner, Paul #1000000403

StartNr: 77

16. August 2018 10:41

K – SV Obermölltal / Kärnten1

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **603.6** (574)

Serien: 100.5 98.9 101.1 104.3 99.6 99.2

Zähler: 36 22 2 0 0 0 0 0 0 0



Innenzehner: 24

weiteste: 1906 (42), 1719 (11), 1555 (17)

beste Teiler 55.0 (57.) 69.2 (29.) 76.1 (43.)

Trefferlage 0.03 mm links, 1.64 mm tief

Streuwert 5.85, horizontal: 5.41, vertikal: 6.26



Serie 1:


9.3 → 10.5 * 9.3 ↓ 9.7 ↓ 10.7 *

9.4 ↘ 10.5 * 10.7 * 10.2 ← 10.2 →

beste Teiler 162.5 (8.) 170.0 (5.) 332.8 (2.)

Trefferlage 0.12 mm links, 2.15 mm tief

Streuwert 6.01, horizontal: 5.85, vertikal: 6.17



Serie 2:


8.8 ↖ 9.8 ↘ 10.1 ← 9.9 ↗ 10.2 ↖

10.3 * 9.0 ↓ 10.3 * 10.6 * 9.9 →

beste Teiler 284.6 (19.) 490.0 (16.) 521.7 (18.)

Trefferlage 1.51 mm links, 1.47 mm tief

Streuwert 6.87, horizontal: 6.58, vertikal: 7.14



Serie 3:


10.4 * 9.8 ← 9.7 ↑ 10.0 ↗ 9.6 ↓

10.4 * 9.8 ↖ 10.4 * 10.9 * 10.1 ↘

beste Teiler 69.2 (29.) 417.7 (21.) 420.2 (26.)

Trefferlage 0.02 mm links, 1.18 mm hoch

Streuwert 5.37, horizontal: 4.53, vertikal: 6.10



Serie 4:


10.4 * 10.2 ← 10.5 * 10.6 * 10.6 *

10.7 * 10.0 ← 10.8 * 10.3 * 10.2 ↖

beste Teiler 134.2 (38.) 234.7 (36.) 270.6 (34.)

Trefferlage 2.37 mm links, 0.51 mm tief

Streuwert 2.90, horizontal: 3.23, vertikal: 2.53



Serie 5:


10.5 * 8.6 ↓ 10.9 * 9.4 → 10.0 ↓

9.7 ↑ 10.2 → 9.7 ↑ 10.7 * 9.9 ↓

beste Teiler 76.1 (43.) 226.2 (49.) 373.0 (41.)

Trefferlage 2.67 mm rechts, 1.58 mm tief

Streuwert 6.73, horizontal: 4.23, vertikal: 8.53



Serie 6:

9.1 ↘ 10.8 * 9.5 ← 10.7 * 9.5 ↘

9.4 ↓ 10.9 * 9.8 ↓ 10.2 ↓ 9.3 ↓

beste Teiler 55.0 (57.) 91.7 (52.) 184.0 (54.)

Trefferlage 1.13 mm rechts, 5.32 mm tief

Streuwert 6.03, horizontal: 6.86, vertikal: 5.07

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 38

Jesner, Martin #1000000225

StartNr: 78



16. August 2018 10:25

T – SG Landeck

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	574.7	(549)
Serien:	95.9 101.3 96.0 97.4 91.3 92.8	
Zähler:	20 31 7 2 0 0 0 0 0 0	
Innenzehner:	7	
weiteste:	3044 (49), 2538 (44), 2097 (52)	
beste Teiler	266.5 (18.) 282.2 (27.) 326.0 (13.)	
Trefferlage	1.32 mm links, 2.49 mm tief	
Streuwert	8.50, horizontal: 8.04, vertikal: 8.93	



Serie 1:

10.2 ↘	8.9 ↙	8.4 ↗	9.8 ↖	9.9 ↓
10.2 ↗	9.7 ↖	8.6 ↖	10.1 ↓	10.1 ↓


beste Teiler 563.7 (1.) 634.4 (6.) 658.0 (10.)
 Trefferlage 6.83 mm links, 6.91 mm tief
 Streuwert 5.42, horizontal: 5.58, vertikal: 5.26



Serie 2:

9.3 ←	9.9 ←	10.5 *	10.2 →	10.2 ←
10.4 *	9.6 ←	10.6 *	10.1 ↘	10.5 *


beste Teiler 266.5 (18.) 326.0 (13.) 337.4 (20.)
 Trefferlage 4.08 mm links, 0.06 mm hoch
 Streuwert 4.37, horizontal: 5.71, vertikal: 2.35



Serie 3:

9.0 ↖	8.4 ↑	9.9 ↓	9.4 →	9.9 →
10.1 ↑	10.6 *	9.4 ↑	9.5 ↘	9.8 ↑


beste Teiler 282.2 (27.) 671.1 (26.) 822.3 (25.)
 Trefferlage 1.02 mm links, 4.92 mm hoch
 Streuwert 7.93, horizontal: 7.33, vertikal: 8.48



Serie 4:

9.6 ↗	9.5 ↙	9.4 ↗	9.2 ←	10.3 *
10.0 ↘	10.3 *	9.5 ←	9.9 ↘	9.7 ↘


beste Teiler 483.7 (35.) 498.7 (37.) 729.5 (36.)
 Trefferlage 0.48 mm links, 2.54 mm tief
 Streuwert 7.20, horizontal: 8.35, vertikal: 5.81



Serie 5:

9.2 ↘	9.0 ↘	10.0 ↘	7.8 ↘	10.1 ↓
9.4 ↓	8.9 ↓	10.2 ↓	7.1 ↓	9.6 ↓

beste Teiler 640.0 (48.) 653.2 (45.) 783.4 (43.)
 Trefferlage 0.74 mm rechts, 7.05 mm tief
 Streuwert 11.01, horizontal: 8.44, vertikal: 13.09



Serie 6:

9.0 ↘	8.3 ↘	8.7 ↘	9.2 ↘	9.2 ←
9.9 ↘	9.4 ↑	9.2 →	9.8 ↗	10.1 ←

beste Teiler 667.8 (60.) 842.0 (56.) 888.3 (59.)
 Trefferlage 3.72 mm rechts, 3.46 mm tief
 Streuwert 9.68, horizontal: 9.42, vertikal: 9.92

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StartNr: 79

StandNr: 39

16. August 2018 10:43



Maurer, Franz #1000000404

OÖ – SG Marchtrenk / Oberösterreich 1

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	591.2	(565)
Serien:	99.0 96.6 97.8 99.0 99.5 99.3	
Zähler:	29 27 4 0 0 0 0 0 0	
Innenzehner:	15	
weiteste:	2355 (18), 1722 (56), 1685 (22)	
beste Teiler	222.4 (17.) 262.2 (60.) 303.7 (43.)	
Trefferlage	1.52 mm rechts, 1.38 mm hoch	
Streuwert	6.84, horizontal: 7.06, vertikal: 6.61	




Serie 1:

9.9 ←	9.6 ←	9.5 ↘	9.2 ←	10.1 ↘
9.7 ↑	10.2 ↘	10.1 ↗	10.3 ↖	10.4 *
beste Teiler	461.3 (10.)	548.7 (9.)	596.1 (7.)	
Trefferlage	3.47 mm links, 2.11 mm hoch			
Streuwert	5.78, horizontal: 6.48, vertikal: 4.99			




Serie 2:

9.9 ↗	10.4 *	10.1 ↘	10.1 ↗	8.8 →
9.5 ↑	10.7 *	8.0 ↑	10.1 ↓	9.0 →
beste Teiler	222.4 (17.)	413.8 (12.)	656.6 (19.)	
Trefferlage	3.72 mm rechts, 5.63 mm hoch			
Streuwert	7.39, horizontal: 6.76, vertikal: 7.97			




Serie 3:

9.5 →	8.8 ←	10.5 *	9.7 ↗	9.5 →
10.3 *	10.5 *	9.2 ↗	9.6 ↘	10.2 ↘
beste Teiler	368.2 (23.)	396.1 (27.)	504.7 (26.)	
Trefferlage	3.07 mm rechts, 0.78 mm hoch			
Streuwert	7.30, horizontal: 8.92, vertikal: 5.20			




Serie 4:

9.9 →	10.3 *	9.7 →	9.1 ↗	10.5 *
9.3 ↗	10.0 ←	10.3 ↘	9.9 ↗	10.0 ↘
beste Teiler	390.4 (35.)	523.7 (32.)	555.2 (38.)	
Trefferlage	3.40 mm rechts, 2.36 mm hoch			
Streuwert	6.08, horizontal: 6.77, vertikal: 5.30			



Serie 5:

10.3 *	10.4 *	10.6 *	9.2 ↘	9.9 ←
10.5 *	9.3 ↑	9.9 ↑	9.3 ↘	10.1 ↓
beste Teiler	303.7 (43.)	342.4 (46.)	465.8 (42.)	
Trefferlage	1.44 mm rechts, 0.51 mm tief			
Streuwert	6.57, horizontal: 4.76, vertikal: 7.97			



Serie 6:

9.5 →	10.5 *	10.5 *	9.9 ←	9.8 ←
8.8 ↓	10.2 ↓	10.1 ↘	9.4 →	10.6 *
beste Teiler	262.2 (60.)	359.7 (52.)	386.1 (53.)	
Trefferlage	0.95 mm rechts, 2.08 mm tief			
Streuwert	6.71, horizontal: 7.10, vertikal: 6.31			

Meyton Elektronik

KK liegend – Wertung – **Senioren_2m**

StandNr: 40

Preßl, Rudolf #1000000405

StartNr: 80

16. August 2018 10:39

ST – SV Kainisch

Unterschrift des Schützen

Meyton Elektronik