




Ergebnis:	341	(359.3)
Serien:	78	93 82 88
Zähler:	7	14 12 7 0 0 0 0 0 0
Innenzehner:	5	
weiteste:	2952 (28),	2904 (30), 2749 (5)
beste Teiler	101.1 (19.)	119.0 (15.) 338.4 (34.)
Trefferlage	2.53 mm rechts,	1.33 mm hoch
Streuwert	12.24,	horizontal: 14.08, vertikal: 10.06




Serie 1:

8.9 ↙	7.7 →	8.8 →	7.9 ↙	7.5 →
8.6 →	8.7 ↘	8.8 →	8.0 ↙	9.3 →
beste Teiler	1295.9 (10.)	1664.6 (1.)	1713.3 (8.)	
Trefferlage	6.18 mm rechts, 4.21 mm tief			
Streuwert	14.44, horizontal: 18.08, vertikal: 9.50			




Serie 2:

9.5 ↙	9.0 ↑	9.8 ↗	9.6 ↘	10.8 *
9.0 ↘	8.4 ←	10.4 *	10.8 *	10.0 ↘
beste Teiler	101.1 (19.)	119.0 (15.)	442.7 (18.)	
Trefferlage	3.91 mm links, 2.57 mm hoch			
Streuwert	7.80, horizontal: 7.80, vertikal: 7.80			



Serie 3:

9.1 ←	8.1 →	7.9 ↗	9.1 ←	9.4 →
7.6 ↘	10.0 →	7.3 ↗	9.6 →	7.3 →
beste Teiler	794.4 (27.)	1047.2 (29.)	1221.7 (25.)	
Trefferlage	6.49 mm rechts, 3.12 mm hoch			
Streuwert	14.43, horizontal: 16.30, vertikal: 12.29			





Serie 4:


8.8 ←	8.7 ←	8.9 ↘	10.5 *	10.4 *
9.0 ↑	9.5 →	9.2 ↗	9.0 ↑	8.4 ↗
beste Teiler	338.4 (34.)	434.3 (35.)	1123.1 (37.)	
Trefferlage	1.38 mm rechts, 3.87 mm hoch			
Streuwert	10.40, horizontal: 11.24, vertikal: 9.49			

Unterschrift des Schützen


Ergebnis:	367	(386.9)
Serien:	91 90 91 95	
Zähler:	13 21 6 0 0 0 0 0 0 0	
Innenzehner:	8	
weiteste:	2334 (24), 2165 (15), 2064 (4)	
beste Teiler	55.0 (39.) 172.9 (29.) 257.8 (3.)	
Trefferlage	3.45 mm rechts, 3.04 mm hoch	
Streuwert	7.59, horizontal: 9.11, vertikal: 5.68	




Serie 1:					
	9.4 ↘	10.4 *	10.6 *	8.4 →	9.1 ↘
	9.9 ↗	10.2 ↘	8.8 ↗	9.1 ↗	9.4 ↘
beste Teiler	257.8 (3.)	419.3 (2.)	573.5 (7.)		
Trefferlage	6.55 mm rechts, 3.07 mm hoch				
Streuwert	7.71, horizontal: 9.18, vertikal: 5.89				



Serie 2:					
	9.9 →	9.9 →	9.8 ↘	10.0 ↘	8.2 ↘
	9.7 ↗	9.8 ↘	9.5 ↘	9.7 ↘	9.4 ↗
beste Teiler	732.8 (14.)	845.6 (11.)	856.9 (12.)		
Trefferlage	1.02 mm links, 4.02 mm hoch				
Streuwert	8.02, horizontal: 10.09, vertikal: 5.17				



Serie 3:					
	9.5 ↖	10.0 →	9.1 ↗	8.0 →	9.8 ↘
	8.7 ↗	9.3 ↗	10.5 *	10.7 *	9.5 →
beste Teiler	172.9 (29.)	333.1 (28.)	749.8 (22.)		
Trefferlage	7.90 mm rechts, 3.45 mm hoch				
Streuwert	7.24, horizontal: 7.35, vertikal: 7.12				





Serie 4:					
	9.9 ↑	9.6 ↗	10.4 *	10.6 *	10.5 *
	8.9 →	10.3 ↓	10.2 ↓	10.9 *	9.3 ←
beste Teiler	55.0 (39.)	273.0 (34.)	336.5 (35.)		
Trefferlage	0.40 mm rechts, 1.61 mm hoch				
Streuwert	6.25, horizontal: 7.35, vertikal: 4.91				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (381.5)
 Serien: 88 94 92 90
 Zähler: 13 19 7 1 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2952 (3), 2281 (27), 2040 (18)
 beste Teiler 157.0 (15.) 161.8 (23.) 242.6 (8.)
 Trefferlage 1.18 mm links, 4.32 mm tief
 Streuwert 8.74, horizontal: 10.31, vertikal: 6.82




Serie 1:
 8.9 ↘ 10.6 * 7.3 → 9.2 ↘ 8.6 →
 9.6 ↘ 9.9 ↘ 10.6 * 9.2 ↓ 9.0 ↓
 beste Teiler 242.6 (8.) 285.5 (2.) 875.3 (7.)
 Trefferlage 9.51 mm rechts, 6.03 mm tief
 Streuwert 7.69, horizontal: 9.39, vertikal: 5.48



Serie 2:
 10.1 → 10.6 * 9.8 ← 10.0 ↘ 10.8 *
 9.3 ← 9.2 ← 8.4 → 10.6 * 9.6 ↙
 beste Teiler 157.0 (15.) 273.0 (12.) 303.4 (19.)
 Trefferlage 1.15 mm links, 3.16 mm tief
 Streuwert 7.47, horizontal: 10.36, vertikal: 2.09



Serie 3:
 10.4 * 9.5 ↓ 10.7 * 10.4 * 10.3 *
 9.1 ← 8.1 ↓ 9.1 ↑ 8.5 ← 9.9 ←
 beste Teiler 161.8 (23.) 415.1 (21.) 454.4 (24.)
 Trefferlage 5.00 mm links, 2.52 mm tief
 Streuwert 8.55, horizontal: 6.92, vertikal: 9.92





Serie 4:
 8.6 ↓ 9.7 ↘ 9.7 ← 9.8 ← 10.0 ←
 9.2 ↓ 10.2 ↙ 9.2 ← 8.7 ↙ 9.1 ←
 beste Teiler 588.8 (37.) 725.0 (35.) 944.6 (34.)
 Trefferlage 8.10 mm links, 5.57 mm tief
 Streuwert 6.29, horizontal: 4.56, vertikal: 7.64


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **342** (360.1)
 Serien: 92 88 74 88
 Zähler: 11 14 6 7 0 1 1 0 0 0
 Innenzehner: 6
 weiteste: 4827 (29), 4530 (27), 3170 (25)
 beste Teiler 206.9 (13.) 372.4 (31.) 373.4 (24.)
 Trefferlage 8.14 mm links, 0.46 mm tief
 Streuwert 12.20, horizontal: 15.77, vertikal: 7.01




Serie 1:
 10.5 * 9.4 ↘ 8.3 ← 9.5 ↙ 9.9 →
 10.5 * 10.0 ↘ 8.9 ↓ 9.4 → 10.0 ↖
 beste Teiler 378.0 (6.) 390.0 (1.) 740.7 (10.)
 Trefferlage 0.64 mm links, 3.72 mm tief
 Streuwert 8.26, horizontal: 9.75, vertikal: 6.45



Serie 2:
 8.8 ← 7.2 ← 10.7 * 9.8 ↗ 8.5 ↖
 9.4 ↑ 9.0 ← 10.2 ↗ 9.5 ↖ 9.8 ↑
 beste Teiler 206.9 (13.) 621.3 (18.) 886.6 (14.)
 Trefferlage 7.27 mm links, 3.15 mm hoch
 Streuwert 9.65, horizontal: 12.52, vertikal: 5.41



Serie 3:
 9.1 ← 7.6 ← 7.6 ← 10.5 * 7.0 ↖
 10.4 * 5.3 ← 7.8 ← 4.9 ← 8.5 ←
 beste Teiler 373.4 (24.) 477.8 (26.) 1445.3 (21.)
 Trefferlage 23.41 mm links, 1.54 mm hoch
 Streuwert 11.93, horizontal: 15.11, vertikal: 7.51





Serie 4:
 10.5 * 10.0 ↓ 9.9 ↓ 9.0 ↖ 10.0 ↖
 7.3 ↘ 9.4 → 7.9 ← 8.7 ↘ 9.4 ←
 beste Teiler 372.4 (31.) 726.1 (32.) 788.2 (35.)
 Trefferlage 1.25 mm links, 2.83 mm tief
 Streuwert 11.65, horizontal: 14.92, vertikal: 6.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **382** (402.4)
 Serien: 95 94 97 96
 Zähler: 24 14 2 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 1647 (8), 1639 (34), 1339 (9)
 beste Teiler 100.6 (3.) 176.5 (23.) 219.3 (7.)
 Trefferlage 0.20 mm links, 1.19 mm tief
 Streuwert 5.70, horizontal: 5.61, vertikal: 5.79




Serie 1:
 10.3 * 9.8 ↘ 10.8 * 10.3 ↙ 10.2 ←
 10.2 ↓ 10.7 * 8.9 ↘ 9.3 ↓ 9.9 ↓
 beste Teiler 100.6 (3.) 219.3 (7.) 527.0 (1.)
 Trefferlage 0.30 mm rechts, 3.66 mm tief
 Streuwert 5.83, horizontal: 5.40, vertikal: 6.22



Serie 2:
 10.7 * 9.4 ↙ 9.9 ↙ 10.0 ↑ 10.3 ↗
 9.9 ↓ 9.5 ↘ 10.6 * 9.6 ↓ 9.8 ↓
 beste Teiler 237.1 (11.) 245.4 (18.) 539.3 (15.)
 Trefferlage 0.21 mm links, 2.98 mm tief
 Streuwert 5.98, horizontal: 6.29, vertikal: 5.66



Serie 3:
 10.4 * 10.3 → 10.7 * 9.7 → 10.0 ←
 10.6 * 10.5 * 10.6 * 9.8 ↓ 9.8 ↘
 beste Teiler 176.5 (23.) 264.3 (28.) 279.8 (26.)
 Trefferlage 0.74 mm rechts, 0.19 mm tief
 Streuwert 4.68, horizontal: 4.99, vertikal: 4.34





Serie 4:
 10.2 ↙ 10.4 * 10.6 * 8.9 ↘ 10.2 ↘
 10.1 → 10.2 ↘ 9.5 ↘ 10.1 ↘ 9.7 ↘
 beste Teiler 241.1 (33.) 478.4 (32.) 578.6 (35.)
 Trefferlage 1.66 mm links, 2.04 mm hoch
 Streuwert 5.98, horizontal: 6.25, vertikal: 5.70


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (393.8)
 Serien: 90 94 92 97
 Zähler: 16 21 3 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2151 (36), 1974 (27), 1907 (6)
 beste Teiler 101.0 (13.) 115.2 (25.) 199.0 (32.)
 Trefferlage 3.19 mm rechts, 0.62 mm hoch
 Streuwert 6.83, horizontal: 8.02, vertikal: 5.39




Serie 1:
 9.3 → 9.9 ↘ 9.7 ↘ 9.4 ↗ 9.2 ↓
 8.6 → 9.9 ↖ 9.8 ↖ 10.5 * 9.9 →
 beste Teiler 340.2 (9.) 830.1 (10.) 866.2 (2.)
 Trefferlage 4.84 mm rechts, 0.26 mm tief
 Streuwert 7.73, horizontal: 8.87, vertikal: 6.38



Serie 2:
 9.9 ↓ 9.9 → 10.8 * 10.7 * 9.1 →
 9.8 ← 9.1 ↓ 9.6 ↗ 10.1 ↑ 10.3 ↙
 beste Teiler 101.0 (13.) 231.6 (14.) 553.9 (20.)
 Trefferlage 2.36 mm rechts, 1.10 mm tief
 Streuwert 6.59, horizontal: 6.54, vertikal: 6.64



Serie 3:
 9.9 ↙ 10.0 → 9.3 ↖ 10.3 * 10.8 *
 9.9 → 8.5 → 9.6 → 9.5 → 9.6 ↖
 beste Teiler 115.2 (25.) 514.0 (24.) 783.9 (22.)
 Trefferlage 2.53 mm rechts, 0.65 mm hoch
 Streuwert 7.77, horizontal: 9.89, vertikal: 4.78





Serie 4:
 9.9 → 10.7 * 10.1 ↑ 10.4 * 10.4 *
 8.3 → 10.1 ↖ 10.5 * 10.1 ↗ 10.4 *
 beste Teiler 199.0 (32.) 357.9 (38.) 434.9 (35.)
 Trefferlage 3.05 mm rechts, 3.19 mm hoch
 Streuwert 5.54, horizontal: 7.41, vertikal: 2.55


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	372	(390.7)
Serien:	93 93 92 94	
Zähler:	17 18 5 0 0 0 0 0 0 0	
Innenzehner:	12	
weiteste:	2241 (11), 2104 (22), 1975 (13)	
beste Teiler	191.0 (1.) 198.2 (29.) 268.4 (3.)	
Trefferlage	3.53 mm links, 1.05 mm hoch	
Streuwert	7.41, horizontal: 9.28, vertikal: 4.86	




Serie 1:	10.7 *	9.5 ↘	10.6 *	9.2 →	10.5 *
	9.5 ↙	9.5 ↙	9.8 ↗	10.2 →	8.8 ↘
beste Teiler	191.0 (1.)	268.4 (3.)	352.6 (5.)		
Trefferlage	1.07 mm links, 1.76 mm hoch				
Streuwert	7.38, horizontal: 8.22, vertikal: 6.42				



Serie 2:	8.1 ←	10.5 *	8.5 ←	10.6 *	10.0 ↙
	9.0 ←	9.6 ↑	10.4 *	10.3 ↗	9.3 →
beste Teiler	283.0 (14.)	334.7 (12.)	433.2 (18.)		
Trefferlage	4.30 mm links, 0.84 mm hoch				
Streuwert	8.76, horizontal: 11.29, vertikal: 5.12				



Serie 3:	9.1 ↘	8.3 ←	8.6 ←	9.8 ↑	10.4 *
	10.5 *	9.9 ←	10.6 *	10.7 *	9.8 ←
beste Teiler	198.2 (29.)	285.0 (28.)	369.7 (26.)		
Trefferlage	6.45 mm links, 1.17 mm hoch				
Streuwert	6.96, horizontal: 8.31, vertikal: 5.28				





Serie 4:	10.3 *	9.5 ←	10.0 ↘	9.9 ←	10.5 *
	9.8 →	9.3 →	9.7 ←	10.2 ↗	9.2 ←
beste Teiler	388.6 (35.)	529.4 (31.)	629.2 (39.)		
Trefferlage	2.30 mm links, 0.43 mm hoch				
Streuwert	6.94, horizontal: 9.50, vertikal: 2.46				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (393.8)
 Serien: 92 94 96 95
 Zähler: 20 17 3 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1970 (1), 1914 (2), 1793 (15)
 beste Teiler 141.7 (35.) 261.2 (3.) 267.0 (25.)
 Trefferlage 1.35 mm rechts, 0.46 mm hoch
 Streuwert 6.99, horizontal: 7.28, vertikal: 6.69




Serie 1:
 8.5 ↘ 8.6 ↘ 10.6 * 10.1 → 9.9 ↓
 9.4 ↘ 9.7 → 10.1 ↗ 9.8 ← 10.0 ↘
 beste Teiler 261.2 (3.) 716.7 (4.) 717.1 (8.)
 Trefferlage 3.91 mm rechts, 3.83 mm tief
 Streuwert 7.54, horizontal: 6.88, vertikal: 8.16



Serie 2:
 10.2 ↗ 9.8 ↗ 10.0 ← 10.3 * 8.7 →
 9.7 ← 9.5 ← 10.2 → 10.5 * 9.7 ↘
 beste Teiler 367.9 (19.) 528.7 (14.) 561.5 (18.)
 Trefferlage 0.76 mm links, 0.52 mm tief
 Streuwert 7.00, horizontal: 8.76, vertikal: 4.61



Serie 3:
 9.7 ↘ 9.7 → 10.2 ↓ 10.2 ↗ 10.6 *
 10.1 ↘ 10.3 ↘ 9.4 ← 10.0 ↗ 9.3 ↗
 beste Teiler 267.0 (25.) 545.2 (27.) 570.3 (23.)
 Trefferlage 0.41 mm rechts, 3.41 mm hoch
 Streuwert 5.94, horizontal: 6.71, vertikal: 5.05





Serie 4:
 9.1 ↗ 9.7 ↑ 10.5 * 10.2 ↗ 10.8 *
 9.2 ↘ 10.5 * 9.5 ↓ 10.2 ↑ 9.3 →
 beste Teiler 141.7 (35.) 335.1 (37.) 375.1 (33.)
 Trefferlage 1.84 mm rechts, 2.78 mm hoch
 Streuwert 6.70, horizontal: 6.83, vertikal: 6.57


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	373	(393.1)
Serien:	95	92 89 97
Zähler:	15	23 2 0 0 0 0 0 0 0
Innenzehner:	9	
weiteste:	1813	(21), 1624 (23), 1569 (39)
beste Teiler	107.6	(32.) 149.6 (34.) 217.6 (37.)
Trefferlage	1.33 mm	rechts, 0.29 mm hoch
Streuwert	7.10,	horizontal: 8.70, vertikal: 5.01




Serie 1:	10.6 *	10.7 *	10.1 →	9.5 →	9.6 ↘
	9.6 ↘	9.8 →	10.1 ↗	9.9 →	10.6 *
beste Teiler	225.5	(2.) 295.1 (10.)	312.0 (1.)		
Trefferlage	5.18 mm	rechts, 0.95 mm	tief		
Streuwert	4.55,	horizontal: 4.88,	vertikal: 4.19		



Serie 2:	10.0 ↗	9.8 ↗	9.8 ←	9.7 ←	10.3 ←
	9.4 ↘	9.4 →	9.3 ↘	9.4 ←	9.8 ↘
beste Teiler	555.0	(15.) 761.3 (11.)	892.1 (12.)		
Trefferlage	0.01 mm	rechts, 0.25 mm	tief		
Streuwert	7.78,	horizontal: 9.17,	vertikal: 6.07		



Serie 3:	8.7 →	9.0 ↘	8.9 →	9.2 ↘	9.2 ↗
	9.5 ↖	10.4 *	9.9 →	9.4 ↖	9.9 ↗
beste Teiler	410.8	(27.) 828.0 (28.)	828.0 (30.)		
Trefferlage	4.94 mm	rechts, 0.98 mm	hoch		
Streuwert	8.81,	horizontal: 10.68,	vertikal: 6.42		





Serie 4:	9.4 ←	10.8 *	10.3 *	10.8 *	10.4 *
	10.3 ←	10.7 *	9.9 ←	9.0 ↖	10.0 ←
beste Teiler	107.6	(32.) 149.6 (34.)	217.6 (37.)		
Trefferlage	4.79 mm	links, 1.38 mm	hoch		
Streuwert	4.51,	horizontal: 5.60,	vertikal: 3.06		


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	392	(409.1)
Serien:	98 99 96 99	
Zähler:	32 8 0 0 0 0 0 0 0 0	
Innenzehner:	20	
weiteste:	1561 (14), 1134 (27), 1108 (35)	
beste Teiler	104.6 (34.) 153.6 (8.) 182.7 (31.)	
Trefferlage	1.45 mm rechts, 1.90 mm tief	
Streuwert	4.39, horizontal: 4.25, vertikal: 4.54	




Serie 1:	10.5 *	10.1 ↘	9.8 ↘	10.6 *	10.1 ↘
	10.5 *	10.3 ↘	10.8 *	9.9 ✓	10.1 ↘
beste Teiler	153.6 (8.)	314.3 (4.)	341.6 (6.)		
Trefferlage	1.81 mm rechts, 2.73 mm tief				
Streuwert	3.82, horizontal: 3.91, vertikal: 3.72				



Serie 2:	10.5 *	10.5 *	10.1 ↘	9.0 ↘	10.3 *
	10.4 *	10.6 *	10.4 *	10.4 *	10.2 ✓
beste Teiler	289.8 (17.)	322.2 (11.)	396.9 (12.)		
Trefferlage	0.80 mm rechts, 2.81 mm tief				
Streuwert	4.48, horizontal: 4.38, vertikal: 4.58				



Serie 3:	9.6 ↘	9.8 ✓	10.5 *	10.1 ↑	10.4 *
	10.0 ↘	9.5 ↗	9.9 ↘	10.6 *	10.0 →
beste Teiler	309.0 (29.)	324.7 (23.)	410.3 (25.)		
Trefferlage	2.34 mm rechts, 0.24 mm hoch				
Streuwert	5.54, horizontal: 5.44, vertikal: 5.64				





Serie 4:	10.7 *	10.6 *	10.3 *	10.8 *	9.6 ↘
	10.6 *	10.2 ↓	10.2 ↓	10.1 ✓	10.5 *
beste Teiler	104.6 (34.)	182.7 (31.)	281.5 (36.)		
Trefferlage	0.85 mm rechts, 2.32 mm tief				
Streuwert	3.73, horizontal: 3.50, vertikal: 3.95				

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **387** (405.0)
 Serien: 96 97 96 98
 Zähler: 27 13 0 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 1402 (38), 1352 (16), 1136 (29)
 beste Teiler 110.1 (33.) 182.6 (11.) 233.3 (3.)
 Trefferlage 0.52 mm rechts, 0.99 mm tief
 Streuwert 5.20, horizontal: 5.21, vertikal: 5.19




Serie 1:
 10.1 ↖ 9.9 ← 10.7 * 10.0 ↓ 9.8 ↓
 10.4 * 10.0 → 9.8 ↓ 10.4 * 9.8 ↘
 beste Teiler 233.3 (3.) 418.6 (9.) 455.2 (6.)
 Trefferlage 1.01 mm rechts, 2.35 mm tief
 Streuwert 5.04, horizontal: 4.79, vertikal: 5.28



Serie 2:
 10.7 * 9.6 → 10.1 ↖ 10.1 ↓ 10.1 ↙
 9.3 ↘ 10.1 ↓ 10.6 * 10.1 ↓ 9.8 ↖
 beste Teiler 182.6 (11.) 290.0 (18.) 644.3 (17.)
 Trefferlage 1.56 mm rechts, 2.06 mm tief
 Streuwert 5.59, horizontal: 4.68, vertikal: 6.37



Serie 3:
 9.9 ↗ 10.6 * 9.7 ← 10.6 * 10.2 ↘
 10.0 ↗ 10.4 * 9.7 ↖ 9.5 ↖ 10.0 ↑
 beste Teiler 303.2 (24.) 319.7 (22.) 428.9 (27.)
 Trefferlage 1.54 mm links, 0.64 mm hoch
 Streuwert 5.58, horizontal: 5.26, vertikal: 5.88





Serie 4:
 10.4 * 10.6 * 10.8 * 10.6 * 10.1 ↖
 10.4 * 9.7 → 9.2 → 10.6 * 10.6 *
 beste Teiler 110.1 (33.) 270.5 (40.) 271.4 (32.)
 Trefferlage 1.05 mm rechts, 0.20 mm tief
 Streuwert 4.77, horizontal: 6.23, vertikal: 2.57


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (390.7)
 Serien: 96 90 95 92
 Zähler: 17 19 4 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2271 (36), 1900 (19), 1652 (18)
 beste Teiler 225.8 (17.) 246.6 (25.) 318.2 (40.)
 Trefferlage 2.51 mm rechts, 0.54 mm hoch
 Streuwert 7.49, horizontal: 8.93, vertikal: 5.69




Serie 1:
 9.7 ↗ 9.0 ↗ 9.5 → 9.3 ↘ 10.5 *
 10.6 * 10.2 ↓ 10.3 * 10.5 * 10.2 ↘
 beste Teiler 319.8 (6.) 328.8 (9.) 400.2 (5.)
 Trefferlage 1.18 mm rechts, 2.58 mm hoch
 Streuwert 6.22, horizontal: 6.36, vertikal: 6.07



Serie 2:
 10.5 * 9.9 ↙ 9.5 ↗ 9.0 → 9.9 ←
 9.9 → 10.7 * 8.9 ↗ 8.6 ↘ 9.6 ↘
 beste Teiler 225.8 (17.) 384.7 (11.) 830.2 (16.)
 Trefferlage 4.10 mm rechts, 0.48 mm tief
 Streuwert 8.15, horizontal: 9.45, vertikal: 6.59



Serie 3:
 9.2 → 9.2 → 9.1 ↘ 10.2 → 10.6 *
 10.1 ← 9.0 ← 10.3 ↓ 10.1 ↓ 9.9 ←
 beste Teiler 246.6 (25.) 558.5 (28.) 636.7 (24.)
 Trefferlage 0.02 mm links, 0.84 mm hoch
 Streuwert 7.82, horizontal: 9.58, vertikal: 5.52



Serie 4:
 9.6 ↘ 8.9 → 10.2 ↗ 9.9 → 9.5 →
 8.1 → 10.3 * 9.3 ↙ 10.3 * 10.6 *
 beste Teiler 318.2 (40.) 513.6 (39.) 524.0 (37.)
 Trefferlage 4.81 mm rechts, 0.77 mm tief
 Streuwert 8.00, horizontal: 10.29, vertikal: 4.70

Unterschrift des Schützen

Meyton Elektronik