





Ergebnis: **388** (404.7)
 Serien: 98 97 97 96
 Zähler: 28 12 0 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 1492 (23), 1483 (21), 1421 (6)
 beste Teiler 171.8 (13.) 197.2 (7.) 292.3 (5.)
 Trefferlage 3.75 mm links, 0.70 mm tief
 Streuwert 4.74, horizontal: 5.08, vertikal: 4.38




Serie 1:
 10.5 * 10.6 * 9.9 ← 10.2 ✓ 10.6 *
 9.2 ← 10.7 * 10.4 * 10.3 * 10.2 ✓
 beste Teiler 197.2 (7.) 292.3 (5.) 299.2 (2.)
 Trefferlage 4.00 mm links, 0.46 mm tief
 Streuwert 3.87, horizontal: 4.78, vertikal: 2.66



Serie 2:
 9.3 ↓ 9.5 ↘ 10.7 * 10.4 * 10.5 *
 10.5 * 9.6 ← 10.4 * 10.5 * 10.0 ↓
 beste Teiler 171.8 (13.) 370.6 (16.) 394.6 (15.)
 Trefferlage 2.57 mm links, 1.05 mm tief
 Streuwert 5.17, horizontal: 3.95, vertikal: 6.15



Serie 3:
 9.1 ← 10.1 ↓ 9.1 ← 10.6 * 9.7 ←
 10.0 ↘ 10.3 * 10.5 * 10.4 * 10.4 *
 beste Teiler 300.7 (24.) 331.8 (28.) 458.9 (30.)
 Trefferlage 4.53 mm links, 1.35 mm tief
 Streuwert 5.38, horizontal: 6.76, vertikal: 3.48





Serie 4:
 10.2 → 9.9 ↓ 9.8 ✓ 9.3 ↘ 9.9 ←
 10.4 * 10.1 ↘ 10.2 ↘ 10.2 ↘ 10.5 *
 beste Teiler 373.9 (40.) 474.0 (36.) 589.2 (31.)
 Trefferlage 3.88 mm links, 0.06 mm hoch
 Streuwert 4.99, horizontal: 5.01, vertikal: 4.97


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	367	(386.2)
Serien:	94	89 90 94
Zähler:	16 16 7 1 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	2489 (15), 2274 (12), 2112 (33)	
beste Teiler	234.8 (40.) 263.9 (24.) 277.2 (19.)	
Trefferlage	3.50 mm links, 1.00 mm tief	
Streuwert	8.09, horizontal: 8.85, vertikal: 7.25	




Serie 1:	9.8 ↖	10.4 *	10.1 ↓	10.3 →	10.5 *
	10.5 *	9.8 ↗	9.4 ←	9.7 ↓	8.7 ↖
beste Teiler	333.2 (6.)	370.3 (5.)	474.5 (2.)		
Trefferlage	2.42 mm links, 1.02 mm hoch				
Streuwert	6.60, horizontal: 7.02, vertikal: 6.15				



Serie 2:	10.5 *	8.1 ←	9.8 ↗	9.5 ↗	7.8 ↖
	9.5 ←	10.0 ↑	8.9 ↑	10.6 *	9.1 →
beste Teiler	277.2 (19.)	327.1 (11.)	787.0 (17.)		
Trefferlage	3.11 mm links, 2.86 mm hoch				
Streuwert	10.22, horizontal: 12.12, vertikal: 7.88				





Serie 3:	8.8 ↓	8.7 ←	8.9 ↖	10.6 *	10.1 ←
	9.5 ↓	9.9 ↘	10.0 →	9.5 ←	9.0 ↘
beste Teiler	263.9 (24.)	678.4 (25.)	767.0 (28.)		
Trefferlage	3.46 mm links, 4.68 mm tief				
Streuwert	8.36, horizontal: 9.58, vertikal: 6.92				




Serie 4:	9.3 ↓	9.1 ↓	8.3 ←	10.5 *	9.9 ←
	10.3 *	9.6 ←	10.5 *	10.0 ↓	10.7 *
beste Teiler	234.8 (40.)	340.0 (38.)	385.2 (34.)		
Trefferlage	5.02 mm links, 3.20 mm tief				
Streuwert	6.55, horizontal: 6.91, vertikal: 6.17				

Unterschrift des Schützen


Ergebnis: **351** (370.8)
 Serien: 93 88 76 94
 Zähler: 14 11 12 1 0 1 1 0 0 0
 Innenzehner: 8
 weiteste: 5344 (21), 4081 (22), 2907 (26)
 beste Teiler 165.1 (6.) 222.0 (11.) 276.4 (10.)
 Trefferlage 10.53 mm rechts, 1.33 mm hoch
 Streuwert 9.37, horizontal: 12.09, vertikal: 5.43




Serie 1:
 10.3 * 10.1 ↗ 10.5 * 8.9 → 8.6 →
 10.7 * 9.7 ↘ 9.0 → 9.8 ↗ 10.6 *
 beste Teiler 165.1 (6.) 276.4 (10.) 384.3 (3.)
 Trefferlage 7.54 mm rechts, 1.55 mm hoch
 Streuwert 5.37, horizontal: 6.81, vertikal: 3.36



Serie 2:
 10.7 * 8.6 ↗ 8.8 → 10.3 * 8.9 →
 8.5 ← 10.2 ↗ 10.2 → 8.3 ↘ 8.8 →
 beste Teiler 222.0 (11.) 496.4 (14.) 562.1 (17.)
 Trefferlage 7.74 mm rechts, 1.61 mm hoch
 Streuwert 9.24, horizontal: 11.48, vertikal: 6.25





Serie 3:
 4.3 → 5.8 → 9.9 → 8.6 → 8.3 →
 7.3 → 9.7 ↖ 9.9 → 8.9 → 9.5 →
 beste Teiler 825.1 (28.) 831.8 (23.) 1028.9 (27.)
 Trefferlage 20.26 mm rechts, 0.44 mm hoch
 Streuwert 12.29, horizontal: 16.71, vertikal: 4.78




Serie 4:
 9.2 ↘ 9.8 ↑ 10.1 ↑ 8.3 ↗ 10.5 *
 9.2 ↗ 10.0 ↘ 10.5 * 10.0 ↘ 9.5 ↘
 beste Teiler 344.3 (38.) 390.5 (35.) 705.1 (33.)
 Trefferlage 6.57 mm rechts, 1.71 mm hoch
 Streuwert 6.66, horizontal: 5.93, vertikal: 7.31

Unterschrift des Schützen


Ergebnis: **382** (399.1)
 Serien: 91 96 97 98
 Zähler: 25 12 3 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 2033 (17), 1794 (3), 1615 (4)
 beste Teiler 109.2 (33.) 148.6 (39.) 154.7 (29.)
 Trefferlage 0.52 mm links, 1.87 mm tief
 Streuwert 6.39, horizontal: 8.02, vertikal: 4.17




Serie 1:
 9.6 ↖ 9.4 → 8.7 → 8.9 → 9.7 ↘
 9.4 ↘ 10.5 * 10.4 * 10.1 ↑ 9.6 ↙
 beste Teiler 349.7 (7.) 467.6 (8.) 699.0 (9.)
 Trefferlage 3.98 mm rechts, 1.17 mm tief
 Streuwert 8.00, horizontal: 9.99, vertikal: 5.33



Serie 2:
 10.7 * 9.6 ↙ 10.5 * 9.7 ↙ 10.0 ↓
 10.0 ↘ 8.4 → 10.0 ↖ 10.6 * 10.2 ↓
 beste Teiler 210.2 (11.) 318.4 (19.) 333.6 (13.)
 Trefferlage 0.84 mm rechts, 3.55 mm tief
 Streuwert 6.32, horizontal: 8.10, vertikal: 3.77



Serie 3:
 10.6 * 10.0 ↘ 10.2 → 9.6 ↙ 9.0 ←
 10.7 * 9.8 ↙ 10.0 ↓ 10.8 * 10.2 ←
 beste Teiler 154.7 (29.) 222.9 (26.) 298.5 (21.)
 Trefferlage 3.66 mm links, 1.70 mm tief
 Streuwert 5.20, horizontal: 6.15, vertikal: 4.03





Serie 4:
 10.3 * 10.4 * 10.8 * 10.6 * 10.0 ↓
 9.0 ↖ 9.7 ← 10.3 * 10.8 * 10.3 *
 beste Teiler 109.2 (33.) 148.6 (39.) 273.2 (34.)
 Trefferlage 3.28 mm links, 1.05 mm tief
 Streuwert 4.67, horizontal: 5.60, vertikal: 3.49


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (393.7)
 Serien: 98 92 92 94
 Zähler: 18 20 2 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1706 (38), 1653 (27), 1571 (35)
 beste Teiler 79.1 (31.) 239.7 (30.) 286.1 (34.)
 Trefferlage 0.87 mm rechts, 2.98 mm tief
 Streuwert 6.73, horizontal: 7.03, vertikal: 6.41




Serie 1:
 9.3 ↘ 10.0 → 10.6 * 10.3 ↘ 10.0 ←
 9.3 ↓ 10.1 ↙ 10.0 ↖ 10.3 ↖ 10.0 ↓
 beste Teiler 309.6 (3.) 542.9 (4.) 560.1 (9.)
 Trefferlage 0.41 mm rechts, 3.21 mm tief
 Streuwert 5.67, horizontal: 5.60, vertikal: 5.73



Serie 2:
 9.6 → 9.9 ↘ 9.9 ↑ 10.4 * 9.4 ↓
 9.7 ↖ 9.7 ← 9.8 ↘ 9.3 ↘ 10.4 *
 beste Teiler 415.2 (14.) 466.0 (20.) 809.1 (13.)
 Trefferlage 3.09 mm rechts, 2.02 mm tief
 Streuwert 6.51, horizontal: 7.06, vertikal: 5.91



Serie 3:
 9.7 ← 10.3 * 9.9 ← 9.3 ↓ 10.5 *
 9.1 ↘ 8.9 ↘ 9.6 ↓ 9.0 ← 10.7 *
 beste Teiler 239.7 (30.) 343.7 (25.) 495.6 (22.)
 Trefferlage 0.29 mm links, 4.17 mm tief
 Streuwert 7.71, horizontal: 9.04, vertikal: 6.08





Serie 4:
 10.9 * 10.3 * 9.2 ↘ 10.6 * 9.0 ↓
 9.4 ↖ 10.6 * 8.8 ↖ 9.7 ↓ 10.2 ↓
 beste Teiler 79.1 (31.) 286.1 (34.) 292.8 (37.)
 Trefferlage 0.30 mm rechts, 2.53 mm tief
 Streuwert 7.54, horizontal: 6.59, vertikal: 8.39


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	390	(408.1)
Serien:	97 97 98 98	
Zähler:	30 10 0 0 0 0 0 0 0 0	
Innenzehner:	18	
weiteste:	1368 (18), 1277 (20), 1114 (27)	
beste Teiler	88.2 (29.) 93.2 (38.) 148.6 (32.)	
Trefferlage	0.52 mm links, 0.02 mm hoch	
Streuwert	4.88, horizontal: 5.19, vertikal: 4.55	




Serie 1:	10.7 *	10.5 *	9.6 ↙	10.4 *	10.5 *
	10.2 ↘	10.7 *	9.9 ↘	9.7 ←	10.2 ↘
beste Teiler	189.7 (7.)	217.1 (1.)	326.5 (5.)		
Trefferlage	2.77 mm links, 0.08 mm hoch				
Streuwert	4.29, horizontal: 3.61, vertikal: 4.87				



Serie 2:	10.6 *	10.6 *	10.2 →	10.1 ↘	10.1 ↑
	10.0 →	10.3 *	9.2 →	9.8 ←	9.4 ↑
beste Teiler	291.1 (11.)	316.5 (12.)	529.5 (17.)		
Trefferlage	2.18 mm rechts, 0.70 mm hoch				
Streuwert	5.88, horizontal: 6.06, vertikal: 5.69				



Serie 3:	9.6 ↘	10.6 *	10.6 *	10.3 ←	10.5 *
	10.4 *	9.6 →	10.0 ↘	10.8 *	10.6 *
beste Teiler	88.2 (29.)	268.0 (22.)	293.8 (23.)		
Trefferlage	1.06 mm links, 0.39 mm hoch				
Streuwert	4.51, horizontal: 5.20, vertikal: 3.69				





Serie 4:	10.0 ↘	10.8 *	9.6 ↘	10.1 ↘	9.9 ↓
	10.3 *	10.1 ↗	10.8 *	10.7 *	10.1 ←
beste Teiler	93.2 (38.)	148.6 (32.)	210.6 (39.)		
Trefferlage	0.45 mm links, 1.07 mm tief				
Streuwert	4.68, horizontal: 5.08, vertikal: 4.24				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (389.2)
 Serien: 91 94 92 93
 Zähler: 17 17 5 1 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2700 (4), 2249 (1), 2040 (10)
 beste Teiler 276.5 (28.) 277.0 (13.) 308.7 (5.)
 Trefferlage 0.02 mm rechts, 2.53 mm tief
 Streuwert 8.01, horizontal: 9.00, vertikal: 6.88




Serie 1:
 8.1 ↘ 10.3 * 9.9 ↓ 7.6 ↓ 10.6 *
 9.2 ↘ 10.3 ← 10.4 * 10.5 * 8.4 ↓
 beste Teiler 308.7 (5.) 361.4 (9.) 434.6 (8.)
 Trefferlage 3.02 mm rechts, 7.11 mm tief
 Streuwert 8.84, horizontal: 7.36, vertikal: 10.11



Serie 2:
 10.5 * 8.5 ← 10.6 * 10.6 * 9.4 →
 9.5 ← 10.5 * 10.3 ↘ 9.9 ← 9.9 ←
 beste Teiler 277.0 (13.) 309.8 (14.) 327.3 (17.)
 Trefferlage 3.30 mm links, 0.45 mm hoch
 Streuwert 6.55, horizontal: 8.64, vertikal: 3.34





Serie 3:
 8.9 ↘ 9.8 ↘ 9.7 ↘ 9.4 ↙ 10.3 ↓
 9.9 → 9.7 ↘ 10.6 * 10.3 → 9.1 ←
 beste Teiler 276.5 (28.) 532.1 (25.) 540.4 (29.)
 Trefferlage 2.73 mm rechts, 4.03 mm tief
 Streuwert 6.79, horizontal: 8.91, vertikal: 3.59




Serie 4:
 8.5 ← 9.8 ↘ 10.0 → 10.5 * 9.2 ↘
 9.5 ↙ 10.2 ↑ 9.3 ↘ 10.5 * 9.0 ←
 beste Teiler 335.8 (34.) 393.6 (39.) 575.0 (37.)
 Trefferlage 2.34 mm links, 0.57 mm hoch
 Streuwert 8.32, horizontal: 10.30, vertikal: 5.70

Unterschrift des Schützen


Ergebnis:	378	(396.6)
Serien:	93 96 96 93	
Zähler:	23 12 5 0 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	2008 (5), 1920 (35), 1895 (22)	
beste Teiler	35.8 (31.) 258.8 (26.) 259.0 (21.)	
Trefferlage	1.14 mm links, 1.52 mm tief	
Streuwert	6.88, horizontal: 7.69, vertikal: 5.96	




Serie 1:	10.1 ↑	10.1 ↙	10.3 *	10.1 ↘	8.4 →
	9.7 ↙	8.6 ↘	10.6 *	10.3 *	8.8 ↙
beste Teiler	308.6 (8.) 507.7 (3.) 524.0 (9.)				
Trefferlage	1.46 mm links, 0.54 mm tief				
Streuwert	8.65, horizontal: 10.18, vertikal: 6.77				



Serie 2:	10.4 *	10.4 *	10.4 *	9.3 ↘	9.9 ↓
	10.1 ↘	9.5 ↑	10.3 *	10.6 *	9.6 ↓
beste Teiler	274.5 (19.) 418.3 (12.) 444.0 (11.)				
Trefferlage	0.36 mm rechts, 0.39 mm tief				
Streuwert	5.89, horizontal: 4.75, vertikal: 6.84				



Serie 3:	10.6 *	8.6 ↓	9.9 ↓	10.2 ↓	10.6 *
	10.6 *	10.2 ↘	9.0 ↘	10.4 *	10.3 *
beste Teiler	258.8 (26.) 259.0 (21.) 270.6 (25.)				
Trefferlage	0.29 mm links, 3.74 mm tief				
Streuwert	6.08, horizontal: 5.49, vertikal: 6.62				





Serie 4:	10.9 *	9.4 ↘	10.1 ↓	9.8 ←	8.6 ←
	10.6 *	10.4 *	9.2 →	9.9 →	9.8 ←
beste Teiler	35.8 (31.) 299.8 (36.) 408.5 (37.)				
Trefferlage	3.19 mm links, 1.40 mm tief				
Streuwert	7.11, horizontal: 9.57, vertikal: 3.08				

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	368	(386.5)
Serien:	93 93 91 91	
Zähler:	10 28 2 0 0 0 0 0 0 0	
Innenzehner:	4	
weiteste:	2386 (30), 1766 (20), 1571 (9)	
beste Teiler	206.3 (14.) 345.7 (13.) 385.4 (28.)	
Trefferlage	2.41 mm links, 0.51 mm tief	
Streuwert	7.76, horizontal: 8.43, vertikal: 7.04	




Serie 1:

10.4 *	9.8 ↘	9.8 →	9.9 ↖	10.1 ↗
9.8 ←	9.3 ↘	9.6 ↙	9.0 ←	10.2 ↗
beste Teiler	479.5 (1.)	594.3 (10.)	658.0 (5.)	
Trefferlage	3.09 mm links, 2.32 mm tief			
Streuwert	6.65, horizontal: 8.00, vertikal: 4.94			




Serie 2:

9.8 ↓	9.9 ←	10.5 *	10.7 *	9.0 ↙
10.3 ↑	9.7 ↘	10.1 ↘	9.6 ↑	8.7 →
beste Teiler	206.3 (14.)	345.7 (13.)	545.0 (16.)	
Trefferlage	2.08 mm links, 1.01 mm hoch			
Streuwert	7.32, horizontal: 8.14, vertikal: 6.39			



Serie 3:

9.1 ↖	9.7 →	9.6 ↖	9.3 ↓	9.8 ↖
10.0 ↑	9.1 ↙	10.5 *	9.6 ↙	8.0 ↙
beste Teiler	385.4 (28.)	725.6 (26.)	946.8 (25.)	
Trefferlage	6.32 mm links, 1.22 mm tief			
Streuwert	8.34, horizontal: 9.10, vertikal: 7.49			





Serie 4:

9.9 ↖	10.1 →	9.8 ↓	9.4 ↑	9.8 →
9.2 ↘	9.2 ↑	9.6 ↖	9.4 ↗	9.2 ↘
beste Teiler	662.5 (32.)	824.2 (31.)	907.4 (35.)	
Trefferlage	1.85 mm rechts, 0.46 mm hoch			
Streuwert	8.43, horizontal: 7.55, vertikal: 9.23			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	374	(391.6)
Serien:	94 95 95 90	
Zähler:	18 19 2 1 0 0 0 0 0 0	
Innenzehner:	7	
weiteste:	2449 (40), 2073 (13), 1710 (1)	
beste Teiler	74.2 (11.) 163.1 (14.) 264.8 (15.)	
Trefferlage	2.58 mm rechts, 2.03 mm hoch	
Streuwert	7.12, horizontal: 7.64, vertikal: 6.57	




Serie 1:	8.8 →	10.1 ↗	9.3 ↗	10.3 *	9.9 ↘
	9.7 ↘	9.9 →	10.0 ↘	10.3 *	10.2 ↓
beste Teiler	512.5 (4.)	515.0 (9.)	606.6 (10.)		
Trefferlage	3.00 mm rechts, 3.24 mm hoch				
Streuwert	6.31, horizontal: 7.85, vertikal: 4.25				



Serie 2:	10.9 *	10.2 ↗	8.4 ↗	10.7 *	10.6 *
	9.5 ↘	10.1 →	10.6 *	9.9 ↘	9.7 ↘
beste Teiler	74.2 (11.)	163.1 (14.)	264.8 (15.)		
Trefferlage	1.96 mm rechts, 3.16 mm hoch				
Streuwert	6.18, horizontal: 7.02, vertikal: 5.21				



Serie 3:	10.0 ↑	9.2 ↑	10.0 ↘	9.1 →	10.1 ↗
	9.9 ↑	9.8 ↗	10.0 ↗	9.7 ↘	10.2 ↗
beste Teiler	565.8 (30.)	701.0 (25.)	752.5 (23.)		
Trefferlage	1.45 mm rechts, 2.76 mm hoch				
Streuwert	6.76, horizontal: 6.54, vertikal: 6.97				





Serie 4:	9.7 ↖	9.9 ←	9.3 ↑	10.3 ↗	10.3 *
	9.6 ↓	9.1 ↓	9.2 ↘	9.2 →	7.9 ↗
beste Teiler	500.6 (35.)	535.1 (34.)	871.4 (32.)		
Trefferlage	3.92 mm rechts, 1.03 mm tief				
Streuwert	9.33, horizontal: 9.75, vertikal: 8.88				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (376.6)
 Serien: 95 92 86 84
 Zähler: 13 15 11 0 0 0 1 0 0 0
 Innenzehner: 7
 weiteste: 5195 (40), 2198 (23), 2164 (34)
 beste Teiler 75.8 (6.) 204.4 (32.) 271.7 (28.)
 Trefferlage 0.07 mm links, 2.24 mm tief
 Streuwert 10.56, horizontal: 12.35, vertikal: 8.40




Serie 1:
 9.1 ↓ 9.3 → 9.3 → 10.3 * 10.3 *
 10.9 * 9.2 ↓ 9.4 ↓ 10.0 ↘ 10.2 ↗
 beste Teiler 75.8 (6.) 488.0 (4.) 489.9 (5.)
 Trefferlage 3.04 mm rechts, 2.58 mm tief
 Streuwert 7.16, horizontal: 6.09, vertikal: 8.10



Serie 2:
 10.1 ← 9.9 ↙ 8.4 ↙ 10.5 * 10.1 ↑
 8.9 ← 9.2 ↘ 9.3 ↖ 9.9 ← 10.5 *
 beste Teiler 338.6 (14.) 342.2 (20.) 661.3 (15.)
 Trefferlage 4.82 mm links, 2.09 mm tief
 Streuwert 7.66, horizontal: 8.39, vertikal: 6.85



Serie 3:
 8.6 ↘ 8.9 ↙ 8.2 ↘ 8.9 → 9.6 ↗
 8.8 ↖ 9.4 → 10.6 * 9.9 ↘ 9.9 →
 beste Teiler 271.7 (28.) 823.8 (29.) 861.9 (30.)
 Trefferlage 5.27 mm rechts, 1.05 mm tief
 Streuwert 9.98, horizontal: 9.45, vertikal: 10.48





Serie 4:
 8.9 → 10.7 * 9.4 ↓ 8.2 ← 9.7 ↘
 8.6 ↖ 10.1 ↘ 10.1 → 8.8 → 4.5 ←
 beste Teiler 204.4 (32.) 705.0 (37.) 715.3 (38.)
 Trefferlage 3.79 mm links, 3.25 mm tief
 Streuwert 15.20, horizontal: 19.53, vertikal: 8.97


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **352** (371.0)
 Serien: 92 87 87 86
 Zähler: 9 20 8 2 0 0 1 0 0 0
 Innenzehner: 3
 weiteste: 4872 (37), 2939 (35), 2660 (1)
 beste Teiler 328.6 (3.) 403.1 (10.) 449.0 (39.)
 Trefferlage 2.01 mm rechts, 0.82 mm hoch
 Streuwert 11.12, horizontal: 12.18, vertikal: 9.95




Serie 1:
 7.6 → 9.7 ↓ 10.5 * 9.7 ↑ 10.0 →
 10.1 ↘ 9.3 ← 9.2 ↘ 9.7 ← 10.4 *
 beste Teiler 328.6 (3.) 403.1 (10.) 664.8 (6.)
 Trefferlage 2.04 mm rechts, 0.62 mm tief
 Streuwert 9.00, horizontal: 10.43, vertikal: 7.31



Serie 2:
 9.2 ↓ 8.3 ↖ 8.0 ↖ 9.9 ↓ 8.8 ↓
 8.6 ↖ 10.0 ↖ 9.4 → 9.7 ↘ 9.9 →
 beste Teiler 721.8 (17.) 804.1 (14.) 855.8 (20.)
 Trefferlage 2.51 mm links, 0.29 mm hoch
 Streuwert 11.09, horizontal: 10.57, vertikal: 11.60



Serie 3:
 8.6 ↖ 8.2 ↗ 8.8 → 9.6 ↘ 9.9 ↘
 9.6 ↘ 9.1 → 10.2 ↖ 8.9 ↘ 9.8 ↑
 beste Teiler 588.0 (28.) 809.1 (25.) 892.3 (30.)
 Trefferlage 6.08 mm rechts, 1.58 mm hoch
 Streuwert 9.51, horizontal: 8.34, vertikal: 10.55





Serie 4:
 10.1 ↗ 9.5 ↑ 9.4 ↗ 9.6 ↗ 7.3 ↖
 9.5 ↑ 4.9 ↘ 9.5 ← 10.4 * 10.1 ↓
 beste Teiler 449.0 (39.) 651.4 (31.) 669.3 (40.)
 Trefferlage 2.43 mm rechts, 2.02 mm hoch
 Streuwert 14.77, horizontal: 17.64, vertikal: 11.19


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	368	(386.2)
Serien:	92 95 89 92	
Zähler:	20 11 6 3 0 0 0 0 0 0	
Innenzehner:	14	
weiteste:	2675 (36), 2462 (12), 2427 (27)	
beste Teiler	182.7 (26.) 185.5 (1.) 306.0 (4.)	
Trefferlage	3.81 mm links, 1.84 mm hoch	
Streuwert	8.55, horizontal: 9.79, vertikal: 7.11	




Serie 1:	10.7 *	8.8 ↖	9.5 ↗	10.6 *	9.9 ←
	8.5 ←	10.4 *	10.4 *	9.7 ↘	9.5 ←
beste Teiler	185.5 (1.)	306.0 (4.)	427.3 (8.)		
Trefferlage	6.64 mm links, 0.32 mm tief				
Streuwert	6.27, horizontal: 7.19, vertikal: 5.20				



Serie 2:	8.4 ↖	7.9 ←	10.4 *	10.4 *	10.4 *
	10.1 ←	10.1 ↘	10.4 *	10.2 ↗	10.0 ↘
beste Teiler	413.6 (13.)	460.8 (18.)	461.7 (15.)		
Trefferlage	6.44 mm links, 2.36 mm tief				
Streuwert	6.73, horizontal: 8.29, vertikal: 4.67				



Serie 3:	10.4 *	9.9 ↖	8.2 ↗	8.5 →	9.5 ↗
	10.7 *	7.9 ←	10.0 ←	9.9 ↖	9.1 ↖
beste Teiler	182.7 (26.)	435.2 (21.)	753.2 (28.)		
Trefferlage	2.30 mm links, 4.92 mm hoch				
Streuwert	9.95, horizontal: 12.58, vertikal: 6.33				





Serie 4:	10.5 *	10.1 ↗	10.5 *	9.3 ↖	9.1 ↖
	7.6 ↖	8.0 →	10.6 *	10.5 *	9.6 ↗
beste Teiler	310.8 (38.)	364.5 (39.)	395.3 (31.)		
Trefferlage	0.15 mm rechts, 5.15 mm hoch				
Streuwert	9.56, horizontal: 10.01, vertikal: 9.09				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	369	(388.9)
Serien:	91 91 95 92	
Zähler:	13 23 4 0 0 0 0 0 0 0	
Innenzehner:	9	
weiteste:	2050 (10), 1940 (13), 1929 (4)	
beste Teiler	58.2 (8.) 244.6 (30.) 334.0 (28.)	
Trefferlage	0.25 mm links, 0.41 mm tief	
Streuwert	7.88, horizontal: 8.43, vertikal: 7.28	




Serie 1:					
	10.5 *	9.0 →	10.2 ↓	8.5 →	9.9 →
	9.5 ↘	9.3 ↓	10.9 *	9.4 ↖	8.4 ↖
beste Teiler	58.2 (8.) 395.3 (1.) 632.6 (3.)				
Trefferlage	2.89 mm rechts, 0.87 mm tief				
Streuwert	9.25, horizontal: 10.32, vertikal: 8.03				



Serie 2:					
	9.7 ↖	9.4 ↗	8.5 ←	10.2 ↖	9.9 ↓
	9.8 ←	9.2 ←	9.7 ↗	9.0 →	10.5 *
beste Teiler	386.7 (20.) 618.3 (14.) 827.2 (15.)				
Trefferlage	2.58 mm links, 1.01 mm hoch				
Streuwert	8.55, horizontal: 10.03, vertikal: 6.74				



Serie 3:					
	9.9 ↓	9.5 ↙	9.9 ↓	10.0 ↑	10.2 ↖
	9.9 →	10.5 *	10.5 *	9.4 ↗	10.6 *
beste Teiler	244.6 (30.) 334.0 (28.) 369.0 (27.)				
Trefferlage	0.04 mm rechts, 0.15 mm tief				
Streuwert	5.85, horizontal: 4.98, vertikal: 6.60				





Serie 4:					
	9.3 ↗	9.9 ↗	9.0 ↓	10.3 *	9.8 ↓
	9.2 ↖	9.7 ↙	10.5 *	8.9 ↙	10.4 *
beste Teiler	346.0 (38.) 450.4 (40.) 492.1 (34.)				
Trefferlage	1.35 mm links, 1.64 mm tief				
Streuwert	8.05, horizontal: 7.60, vertikal: 8.48				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **363** (381.9)
 Serien: 92 92 89 90
 Zähler: 13 20 5 1 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3862 (25), 2469 (39), 2385 (40)
 beste Teiler 259.4 (5.) 309.6 (10.) 320.8 (15.)
 Trefferlage 2.40 mm links, 2.53 mm tief
 Streuwert 9.08, horizontal: 10.11, vertikal: 7.93




Serie 1:
 8.9 ↗ 9.7 ← 9.9 ↓ 9.9 → 10.6 *
 9.4 ↙ 9.7 → 9.9 ↖ 10.1 ↓ 10.6 *
 beste Teiler 259.4 (5.) 309.6 (10.) 706.2 (9.)
 Trefferlage 0.04 mm links, 1.94 mm tief
 Streuwert 6.91, horizontal: 8.39, vertikal: 5.02



Serie 2:
 10.3 * 9.5 ↓ 9.2 ← 10.1 ↓ 10.6 *
 9.4 ← 9.8 ← 9.2 ↓ 9.6 ↑ 8.7 ↖
 beste Teiler 320.8 (15.) 523.5 (11.) 719.7 (14.)
 Trefferlage 4.11 mm links, 3.43 mm tief
 Streuwert 7.54, horizontal: 7.62, vertikal: 7.47



Serie 3:
 9.4 ↓ 10.1 ↓ 10.3 ↑ 8.5 ↖ 6.1 ↖
 8.7 ↓ 9.9 ↗ 9.8 ↗ 10.2 ↖ 10.0 ↘
 beste Teiler 536.3 (23.) 582.2 (29.) 689.7 (22.)
 Trefferlage 3.21 mm links, 6.02 mm tief
 Streuwert 11.12, horizontal: 12.19, vertikal: 9.93





Serie 4:
 9.4 → 9.1 ↑ 9.9 ↓ 10.2 ↑ 9.6 ↖
 10.1 ↖ 10.4 * 9.2 ← 7.9 ↖ 8.0 ↗
 beste Teiler 404.7 (37.) 596.3 (34.) 707.0 (36.)
 Trefferlage 2.23 mm links, 1.26 mm hoch
 Streuwert 10.43, horizontal: 12.47, vertikal: 7.87


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	383	(401.2)
Serien:	97	96 93 97
Zähler:	24 15 1 0 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	1660 (21), 1577 (33), 1408 (4)	
beste Teiler	51.3 (3.) 73.0 (32.) 219.3 (36.)	
Trefferlage	2.73 mm rechts, 0.95 mm hoch	
Streuwert	5.65, horizontal: 6.96, vertikal: 3.92	




Serie 1:	10.6 *	10.6 *	10.9 *	9.2 ↘	10.5 *
	10.5 *	9.7 →	9.8 ↖	10.2 ↑	10.6 *
beste Teiler	51.3 (3.)	271.5 (1.)	289.6 (2.)		
Trefferlage	1.38 mm rechts, 0.80 mm hoch				
Streuwert	4.99, horizontal: 6.33, vertikal: 3.11				



Serie 2:	9.5 →	9.9 ↖	10.1 ↗	10.1 ↗	10.2 ←
	9.2 ↘	9.8 ↗	10.1 ↖	10.0 ←	10.2 ↖
beste Teiler	600.8 (20.)	626.0 (15.)	665.3 (18.)		
Trefferlage	1.55 mm rechts, 1.23 mm hoch				
Streuwert	6.35, horizontal: 8.00, vertikal: 4.07				



Serie 3:	8.9 ←	9.9 →	10.0 ↙	9.8 ↗	10.4 *
	10.0 →	9.9 ↘	10.6 *	9.8 ↘	9.2 →
beste Teiler	292.4 (28.)	459.8 (25.)	721.6 (23.)		
Trefferlage	2.61 mm rechts, 0.64 mm tief				
Streuwert	6.81, horizontal: 8.59, vertikal: 4.36				





Serie 4:	10.0 ↗	10.9 *	9.0 →	10.4 *	9.3 ↗
	10.7 *	9.8 ↑	10.4 *	10.2 ↘	10.3 *
beste Teiler	73.0 (32.)	219.3 (36.)	470.4 (38.)		
Trefferlage	5.38 mm rechts, 2.43 mm hoch				
Streuwert	4.25, horizontal: 4.51, vertikal: 3.97				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (393.3)
 Serien: 93 95 92 93
 Zähler: 15 23 2 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2056 (6), 1889 (22), 1406 (39)
 beste Teiler 206.4 (3.) 228.8 (28.) 338.1 (12.)
 Trefferlage 0.90 mm rechts, 1.20 mm tief
 Streuwert 6.95, horizontal: 8.14, vertikal: 5.50




Serie 1:
 9.8 ↘ 10.0 ↓ 10.7 * 9.5 ↗ 9.2 ↖
 8.4 → 10.2 ↗ 9.9 ↘ 10.3 * 9.4 ↘
 beste Teiler 206.4 (3.) 496.6 (9.) 613.5 (7.)
 Trefferlage 3.28 mm rechts, 1.87 mm tief
 Streuwert 7.63, horizontal: 8.37, vertikal: 6.82



Serie 2:
 10.5 * 10.5 * 9.8 ↓ 10.1 → 9.7 →
 9.5 ← 9.9 → 9.3 ← 10.0 ← 10.4 *
 beste Teiler 338.1 (12.) 355.9 (11.) 444.1 (20.)
 Trefferlage 0.46 mm links, 0.88 mm tief
 Streuwert 6.27, horizontal: 7.89, vertikal: 4.04





Serie 3:
 9.7 ↗ 8.6 ← 9.8 ← 9.5 → 9.5 ↑
 10.2 ↓ 9.8 → 10.7 * 9.7 ↓ 10.3 ↖
 beste Teiler 228.8 (28.) 546.3 (30.) 638.5 (26.)
 Trefferlage 1.05 mm links, 0.27 mm hoch
 Streuwert 7.65, horizontal: 9.04, vertikal: 5.94




Serie 4:
 9.9 → 9.7 ↙ 10.2 ↑ 9.8 ↘ 9.4 →
 9.9 ↓ 10.2 ↓ 9.8 → 9.2 ← 10.3 *
 beste Teiler 525.4 (40.) 625.3 (33.) 638.1 (37.)
 Trefferlage 1.85 mm rechts, 2.33 mm tief
 Streuwert 6.62, horizontal: 7.69, vertikal: 5.34

Unterschrift des Schützen


Ergebnis: **378** (393.8)
 Serien: 95 95 96 92
 Zähler: 19 20 1 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2014 (32), 1469 (16), 1413 (33)
 beste Teiler 217.8 (6.) 245.0 (37.) 436.2 (5.)
 Trefferlage 0.10 mm links, 0.96 mm tief
 Streuwert 6.71, horizontal: 6.71, vertikal: 6.71




Serie 1:
 10.3 ↙ 9.5 ↗ 9.8 ← 9.8 ↘ 10.4 *
 10.7 * 9.7 ↓ 10.1 ↖ 10.1 ↓ 9.8 ↙
 beste Teiler 217.8 (6.) 436.2 (5.) 555.5 (1.)
 Trefferlage 2.29 mm links, 0.50 mm tief
 Streuwert 5.70, horizontal: 5.28, vertikal: 6.09



Serie 2:
 9.7 → 10.1 ↓ 9.9 ↘ 10.2 ↓ 9.8 ↘
 9.1 ↓ 10.2 → 10.0 ↗ 9.8 ↖ 10.0 ↓
 beste Teiler 584.3 (17.) 599.6 (14.) 643.6 (12.)
 Trefferlage 3.06 mm rechts, 2.77 mm tief
 Streuwert 5.80, horizontal: 5.50, vertikal: 6.09



Serie 3:
 10.0 → 9.5 ↖ 10.0 ↖ 10.0 ↑ 10.3 *
 9.5 ← 10.2 ↖ 9.5 ↖ 10.2 ↑ 9.5 ↙
 beste Teiler 486.0 (25.) 586.2 (29.) 638.5 (27.)
 Trefferlage 4.75 mm links, 3.24 mm hoch
 Streuwert 5.12, horizontal: 5.50, vertikal: 4.70





Serie 4:
 10.1 ↗ 8.4 ↘ 9.2 ↓ 10.0 ↙ 9.5 ↘
 9.9 → 10.6 * 9.5 ← 9.4 ↗ 9.5 ↓
 beste Teiler 245.0 (37.) 665.1 (31.) 751.0 (34.)
 Trefferlage 3.56 mm rechts, 3.82 mm tief
 Streuwert 7.67, horizontal: 7.18, vertikal: 8.13


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	370	(388.8)
Serien:	93 90 94 93	
Zähler:	16 18 6 0 0 0 0 0 0 0	
Innenzehner:	7	
weiteste:	2198 (32), 2064 (8), 1992 (22)	
beste Teiler	144.5 (10.) 230.7 (3.) 302.5 (40.)	
Trefferlage	1.92 mm links, 0.79 mm tief	
Streuwert	7.92, horizontal: 9.18, vertikal: 6.42	




Serie 1:	9.8 ↙	9.6 →	10.7 *	9.4 ↘	9.2 ←
	9.3 ↘	10.5 *	8.4 ←	10.1 ↖	10.8 *
beste Teiler	144.5 (10.) 230.7 (3.) 382.7 (7.)				
Trefferlage	3.20 mm links, 2.23 mm tief				
Streuwert	7.79, horizontal: 9.24, vertikal: 6.01				



Serie 2:	9.6 ↘	9.5 →	10.4 *	8.6 ↖	9.9 →
	9.0 ↖	9.8 ↘	9.9 →	9.8 ←	9.7 ↖
beste Teiler	444.5 (13.) 837.0 (15.) 845.6 (18.)				
Trefferlage	0.65 mm links, 0.59 mm hoch				
Streuwert	8.35, horizontal: 10.41, vertikal: 5.57				



Serie 3:	8.5 ↖	8.5 ←	9.7 ↖	10.2 ↗	10.2 ↗
	9.9 ↖	10.0 ↙	10.5 *	10.3 ↗	10.0 ↘
beste Teiler	395.3 (28.) 542.0 (29.) 609.2 (24.)				
Trefferlage	5.17 mm links, 2.58 mm hoch				
Streuwert	6.89, horizontal: 7.84, vertikal: 5.78				





Serie 4:	10.4 *	8.2 ↘	9.4 ↘	9.8 ↘	10.3 →
	10.3 ↙	10.1 ↖	8.8 ↓	9.1 ←	10.6 *
beste Teiler	302.5 (40.) 407.9 (31.) 537.6 (36.)				
Trefferlage	1.32 mm rechts, 4.11 mm tief				
Streuwert	8.12, horizontal: 9.12, vertikal: 6.98				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (392.8)
 Serien: 95 95 94 92
 Zähler: 20 17 2 1 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2909 (35), 2054 (26), 1711 (12)
 beste Teiler 38.0 (11.) 220.2 (20.) 264.8 (24.)
 Trefferlage 0.09 mm rechts, 0.07 mm hoch
 Streuwert 7.57, horizontal: 7.99, vertikal: 7.12




Serie 1:
 9.1 ↖ 10.3 * 10.5 * 9.3 → 10.1 ↘
 9.6 ↙ 9.9 ← 10.5 * 9.4 → 10.3 *
 beste Teiler 342.1 (8.) 390.0 (3.) 511.2 (10.)
 Trefferlage 0.76 mm links, 1.04 mm hoch
 Streuwert 6.95, horizontal: 8.21, vertikal: 5.40



Serie 2:
 10.9 * 8.8 ↗ 10.3 * 10.1 ↘ 10.0 →
 9.9 → 9.9 → 9.6 ↑ 10.0 → 10.7 *
 beste Teiler 38.0 (11.) 220.2 (20.) 504.4 (13.)
 Trefferlage 5.36 mm rechts, 2.36 mm hoch
 Streuwert 4.68, horizontal: 3.77, vertikal: 5.44



Serie 3:
 9.1 ← 9.5 ↓ 9.1 → 10.6 * 10.1 ↑
 8.4 ↙ 10.5 * 10.2 → 9.9 → 10.3 *
 beste Teiler 264.8 (24.) 399.8 (27.) 529.0 (30.)
 Trefferlage 0.28 mm rechts, 1.17 mm tief
 Streuwert 8.23, horizontal: 9.94, vertikal: 6.06





Serie 4:
 9.9 ↑ 10.1 ↖ 9.4 ← 10.1 ↘ 7.3 ↙
 9.3 ↘ 9.8 ↗ 10.1 ← 10.2 ↗ 9.7 ↙
 beste Teiler 589.7 (39.) 654.6 (32.) 666.9 (38.)
 Trefferlage 4.51 mm links, 1.92 mm tief
 Streuwert 8.71, horizontal: 6.40, vertikal: 10.53

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **382** (399.2)
 Serien: 95 97 95 95
 Zähler: 25 12 3 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 2108 (29), 2029 (33), 1662 (1)
 beste Teiler 119.5 (21.) 160.2 (6.) 209.8 (19.)
 Trefferlage 2.99 mm rechts, 2.65 mm tief
 Streuwert 5.83, horizontal: 6.30, vertikal: 5.33




Serie 1:
 8.9 ↘ 9.8 ↘ 10.4 * 10.1 ↓ 10.4 *
 10.8 * 9.5 ↗ 10.0 ↙ 10.0 ↓ 9.6 ↘
 beste Teiler 160.2 (6.) 426.0 (5.) 447.5 (3.)
 Trefferlage 2.94 mm rechts, 3.71 mm tief
 Streuwert 5.75, horizontal: 5.79, vertikal: 5.70



Serie 2:
 10.0 ↓ 10.6 * 10.5 * 10.3 ↘ 10.3 ↓
 9.3 → 9.7 ← 9.2 → 10.7 * 10.1 →
 beste Teiler 209.8 (19.) 305.8 (12.) 342.1 (13.)
 Trefferlage 2.23 mm rechts, 0.94 mm tief
 Streuwert 5.76, horizontal: 7.41, vertikal: 3.38



Serie 3:
 10.8 * 9.4 → 10.2 ↓ 10.4 * 9.6 ↓
 10.0 ↗ 10.5 * 9.5 → 8.3 ↘ 10.6 *
 beste Teiler 119.5 (21.) 287.7 (30.) 364.1 (27.)
 Trefferlage 5.21 mm rechts, 2.60 mm tief
 Streuwert 6.00, horizontal: 6.70, vertikal: 5.21





Serie 4:
 9.9 → 10.0 ↓ 8.4 ↓ 10.2 ↙ 10.6 *
 9.7 → 10.3 * 9.9 → 10.3 ↙ 10.4 *
 beste Teiler 248.2 (35.) 445.4 (40.) 510.8 (37.)
 Trefferlage 1.57 mm rechts, 3.36 mm tief
 Streuwert 6.21, horizontal: 5.51, vertikal: 6.83


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **372** (392.0)
 Serien: 93 95 89 95
 Zähler: 18 16 6 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1993 (23), 1894 (16), 1871 (24)
 beste Teiler 115.4 (13.) 128.5 (39.) 179.4 (38.)
 Trefferlage 0.56 mm links, 0.91 mm tief
 Streuwert 7.53, horizontal: 9.31, vertikal: 5.16




Serie 1:
 9.9 ↗ 9.4 ↘ 9.9 ← 9.2 ↙ 9.1 ↘
 9.9 ↗ 10.2 ↙ 9.6 ← 10.0 ↘ 10.0 ↘
 beste Teiler 588.2 (7.) 746.7 (9.) 764.2 (10.)
 Trefferlage 2.41 mm links, 1.88 mm tief
 Streuwert 7.26, horizontal: 7.82, vertikal: 6.66



Serie 2:
 9.6 → 10.5 * 10.8 * 10.1 → 10.6 *
 8.6 ← 9.2 ↖ 10.1 → 9.9 ↙ 10.2 ↙
 beste Teiler 115.4 (13.) 293.1 (15.) 324.9 (12.)
 Trefferlage 2.07 mm links, 0.72 mm tief
 Streuwert 6.79, horizontal: 8.44, vertikal: 4.57



Serie 3:
 9.5 → 9.6 ↓ 8.5 → 8.6 → 9.8 ↘
 10.5 * 10.7 * 9.8 ↗ 9.5 ↗ 8.9 ←
 beste Teiler 188.8 (27.) 349.3 (26.) 891.1 (25.)
 Trefferlage 4.11 mm rechts, 0.16 mm tief
 Streuwert 8.85, horizontal: 11.08, vertikal: 5.83





Serie 4:
 8.9 ← 9.2 → 8.7 ← 10.0 ↘ 10.6 *
 10.3 * 10.5 * 10.7 * 10.8 * 10.1 ↗
 beste Teiler 128.5 (39.) 179.4 (38.) 274.1 (35.)
 Trefferlage 1.89 mm links, 0.91 mm tief
 Streuwert 7.16, horizontal: 9.38, vertikal: 3.83


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (393.2)
 Serien: 94 92 96 94
 Zähler: 19 18 3 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 2011 (38), 1750 (28), 1648 (15)
 beste Teiler 181.4 (25.) 230.6 (39.) 269.0 (6.)
 Trefferlage 1.02 mm rechts, 2.01 mm tief
 Streuwert 7.04, horizontal: 8.40, vertikal: 5.35




Serie 1:
 9.1 → 9.1 ↘ 9.2 ← 9.7 ↓ 9.5 ↖
 10.6 * 10.2 ↙ 9.6 → 10.4 * 10.1 ↘
 beste Teiler 269.0 (6.) 439.7 (9.) 589.4 (7.)
 Trefferlage 0.23 mm rechts, 3.51 mm tief
 Streuwert 7.31, horizontal: 8.83, vertikal: 5.38



Serie 2:
 9.2 ↘ 9.2 ← 10.3 * 9.5 → 8.9 →
 10.4 * 9.9 ↓ 10.3 * 9.3 → 9.2 ↓
 beste Teiler 408.3 (16.) 518.6 (13.) 529.1 (18.)
 Trefferlage 4.23 mm rechts, 4.15 mm tief
 Streuwert 7.36, horizontal: 8.82, vertikal: 5.54



Serie 3:
 9.8 ↘ 9.5 ← 10.4 * 10.4 * 10.7 *
 10.1 ↖ 10.1 ↖ 8.8 ↘ 10.2 ↓ 10.3 *
 beste Teiler 181.4 (25.) 445.5 (23.) 453.5 (24.)
 Trefferlage 0.43 mm rechts, 0.29 mm tief
 Streuwert 6.34, horizontal: 7.40, vertikal: 5.07



Serie 4:
 9.9 ↖ 9.7 ↓ 9.3 → 10.4 * 10.4 *
 9.8 ↘ 10.3 * 8.4 ← 10.7 * 10.3 ↘
 beste Teiler 230.6 (39.) 464.7 (35.) 473.3 (34.)
 Trefferlage 0.80 mm links, 0.07 mm tief
 Streuwert 7.16, horizontal: 8.88, vertikal: 4.88

Unterschrift des Schützen

Meyton Elektronik