





Ergebnis: **360** (379.4)
 Serien: 94 83 94 89
 Zähler: 14 14 10 2 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2518 (33), 2512 (13), 2136 (15)
 beste Teiler 158.4 (32.) 185.9 (24.) 315.6 (9.)
 Trefferlage 2.88 mm links, 3.37 mm tief
 Streuwert 9.09, horizontal: 5.40, vertikal: 11.67




Serie 1:
 10.0 ↙ 9.7 ↙ 9.1 ↓ 10.1 ↑ 8.8 ↘
 9.9 ↘ 10.5 * 9.5 ↓ 10.6 * 10.5 *
 beste Teiler 315.6 (9.) 335.6 (7.) 396.6 (10.)
 Trefferlage 4.56 mm links, 4.49 mm tief
 Streuwert 5.54, horizontal: 3.24, vertikal: 7.13



Serie 2:
 8.4 ↓ 9.9 ↓ 7.8 ↓ 9.7 ↘ 8.3 ↘
 8.7 ↑ 8.5 ↓ 9.8 ← 8.9 ↗ 9.3 ↑
 beste Teiler 873.6 (12.) 887.6 (18.) 1027.4 (14.)
 Trefferlage 5.00 mm links, 2.17 mm tief
 Streuwert 12.09, horizontal: 7.84, vertikal: 15.20



Serie 3:
 10.4 * 9.7 → 10.3 ↓ 10.7 * 8.5 ↖
 9.5 ↓ 10.3 ↓ 10.3 ↙ 8.4 ↓ 10.0 ↓
 beste Teiler 185.9 (24.) 412.3 (21.) 486.6 (27.)
 Trefferlage 0.91 mm links, 3.70 mm tief
 Streuwert 7.63, horizontal: 4.85, vertikal: 9.64





Serie 4:
 8.6 ↓ 10.8 * 7.8 ↓ 9.1 ↓ 9.4 ↑
 9.3 ↑ 10.4 * 9.3 ↓ 10.0 → 8.6 ↑
 beste Teiler 158.4 (32.) 411.8 (37.) 788.4 (39.)
 Trefferlage 1.07 mm links, 3.10 mm tief
 Streuwert 10.65, horizontal: 3.83, vertikal: 14.57


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **363** (379.8)
 Serien: 93 88 92 90
 Zähler: 16 17 4 1 1 1 0 0 0 0
 Innenzehner: 7
 weiteste: 4147 (34), 3388 (15), 2595 (10)
 beste Teiler 210.9 (5.) 233.4 (23.) 273.4 (28.)
 Trefferlage 2.87 mm links, 0.40 mm tief
 Streuwert 9.98, horizontal: 8.34, vertikal: 11.39




Serie 1:
 9.5 ↘ 10.0 → 10.6 * 9.0 ↑ 10.7 *
 9.2 → 10.4 * 10.2 ↓ 9.7 ↖ 7.7 ↑
 beste Teiler 210.9 (5.) 286.1 (3.) 468.8 (7.)
 Trefferlage 2.12 mm rechts, 3.51 mm hoch
 Streuwert 8.47, horizontal: 5.79, vertikal: 10.49



Serie 2:
 9.4 ↑ 10.0 ↓ 8.9 ↙ 9.8 ↓ 6.7 ↘
 9.8 ↗ 10.4 * 9.0 ↓ 9.5 ← 9.3 ↑
 beste Teiler 416.4 (17.) 782.2 (12.) 905.1 (16.)
 Trefferlage 3.15 mm links, 4.46 mm tief
 Streuwert 10.66, horizontal: 9.36, vertikal: 11.82



Serie 3:
 9.5 ↑ 10.3 ↑ 10.7 * 9.7 ← 8.5 ↘
 9.7 ↖ 9.0 ↓ 10.6 * 8.8 ↑ 10.4 ↓
 beste Teiler 233.4 (23.) 273.4 (28.) 480.5 (30.)
 Trefferlage 3.87 mm links, 0.18 mm hoch
 Streuwert 8.08, horizontal: 3.17, vertikal: 10.98





Serie 4:
 9.5 ↖ 10.5 * 10.2 ↓ 5.8 ↙ 10.2 ↗
 9.1 ↑ 9.4 ↑ 10.1 ← 10.0 ↖ 8.0 ↘
 beste Teiler 323.0 (32.) 620.7 (35.) 633.0 (33.)
 Trefferlage 6.60 mm links, 0.86 mm tief
 Streuwert 11.87, horizontal: 11.23, vertikal: 12.47


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **328** (345.9)
 Serien: 86 83 78 81
 Zähler: 7 11 11 9 1 0 0 0 1 0
 Innenzehner: 0
 weiteste: 7152 (22), 3272 (1), 2805 (17)
 beste Teiler 538.3 (3.) 555.0 (5.) 598.8 (2.)
 Trefferlage 5.95 mm rechts, 8.11 mm tief
 Streuwert 13.86, horizontal: 14.51, vertikal: 13.17




Serie 1:
 6.9 ↘ 10.2 ↘ 10.3 ↗ 8.6 → 10.3 ↓
 7.9 ↓ 8.0 ↙ 10.1 ← 8.8 ↓ 9.4 ↘
 beste Teiler 538.3 (3.) 555.0 (5.) 598.8 (2.)
 Trefferlage 2.00 mm links, 5.18 mm tief
 Streuwert 12.62, horizontal: 12.04, vertikal: 13.17



Serie 2:
 9.0 ↘ 9.0 ↓ 10.0 ↑ 7.9 ↖ 9.9 ↑
 8.3 ↓ 7.4 ↘ 9.2 ↓ 7.6 ↗ 8.6 ↘
 beste Teiler 793.0 (13.) 809.6 (15.) 1396.6 (18.)
 Trefferlage 3.21 mm rechts, 4.51 mm tief
 Streuwert 13.78, horizontal: 11.60, vertikal: 15.66



Serie 3:
 9.8 → 2.0 → 7.6 ↘ 8.1 ↓ 10.0 ↑
 8.1 ↘ 9.9 → 9.9 → 9.8 ↘ 7.7 ↓
 beste Teiler 792.8 (25.) 868.3 (27.) 880.6 (28.)
 Trefferlage 15.08 mm rechts, 6.90 mm tief
 Streuwert 17.00, horizontal: 20.20, vertikal: 13.05





Serie 4:
 7.5 ↓ 8.0 ↓ 8.7 → 8.7 ↘ 10.1 ↓
 8.0 ↓ 9.8 ↘ 7.7 ↓ 7.7 ↘ 9.4 ↙
 beste Teiler 708.4 (35.) 904.7 (37.) 1235.1 (40.)
 Trefferlage 7.51 mm rechts, 15.86 mm tief
 Streuwert 7.78, horizontal: 7.10, vertikal: 8.41


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (384.6)
 Serien: 89 94 93 90
 Zähler: 15 17 7 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2432 (38), 2318 (5), 2113 (6)
 beste Teiler 191.0 (20.) 296.5 (19.) 327.7 (11.)
 Trefferlage 2.88 mm links, 2.64 mm tief
 Streuwert 8.32, horizontal: 5.88, vertikal: 10.19




Serie 1:
 9.4 ↓ 9.1 ↘ 8.9 ↓ 9.5 ↗ 8.1 ↘
 8.3 ↖ 10.1 ↑ 10.3 ↗ 9.6 ↖ 9.7 ↖
 beste Teiler 500.4 (8.) 645.9 (7.) 1030.0 (10.)
 Trefferlage 5.82 mm links, 1.69 mm tief
 Streuwert 9.66, horizontal: 6.14, vertikal: 12.20



Serie 2:
 10.5 * 10.5 * 9.8 ↙ 9.3 ↓ 10.5 *
 8.4 ↓ 10.1 ↓ 8.5 ↓ 10.6 * 10.7 *
 beste Teiler 191.0 (20.) 296.5 (19.) 327.7 (11.)
 Trefferlage 1.56 mm links, 6.39 mm tief
 Streuwert 6.33, horizontal: 3.81, vertikal: 8.11



Serie 3:
 8.4 ↑ 9.2 ↓ 10.2 ↖ 9.2 ↗ 10.4 ↗
 9.5 ↓ 9.7 ↘ 10.0 ↑ 10.2 ↘ 9.9 ↓
 beste Teiler 478.5 (25.) 568.6 (29.) 622.5 (23.)
 Trefferlage 1.12 mm rechts, 0.07 mm tief
 Streuwert 8.40, horizontal: 4.70, vertikal: 10.92





Serie 4:
 9.9 ← 9.7 ↖ 10.0 ↗ 9.7 ← 8.6 ↙
 9.5 ↓ 10.3 ↑ 7.9 ↓ 9.9 ← 10.5 *
 beste Teiler 351.9 (40.) 481.0 (37.) 791.3 (33.)
 Trefferlage 5.26 mm links, 2.40 mm tief
 Streuwert 8.11, horizontal: 6.30, vertikal: 9.58


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **330** (346.8)
 Serien: 75 83 85 87
 Zähler: 7 15 7 6 2 3 0 0 0 0
 Innenzehner: 2
 weiteste: 4534 (1), 4494 (12), 4252 (31)
 beste Teiler 326.7 (32.) 346.7 (39.) 498.6 (37.)
 Trefferlage 6.17 mm rechts, 5.78 mm hoch
 Streuwert 14.04, horizontal: 10.10, vertikal: 17.10




Serie 1:
 5.3 ↗ 9.2 ↘ 6.4 ↑ 8.9 ↑ 10.0 ↗
 9.4 ↘ 6.7 ↗ 8.9 ↖ 7.8 ↑ 7.9 ↑
 beste Teiler 797.3 (5.) 1242.0 (6.) 1423.4 (2.)
 Trefferlage 5.36 mm rechts, 18.53 mm hoch
 Streuwert 12.92, horizontal: 10.63, vertikal: 14.87



Serie 2:
 9.0 ↓ 5.3 ↗ 10.0 → 7.1 → 8.3 ↓
 8.3 ↘ 10.2 ↘ 9.8 ↘ 8.1 ↗ 9.9 ←
 beste Teiler 585.8 (17.) 771.0 (13.) 858.2 (20.)
 Trefferlage 8.55 mm rechts, 0.74 mm tief
 Streuwert 15.16, horizontal: 12.33, vertikal: 17.54



Serie 3:
 7.3 ↑ 9.0 ↗ 8.6 ↘ 9.9 → 9.6 ↑
 7.1 ↓ 9.4 ↖ 9.3 ↑ 9.4 ↘ 9.4 ↓
 beste Teiler 826.8 (24.) 1096.0 (25.) 1224.9 (29.)
 Trefferlage 2.81 mm rechts, 1.69 mm hoch
 Streuwert 13.19, horizontal: 7.83, vertikal: 16.93





Serie 4:
 5.6 ↗ 10.5 * 9.2 ↗ 9.0 ↘ 8.6 ↘
 10.1 ← 10.3 ↘ 9.6 ↗ 10.5 * 7.9 →
 beste Teiler 326.7 (32.) 346.7 (39.) 498.6 (37.)
 Trefferlage 7.95 mm rechts, 3.64 mm hoch
 Streuwert 12.10, horizontal: 9.64, vertikal: 14.14


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381** (400.0)
 Serien: 93 94 96 98
 Zähler: 21 19 0 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 1578 (8), 1452 (2), 1296 (25)
 beste Teiler 114.9 (37.) 142.3 (40.) 191.3 (3.)
 Trefferlage 0.97 mm rechts, 0.29 mm hoch
 Streuwert 6.00, horizontal: 4.74, vertikal: 7.04




Serie 1:
 9.7 ↖ 9.1 ↖ 10.7 * 10.4 * 9.7 ↘
 9.9 ↓ 10.0 → 9.0 ↗ 9.5 ↓ 9.8 ↗
 beste Teiler 191.3 (3.) 437.1 (4.) 745.5 (7.)
 Trefferlage 1.19 mm rechts, 0.73 mm hoch
 Streuwert 7.47, horizontal: 6.79, vertikal: 8.09



Serie 2:
 10.0 ↘ 9.9 ↘ 10.0 → 9.6 ↖ 9.5 ↓
 9.5 ↓ 10.3 ↖ 9.5 ↓ 10.2 ↓ 9.9 ↘
 beste Teiler 500.3 (17.) 602.9 (19.) 750.0 (11.)
 Trefferlage 1.73 mm rechts, 4.81 mm tief
 Streuwert 5.68, horizontal: 5.40, vertikal: 5.94



Serie 3:
 9.4 ↑ 10.7 * 10.6 * 10.4 * 9.3 ↑
 9.8 ↑ 10.2 ↑ 10.6 * 9.9 ↓ 10.3 ↓
 beste Teiler 197.9 (22.) 290.8 (28.) 293.2 (23.)
 Trefferlage 0.99 mm rechts, 2.96 mm hoch
 Streuwert 5.09, horizontal: 1.52, vertikal: 7.03





Serie 4:
 10.5 * 10.5 * 10.2 ↖ 10.1 ↗ 10.1 ↗
 9.4 ↙ 10.8 * 9.7 ↑ 10.5 * 10.8 *
 beste Teiler 114.9 (37.) 142.3 (40.) 327.0 (32.)
 Trefferlage 0.02 mm links, 2.28 mm hoch
 Streuwert 4.54, horizontal: 4.23, vertikal: 4.82


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **374** (392.5)
 Serien: 93 95 92 94
 Zähler: 17 21 1 1 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2775 (39), 1898 (1), 1549 (31)
 beste Teiler 171.1 (19.) 280.7 (17.) 303.2 (13.)
 Trefferlage 1.28 mm links, 0.59 mm tief
 Streuwert 7.37, horizontal: 4.42, vertikal: 9.45




Serie 1:
 8.6 ↓ 10.4 * 9.7 ↙ 10.2 ↓ 9.4 ↑
 9.3 ↓ 10.3 ↑ 9.9 ↓ 9.1 ↓ 10.2 ↘
 beste Teiler 426.6 (2.) 504.0 (7.) 577.7 (10.)
 Trefferlage 1.12 mm links, 4.79 mm tief
 Streuwert 7.32, horizontal: 3.00, vertikal: 9.90



Serie 2:
 9.8 ↗ 9.5 ↑ 10.6 * 9.3 ↙ 9.6 ↙
 10.3 ↘ 10.6 * 10.2 ↘ 10.7 * 9.1 ←
 beste Teiler 171.1 (19.) 280.7 (17.) 303.2 (13.)
 Trefferlage 3.50 mm links, 0.07 mm hoch
 Streuwert 6.26, horizontal: 6.08, vertikal: 6.45



Serie 3:
 9.6 ↓ 10.3 ↓ 10.0 ↘ 9.6 ↘ 9.8 ↑
 9.5 ↑ 9.3 ↑ 9.9 ↙ 9.8 ↑ 9.9 ↑
 beste Teiler 551.2 (22.) 794.7 (23.) 805.0 (28.)
 Trefferlage 0.68 mm rechts, 1.51 mm hoch
 Streuwert 7.14, horizontal: 4.26, vertikal: 9.15



Serie 4:
 9.0 ↓ 10.0 ↑ 10.3 ↘ 9.7 ↓ 10.4 *
 10.4 * 9.9 ↙ 10.4 * 7.5 ↑ 10.4 *
 beste Teiler 408.3 (36.) 451.7 (40.) 459.2 (38.)
 Trefferlage 1.19 mm links, 0.81 mm hoch
 Streuwert 8.56, horizontal: 3.27, vertikal: 11.66

Unterschrift des Schützen

Meyton Elektronik