





Ergebnis: **349** (371.3)  
 Serien: 87 83 94 85  
 Zähler: 11 13 11 4 1 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 3439 (18), 3187 (28), 2476 (39)  
 beste Teiler 259.3 (19.) 264.8 (27.) 319.7 (29.)  
 Trefferlage 1.94 mm rechts, 2.24 mm hoch  
 Streuwert 10.88, horizontal: 6.95, vertikal: 13.73




Serie 1:  
 8.9 ↘ 10.4 \* 9.6 → 9.9 → 7.9 ↓  
 9.6 ↙ 8.7 ↑ 9.9 → 9.4 ↓ 9.1 ←  
 beste Teiler 445.2 (2.) 879.1 (8.) 879.9 (4.)  
 Trefferlage 3.18 mm rechts, 3.83 mm tief  
 Streuwert 9.78, horizontal: 8.78, vertikal: 10.68



Serie 2:  
 10.4 \* 8.6 ↓ 8.7 ↗ 9.8 ↖ 8.8 ↑  
 9.1 ↑ 7.9 ↙ 6.7 ↑ 10.6 \* 8.8 ↑  
 beste Teiler 259.3 (19.) 437.8 (11.) 943.5 (14.)  
 Trefferlage 1.60 mm links, 6.79 mm hoch  
 Streuwert 12.68, horizontal: 5.57, vertikal: 17.04



Serie 3:  
 10.4 \* 9.5 → 10.4 ← 10.2 ↘ 9.6 ↗  
 10.1 → 10.6 \* 7.0 ↑ 10.6 \* 9.9 ↘  
 beste Teiler 264.8 (27.) 319.7 (29.) 424.4 (21.)  
 Trefferlage 2.39 mm rechts, 1.90 mm hoch  
 Streuwert 8.75, horizontal: 5.12, vertikal: 11.26





Serie 4:  
 8.6 ↗ 10.2 ↖ 8.6 ↓ 8.5 ↑ 9.0 ↗  
 10.0 ↑ 9.9 ↓ 8.7 ↓ 7.9 ↑ 8.8 →  
 beste Teiler 636.7 (32.) 795.3 (36.) 874.9 (37.)  
 Trefferlage 3.81 mm rechts, 4.13 mm hoch  
 Streuwert 11.67, horizontal: 7.43, vertikal: 14.74


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (385.9)  
 Serien: 88 95 93 95  
 Zähler: 20 15 3 0 2 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 3573 (9), 3468 (6), 2140 (15)  
 beste Teiler 113.9 (34.) 220.4 (23.) 288.5 (17.)  
 Trefferlage 0.26 mm rechts, 3.44 mm tief  
 Streuwert 8.90, horizontal: 6.18, vertikal: 10.97




Serie 1:  
 10.0 ↗ 10.4 \* 9.3 ↑ 9.4 ↗ 9.3 ↓  
 6.6 ↓ 9.3 ← 10.3 ↘ 6.5 ↓ 10.3 ↖  
 beste Teiler 444.7 (2.) 528.2 (10.) 554.2 (8.)  
 Trefferlage 0.72 mm rechts, 5.62 mm tief  
 Streuwert 12.88, horizontal: 6.92, vertikal: 16.85



Serie 2:  
 10.0 ↑ 10.6 \* 8.6 ↑ 10.2 ↘ 8.3 ↘  
 9.3 ↗ 10.6 \* 10.0 ← 10.2 ↓ 10.0 ↓  
 beste Teiler 288.5 (17.) 313.8 (12.) 565.1 (14.)  
 Trefferlage 1.89 mm rechts, 0.00 mm  
 Streuwert 8.25, horizontal: 6.79, vertikal: 9.49



Serie 3:  
 10.2 ↓ 9.8 ↗ 10.7 \* 9.2 ↓ 9.5 ↖  
 9.2 ↓ 8.5 ↘ 9.2 ↓ 10.1 ← 10.3 ↗  
 beste Teiler 220.4 (23.) 518.3 (30.) 631.6 (21.)  
 Trefferlage 0.60 mm rechts, 4.96 mm tief  
 Streuwert 7.70, horizontal: 6.44, vertikal: 8.78





Serie 4:  
 9.8 ↓ 9.1 ↓ 10.4 \* 10.8 \* 10.2 ↓  
 10.5 \* 9.6 ↘ 9.2 ↗ 9.9 ↓ 10.5 \*  
 beste Teiler 113.9 (34.) 344.4 (36.) 397.1 (40.)  
 Trefferlage 2.14 mm links, 3.19 mm tief  
 Streuwert 5.90, horizontal: 4.50, vertikal: 7.02


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **350** (367.3)  
 Serien: 89 87 84 90  
 Zähler: 7 22 6 4 1 0 0 0 0 0  
 Innenzehner: 0  
 weiteste: 3701 (40), 3071 (11), 2840 (24)  
 beste Teiler 584.9 (38.) 601.7 (35.) 618.6 (9.)  
 Trefferlage 3.66 mm links, 1.61 mm hoch  
 Streuwert 11.04, horizontal: 10.23, vertikal: 11.79




Serie 1:  
 9.9 ↘                      9.1 ↘                      8.5 ↓                      10.0 ←                      9.6 ↑  
 9.6 ↑                      9.7 ↙                      7.7 ↗                      10.2 ↖                      9.7 ↖  
 beste Teiler 618.6 (9.) 762.3 (4.) 815.1 (1.)  
 Trefferlage 1.39 mm links, 2.02 mm hoch  
 Streuwert 10.01, horizontal: 9.52, vertikal: 10.47



Serie 2:  
 7.1 ←                      8.4 ↖                      9.7 →                      9.5 ↙                      9.4 ↖  
 8.2 ↗                      10.1 ←                      9.9 ↘                      9.4 ↙                      9.2 ↗  
 beste Teiler 702.9 (17.) 872.8 (18.) 1004.2 (13.)  
 Trefferlage 3.85 mm links, 2.56 mm hoch  
 Streuwert 11.82, horizontal: 12.92, vertikal: 10.60



Serie 3:  
 9.9 ↗                      9.2 ↓                      9.7 ↘                      7.4 ↖                      7.9 ↓  
 8.6 →                      9.4 ↘                      9.4 ←                      8.2 ↙                      9.7 ↖  
 beste Teiler 826.7 (21.) 1018.0 (23.) 1022.2 (30.)  
 Trefferlage 2.77 mm links, 3.98 mm tief  
 Streuwert 12.48, horizontal: 12.75, vertikal: 12.20





Serie 4:  
 10.1 ↙                      9.4 ↖                      9.8 ↑                      9.1 ↖                      10.2 ↙  
 10.0 ←                      9.0 ↙                      10.2 ←                      8.9 ↖                      6.3 ↑  
 beste Teiler 584.9 (38.) 601.7 (35.) 717.5 (31.)  
 Trefferlage 6.63 mm links, 5.84 mm hoch  
 Streuwert 9.80, horizontal: 4.12, vertikal: 13.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (389.1)  
 Serien: 93 94 94 91  
 Zähler: 18 16 6 0 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 1969 (25), 1832 (4), 1764 (40)  
 beste Teiler 119.0 (16.) 207.2 (3.) 348.2 (14.)  
 Trefferlage 0.09 mm rechts, 0.99 mm tief  
 Streuwert 7.82, horizontal: 5.14, vertikal: 9.79




Serie 1:  
 8.9 ↘ 9.5 ↓ 10.7 \* 8.7 ↓ 9.0 ↓  
 10.0 ↘ 9.8 ↑ 10.3 ↓ 10.0 ↓ 10.1 ←  
 beste Teiler 207.2 (3.) 511.9 (8.) 647.0 (10.)  
 Trefferlage 0.33 mm links, 7.17 mm tief  
 Streuwert 6.36, horizontal: 3.85, vertikal: 8.13



Serie 2:  
 10.0 ↑ 10.3 ↗ 9.3 ↑ 10.5 \* 9.3 ↑  
 10.8 \* 9.7 ↑ 9.1 ↓ 9.7 ↙ 9.8 ↑  
 beste Teiler 119.0 (16.) 348.2 (14.) 482.5 (12.)  
 Trefferlage 0.13 mm links, 3.21 mm hoch  
 Streuwert 6.87, horizontal: 3.22, vertikal: 9.16



Serie 3:  
 9.5 ↖ 10.5 \* 10.4 \* 9.2 ↗ 8.5 ↓  
 9.1 ↗ 9.2 ↓ 10.0 ↑ 10.4 \* 10.3 ↗  
 beste Teiler 393.5 (22.) 425.2 (23.) 428.2 (29.)  
 Trefferlage 2.07 mm rechts, 0.95 mm hoch  
 Streuwert 8.23, horizontal: 5.37, vertikal: 10.32





Serie 4:  
 9.9 ↘ 10.1 → 10.3 ← 10.0 → 8.9 ↖  
 10.5 \* 9.7 ↖ 8.8 ↓ 9.6 ↑ 8.7 ↓  
 beste Teiler 374.4 (36.) 527.9 (33.) 720.3 (32.)  
 Trefferlage 1.23 mm links, 0.95 mm tief  
 Streuwert 8.56, horizontal: 7.34, vertikal: 9.63


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (392.3)  
 Serien: 95 93 92 93  
 Zähler: 17 19 4 0 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2119 (18), 1849 (29), 1836 (34)  
 beste Teiler 69.8 (20.) 123.3 (38.) 278.3 (39.)  
 Trefferlage 0.79 mm links, 0.61 mm tief  
 Streuwert 7.33, horizontal: 5.98, vertikal: 8.46




Serie 1:  
 8.7 ↑                      10.4 \*                      9.8 ←                      9.9 ↗                      10.2 ↖  
 10.4 ↙                      10.3 ↘                      9.4 →                      10.1 ↑                      10.0 ↗  
 beste Teiler 433.4 (2.) 477.3 (6.) 512.7 (7.)  
 Trefferlage 1.18 mm rechts, 1.98 mm hoch  
 Streuwert 6.70, horizontal: 6.38, vertikal: 7.01



Serie 2:  
 9.9 ↓                      9.3 ↓                      9.7 ↓                      10.1 ↗                      10.4 \*  
 9.7 ↘                      10.0 ↑                      8.3 ↑                      9.9 ↘                      10.9 \*  
 beste Teiler 69.8 (20.) 469.1 (15.) 651.2 (14.)  
 Trefferlage 0.64 mm rechts, 0.72 mm hoch  
 Streuwert 7.71, horizontal: 4.45, vertikal: 9.96



Serie 3:  
 9.9 →                      9.8 ←                      9.4 ←                      9.1 ↓                      10.4 \*  
 10.0 ↙                      9.2 ↑                      9.9 ↑                      8.6 ↓                      10.2 ↑  
 beste Teiler 452.1 (25.) 569.5 (30.) 773.0 (26.)  
 Trefferlage 2.20 mm links, 0.48 mm tief  
 Streuwert 8.20, horizontal: 6.96, vertikal: 9.27





Serie 4:  
 9.5 ↓                      9.8 ↓                      9.2 ↓                      8.7 ↙                      10.2 ↖  
 9.6 ↘                      9.9 ↙                      10.8 \*                      10.6 \*                      10.1 ↗  
 beste Teiler 123.3 (38.) 278.3 (39.) 586.1 (35.)  
 Trefferlage 2.78 mm links, 4.69 mm tief  
 Streuwert 6.37, horizontal: 5.73, vertikal: 6.94


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (396.3)  
 Serien: 96 92 95 95  
 Zähler: 20 18 2 0 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 2195 (9), 1611 (28), 1560 (39)  
 beste Teiler 123.2 (36.) 203.2 (3.) 264.3 (21.)  
 Trefferlage 1.23 mm links, 0.32 mm hoch  
 Streuwert 6.72, horizontal: 5.70, vertikal: 7.61




Serie 1:  
 10.3 ↘                      10.2 ↓                      10.7 \*                      10.0 ↑                      10.0 ↖  
 9.7 ↑                      10.5 \*                      10.6 \*                      8.2 ↗                      9.7 ↑  
 beste Teiler 203.2 (3.) 310.3 (8.) 351.3 (7.)  
 Trefferlage 1.49 mm links, 3.62 mm hoch  
 Streuwert 6.52, horizontal: 4.80, vertikal: 7.86



Serie 2:  
 9.5 ↗                      9.2 ←                      9.8 ↓                      9.3 ↗                      9.9 ←  
 10.1 ←                      9.9 ↖                      9.7 ↗                      10.0 ↗                      9.9 →  
 beste Teiler 648.5 (16.) 727.4 (19.) 829.8 (20.)  
 Trefferlage 0.13 mm links, 1.63 mm hoch  
 Streuwert 7.36, horizontal: 8.43, vertikal: 6.11



Serie 3:  
 10.6 \*                      10.0 ↖                      9.2 ↓                      10.4 \*                      9.9 ↓  
 9.3 ↑                      10.3 ↘                      8.9 ↓                      10.1 ←                      10.6 \*  
 beste Teiler 264.3 (21.) 278.8 (30.) 449.0 (24.)  
 Trefferlage 3.40 mm links, 2.85 mm tief  
 Streuwert 6.09, horizontal: 3.33, vertikal: 7.94



Serie 4:  
 10.4 \*                      9.5 ↖                      10.5 \*                      9.9 ↓                      10.0 ↘  
 10.8 \*                      9.4 ↓                      9.9 ↗                      9.0 ↖                      10.4 \*  
 beste Teiler 123.2 (36.) 357.6 (33.) 423.0 (31.)  
 Trefferlage 0.08 mm rechts, 1.09 mm tief  
 Streuwert 6.65, horizontal: 5.18, vertikal: 7.84

Unterschrift des Schützen

Meyton Elektronik