





Ergebnis: **394.3** (376)
 Serien: 96.3 99.6 99.2 99.2
 Zähler: 20 16 4 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 618 (21), 597 (9), 538 (8)
 beste Teiler 5.0 (16.) 53.6 (19.) 62.3 (20.)
 Trefferlage 0.02 mm rechts, 0.17 mm tief
 Streuwert 2.23, horizontal: 2.44, vertikal: 2.00




Serie 1:
 9.3 ↘ 10.2 * 9.0 → 10.1 ↑ 10.2 *
 10.5 * 9.6 → 8.8 ↘ 8.6 → 10.0 →
 beste Teiler 122.2 (6.) 180.3 (2.) 197.6 (5.)
 Trefferlage 1.24 mm rechts, 0.51 mm hoch
 Streuwert 2.57, horizontal: 3.13, vertikal: 1.84



Serie 2:
 9.2 ↘ 10.0 ↗ 9.2 ↓ 9.5 ↙ 10.7 *
 10.9 * 8.9 ↘ 9.8 ↘ 10.7 * 10.7 *
 beste Teiler 5.0 (16.) 53.6 (19.) 62.3 (20.)
 Trefferlage 0.05 mm rechts, 0.55 mm tief
 Streuwert 2.21, horizontal: 1.89, vertikal: 2.49





Serie 3:
 8.5 ← 9.7 ↓ 9.8 ↘ 10.3 * 10.4 *
 9.9 ↘ 9.6 ↘ 10.2 * 10.6 * 10.2 *
 beste Teiler 88.3 (29.) 131.1 (25.) 173.2 (24.)
 Trefferlage 0.39 mm links, 0.36 mm tief
 Streuwert 2.18, horizontal: 2.37, vertikal: 1.98




Serie 4:
 10.0 ↓ 10.3 * 10.3 * 9.7 ↙ 9.6 ↘
 9.9 ↓ 9.6 ↘ 10.3 * 10.0 ↘ 9.5 →
 beste Teiler 162.5 (33.) 168.5 (32.) 173.4 (38.)
 Trefferlage 0.82 mm links, 0.27 mm tief
 Streuwert 1.91, horizontal: 2.05, vertikal: 1.76

Unterschrift des Schützen


Ergebnis:	381.3	(364)
Serien:	95.4	94.6 99.3 92.0
Zähler:	12	20 8 0 0 0 0 0 0 0
Innenzehner:	10	
weiteste:	680	(31), 671 (13), 667 (5)
beste Teiler	49.9	(25.) 55.1 (14.) 58.2 (30.)
Trefferlage	0.42 mm	rechts, 0.33 mm hoch
Streuwert	2.80,	horizontal: 3.05, vertikal: 2.53




Serie 1:	9.7 ↗	10.1 →	10.2 *	9.5 ↓	8.3 ↘
	9.1 ↘	10.2 *	9.7 ↘	9.8 ↑	8.8 →
beste Teiler	191.0	(7.) 196.5 (3.)	207.1 (2.)		
Trefferlage	1.09 mm	rechts, 1.20 mm hoch			
Streuwert	2.59,	horizontal: 2.84, vertikal: 2.31			



Serie 2:	10.0 ↘	10.4 *	8.3 ←	10.7 *	9.0 →
	10.4 *	8.6 ↗	9.4 ↘	8.8 ↗	9.0 ↓
beste Teiler	55.1	(14.) 148.9 (16.)	150.3 (12.)		
Trefferlage	0.21 mm	rechts, 0.14 mm hoch			
Streuwert	3.17,	horizontal: 3.11, vertikal: 3.23			



Serie 3:	10.2 *	9.4 ↗	9.0 →	10.4 *	10.8 *
	10.2 *	9.1 ↗	9.8 ↘	9.7 ↘	10.7 *
beste Teiler	49.9	(25.) 58.2 (30.)	132.9 (24.)		
Trefferlage	0.00 mm	, 0.33 mm hoch			
Streuwert	2.19,	horizontal: 1.95, vertikal: 2.40			





Serie 4:	8.2 →	9.5 ←	9.7 →	9.5 ↘	9.7 ↗
	9.1 ↗	8.5 ←	8.9 →	9.2 ←	9.7 ←
beste Teiler	305.3	(40.) 309.0 (33.)	310.2 (35.)		
Trefferlage	0.39 mm	rechts, 0.34 mm tief			
Streuwert	3.36,	horizontal: 4.23, vertikal: 2.18			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **384.2** (366)
 Serien: 96.1 94.6 95.8 97.7
 Zähler: 15 17 7 1 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 766 (22), 737 (26), 706 (3)
 beste Teiler 14.4 (21.) 63.0 (1.) 63.6 (2.)
 Trefferlage 0.41 mm rechts, 1.28 mm tief
 Streuwert 2.64, horizontal: 2.79, vertikal: 2.48




Serie 1:
 10.7 * 10.7 * 8.1 ↘ 9.7 → 9.8 ↖
 9.0 ← 10.6 * 9.2 ↗ 10.1 ↖ 8.2 ↘
 beste Teiler 63.0 (1.) 63.6 (2.) 95.2 (7.)
 Trefferlage 1.00 mm rechts, 0.32 mm hoch
 Streuwert 2.91, horizontal: 3.49, vertikal: 2.18



Serie 2:
 9.8 ↓ 9.7 ↗ 10.2 * 9.6 ↓ 8.5 ↘
 9.0 ↙ 8.6 ↓ 10.6 * 9.7 ↙ 8.9 ↓
 beste Teiler 88.8 (18.) 182.0 (13.) 292.1 (11.)
 Trefferlage 0.27 mm links, 2.10 mm tief
 Streuwert 2.59, horizontal: 2.80, vertikal: 2.37



Serie 3:
 10.9 * 7.9 ↓ 10.5 * 9.1 ↓ 9.6 ↘
 8.0 ↘ 10.7 * 9.1 ↖ 10.3 * 9.7 ↙
 beste Teiler 14.4 (21.) 64.4 (27.) 101.4 (23.)
 Trefferlage 0.11 mm links, 2.00 mm tief
 Streuwert 2.82, horizontal: 2.96, vertikal: 2.68





Serie 4:
 10.2 * 9.6 ↘ 8.4 ↓ 9.5 → 9.7 ↓
 10.0 → 10.2 * 9.7 ↗ 10.2 * 10.2 *
 beste Teiler 177.3 (40.) 178.8 (31.) 190.6 (39.)
 Trefferlage 1.06 mm rechts, 1.35 mm tief
 Streuwert 2.02, horizontal: 1.82, vertikal: 2.21


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377.0** (360)
 Serien: 95.2 93.6 94.7 93.5
 Zähler: 12 18 8 2 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 897 (23), 782 (18), 724 (33)
 beste Teiler 51.7 (15.) 106.2 (17.) 114.0 (21.)
 Trefferlage 0.61 mm links, 0.10 mm hoch
 Streuwert 3.07, horizontal: 3.60, vertikal: 2.44




Serie 1:
 9.7 ← 9.6 → 8.4 ↘ 9.2 ↑ 9.3 ↑
 9.0 ↘ 9.5 ↘ 10.3 * 10.0 ↑ 10.2 *
 beste Teiler 170.8 (8.) 192.9 (10.) 246.1 (9.)
 Trefferlage 0.23 mm links, 0.74 mm hoch
 Streuwert 2.81, horizontal: 2.48, vertikal: 3.10



Serie 2:
 9.8 ↓ 8.5 ← 9.2 → 9.2 ↘ 10.7 *
 8.2 ↘ 10.5 * 7.8 ← 9.4 ↓ 10.3 *
 beste Teiler 51.7 (15.) 106.2 (17.) 172.7 (20.)
 Trefferlage 1.32 mm links, 0.42 mm tief
 Streuwert 3.28, horizontal: 4.05, vertikal: 2.27



Serie 3:
 10.5 * 9.4 ↘ 7.4 ↘ 9.5 ← 9.3 ←
 10.0 ↙ 8.2 ← 10.2 * 9.8 ← 10.4 *
 beste Teiler 114.0 (21.) 130.1 (30.) 194.8 (28.)
 Trefferlage 2.83 mm links, 0.45 mm hoch
 Streuwert 2.51, horizontal: 3.06, vertikal: 1.80





Serie 4:
 9.8 → 10.1 ↙ 8.1 → 8.4 ↗ 10.2 *
 9.9 ← 9.4 ↑ 8.8 → 8.9 ↘ 9.9 ↘
 beste Teiler 194.6 (35.) 225.8 (32.) 262.4 (40.)
 Trefferlage 1.93 mm rechts, 0.34 mm tief
 Streuwert 2.94, horizontal: 3.28, vertikal: 2.56


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **387.7** (366)
 Serien: 96.0 96.2 97.5 98.0
 Zähler: 15 16 9 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 742 (24), 625 (4), 625 (10)
 beste Teiler 7.6 (39.) 15.5 (11.) 46.4 (36.)
 Trefferlage 0.14 mm links, 0.12 mm tief
 Streuwert 2.64, horizontal: 2.90, vertikal: 2.34




Serie 1:
 10.7 * 10.3 * 9.1 ↘ 8.5 ↖ 9.7 ↙
 10.3 * 9.8 ← 8.5 ↗ 10.6 * 8.5 →
 beste Teiler 57.0 (1.) 93.0 (9.) 157.6 (2.)
 Trefferlage 0.01 mm links, 0.11 mm tief
 Streuwert 3.01, horizontal: 3.83, vertikal: 1.86



Serie 2:
 10.9 * 9.9 → 8.9 ↓ 9.2 ↘ 10.0 ↘
 9.7 ↓ 9.7 ↑ 9.1 ↖ 8.9 ↙ 9.9 →
 beste Teiler 15.5 (11.) 229.2 (15.) 254.9 (12.)
 Trefferlage 0.21 mm links, 1.12 mm tief
 Streuwert 2.55, horizontal: 2.65, vertikal: 2.44



Serie 3:
 10.1 ↓ 9.7 ↙ 10.1 ↖ 8.0 ↗ 8.8 ↘
 9.8 ↘ 10.1 ↖ 10.4 * 10.6 * 9.9 ↙
 beste Teiler 94.7 (29.) 146.7 (28.) 214.7 (23.)
 Trefferlage 0.70 mm links, 0.90 mm hoch
 Streuwert 2.51, horizontal: 1.64, vertikal: 3.15





Serie 4:
 9.8 → 9.0 → 10.6 * 10.2 * 9.6 ←
 10.8 * 8.8 → 9.8 ↑ 10.9 * 8.5 ↖
 beste Teiler 7.6 (39.) 46.4 (36.) 99.1 (33.)
 Trefferlage 0.34 mm rechts, 0.14 mm tief
 Streuwert 2.62, horizontal: 3.39, vertikal: 1.48


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **393.6** (376)
 Serien: 100.1 96.1 97.9 99.5
 Zähler: 21 15 3 1 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 830 (22), 574 (11), 574 (20)
 beste Teiler 46.0 (2.) 68.5 (28.) 82.8 (1.)
 Trefferlage 1.06 mm rechts, 0.05 mm hoch
 Streuwert 2.18, horizontal: 2.58, vertikal: 1.69




Serie 1:
 10.6 * 10.8 * 10.2 * 9.1 → 9.6 ↓
 10.5 * 9.8 ↖ 9.2 ↘ 9.7 ← 10.6 *
 beste Teiler 46.0 (2.) 82.8 (1.) 98.0 (10.)
 Trefferlage 0.49 mm rechts, 0.65 mm tief
 Streuwert 1.97, horizontal: 2.40, vertikal: 1.40



Serie 2:
 8.7 → 10.3 * 10.5 * 8.9 → 9.7 ↓
 9.9 ↓ 9.9 ← 10.2 * 9.3 → 8.7 ↗
 beste Teiler 101.8 (13.) 155.5 (12.) 193.5 (18.)
 Trefferlage 1.95 mm rechts, 0.21 mm tief
 Streuwert 2.35, horizontal: 2.74, vertikal: 1.89



Serie 3:
 10.2 * 7.6 → 9.9 → 10.0 ↓ 9.1 →
 10.0 ↖ 10.0 ↖ 10.7 * 9.8 → 10.6 *
 beste Teiler 68.5 (28.) 92.7 (30.) 188.2 (21.)
 Trefferlage 1.29 mm rechts, 0.02 mm hoch
 Streuwert 2.48, horizontal: 3.29, vertikal: 1.24





Serie 4:
 10.4 * 10.1 ↓ 10.3 * 10.3 * 10.0 ↗
 9.7 ↗ 10.1 ← 9.0 ↗ 10.3 * 9.3 ↖
 beste Teiler 139.7 (31.) 164.1 (34.) 171.2 (33.)
 Trefferlage 0.52 mm rechts, 1.05 mm hoch
 Streuwert 1.85, horizontal: 1.79, vertikal: 1.91


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **387.4** (371)
 Serien: 95.8 96.6 98.7 96.3
 Zähler: 17 17 6 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 739 (16), 601 (6), 570 (35)
 beste Teiler 120.2 (14.) 120.8 (25.) 127.1 (15.)
 Trefferlage 0.93 mm rechts, 0.72 mm hoch
 Streuwert 2.38, horizontal: 2.65, vertikal: 2.07




Serie 1:
 9.0 → 10.4 * 9.0 ↑ 10.3 * 9.8 ↖
 8.5 → 9.1 ← 10.2 * 9.8 ↗ 9.7 ↙
 beste Teiler 129.4 (2.) 170.4 (4.) 188.0 (8.)
 Trefferlage 0.55 mm rechts, 0.86 mm hoch
 Streuwert 2.68, horizontal: 3.22, vertikal: 2.00



Serie 2:
 10.3 * 10.3 * 8.9 ↗ 10.5 * 10.4 *
 8.0 ↗ 8.9 ↘ 10.2 * 10.1 ↑ 9.0 →
 beste Teiler 120.2 (14.) 127.1 (15.) 153.5 (11.)
 Trefferlage 1.64 mm rechts, 0.52 mm hoch
 Streuwert 2.56, horizontal: 2.49, vertikal: 2.63



Serie 3:
 9.2 → 9.8 ↘ 9.6 ↗ 9.5 → 10.5 *
 10.0 ↑ 10.0 → 10.1 ↙ 10.2 * 9.8 ↑
 beste Teiler 120.8 (25.) 200.9 (29.) 213.2 (28.)
 Trefferlage 1.24 mm rechts, 0.26 mm hoch
 Streuwert 1.89, horizontal: 2.14, vertikal: 1.61





Serie 4:
 10.2 * 10.1 ↑ 9.8 → 10.1 ↘ 8.7 ↗
 9.9 ↓ 8.9 ← 9.6 ↑ 9.9 → 9.1 ↑
 beste Teiler 193.0 (31.) 221.7 (32.) 222.2 (34.)
 Trefferlage 0.30 mm rechts, 1.23 mm hoch
 Streuwert 2.51, horizontal: 2.86, vertikal: 2.12


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372.5** (356)
 Serien: 94.2 94.5 92.3 91.5
 Zähler: 13 12 13 2 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 882 (22), 784 (5), 745 (36)
 beste Teiler 55.7 (12.) 81.1 (8.) 96.5 (6.)
 Trefferlage 0.88 mm rechts, 2.01 mm hoch
 Streuwert 2.95, horizontal: 3.33, vertikal: 2.52




Serie 1:
 9.4 → 9.1 ↑ 9.0 → 10.5 * 7.8 ↖
 10.6 * 9.7 ↗ 10.6 * 8.5 ↘ 9.0 ↗
 beste Teiler 81.1 (8.) 96.5 (6.) 112.6 (4.)
 Trefferlage 0.23 mm rechts, 1.95 mm hoch
 Streuwert 2.95, horizontal: 3.74, vertikal: 1.84



Serie 2:
 10.2 * 10.7 * 8.6 ↑ 8.4 ↗ 9.7 ↗
 9.9 ↗ 9.4 ↗ 9.1 ↗ 10.0 ↘ 8.5 ↗
 beste Teiler 55.7 (12.) 187.6 (11.) 238.3 (19.)
 Trefferlage 1.82 mm rechts, 1.89 mm hoch
 Streuwert 2.41, horizontal: 2.60, vertikal: 2.20





Serie 3:
 8.9 ↗ 7.4 ↑ 10.6 * 8.8 ↖ 9.7 ↖
 9.9 ↗ 10.2 * 8.3 ↗ 8.3 ↑ 10.2 *
 beste Teiler 100.4 (23.) 182.8 (27.) 190.9 (30.)
 Trefferlage 0.49 mm rechts, 2.59 mm hoch
 Streuwert 3.14, horizontal: 3.34, vertikal: 2.92




Serie 4:
 10.5 * 8.4 ↑ 10.1 ↖ 10.2 * 10.1 ↑
 8.0 → 8.1 ↗ 8.3 ↘ 9.1 ↗ 8.7 →
 beste Teiler 103.9 (31.) 198.1 (34.) 202.1 (33.)
 Trefferlage 0.99 mm rechts, 1.60 mm hoch
 Streuwert 3.52, horizontal: 3.81, vertikal: 3.21

Unterschrift des Schützen


Ergebnis:	367.9	(347)
Serien:	91.9 91.6 90.0 94.4	
Zähler:	7 14 18 1 0 0 0 0 0 0	
Innenzehner:	6	
weiteste:	802 (12), 716 (18), 686 (28)	
beste Teiler	129.2 (14.) 146.2 (13.) 157.0 (35.)	
Trefferlage	2.60 mm links, 0.73 mm tief	
Streuwert	2.81, horizontal: 2.97, vertikal: 2.63	




Serie 1:	8.4 ↗	9.9 ←	8.5 ↘	8.9 ↖	8.9 ↗
	8.5 ←	9.5 ←	10.2 *	10.3 *	8.8 ↗
beste Teiler	165.9 (9.)	191.4 (8.)	270.8 (2.)		
Trefferlage	2.91 mm links, 0.39 mm tief				
Streuwert	2.80, horizontal: 2.89, vertikal: 2.70				



Serie 2:	8.5 ↖	7.7 ↓	10.4 *	10.4 *	9.6 ↗
	9.8 ↘	8.5 ←	8.1 ↗	9.9 ↗	8.7 ↖
beste Teiler	129.2 (14.)	146.2 (13.)	267.5 (19.)		
Trefferlage	2.37 mm links, 1.58 mm tief				
Streuwert	3.08, horizontal: 2.96, vertikal: 3.19				



Serie 3:	9.2 ↖	9.2 ←	8.8 ↘	8.4 ↗	9.4 ↖
	9.6 ↖	8.4 ←	8.2 ↖	10.0 ↓	8.8 ↖
beste Teiler	248.4 (29.)	349.3 (26.)	384.4 (25.)		
Trefferlage	2.90 mm links, 0.45 mm tief				
Streuwert	3.10, horizontal: 3.40, vertikal: 2.77				





Serie 4:	8.8 ↖	9.8 ↖	9.1 ↖	9.8 ↓	10.3 *
	9.5 →	9.9 ↓	8.6 ↖	10.2 *	8.4 ←
beste Teiler	157.0 (35.)	200.0 (39.)	254.0 (37.)		
Trefferlage	2.23 mm links, 0.51 mm tief				
Streuwert	2.56, horizontal: 3.03, vertikal: 1.97				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	379.1	(362)
Serien:	92.4	96.2 98.8 91.7
Zähler:	13	20 4 2 1 0 0 0 0 0
Innenzehner:	10	
weiteste:	1057	(32), 935 (2), 879 (1)
beste Teiler	17.0	(34.) 86.9 (35.) 138.7 (29.)
Trefferlage	0.04 mm	rechts, 0.77 mm hoch
Streuwert	3.02,	horizontal: 3.27, vertikal: 2.75




Serie 1:	7.4 ↘	7.2 ↑	9.3 ↘	10.2 *	9.7 ↓
	9.6 ↑	9.3 →	10.4 *	9.3 ↓	10.0 →
beste Teiler	150.6	(8.) 199.9 (4.)	234.3 (10.)		
Trefferlage	0.02 mm	links, 1.32 mm hoch			
Streuwert	3.58,	horizontal: 2.82, vertikal: 4.20			



Serie 2:	9.5 ↑	10.3 *	9.7 ↓	9.4 →	10.3 *
	9.0 ↘	9.8 ←	9.8 ↗	8.9 ↘	9.5 ←
beste Teiler	151.5	(12.) 173.9 (15.)	277.8 (18.)		
Trefferlage	0.33 mm	links, 0.53 mm hoch			
Streuwert	2.57,	horizontal: 2.82, vertikal: 2.30			





Serie 3:	9.5 ↘	9.6 ↑	10.0 ↓	10.3 *	10.0 ↓
	9.7 ↘	9.3 ↗	9.8 ↗	10.4 *	10.2 *
beste Teiler	138.7	(29.) 164.4 (24.)	186.9 (30.)		
Trefferlage	0.17 mm	rechts, 0.93 mm hoch			
Streuwert	2.00,	horizontal: 1.68, vertikal: 2.28			




Serie 4:	10.2 *	6.7 →	9.0 ←	10.9 *	10.6 *
	8.5 →	8.1 ←	9.1 ↗	8.8 ↘	9.8 ↑
beste Teiler	17.0	(34.) 86.9 (35.)	194.3 (31.)		
Trefferlage	0.35 mm	rechts, 0.32 mm hoch			
Streuwert	3.97,	horizontal: 5.23, vertikal: 2.02			

Unterschrift des Schützen


Ergebnis: **365.7** (349)
 Serien: 93.0 92.5 89.2 91.0
 Zähler: 9 15 12 4 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 897 (33), 825 (36), 797 (30)
 beste Teiler 90.2 (34.) 152.3 (4.) 163.0 (22.)
 Trefferlage 1.11 mm rechts, 1.06 mm hoch
 Streuwert 3.40, horizontal: 2.78, vertikal: 3.92




Serie 1:
 10.0 ← 9.7 ↑ 8.0 → 10.3 * 8.3 ↑
 8.8 ↘ 9.3 ↗ 10.1 → 9.7 ↑ 8.8 ↖
 beste Teiler 152.3 (4.) 204.9 (8.) 238.6 (1.)
 Trefferlage 0.70 mm rechts, 1.69 mm hoch
 Streuwert 3.08, horizontal: 3.60, vertikal: 2.44



Serie 2:
 9.0 ↘ 8.1 ↗ 9.7 ↖ 9.3 ↗ 9.9 ↗
 8.6 ↘ 7.9 ↑ 10.3 * 9.7 ↘ 10.0 ↑
 beste Teiler 163.2 (18.) 245.5 (20.) 257.2 (15.)
 Trefferlage 1.80 mm rechts, 1.35 mm hoch
 Streuwert 3.05, horizontal: 2.08, vertikal: 3.78



Serie 3:
 9.8 ↘ 10.3 * 8.0 ↖ 8.5 ↓ 8.9 ↓
 9.1 ↗ 9.1 ↗ 8.9 ↗ 8.8 ↑ 7.8 ↑
 beste Teiler 163.0 (22.) 296.2 (21.) 453.0 (27.)
 Trefferlage 0.89 mm rechts, 1.51 mm hoch
 Streuwert 3.78, horizontal: 2.49, vertikal: 4.74



Serie 4:
 9.0 ↓ 10.0 ↑ 7.4 ↘ 10.6 * 10.0 ↓
 7.7 ↗ 8.0 ↘ 9.5 ↖ 9.7 ↑ 9.1 ↑
 beste Teiler 90.2 (34.) 226.9 (32.) 232.2 (35.)
 Trefferlage 1.04 mm rechts, 0.29 mm tief
 Streuwert 3.89, horizontal: 3.03, vertikal: 4.59

Unterschrift des Schützen

Meyton Elektronik