





Ergebnis: **357** (376.2)
 Serien: 88 90 89 90
 Zähler: 11 19 7 2 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3680 (18), 2981 (27), 2406 (3)
 beste Teiler 43.4 (32.) 224.1 (6.) 335.4 (17.)
 Trefferlage 0.01 mm links, 3.43 mm hoch
 Streuwert 9.97, horizontal: 10.33, vertikal: 9.61




Serie 1:
 9.0 ↓ 8.9 → 7.9 ↖ 8.7 ↗ 10.2 ↖
 10.7 * 8.3 ↘ 9.7 ↗ 10.2 ↓ 9.8 →
 beste Teiler 224.1 (6.) 619.4 (5.) 624.9 (9.)
 Trefferlage 3.51 mm rechts, 0.22 mm tief
 Streuwert 10.68, horizontal: 9.86, vertikal: 11.44



Serie 2:
 8.7 ↖ 9.5 ↖ 9.5 ↗ 10.2 ↗ 10.2 ↖
 9.9 ↑ 10.5 * 6.4 ↘ 10.4 * 9.3 ↓
 beste Teiler 335.4 (17.) 404.9 (19.) 603.7 (14.)
 Trefferlage 5.25 mm links, 4.73 mm hoch
 Streuwert 10.01, horizontal: 8.27, vertikal: 11.49



Serie 3:
 9.1 ↗ 10.3 ↑ 9.4 ↑ 9.4 → 9.7 ←
 9.5 → 7.2 ← 9.9 ↓ 10.0 ↑ 8.8 ↑
 beste Teiler 514.4 (22.) 736.3 (29.) 833.2 (28.)
 Trefferlage 0.03 mm rechts, 4.54 mm hoch
 Streuwert 10.25, horizontal: 12.18, vertikal: 7.85





Serie 4:
 9.5 ↑ 10.9 * 9.5 ↖ 9.6 ↘ 9.5 ↗
 10.0 ↑ 9.5 ↗ 9.3 ↑ 8.3 → 8.8 ↖
 beste Teiler 43.4 (32.) 750.3 (36.) 1095.4 (34.)
 Trefferlage 1.65 mm rechts, 4.66 mm hoch
 Streuwert 8.84, horizontal: 10.04, vertikal: 7.45


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **352** (371.2)
 Serien: 88 88 91 85
 Zähler: 8 19 10 3 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3014 (8), 2831 (13), 2663 (6)
 beste Teiler 100.1 (9.) 302.3 (22.) 353.3 (37.)
 Trefferlage 4.43 mm links, 2.17 mm hoch
 Streuwert 10.12, horizontal: 9.33, vertikal: 10.85




Serie 1:
 9.5 ↗ 9.8 ↘ 9.1 ↗ 8.8 ↙ 10.1 ↗
 7.6 ↘ 10.1 ← 7.2 ↙ 10.8 * 9.3 ↘
 beste Teiler 100.1 (9.) 662.7 (7.) 699.2 (5.)
 Trefferlage 4.43 mm links, 2.60 mm hoch
 Streuwert 11.41, horizontal: 9.42, vertikal: 13.10



Serie 2:
 9.9 ↗ 9.9 ← 7.4 ↙ 9.5 ↗ 8.8 ←
 9.0 ↘ 9.7 ← 10.3 → 10.1 → 8.8 ↑
 beste Teiler 527.4 (18.) 644.7 (19.) 810.9 (12.)
 Trefferlage 2.96 mm links, 0.45 mm hoch
 Streuwert 10.47, horizontal: 10.29, vertikal: 10.65



Serie 3:
 9.8 ↗ 10.6 * 9.7 → 9.9 ← 10.0 ↘
 9.2 ← 9.4 ↗ 9.7 ← 8.5 ↘ 9.5 ↘
 beste Teiler 302.3 (22.) 749.8 (25.) 834.2 (24.)
 Trefferlage 3.58 mm links, 3.48 mm hoch
 Streuwert 7.55, horizontal: 8.44, vertikal: 6.54





Serie 4:
 8.4 ↑ 8.0 ↗ 8.6 ↘ 8.0 ↘ 9.0 ↓
 8.7 ↙ 10.5 * 9.9 ↓ 8.9 ↙ 9.2 ↘
 beste Teiler 353.3 (37.) 854.7 (38.) 1404.6 (40.)
 Trefferlage 6.76 mm links, 2.14 mm hoch
 Streuwert 11.81, horizontal: 10.09, vertikal: 13.31


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **328** (345.8)
 Serien: 82 78 84 84
 Zähler: 7 11 11 7 2 2 0 0 0 0
 Innenzehner: 2
 weiteste: 4258 (18), 4120 (8), 3769 (1)
 beste Teiler 265.8 (34.) 398.9 (31.) 569.0 (40.)
 Trefferlage 13.53 mm links, 2.86 mm tief
 Streuwert 11.29, horizontal: 11.97, vertikal: 10.57




Serie 1:
 6.2 ← 8.7 ↘ 10.0 ↓ 9.1 ↗ 8.6 ↑
 7.7 ↘ 9.4 ← 5.8 ← 10.1 ↑ 10.1 ↘
 beste Teiler 704.9 (9.) 719.5 (10.) 745.5 (3.)
 Trefferlage 12.70 mm links, 3.24 mm hoch
 Streuwert 13.52, horizontal: 14.25, vertikal: 12.74



Serie 2:
 9.1 ↖ 7.6 ← 8.5 ← 9.8 ↗ 8.1 ↖
 9.5 ↘ 9.6 ↘ 5.6 ← 6.5 ← 8.3 ←
 beste Teiler 903.0 (14.) 1096.0 (17.) 1127.1 (16.)
 Trefferlage 16.36 mm links, 5.78 mm tief
 Streuwert 12.22, horizontal: 15.65, vertikal: 7.32



Serie 3:
 9.5 ↘ 7.3 ← 9.5 ← 8.0 ↖ 8.6 ←
 8.3 ↓ 9.8 ← 10.1 ← 7.9 ← 9.4 ↘
 beste Teiler 701.0 (28.) 921.1 (27.) 1135.2 (23.)
 Trefferlage 12.94 mm links, 4.06 mm tief
 Streuwert 9.19, horizontal: 8.41, vertikal: 9.92





Serie 4:
 10.5 * 9.6 ↘ 8.5 ↖ 10.6 * 8.8 ←
 7.8 ↓ 7.6 ← 7.4 ↖ 8.1 ← 10.2 ↑
 beste Teiler 265.8 (34.) 398.9 (31.) 569.0 (40.)
 Trefferlage 12.13 mm links, 4.87 mm tief
 Streuwert 10.07, horizontal: 9.48, vertikal: 10.63


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (375.3)
 Serien: 90 86 93 88
 Zähler: 13 17 5 4 1 0 0 0 0 0
 Innenzehner: 8
 weiteste: 3289 (12), 3073 (35), 2806 (17)
 beste Teiler 56.0 (38.) 116.3 (2.) 123.8 (31.)
 Trefferlage 3.03 mm rechts, 1.77 mm hoch
 Streuwert 10.40, horizontal: 10.70, vertikal: 10.09




Serie 1:
 8.5 ↘ 10.8 * 10.4 * 9.0 → 7.9 ←
 10.2 ↗ 9.1 ↓ 9.2 → 10.6 * 8.5 ↘
 beste Teiler 116.3 (2.) 276.8 (9.) 461.2 (3.)
 Trefferlage 0.65 mm rechts, 0.98 mm tief
 Streuwert 10.71, horizontal: 12.72, vertikal: 8.23



Serie 2:
 9.0 → 6.8 ↗ 9.1 ↓ 9.0 → 10.0 →
 9.4 ↘ 7.4 ↑ 8.3 ↑ 10.6 * 9.8 ↓
 beste Teiler 306.3 (19.) 743.6 (15.) 890.7 (20.)
 Trefferlage 7.21 mm rechts, 3.32 mm hoch
 Streuwert 12.19, horizontal: 10.50, vertikal: 13.67





Serie 3:
 9.6 ↗ 10.3 ↘ 9.9 ↗ 10.3 ↘ 10.8 *
 9.8 ↙ 9.1 ↑ 9.5 ↖ 10.5 * 8.4 →
 beste Teiler 138.6 (25.) 332.2 (29.) 482.8 (22.)
 Trefferlage 2.81 mm rechts, 2.34 mm hoch
 Streuwert 7.31, horizontal: 8.22, vertikal: 6.26




Serie 4:
 10.8 * 9.7 ↘ 9.7 → 7.9 ↑ 7.1 ↙
 9.3 ↗ 8.8 → 10.9 * 10.0 ↑ 9.3 ↑
 beste Teiler 56.0 (38.) 123.8 (31.) 754.2 (39.)
 Trefferlage 1.46 mm rechts, 2.40 mm hoch
 Streuwert 11.48, horizontal: 11.30, vertikal: 11.65

Unterschrift des Schützen


Ergebnis: **337** (355.6)
 Serien: 84 85 85 83
 Zähler: 4 14 17 5 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 2980 (19), 2950 (40), 2577 (29)
 beste Teiler 307.4 (25.) 629.7 (13.) 703.9 (4.)
 Trefferlage 0.51 mm links, 2.40 mm hoch
 Streuwert 12.47, horizontal: 10.67, vertikal: 14.04




Serie 1:
 9.5 ↘ 8.5 ↓ 9.8 ↗ 10.1 → 7.9 ↖
 9.2 ↑ 8.2 ↗ 8.7 ↘ 8.5 ← 8.6 ↑
 beste Teiler 703.9 (4.) 957.6 (3.) 1121.5 (1.)
 Trefferlage 0.78 mm links, 6.13 mm hoch
 Streuwert 12.13, horizontal: 11.45, vertikal: 12.77



Serie 2:
 8.8 ↖ 9.2 ↓ 10.2 → 8.0 ↑ 9.3 ↖
 9.1 ↓ 8.8 ↑ 10.0 → 7.2 ↙ 7.8 ↘
 beste Teiler 629.7 (13.) 794.7 (18.) 1344.6 (15.)
 Trefferlage 3.82 mm links, 3.11 mm hoch
 Streuwert 13.18, horizontal: 11.28, vertikal: 14.85



Serie 3:
 8.9 ↗ 9.3 ↑ 9.9 ↖ 9.3 ↓ 10.6 *
 8.5 ↘ 9.2 ↓ 8.7 ↓ 7.7 ↑ 8.5 ↖
 beste Teiler 307.4 (25.) 853.6 (23.) 1317.4 (22.)
 Trefferlage 1.63 mm rechts, 1.76 mm hoch
 Streuwert 11.98, horizontal: 7.84, vertikal: 15.02





Serie 4:
 8.8 ↑ 8.0 → 8.7 ↓ 8.9 ↘ 9.4 ←
 9.1 ↑ 9.4 ↙ 8.8 ← 9.2 ↑ 7.3 ↓
 beste Teiler 1254.3 (37.) 1277.9 (35.) 1378.7 (39.)
 Trefferlage 0.91 mm rechts, 1.39 mm tief
 Streuwert 13.53, horizontal: 12.42, vertikal: 14.56

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	364	(387.1)			
Serien:	89	89	94	92	
Zähler:	12	21	6	1	0 0 0 0 0 0
Innenzehner:	8				
weiteste:	2448 (16), 2052 (37), 2009 (39)				
beste Teiler	70.0 (7.) 124.6 (40.) 139.3 (29.)				
Trefferlage	1.30 mm links, 0.03 mm tief				
Streuwert	8.34, horizontal: 8.88, vertikal: 7.76				




Serie 1:

9.8 ↗	8.8 ↙	9.8 ↙	8.5 ↗	9.8 ↗
9.5 →	10.9 *	9.3 ↙	9.8 ↗	9.6 ↑
beste Teiler	70.0 (7.) 909.7 (1.) 935.3 (3.)			
Trefferlage	1.56 mm rechts, 1.53 mm hoch			
Streuwert	8.87, horizontal: 8.81, vertikal: 8.92			




Serie 2:

9.9 ↗	9.9 ↖	9.1 ↙	9.9 ↖	10.1 ←
7.9 ←	9.5 ↖	9.7 ←	9.5 ↓	9.5 ↖
beste Teiler	642.4 (15.) 848.1 (11.) 858.0 (14.)			
Trefferlage	7.72 mm links, 0.41 mm hoch			
Streuwert	7.41, horizontal: 8.08, vertikal: 6.67			



Serie 3:

10.5 *	8.8 ↙	9.5 ↗	9.7 ←	9.8 ↑
10.4 *	10.6 *	10.2 ←	10.8 *	9.8 ↗
beste Teiler	139.3 (29.) 244.2 (27.) 348.6 (21.)			
Trefferlage	1.41 mm links, 0.67 mm hoch			
Streuwert	6.48, horizontal: 5.54, vertikal: 7.30			





Serie 4:


10.3 ↗	10.4 *	9.0 ↘	10.3 ←	10.6 *
9.5 ↙	8.4 →	8.5 →	8.4 ↓	10.8 *
beste Teiler	124.6 (40.) 277.9 (35.) 455.8 (32.)			
Trefferlage	2.36 mm rechts, 2.74 mm tief			
Streuwert	9.22, horizontal: 9.91, vertikal: 8.47			

Unterschrift des Schützen


Ergebnis: **363** (383.0)
 Serien: 90 91 92 90
 Zähler: 13 18 8 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2615 (1), 2325 (35), 2295 (20)
 beste Teiler 94.8 (27.) 315.0 (40.) 417.2 (21.)
 Trefferlage 2.05 mm rechts, 1.28 mm tief
 Streuwert 8.82, horizontal: 9.50, vertikal: 8.07




Serie 1:
 7.7 ↙ 9.0 ↘ 10.4 * 9.5 ↑ 9.8 ↗
 10.3 ↙ 8.7 → 10.4 * 9.7 ↓ 9.7 ↑
 beste Teiler 428.0 (8.) 475.7 (3.) 493.8 (6.)
 Trefferlage 0.17 mm links, 1.22 mm tief
 Streuwert 9.70, horizontal: 10.25, vertikal: 9.12



Serie 2:
 10.0 ← 8.6 ↘ 9.7 ↓ 9.8 ↘ 9.5 ↑
 9.7 ↓ 10.4 * 9.7 → 10.3 ↓ 8.1 →
 beste Teiler 441.1 (17.) 506.7 (19.) 757.1 (11.)
 Trefferlage 4.64 mm rechts, 2.73 mm tief
 Streuwert 8.27, horizontal: 9.57, vertikal: 6.72





Serie 3:
 10.4 * 9.8 ↓ 8.7 → 9.9 ↘ 10.2 ↑
 9.0 ↓ 10.8 * 8.4 → 10.1 ↑ 9.6 ←
 beste Teiler 94.8 (27.) 417.2 (21.) 579.1 (25.)
 Trefferlage 1.84 mm rechts, 0.41 mm hoch
 Streuwert 8.57, horizontal: 9.36, vertikal: 7.71




Serie 4:
 9.9 ↓ 9.7 ↓ 8.5 ↗ 8.9 ↓ 8.0 →
 10.1 → 10.1 ↓ 9.9 ← 9.4 → 10.6 *
 beste Teiler 315.0 (40.) 669.9 (37.) 715.3 (36.)
 Trefferlage 1.89 mm rechts, 1.58 mm tief
 Streuwert 9.57, horizontal: 9.70, vertikal: 9.44

Unterschrift des Schützen


Ergebnis: **365** (380.6)
 Serien: 90 90 95 90
 Zähler: 14 17 9 0 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2079 (32), 2075 (15), 2037 (22)
 beste Teiler 294.8 (28.) 449.2 (11.) 529.8 (37.)
 Trefferlage 1.64 mm links, 0.36 mm tief
 Streuwert 9.00, horizontal: 9.61, vertikal: 8.35




Serie 1:
 8.5 ↗ 10.0 ← 10.2 ← 9.2 ↘ 9.3 ↑
 9.2 ↗ 9.6 ← 9.2 ↘ 8.4 ↘ 9.2 ↗
 beste Teiler 608.1 (3.) 738.3 (2.) 1071.1 (7.)
 Trefferlage 4.17 mm links, 5.58 mm hoch
 Streuwert 9.02, horizontal: 8.84, vertikal: 9.20



Serie 2:
 10.4 * 9.6 ↓ 10.1 ↑ 8.6 → 8.4 ←
 9.5 ← 9.2 ↑ 9.2 ↓ 9.8 ↘ 9.9 →
 beste Teiler 449.2 (11.) 672.8 (13.) 815.3 (20.)
 Trefferlage 1.30 mm rechts, 2.41 mm tief
 Streuwert 9.38, horizontal: 10.71, vertikal: 7.82



Serie 3:
 9.4 ↘ 8.4 → 10.0 ↑ 10.2 ↓ 10.1 →
 10.1 ↘ 10.3 ↑ 10.6 * 9.5 ↓ 9.8 ←
 beste Teiler 294.8 (28.) 554.6 (27.) 628.2 (24.)
 Trefferlage 0.71 mm rechts, 0.39 mm tief
 Streuwert 7.58, horizontal: 8.53, vertikal: 6.50





Serie 4:
 10.2 ↗ 8.4 ← 8.7 ← 9.7 ← 9.7 ←
 10.1 ← 10.3 ↓ 8.9 → 10.3 ↑ 8.4 ↓
 beste Teiler 529.8 (37.) 560.7 (39.) 588.8 (31.)
 Trefferlage 4.43 mm links, 4.21 mm tief
 Streuwert 8.84, horizontal: 10.14, vertikal: 7.32


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (382.8)
 Serien: 92 87 92 91
 Zähler: 9 26 3 2 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2629 (9), 2457 (16), 1817 (39)
 beste Teiler 203.0 (35.) 297.3 (7.) 343.2 (27.)
 Trefferlage 0.13 mm rechts, 1.96 mm tief
 Streuwert 8.58, horizontal: 8.70, vertikal: 8.46




Serie 1:
 9.8 ↘ 10.3 ↘ 9.9 ↘ 9.0 ↘ 9.3 ↓
 10.3 ↑ 10.6 * 9.6 ↙ 7.7 ↙ 10.0 ↓
 beste Teiler 297.3 (7.) 535.3 (2.) 559.7 (6.)
 Trefferlage 3.89 mm links, 6.64 mm tief
 Streuwert 7.15, horizontal: 8.12, vertikal: 6.03



Serie 2:
 9.5 ↑ 9.4 ↙ 9.0 ↗ 9.5 ↗ 8.9 ←
 7.9 ↓ 9.9 ↙ 9.4 ↓ 9.5 ↗ 9.2 ↓
 beste Teiler 806.5 (17.) 1135.3 (14.) 1181.3 (11.)
 Trefferlage 0.41 mm links, 2.54 mm tief
 Streuwert 10.60, horizontal: 9.42, vertikal: 11.67





Serie 3:
 9.6 ↘ 9.7 ↘ 10.3 ↑ 9.7 ← 9.6 →
 9.3 ↗ 10.5 * 9.6 ↗ 9.8 → 9.6 ↘
 beste Teiler 343.2 (27.) 483.5 (23.) 946.8 (29.)
 Trefferlage 1.80 mm rechts, 0.47 mm hoch
 Streuwert 7.13, horizontal: 8.01, vertikal: 6.11




Serie 4:
 9.8 ↘ 10.3 ↗ 8.9 ↘ 10.0 ↘ 10.7 *
 9.4 ↗ 9.9 ↑ 9.0 ↘ 8.7 → 9.7 ↘
 beste Teiler 203.0 (35.) 501.0 (32.) 793.9 (34.)
 Trefferlage 3.04 mm rechts, 0.84 mm hoch
 Streuwert 8.33, horizontal: 8.84, vertikal: 7.78

Unterschrift des Schützen


Ergebnis: **368** (388.0)
 Serien: 93 89 93 93
 Zähler: 15 19 5 1 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2746 (18), 2260 (2), 2235 (6)
 beste Teiler 80.2 (9.) 189.7 (3.) 194.5 (1.)
 Trefferlage 1.95 mm links, 0.07 mm tief
 Streuwert 8.26, horizontal: 9.34, vertikal: 7.02




Serie 1:
 10.7 * 8.1 ← 10.7 * 9.2 ↑ 9.9 ←
 8.2 → 9.9 ↘ 10.7 * 10.9 * 10.5 *
 beste Teiler 80.2 (9.) 189.7 (3.) 194.5 (1.)
 Trefferlage 2.00 mm links, 1.84 mm hoch
 Streuwert 8.50, horizontal: 11.10, vertikal: 4.60



Serie 2:
 10.0 ↓ 10.5 * 9.8 ↘ 9.5 ↘ 9.4 ↘
 8.8 ← 9.5 ← 7.5 ↙ 10.3 ↘ 8.8 ↓
 beste Teiler 380.9 (12.) 481.6 (19.) 777.9 (11.)
 Trefferlage 8.26 mm links, 1.88 mm tief
 Streuwert 8.24, horizontal: 7.89, vertikal: 8.58



Serie 3:
 10.4 ↗ 10.3 ↓ 9.0 ↓ 9.3 ↘ 9.4 ↘
 10.1 ↓ 9.9 ↗ 9.3 ↗ 9.4 ↗ 9.7 ←
 beste Teiler 480.5 (21.) 498.8 (22.) 666.8 (26.)
 Trefferlage 1.96 mm rechts, 1.23 mm tief
 Streuwert 7.89, horizontal: 7.84, vertikal: 7.95





Serie 4:
 9.9 ↘ 10.3 ↙ 10.4 * 8.9 ← 9.8 →
 9.6 ↓ 10.4 * 9.0 ↗ 10.4 * 9.6 ↑
 beste Teiler 401.6 (39.) 439.1 (37.) 473.8 (33.)
 Trefferlage 0.47 mm rechts, 0.97 mm hoch
 Streuwert 7.37, horizontal: 7.96, vertikal: 6.74

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	367	(384.5)
Serien:	94 90 91 92	
Zähler:	14 20 5 1 0 0 0 0 0 0	
Innenzehner:	3	
weiteste:	2673 (14), 2316 (32), 2104 (39)	
beste Teiler	228.5 (17.) 290.8 (33.) 392.5 (19.)	
Trefferlage	1.42 mm links, 2.74 mm tief	
Streuwert	8.24, horizontal: 8.81, vertikal: 7.63	



Serie 1:

9.7 ↑	10.0 ↑	9.6 ↓	10.0 ↙	9.8 ↓
10.1 ↖	10.0 →	8.6 →	10.0 ↓	9.7 ↙


beste Teiler 660.3 (6.) 722.7 (7.) 759.8 (4.)
 Trefferlage 1.22 mm rechts, 0.88 mm tief
 Streuwert 7.45, horizontal: 7.71, vertikal: 7.17



Serie 2:

8.9 ↗	9.7 ←	9.2 ↘	7.6 ↗	8.5 ↖
10.3 ↖	10.7 *	9.5 ↗	10.5 *	10.2 ↙


beste Teiler 228.5 (17.) 392.5 (19.) 489.6 (16.)
 Trefferlage 5.83 mm links, 1.31 mm tief
 Streuwert 9.25, horizontal: 7.30, vertikal: 10.86



Serie 3:

9.5 →	9.4 ↘	9.3 →	9.8 ↗	9.4 ↙
10.3 ↙	9.8 ↘	9.8 ↘	9.4 ↓	9.5 ↘

beste Teiler 487.8 (26.) 882.0 (24.) 892.6 (28.)
 Trefferlage 0.00 mm , 5.50 mm tief
 Streuwert 6.88, horizontal: 8.55, vertikal: 4.64



Serie 4:



9.8 ↓	8.1 ↖	10.6 *	9.8 ↖	10.1 ↗
10.1 →	9.7 ↙	9.1 ↓	8.3 ↘	10.1 ↙

beste Teiler 290.8 (33.) 645.7 (36.) 668.5 (35.)
 Trefferlage 1.09 mm links, 3.27 mm tief
 Streuwert 9.09, horizontal: 10.90, vertikal: 6.82


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **352** (372.2)
 Serien: 90 86 88 88
 Zähler: 12 12 12 4 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2775 (26), 2702 (24), 2530 (21)
 beste Teiler 197.3 (10.) 353.8 (36.) 371.7 (29.)
 Trefferlage 3.01 mm links, 0.06 mm hoch
 Streuwert 10.43, horizontal: 9.63, vertikal: 11.18




Serie 1:
 10.3 ↑ 10.1 ↙ 10.4 * 8.8 ↘ 9.0 ↓
 8.6 ↖ 8.6 ↙ 9.3 ↑ 8.0 ↓ 10.7 *
 beste Teiler 197.3 (10.) 460.1 (3.) 544.0 (1.)
 Trefferlage 3.28 mm links, 4.75 mm tief
 Streuwert 9.80, horizontal: 6.02, vertikal: 12.48



Serie 2:
 9.9 ↘ 8.6 ← 10.1 ↙ 9.7 ↘ 8.2 ↘
 9.8 ↑ 8.8 ↖ 8.7 → 8.9 ↓ 9.6 ↖
 beste Teiler 694.8 (13.) 831.1 (11.) 882.8 (16.)
 Trefferlage 0.53 mm rechts, 2.72 mm tief
 Streuwert 10.77, horizontal: 12.58, vertikal: 8.57





Serie 3:
 7.8 ↑ 9.2 ↗ 8.9 ← 7.6 ↗ 10.3 ↘
 7.5 ↖ 10.4 * 10.0 → 10.5 * 10.0 ↙
 beste Teiler 371.7 (29.) 457.1 (27.) 527.2 (25.)
 Trefferlage 2.47 mm links, 6.89 mm hoch
 Streuwert 11.16, horizontal: 10.96, vertikal: 11.35




Serie 4:
 9.4 ↗ 9.9 ↘ 9.6 ↖ 8.8 ↖ 10.0 ←
 10.5 * 7.9 ↙ 9.7 ← 8.8 ← 9.3 ↑
 beste Teiler 353.8 (36.) 790.6 (35.) 810.0 (32.)
 Trefferlage 6.82 mm links, 0.85 mm hoch
 Streuwert 8.75, horizontal: 7.54, vertikal: 9.82

Unterschrift des Schützen


Ergebnis: **336** (350.1)
 Serien: 82 80 82 92
 Zähler: 7 12 13 7 0 1 0 0 0 0
 Innenzehner: 2
 weiteste: 4747 (26), 3074 (8), 3069 (30)
 beste Teiler 405.3 (35.) 443.1 (31.) 539.7 (11.)
 Trefferlage 1.39 mm links, 6.80 mm tief
 Streuwert 13.27, horizontal: 12.24, vertikal: 14.23




Serie 1:
 9.4 ↙ 8.0 ↓ 9.2 ↗ 10.0 ↗ 8.8 ↓
 7.2 ← 8.7 ↖ 7.1 ↗ 8.4 ↙ 8.4 ←
 beste Teiler 798.9 (4.) 1223.9 (1.) 1371.3 (3.)
 Trefferlage 7.60 mm links, 2.67 mm tief
 Streuwert 14.19, horizontal: 13.33, vertikal: 15.01



Serie 2:
 10.3 ↖ 7.6 ↓ 9.8 ↖ 7.3 ↓ 8.6 →
 7.3 ↓ 8.2 ↘ 8.5 ↓ 9.1 ↙ 7.5 ↓
 beste Teiler 539.7 (11.) 919.7 (13.) 1493.1 (19.)
 Trefferlage 5.66 mm rechts, 14.28 mm tief
 Streuwert 11.51, horizontal: 11.13, vertikal: 11.88



Serie 3:
 9.4 ← 10.0 ↘ 8.6 ↓ 9.9 → 8.0 ↙
 5.0 ↓ 8.2 ↘ 9.6 ↗ 9.2 ← 7.1 ↑
 beste Teiler 722.4 (22.) 877.7 (24.) 1120.9 (28.)
 Trefferlage 2.79 mm links, 6.16 mm tief
 Streuwert 16.17, horizontal: 12.87, vertikal: 18.90



Serie 4:
 10.4 * 9.5 → 10.1 → 8.3 ↓ 10.4 *
 9.3 ↓ 9.4 ↖ 8.9 ↘ 10.0 ↙ 9.4 ←
 beste Teiler 405.3 (35.) 443.1 (31.) 698.9 (33.)
 Trefferlage 0.86 mm links, 4.10 mm tief
 Streuwert 8.53, horizontal: 9.04, vertikal: 7.99

Unterschrift des Schützen

Meyton Elektronik