





Ergebnis: **357** (374.2)
 Serien: 87 91 89 90
 Zaehler: 11 18 9 1 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3341 (24), 3154 (31), 2271 (3)
 beste Teiler 263.7 (22.) 449.0 (18.) 505.4 (16.)
 Trefferlage 2.66 mm links, 1.29 mm tief
 Streuwert 10.12, horizontal: 9.77, vertikal: 10.46




Serie 1:
 9.6 ↑ 8.9 ↑ 8.1 ↘ 8.7 ↙ 9.9 ←
 8.3 ↘ 10.0 ← 8.8 → 9.5 ← 10.1 ↗
 beste Teiler 674.5 (10.) 751.9 (7.) 851.8 (5.)
 Trefferlage 0.64 mm links, 2.45 mm hoch
 Streuwert 11.11, horizontal: 11.43, vertikal: 10.79



Serie 2:
 10.1 ↓ 9.5 ↗ 8.5 ↖ 8.9 ↘ 9.5 ↓
 10.3 ↓ 9.9 ↓ 10.4 * 9.4 ↘ 9.7 ↓
 beste Teiler 449.0 (18.) 505.4 (16.) 701.6 (11.)
 Trefferlage 0.49 mm links, 2.45 mm tief
 Streuwert 8.40, horizontal: 5.95, vertikal: 10.29



Serie 3:
 9.2 ↗ 10.6 * 9.7 ↓ 6.8 ↙ 9.0 ←
 10.2 ← 10.0 ← 9.4 ↙ 8.5 ↑ 9.6 ↙
 beste Teiler 263.7 (22.) 617.6 (26.) 784.9 (27.)
 Trefferlage 6.13 mm links, 1.53 mm tief
 Streuwert 10.57, horizontal: 8.96, vertikal: 11.96





Serie 4:
 7.0 ← 9.3 ↘ 9.4 ↘ 10.1 ↘ 10.0 →
 9.8 ← 9.5 ↘ 8.2 ↓ 10.2 ↙ 9.6 ↑
 beste Teiler 600.3 (39.) 655.1 (34.) 789.0 (35.)
 Trefferlage 3.40 mm links, 3.64 mm tief
 Streuwert 10.69, horizontal: 11.97, vertikal: 9.23


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **338** (353.5)
 Serien: 77 88 81 92
 Zaehler: 10 13 5 9 3 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3902 (5), 3442 (2), 3330 (7)
 beste Teiler 185.0 (1.) 348.5 (37.) 421.4 (17.)
 Trefferlage 4.86 mm links, 0.68 mm hoch
 Streuwert 13.62, horizontal: 14.54, vertikal: 12.64




Serie 1:
 10.7 * 6.6 ↙ 9.0 ↘ 8.2 ↙ 6.1 ↗
 7.1 ↑ 6.8 ↖ 8.3 ↘ 10.3 → 7.1 ↙
 beste Teiler 185.0 (1.) 534.4 (9.) 1567.6 (3.)
 Trefferlage 8.98 mm links, 8.52 mm hoch
 Streuwert 17.33, horizontal: 16.44, vertikal: 18.17



Serie 2:
 9.8 ↖ 10.3 ↑ 9.0 ↙ 9.5 ↘ 9.3 ↙
 9.5 ↘ 10.4 * 7.9 ↙ 7.6 ↓ 9.6 ↘
 beste Teiler 421.4 (17.) 496.3 (12.) 937.9 (11.)
 Trefferlage 8.26 mm links, 3.70 mm tief
 Streuwert 8.96, horizontal: 6.35, vertikal: 10.97



Serie 3:
 8.3 ↘ 7.8 ↘ 10.2 ↑ 8.4 ↙ 7.8 →
 10.3 ↙ 9.0 ↘ 7.4 ↙ 7.5 ↙ 8.2 →
 beste Teiler 510.2 (26.) 638.1 (23.) 1529.0 (27.)
 Trefferlage 5.09 mm links, 2.31 mm tief
 Streuwert 15.23, horizontal: 19.26, vertikal: 9.62





Serie 4:
 9.0 ↘ 9.7 ↙ 9.3 → 9.4 → 10.2 ↗
 7.3 → 10.5 * 10.2 ↙ 10.1 → 9.8 ↘
 beste Teiler 348.5 (37.) 568.9 (38.) 602.0 (35.)
 Trefferlage 2.88 mm rechts, 0.22 mm hoch
 Streuwert 9.63, horizontal: 11.66, vertikal: 7.03


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **310** (329.9)
 Serien: 76 79 74 81
 Zaehler: 1 11 12 12 3 0 0 1 0 0
 Innenzehner: 0
 weiteste: 5654 (28), 3818 (34), 3566 (37)
 beste Teiler 660.9 (33.) 879.6 (35.) 909.2 (32.)
 Trefferlage 0.17 mm rechts, 2.80 mm tief
 Streuwert 16.86, horizontal: 13.35, vertikal: 19.75




Serie 1:
 9.2 ← 8.6 ← 7.5 ↑ 8.9 ↖ 7.4 ↑
 8.7 ← 8.7 ↗ 7.3 ↑ 7.9 ↓ 7.6 ↑
 beste Teiler 1408.2 (1.) 1646.6 (4.) 1827.6 (6.)
 Trefferlage 4.56 mm links, 10.86 mm hoch
 Streuwert 14.58, horizontal: 11.52, vertikal: 17.10



Serie 2:
 6.5 ← 9.4 ↘ 7.9 ↙ 8.6 ↙ 9.3 ↓
 7.4 ↓ 8.4 ↗ 7.8 ↙ 9.3 ← 9.3 ↘
 beste Teiler 1269.0 (12.) 1293.2 (19.) 1306.2 (20.)
 Trefferlage 4.04 mm links, 11.06 mm tief
 Streuwert 13.63, horizontal: 14.92, vertikal: 12.21



Serie 3:
 8.1 ↙ 7.6 ↓ 9.6 ↗ 9.4 ↘ 7.0 ↙
 8.4 ↗ 8.4 → 3.9 ↓ 7.9 ↑ 8.1 →
 beste Teiler 1115.3 (23.) 1257.8 (24.) 2038.2 (27.)
 Trefferlage 6.25 mm rechts, 8.78 mm tief
 Streuwert 19.06, horizontal: 15.24, vertikal: 22.24





Serie 4:
 9.2 → 9.8 ↑ 10.1 ↑ 6.2 ↑ 9.9 ↙
 8.9 ↘ 6.5 ↓ 8.5 → 9.6 ↖ 7.1 ↓
 beste Teiler 660.9 (33.) 879.6 (35.) 909.2 (32.)
 Trefferlage 3.05 mm rechts, 2.23 mm tief
 Streuwert 16.13, horizontal: 9.47, vertikal: 20.76


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **305** (321.4)
 Serien: 77 69 82 77
 Zaehler: 1 12 12 5 7 2 1 0 0 0
 Innenzehner: 0
 weiteste: 5220 (18), 4399 (33), 4111 (6)
 beste Teiler 495.1 (26.) 920.8 (24.) 1047.1 (10.)
 Trefferlage 7.43 mm links, 6.03 mm hoch
 Streuwert 17.13, horizontal: 17.91, vertikal: 16.31




Serie 1:
 8.1 ↘ 9.5 → 9.0 ↑ 7.6 ↙ 7.2 ↘
 5.8 ↑ 7.8 ↗ 8.3 ↓ 8.5 ↙ 9.6 →
 beste Teiler 1047.1 (10.) 1191.2 (2.) 1523.8 (3.)
 Trefferlage 3.45 mm links, 5.70 mm hoch
 Streuwert 17.28, horizontal: 14.22, vertikal: 19.87



Serie 2:
 8.1 ↗ 6.6 ↗ 8.9 → 6.0 ← 6.7 ←
 6.5 ↗ 8.3 ↗ 4.4 ↘ 8.5 ↓ 9.0 ←
 beste Teiler 1543.2 (20.) 1669.9 (13.) 1994.7 (19.)
 Trefferlage 4.08 mm links, 10.16 mm hoch
 Streuwert 21.90, horizontal: 25.88, vertikal: 17.02





Serie 3:
 9.2 ← 6.2 ↑ 9.1 ← 9.8 ✓ 9.4 ↘
 10.3 ↙ 6.9 ← 7.2 ↘ 8.5 ↙ 9.4 ✓
 beste Teiler 495.1 (26.) 920.8 (24.) 1224.8 (25.)
 Trefferlage 11.05 mm links, 1.42 mm hoch
 Streuwert 13.64, horizontal: 12.34, vertikal: 14.82




Serie 4:
 9.5 ↑ 6.4 ↙ 5.5 ← 8.2 ↘ 9.6 ↙
 8.2 ↗ 7.4 ↘ 8.9 ↑ 8.0 ↑ 9.3 ←
 beste Teiler 1063.8 (35.) 1194.2 (31.) 1344.3 (40.)
 Trefferlage 11.14 mm links, 6.85 mm hoch
 Streuwert 15.98, horizontal: 17.47, vertikal: 14.34

Unterschrift des Schuetzen


Ergebnis: **357** (372.2)
 Serien: 86 87 91 93
 Zaehler: 12 16 10 1 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3753 (8), 2692 (17), 2196 (4)
 beste Teiler 260.3 (27.) 361.1 (25.) 414.5 (13.)
 Trefferlage 0.28 mm links, 1.91 mm tief
 Streuwert 10.55, horizontal: 10.45, vertikal: 10.65




Serie 1:
 9.2 ↗ 9.3 ↓ 9.5 ← 8.2 ↙ 9.5 ↗
 10.0 ↘ 9.6 ↙ 6.3 ↓ 8.4 ← 9.5 ↓
 beste Teiler 769.4 (6.) 1062.5 (7.) 1132.8 (3.)
 Trefferlage 1.78 mm links, 6.76 mm tief
 Streuwert 12.40, horizontal: 12.27, vertikal: 12.53



Serie 2:
 9.4 ↘ 9.7 ↙ 10.4 * 9.3 ↗ 8.9 ←
 8.6 ↗ 7.6 ↘ 8.9 ↗ 9.1 ↓ 10.2 ↙
 beste Teiler 414.5 (13.) 626.2 (20.) 977.6 (12.)
 Trefferlage 4.19 mm rechts, 3.49 mm tief
 Streuwert 10.56, horizontal: 11.34, vertikal: 9.71



Serie 3:
 9.3 ↗ 9.0 ↙ 10.1 ↘ 8.9 ↘ 10.5 *
 8.7 ↓ 10.6 * 9.0 ↗ 10.1 ↘ 8.3 ↘
 beste Teiler 260.3 (27.) 361.1 (25.) 645.3 (23.)
 Trefferlage 0.36 mm links, 1.21 mm hoch
 Streuwert 9.99, horizontal: 10.03, vertikal: 9.94





Serie 4:
 9.4 ↗ 10.4 * 10.0 ← 10.2 ↘ 9.1 ←
 8.4 ↙ 8.5 ↑ 9.7 → 10.4 * 10.0 ↘
 beste Teiler 429.5 (39.) 469.7 (32.) 611.6 (34.)
 Trefferlage 3.17 mm links, 1.37 mm hoch
 Streuwert 8.64, horizontal: 7.70, vertikal: 9.48


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **371** (388.5)
 Serien: 90 94 94 93
 Zaehler: 14 24 1 1 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2543 (3), 1639 (4), 1544 (17)
 beste Teiler 183.0 (35.) 225.3 (11.) 228.6 (27.)
 Trefferlage 0.30 mm rechts, 0.65 mm tief
 Streuwert 7.92, horizontal: 7.47, vertikal: 8.35




Serie 1:
 9.5 ↑ 9.3 ↙ 7.8 ↓ 8.9 ↑ 9.5 ↓
 10.4 * 10.2 ↑ 9.2 ↗ 9.7 → 10.1 →
 beste Teiler 414.4 (6.) 628.6 (7.) 661.5 (10.)
 Trefferlage 1.89 mm rechts, 0.53 mm hoch
 Streuwert 9.75, horizontal: 6.66, vertikal: 12.07



Serie 2:
 10.7 * 9.5 ← 9.2 ↖ 9.7 ↗ 9.9 ↘
 10.5 * 9.0 ↙ 9.4 ↓ 10.1 → 10.5 *
 beste Teiler 225.3 (11.) 364.2 (16.) 388.4 (20.)
 Trefferlage 2.52 mm links, 0.11 mm hoch
 Streuwert 7.14, horizontal: 6.18, vertikal: 7.98



Serie 3:
 10.3 → 9.1 ↘ 10.4 * 9.6 ↖ 10.6 *
 9.6 ↓ 10.7 * 9.3 ↙ 9.5 → 9.3 ↗
 beste Teiler 228.6 (27.) 248.0 (25.) 465.9 (23.)
 Trefferlage 0.43 mm rechts, 2.75 mm hoch
 Streuwert 7.12, horizontal: 8.64, vertikal: 5.17





Serie 4:
 9.2 ↙ 9.0 ↓ 10.1 ↓ 9.9 ↓ 10.7 *
 9.1 ↘ 9.9 ← 9.2 → 10.3 ↓ 9.6 ↙
 beste Teiler 183.0 (35.) 531.6 (39.) 649.3 (33.)
 Trefferlage 1.42 mm rechts, 5.99 mm tief
 Streuwert 6.72, horizontal: 8.45, vertikal: 4.35


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **360** (377.8)
 Serien: 92 89 90 89
 Zaehler: 14 14 11 0 1 0 0 0 0 0
 Innenzehner: 8
 weiteste: 3395 (11), 2332 (18), 2210 (23)
 beste Teiler 125.1 (26.) 206.9 (14.) 280.1 (34.)
 Trefferlage 0.80 mm links, 4.12 mm tief
 Streuwert 9.53, horizontal: 10.52, vertikal: 8.43




Serie 1:
 9.1 ↙ 9.9 ↘ 10.5 * 10.1 ↗ 8.8 ↘
 10.0 ← 9.8 ↘ 10.1 ↓ 9.3 ← 8.9 ↓
 beste Teiler 342.2 (3.) 657.6 (4.) 708.4 (8.)
 Trefferlage 1.37 mm links, 5.12 mm tief
 Streuwert 7.40, horizontal: 8.54, vertikal: 6.05



Serie 2:
 6.7 ↙ 8.4 ↘ 9.7 → 10.7 * 10.5 *
 10.5 * 8.5 ↘ 8.0 ↓ 10.5 * 10.4 *
 beste Teiler 206.9 (14.) 332.6 (16.) 337.0 (15.)
 Trefferlage 3.75 mm links, 6.46 mm tief
 Streuwert 10.78, horizontal: 11.63, vertikal: 9.85



Serie 3:
 8.7 ↙ 9.4 → 8.2 ↗ 10.1 ← 9.5 ↘
 10.8 * 9.5 ↖ 9.2 ↓ 9.2 → 9.0 ↓
 beste Teiler 125.1 (26.) 683.3 (24.) 1138.3 (25.)
 Trefferlage 1.34 mm rechts, 1.71 mm tief
 Streuwert 10.19, horizontal: 10.49, vertikal: 9.88





Serie 4:
 10.1 ↘ 10.3 → 9.6 ← 10.6 * 8.4 →
 8.9 ↓ 8.3 → 9.5 ↖ 9.5 ← 8.6 ↓
 beste Teiler 280.1 (34.) 501.7 (32.) 698.0 (31.)
 Trefferlage 0.57 mm rechts, 3.20 mm tief
 Streuwert 10.16, horizontal: 12.01, vertikal: 7.88


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **352** (367.5)
 Serien: 86 91 92 83
 Zaehler: 10 17 8 5 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2987 (36), 2894 (5), 2684 (3)
 beste Teiler 229.7 (21.) 286.3 (2.) 488.0 (13.)
 Trefferlage 2.16 mm links, 1.69 mm tief
 Streuwert 11.20, horizontal: 11.76, vertikal: 10.60




Serie 1:
 9.4 ↖ 10.6 * 7.6 ↗ 10.0 ↘ 7.3 ↘
 9.4 → 7.7 ← 9.2 ↘ 8.3 ↘ 10.2 →
 beste Teiler 286.3 (2.) 612.5 (10.) 758.7 (4.)
 Trefferlage 4.44 mm links, 2.63 mm hoch
 Streuwert 12.98, horizontal: 15.94, vertikal: 9.11



Serie 2:
 9.5 → 9.9 ↘ 10.3 ← 8.7 ↘ 9.8 ↓
 9.5 ↓ 9.5 ↗ 9.2 ↘ 10.1 → 9.3 ↘
 beste Teiler 488.0 (13.) 646.8 (19.) 801.4 (12.)
 Trefferlage 4.80 mm rechts, 3.46 mm tief
 Streuwert 7.26, horizontal: 7.14, vertikal: 7.38



Serie 3:
 10.7 * 9.0 ← 10.2 ↓ 9.6 ↗ 10.3 ↘
 9.5 ↘ 8.0 ↖ 9.1 ↗ 10.3 ↓ 8.7 ←
 beste Teiler 229.7 (21.) 490.5 (29.) 524.1 (25.)
 Trefferlage 3.41 mm links, 4.04 mm hoch
 Streuwert 8.87, horizontal: 8.49, vertikal: 9.22





Serie 4:
 7.7 ↘ 9.0 ↓ 8.7 ↘ 8.2 ↘ 10.2 ↘
 7.2 ↓ 9.5 ↗ 9.2 ↘ 8.3 ↗ 8.6 ↗
 beste Teiler 596.4 (35.) 1162.5 (37.) 1405.0 (38.)
 Trefferlage 5.62 mm links, 10.00 mm tief
 Streuwert 11.72, horizontal: 12.15, vertikal: 11.27


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **371** (390.2)
 Serien: 96 94 90 91
 Zaehler: 18 15 7 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2011 (28), 1972 (22), 1810 (27)
 beste Teiler 174.6 (9.) 187.1 (24.) 253.4 (23.)
 Trefferlage 0.26 mm rechts, 2.26 mm hoch
 Streuwert 7.59, horizontal: 7.65, vertikal: 7.53




Serie 1:
 10.3 ↖ 10.1 ← 10.0 ↑ 9.9 ↗ 10.0 ↗
 10.1 ↘ 8.9 ↙ 9.7 ↗ 10.7 * 10.6 *
 beste Teiler 174.6 (9.) 265.4 (10.) 517.4 (1.)
 Trefferlage 0.44 mm rechts, 3.89 mm hoch
 Streuwert 5.50, horizontal: 5.05, vertikal: 5.93



Serie 2:
 9.3 ↗ 9.4 ↖ 9.5 ↗ 10.0 ↗ 9.4 ↖
 9.8 ↖ 9.6 ↘ 10.4 * 10.3 ← 10.6 *
 beste Teiler 317.0 (20.) 435.1 (18.) 524.6 (19.)
 Trefferlage 0.96 mm links, 0.54 mm tief
 Streuwert 7.12, horizontal: 7.33, vertikal: 6.90



Serie 3:
 9.9 ↖ 8.5 ↖ 10.6 * 10.7 * 8.9 →
 10.4 * 8.7 ↖ 8.4 ↑ 10.1 → 9.0 ↓
 beste Teiler 187.1 (24.) 253.4 (23.) 462.2 (26.)
 Trefferlage 1.25 mm links, 2.30 mm hoch
 Streuwert 9.72, horizontal: 9.93, vertikal: 9.50





Serie 4:
 10.5 * 9.9 ↓ 9.1 ↖ 8.9 ↗ 10.2 ↖
 9.9 ↘ 9.5 ↗ 9.7 ↑ 10.0 ↘ 8.7 ↗
 beste Teiler 362.3 (31.) 619.9 (35.) 781.1 (39.)
 Trefferlage 2.81 mm rechts, 3.40 mm hoch
 Streuwert 7.89, horizontal: 8.04, vertikal: 7.73


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **356** (373.0)
 Serien: 91 90 88 87
 Zaehler: 11 18 7 4 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2765 (39), 2723 (37), 2660 (30)
 beste Teiler 250.9 (10.) 458.6 (2.) 495.6 (23.)
 Trefferlage 1.26 mm links, 1.42 mm hoch
 Streuwert 10.33, horizontal: 11.09, vertikal: 9.51




Serie 1:
 10.1 ↑ 10.4 * 9.3 ← 9.0 ↗ 9.0 ↘
 9.8 ↓ 8.4 ↗ 9.5 ← 8.5 ↘ 10.6 *
 beste Teiler 250.9 (10.) 458.6 (2.) 669.3 (1.)
 Trefferlage 0.54 mm rechts, 0.47 mm tief
 Streuwert 9.90, horizontal: 10.53, vertikal: 9.22



Serie 2:
 9.6 ↗ 10.0 → 9.9 ↑ 9.8 ← 7.8 ↓
 10.0 ↑ 9.3 ↗ 8.1 ← 10.0 ↓ 9.2 ↗
 beste Teiler 784.6 (16.) 788.4 (19.) 799.4 (12.)
 Trefferlage 0.39 mm rechts, 0.51 mm hoch
 Streuwert 10.48, horizontal: 9.75, vertikal: 11.16



Serie 3:
 10.0 ↓ 8.7 ← 10.3 ↘ 8.7 ↙ 9.8 ↗
 8.9 ↑ 9.2 → 10.2 ↗ 9.5 ← 7.6 ↑
 beste Teiler 495.6 (23.) 566.8 (28.) 759.7 (21.)
 Trefferlage 2.78 mm links, 3.25 mm hoch
 Streuwert 10.50, horizontal: 10.19, vertikal: 10.80





Serie 4:
 8.7 ↘ 9.9 ← 9.7 ↓ 10.0 ↑ 9.2 ↘
 9.3 ↑ 7.5 → 10.3 ↘ 7.5 ← 9.7 →
 beste Teiler 525.5 (38.) 736.8 (34.) 828.3 (32.)
 Trefferlage 3.23 mm links, 2.38 mm hoch
 Streuwert 11.52, horizontal: 14.46, vertikal: 7.51


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **350** (368.6)
 Serien: 87 86 90 87
 Zaehler: 12 14 9 3 1 1 0 0 0 0
 Innenzehner: 3
 weiteste: 4529 (11), 3930 (9), 2903 (3)
 beste Teiler 127.2 (10.) 174.0 (6.) 423.6 (28.)
 Trefferlage 3.70 mm links, 2.43 mm tief
 Streuwert 11.56, horizontal: 9.11, vertikal: 13.57




Serie 1:
 10.1 ↗ 8.6 ↓ 7.3 ↑ 8.9 ↙ 8.5 ↓
 10.7 * 10.3 ↘ 10.0 ↘ 6.0 ↓ 10.8 *
 beste Teiler 127.2 (10.) 174.0 (6.) 521.4 (7.)
 Trefferlage 3.18 mm links, 4.56 mm tief
 Streuwert 13.37, horizontal: 5.67, vertikal: 18.04



Serie 2:
 5.3 ↓ 8.6 ← 9.2 ↘ 10.2 ↘ 9.5 ←
 10.1 ↗ 9.6 ↘ 8.9 ↗ 9.3 ↓ 9.8 ↘
 beste Teiler 616.4 (14.) 642.1 (16.) 926.6 (20.)
 Trefferlage 1.35 mm links, 7.10 mm tief
 Streuwert 12.80, horizontal: 10.34, vertikal: 14.86



Serie 3:
 9.8 ↓ 9.5 ↘ 10.0 ↘ 7.4 ← 9.1 ↓
 9.5 ↘ 10.3 ↑ 10.4 * 9.8 ↑ 8.5 ↘
 beste Teiler 423.6 (28.) 539.3 (27.) 753.8 (23.)
 Trefferlage 6.42 mm links, 1.65 mm hoch
 Streuwert 9.08, horizontal: 9.65, vertikal: 8.47





Serie 4:
 9.9 ↘ 8.7 ← 10.3 ↗ 9.9 ← 9.6 ↘
 8.7 ↙ 7.4 ↑ 10.3 ↗ 8.8 ← 9.0 ↘
 beste Teiler 519.3 (38.) 559.6 (33.) 807.9 (31.)
 Trefferlage 3.86 mm links, 0.25 mm hoch
 Streuwert 10.88, horizontal: 10.60, vertikal: 11.15


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **349** (370.1)
 Serien: 87 85 87 90
 Zaehler: 6 22 8 3 1 0 0 0 0 0
 Innenzehner: 0
 weiteste: 3306 (21), 2864 (34), 2527 (20)
 beste Teiler 543.2 (40.) 576.2 (11.) 639.3 (37.)
 Trefferlage 4.84 mm links, 0.28 mm tief
 Streuwert 10.20, horizontal: 10.43, vertikal: 9.97




Serie 1:
 9.3 ← 9.4 ← 9.7 ↙ 9.7 ↘ 9.7 ↘
 9.6 ↘ 9.6 ↘ 8.1 ↑ 8.6 ↗ 8.8 ↗
 beste Teiler 966.1 (3.) 969.3 (4.) 975.1 (5.)
 Trefferlage 6.16 mm links, 4.40 mm hoch
 Streuwert 8.97, horizontal: 8.04, vertikal: 9.82



Serie 2:
 10.2 ↘ 8.5 ↓ 9.5 ↘ 9.7 ↙ 8.9 ↘
 8.6 ↙ 9.3 ↙ 9.5 ↙ 8.7 ↘ 7.8 ↘
 beste Teiler 576.2 (11.) 966.6 (14.) 1177.5 (18.)
 Trefferlage 8.37 mm links, 3.14 mm tief
 Streuwert 9.93, horizontal: 8.30, vertikal: 11.33



Serie 3:
 6.8 ← 9.4 ↘ 7.9 ↙ 9.6 ↙ 10.1 ↘
 9.8 ↑ 10.0 ↙ 9.8 ↘ 9.6 ↓ 9.9 ↓
 beste Teiler 703.4 (25.) 800.4 (27.) 823.0 (30.)
 Trefferlage 7.46 mm links, 2.96 mm tief
 Streuwert 9.97, horizontal: 10.26, vertikal: 9.67





Serie 4:
 9.0 ↗ 9.7 ↓ 9.7 ↘ 7.4 → 8.6 ←
 9.9 ↑ 10.2 ← 9.2 ↗ 10.0 ↓ 10.3 →
 beste Teiler 543.2 (40.) 639.3 (37.) 778.2 (39.)
 Trefferlage 2.61 mm rechts, 0.57 mm hoch
 Streuwert 10.43, horizontal: 12.15, vertikal: 8.36


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **333** (351.1)
 Serien: 83 79 88 83
 Zaehler: 7 12 11 8 1 1 0 0 0 0
 Innenzehner: 4
 weiteste: 4694 (20), 3390 (18), 3058 (33)
 beste Teiler 234.0 (29.) 267.5 (4.) 368.5 (21.)
 Trefferlage 6.56 mm links, 0.13 mm hoch
 Streuwert 13.48, horizontal: 15.32, vertikal: 11.33




Serie 1:
 8.7 ↓ 8.9 ↘ 9.9 ↗ 10.6 * 8.4 ↙
 7.3 ↑ 7.7 ↖ 10.3 ↘ 9.0 ↖ 7.5 ←
 beste Teiler 267.5 (4.) 523.9 (8.) 857.7 (3.)
 Trefferlage 7.13 mm links, 1.46 mm hoch
 Streuwert 13.20, horizontal: 11.71, vertikal: 14.54



Serie 2:
 10.4 * 10.1 ↘ 9.6 ↙ 8.8 ↖ 7.4 ↖
 9.4 ↙ 8.6 ↗ 6.7 ← 7.4 ↖ 5.1 ←
 beste Teiler 425.8 (11.) 686.6 (12.) 1095.2 (13.)
 Trefferlage 13.83 mm links, 0.50 mm hoch
 Streuwert 15.01, horizontal: 17.76, vertikal: 11.63



Serie 3:
 10.5 * 9.6 ← 8.5 ← 8.3 ↙ 9.2 ↓
 9.4 ← 8.8 ↖ 7.7 → 10.7 * 10.1 ←
 beste Teiler 234.0 (29.) 368.5 (21.) 646.4 (30.)
 Trefferlage 5.93 mm links, 0.51 mm tief
 Streuwert 10.49, horizontal: 12.84, vertikal: 7.43





Serie 4:
 9.8 ← 8.6 ↓ 7.1 ↙ 9.5 ↖ 9.7 ↙
 8.0 → 8.2 → 7.3 ↗ 9.0 ← 9.3 →
 beste Teiler 902.3 (31.) 1003.2 (35.) 1185.5 (34.)
 Trefferlage 0.63 mm rechts, 0.90 mm tief
 Streuwert 14.72, horizontal: 16.81, vertikal: 12.28


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **359** (379.4)
 Serien: 87 92 91 89
 Zaehler: 11 18 10 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2693 (7), 2325 (10), 2015 (11)
 beste Teiler 198.7 (1.) 286.4 (34.) 337.6 (31.)
 Trefferlage 2.01 mm links, 0.39 mm tief
 Streuwert 9.20, horizontal: 9.36, vertikal: 9.04




Serie 1:
 10.7 * 8.7 ↘ 9.3 ↑ 9.3 ↗ 8.8 ↙
 10.4 * 7.6 ↗ 10.3 ↘ 8.9 ↖ 8.0 ↘
 beste Teiler 198.7 (1.) 404.8 (6.) 481.5 (8.)
 Trefferlage 0.83 mm links, 1.11 mm tief
 Streuwert 11.83, horizontal: 10.24, vertikal: 13.24



Serie 2:
 8.4 ↙ 8.6 → 9.4 ← 10.5 * 9.2 ←
 10.1 ↘ 9.1 → 9.6 ↗ 10.0 ↘ 10.1 ↙
 beste Teiler 378.4 (14.) 653.8 (20.) 661.0 (16.)
 Trefferlage 0.14 mm rechts, 2.76 mm tief
 Streuwert 9.18, horizontal: 10.74, vertikal: 7.29



Serie 3:
 9.7 ← 9.3 ← 9.6 → 10.2 ↘ 9.7 →
 9.9 → 9.9 ↑ 9.4 ↘ 8.9 ↘ 10.4 *
 beste Teiler 459.4 (30.) 605.0 (24.) 833.0 (26.)
 Trefferlage 0.64 mm links, 4.37 mm hoch
 Streuwert 7.14, horizontal: 8.59, vertikal: 5.32





Serie 4:
 10.5 * 8.9 ↙ 9.7 ↙ 10.6 * 8.7 ←
 9.8 ↘ 9.7 ↘ 9.2 ← 8.7 ↑ 9.6 ←
 beste Teiler 286.4 (34.) 337.6 (31.) 935.5 (36.)
 Trefferlage 6.72 mm links, 2.07 mm tief
 Streuwert 7.55, horizontal: 7.20, vertikal: 7.88


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **360** (376.1)
 Serien: 90 88 91 91
 Zaehler: 10 20 10 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2370 (33), 2254 (7), 2174 (20)
 beste Teiler 261.5 (8.) 323.4 (19.) 378.6 (31.)
 Trefferlage 3.42 mm links, 3.07 mm hoch
 Streuwert 9.06, horizontal: 9.57, vertikal: 8.52




Serie 1:
 9.4 ↙ 9.7 → 9.5 ↘ 10.2 ↗ 9.2 ←
 9.1 ↑ 8.1 ↖ 10.6 * 9.3 ↖ 8.8 ←
 beste Teiler 261.5 (8.) 576.6 (4.) 979.9 (2.)
 Trefferlage 6.90 mm links, 0.07 mm tief
 Streuwert 8.61, horizontal: 9.89, vertikal: 7.10



Serie 2:
 9.1 ← 10.0 ← 8.7 ↗ 8.7 ↘ 9.8 ↘
 8.3 ↑ 9.8 ↙ 9.8 ↘ 10.5 * 8.2 ↘
 beste Teiler 323.4 (19.) 781.9 (12.) 889.8 (15.)
 Trefferlage 4.46 mm links, 5.02 mm hoch
 Streuwert 9.66, horizontal: 8.04, vertikal: 11.05



Serie 3:
 9.5 ↘ 9.7 ↑ 9.3 ↙ 9.1 ← 10.3 ↑
 10.1 → 8.6 ↑ 9.1 → 9.6 ↑ 9.1 ↘
 beste Teiler 538.5 (25.) 646.3 (26.) 1009.6 (22.)
 Trefferlage 1.11 mm links, 5.71 mm hoch
 Streuwert 8.36, horizontal: 8.86, vertikal: 7.82





Serie 4:
 10.5 * 8.8 → 8.0 ↖ 9.5 ↘ 8.8 ↑
 10.1 ↖ 9.4 → 10.3 ↙ 10.0 ↙ 9.5 ↙
 beste Teiler 378.6 (31.) 530.0 (38.) 687.4 (36.)
 Trefferlage 1.20 mm links, 1.64 mm hoch
 Streuwert 9.63, horizontal: 11.39, vertikal: 7.48


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **348** (365.5)
 Serien: 86 86 89 87
 Zaehler: 7 20 8 4 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3522 (6), 3008 (4), 2970 (36)
 beste Teiler 322.4 (10.) 347.7 (30.) 358.2 (9.)
 Trefferlage 4.05 mm rechts, 0.53 mm hoch
 Streuwert 11.33, horizontal: 11.99, vertikal: 10.63




Serie 1:
 9.6 ↗ 9.3 ↖ 8.4 ↘ 7.2 ↘ 10.1 →
 6.5 ↘ 8.6 → 9.2 ↘ 10.5 * 10.5 *
 beste Teiler 322.4 (10.) 358.2 (9.) 652.3 (5.)
 Trefferlage 5.07 mm rechts, 1.40 mm hoch
 Streuwert 13.36, horizontal: 13.34, vertikal: 13.37



Serie 2:
 9.8 ↓ 9.0 → 8.4 ↑ 8.9 → 9.3 →
 9.7 ↙ 9.5 ↗ 9.7 ↘ 8.3 ↑ 8.3 ↓
 beste Teiler 915.7 (11.) 985.8 (16.) 1020.6 (18.)
 Trefferlage 4.85 mm rechts, 2.37 mm hoch
 Streuwert 10.94, horizontal: 8.21, vertikal: 13.10



Serie 3:
 9.6 ↓ 9.2 ↘ 7.4 → 7.9 → 9.3 ↗
 9.1 ↘ 10.5 * 10.1 → 9.5 ↗ 10.5 *
 beste Teiler 347.7 (30.) 363.1 (27.) 677.7 (28.)
 Trefferlage 7.68 mm rechts, 1.74 mm hoch
 Streuwert 9.75, horizontal: 11.30, vertikal: 7.89





Serie 4:
 10.2 ← 9.3 ↖ 9.8 ↙ 9.2 ↓ 9.3 ↙
 7.2 → 8.8 → 9.5 ↗ 8.7 ← 9.6 ←
 beste Teiler 616.7 (31.) 922.6 (33.) 1088.5 (40.)
 Trefferlage 1.37 mm links, 3.38 mm tief
 Streuwert 11.28, horizontal: 14.16, vertikal: 7.34


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **364** (376.8)
 Serien: 93 89 90 92
 Zaehler: 14 19 5 1 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3481 (24), 2565 (19), 2367 (33)
 beste Teiler 327.8 (36.) 348.4 (13.) 417.2 (10.)
 Trefferlage 0.73 mm rechts, 0.53 mm tief
 Streuwert 9.91, horizontal: 9.54, vertikal: 10.26




Serie 1:
 9.3 ↗ 10.1 ← 10.1 ↓ 8.9 ↗ 9.0 ←
 9.6 ↓ 10.0 ↘ 9.8 ↑ 9.0 ↘ 10.4 *
 beste Teiler 417.2 (10.) 680.4 (3.) 698.0 (2.)
 Trefferlage 0.16 mm rechts, 0.02 mm tief
 Streuwert 8.48, horizontal: 8.03, vertikal: 8.92



Serie 2:
 10.4 * 8.3 ↓ 10.5 * 9.6 ↗ 9.8 ←
 9.1 ↘ 9.2 ← 9.5 ↗ 7.7 ↖ 9.4 ↗
 beste Teiler 348.4 (13.) 475.3 (11.) 905.3 (15.)
 Trefferlage 3.42 mm links, 2.27 mm tief
 Streuwert 10.19, horizontal: 10.32, vertikal: 10.07



Serie 3:
 10.2 ↗ 9.3 ↑ 10.1 ↘ 6.6 ↗ 8.7 ←
 9.3 ↑ 9.0 ↓ 9.1 ↓ 10.0 ↘ 10.2 ←
 beste Teiler 583.0 (30.) 622.7 (21.) 701.3 (23.)
 Trefferlage 2.71 mm rechts, 1.26 mm hoch
 Streuwert 11.59, horizontal: 10.95, vertikal: 12.20



Serie 4:
 9.2 ↘ 9.0 ↓ 8.0 ↑ 10.3 ↘ 9.4 ↘
 10.5 * 10.4 * 8.5 ↘ 9.1 ↓ 10.2 ↑
 beste Teiler 327.8 (36.) 468.3 (37.) 506.5 (34.)
 Trefferlage 3.47 mm rechts, 1.11 mm tief
 Streuwert 9.76, horizontal: 8.46, vertikal: 10.90

Unterschrift des Schuetzen

Meyton Elektronik