




|              |   |         |
|--------------|---|---------|
| Ergebnis:    | <b>359</b>                              | (376.0) |
| Serien:      | 91 88 90 90                             |         |
| Zähler:      | 13 15 11 0 1 0 0 0 0 0                  |         |
| Innenzehner: | 2                                       |         |
| weiteste:    | 3568 (12), 2053 (26), 2041 (27)         |         |
| beste Teiler | 429.4 (38.) 435.2 (35.) 489.7 (40.)     |         |
| Trefferlage  | 3.44 mm rechts, 0.89 mm tief            |         |
| Streuwert    | 9.61, horizontal: 6.74, vertikal: 11.80 |         |




Serie 1:

|              |   |       |        |       |
|--------------|---|-------|--------|-------|
| 10.1 ↖       | 9.1 →                                   | 9.2 ↙ | 10.2 ↘ | 9.2 ↓ |
| 8.5 ↓        | 9.2 ↑                                   | 9.9 → | 10.3 ↙ | 8.9 ↗ |
| beste Teiler | 499.6 (9.) 637.9 (4.) 700.5 (1.)        |       |        |       |
| Trefferlage  | 1.07 mm rechts, 0.22 mm hoch            |       |        |       |
| Streuwert    | 9.52, horizontal: 8.82, vertikal: 10.17 |       |        |       |




Serie 2:

|              |   |       |       |       |
|--------------|---|-------|-------|-------|
| 10.3 ↗       | 6.5 ↓                                   | 8.5 ↓ | 9.9 ↘ | 9.4 → |
| 10.0 ↗       | 10.0 ↓                                  | 8.8 ↓ | 9.3 ↗ | 9.8 ↓ |
| beste Teiler | 514.3 (11.) 760.9 (16.) 793.1 (17.)     |       |       |       |
| Trefferlage  | 5.53 mm rechts, 7.50 mm tief            |       |       |       |
| Streuwert    | 9.71, horizontal: 5.03, vertikal: 12.78 |       |       |       |



Serie 3:

|              |   |        |       |        |
|--------------|---|--------|-------|--------|
| 10.1 ↗       | 10.0 →                                  | 10.1 ↑ | 9.0 ↗ | 8.9 ↗  |
| 8.4 ↓        | 8.4 ↓                                   | 9.7 →  | 8.9 ↗ | 10.1 ↖ |
| beste Teiler | 644.9 (23.) 679.2 (21.) 707.5 (30.)     |        |       |        |
| Trefferlage  | 5.02 mm rechts, 1.56 mm hoch            |        |       |        |
| Streuwert    | 9.48, horizontal: 5.29, vertikal: 12.32 |        |       |        |





Serie 4:

|              |   |        |       |        |
|--------------|---|--------|-------|--------|
| 8.7 ↓        | 8.5 ↑                                   | 8.8 →  | 9.1 ↖ | 10.4 * |
| 9.9 ↘        | 9.8 ↗                                   | 10.4 * | 9.4 ↑ | 10.3 ↓ |
| beste Teiler | 429.4 (38.) 435.2 (35.) 489.7 (40.)     |        |       |        |
| Trefferlage  | 2.14 mm rechts, 2.12 mm hoch            |        |       |        |
| Streuwert    | 9.16, horizontal: 7.06, vertikal: 10.85 |        |       |        |


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **344** (363.0)  
 Serien: 88 87 91 78  
 Zähler: 8 17 9 4 1 1 0 0 0 0  
 Innenzehner: 1  
 weiteste: 4556 (38), 3724 (40), 3120 (20)  
 beste Teiler 312.5 (3.) 506.3 (12.) 530.2 (39.)  
 Trefferlage 8.57 mm links, 1.95 mm hoch  
 Streuwert 10.80, horizontal: 9.49, vertikal: 11.97




Serie 1:  
 9.8 ↗ 8.6 ↑ 10.6 \* 9.7 ↑ 9.5 ↑  
 8.9 ↘ 9.2 ↘ 10.1 ↘ 9.0 ↑ 7.6 ↘  
 beste Teiler 312.5 (3.) 714.8 (8.) 922.1 (1.)  
 Trefferlage 5.78 mm links, 10.90 mm hoch  
 Streuwert 6.11, horizontal: 6.97, vertikal: 5.10



Serie 2:  
 8.7 ↘ 10.3 ← 9.3 ↖ 10.1 ↖ 8.6 ↑  
 9.3 ← 9.7 ↓ 8.9 ← 9.8 → 7.1 ←  
 beste Teiler 506.3 (12.) 691.8 (14.) 913.8 (19.)  
 Trefferlage 8.26 mm links, 2.97 mm hoch  
 Streuwert 9.78, horizontal: 10.97, vertikal: 8.44



Serie 3:  
 9.7 ← 9.4 ↙ 10.1 ↖ 8.7 ↙ 9.1 →  
 9.4 ← 10.2 ↘ 8.9 ↖ 10.0 ← 9.4 ←  
 beste Teiler 568.3 (27.) 644.3 (23.) 760.8 (29.)  
 Trefferlage 6.83 mm links, 0.64 mm tief  
 Streuwert 7.61, horizontal: 8.09, vertikal: 7.09





Serie 4:  
 9.6 ↘ 7.4 ↘ 8.6 ← 9.6 ↙ 9.8 ↑  
 7.8 ← 8.6 ↓ 5.3 ↓ 10.3 ↑ 6.3 ←  
 beste Teiler 530.2 (39.) 918.2 (35.) 1087.7 (31.)  
 Trefferlage 13.40 mm links, 5.42 mm tief  
 Streuwert 14.72, horizontal: 10.87, vertikal: 17.75


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379** (395.5)  
 Serien: 94 91 98 96  
 Zähler: 23 14 2 1 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 2574 (7), 2354 (13), 1607 (14)  
 beste Teiler 93.6 (25.) 121.2 (2.) 191.6 (40.)  
 Trefferlage 3.13 mm links, 0.74 mm hoch  
 Streuwert 6.88, horizontal: 6.51, vertikal: 7.23




Serie 1:  
 10.5 \*                      10.8 \*                      10.0 ↙                      9.3 ↘                      10.6 \*  
 9.3 ↘                      7.7 ↗                      10.5 \*                      10.1 ←                      9.4 ←  
 beste Teiler 121.2 (2.) 289.5 (5.) 361.6 (1.)  
 Trefferlage 4.96 mm links, 4.62 mm hoch  
 Streuwert 6.91, horizontal: 4.93, vertikal: 8.43



Serie 2:  
 9.2 ↘                      9.8 ←                      8.0 ←                      8.9 ←                      10.4 \*  
 9.5 ←                      10.1 ↘                      10.3 ↘                      9.2 ↘                      9.7 ↗  
 beste Teiler 450.9 (15.) 492.2 (18.) 680.4 (17.)  
 Trefferlage 4.88 mm links, 1.53 mm tief  
 Streuwert 8.73, horizontal: 10.32, vertikal: 6.77





Serie 3:  
 10.6 \*                      9.8 ←                      9.6 ↙                      10.0 ↓                      10.8 \*  
 10.4 \*                      10.2 ↘                      10.4 \*                      10.3 ←                      10.0 ←  
 beste Teiler 93.6 (25.) 298.7 (21.) 415.8 (28.)  
 Trefferlage 1.99 mm links, 2.71 mm tief  
 Streuwert 4.16, horizontal: 4.68, vertikal: 3.56




Serie 4:  
 9.6 ↙                      10.2 ↗                      10.7 \*                      9.5 ↑                      10.3 ←  
 10.2 ←                      9.0 ↑                      10.2 ↘                      9.7 ↑                      10.7 \*  
 beste Teiler 191.6 (40.) 240.7 (33.) 560.0 (35.)  
 Trefferlage 0.70 mm links, 2.59 mm hoch  
 Streuwert 6.05, horizontal: 4.00, vertikal: 7.57

Unterschrift des Schützen


Ergebnis: **381** (399.7)  
 Serien: 96 94 96 95  
 Zähler: 21 19 0 0 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 1570 (35), 1553 (10), 1374 (32)  
 beste Teiler 168.6 (23.) 196.3 (30.) 250.0 (15.)  
 Trefferlage 2.55 mm rechts, 0.04 mm tief  
 Streuwert 5.89, horizontal: 3.86, vertikal: 7.39




Serie 1:  
 9.3 ↘                      10.2 ←                      9.7 ↑                      10.1 ↑                      10.5 \*  
 10.4 \*                      10.6 \*                      9.8 ↓                      10.5 \*                      9.0 ↘  
 beste Teiler 293.2 (7.) 348.1 (5.) 378.8 (9.)  
 Trefferlage 1.93 mm rechts, 1.42 mm tief  
 Streuwert 6.16, horizontal: 5.26, vertikal: 6.94



Serie 2:  
 10.4 \*                      9.9 ↗                      9.8 ↑                      9.9 →                      10.6 \*  
 10.2 ↓                      9.8 ↘                      9.3 ↓                      9.9 ↓                      10.6 \*  
 beste Teiler 250.0 (15.) 264.9 (20.) 413.3 (11.)  
 Trefferlage 1.52 mm rechts, 2.05 mm tief  
 Streuwert 5.55, horizontal: 3.92, vertikal: 6.81



Serie 3:  
 9.3 ↓                      9.4 ↑                      10.7 \*                      10.4 \*                      10.3 ↑  
 10.0 ↑                      10.2 ↘                      9.9 ↓                      9.9 ↘                      10.7 \*  
 beste Teiler 168.6 (23.) 196.3 (30.) 451.0 (24.)  
 Trefferlage 2.45 mm rechts, 0.51 mm tief  
 Streuwert 5.56, horizontal: 2.34, vertikal: 7.50





Serie 4:  
 9.3 ↗                      9.2 ↑                      9.8 ↗                      9.3 ↓                      9.0 ↑  
 10.0 →                      10.4 \*                      10.5 \*                      10.5 \*                      10.4 →  
 beste Teiler 387.3 (38.) 388.2 (39.) 458.8 (37.)  
 Trefferlage 4.29 mm rechts, 3.81 mm hoch  
 Streuwert 6.06, horizontal: 3.36, vertikal: 7.89


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (371.0)  
 Serien: 90 83 91 90  
 Zähler: 10 19 6 5 0 0 0 0 0 0  
 Innenzehner: 1  
 weiteste: 3171 (16), 3060 (32), 3058 (14)  
 beste Teiler 326.3 (3.) 517.0 (6.) 522.1 (29.)  
 Trefferlage 2.79 mm links, 1.46 mm tief  
 Streuwert 10.72, horizontal: 9.60, vertikal: 11.74




Serie 1:  
 10.0 ↙ 9.1 → 10.5 \* 9.0 ↑ 9.7 ↓  
 10.3 ↖ 9.8 ↗ 8.6 → 8.8 ↘ 8.4 ↓  
 beste Teiler 326.3 (3.) 517.0 (6.) 769.2 (1.)  
 Trefferlage 0.63 mm rechts, 1.93 mm tief  
 Streuwert 9.88, horizontal: 9.94, vertikal: 9.83



Serie 2:  
 10.1 ↖ 9.4 → 9.6 ↖ 7.1 ↓ 8.7 ↓  
 7.0 ← 7.6 ↘ 8.1 ↑ 9.8 ↑ 9.9 ↓  
 beste Teiler 683.1 (11.) 852.9 (20.) 909.7 (19.)  
 Trefferlage 5.96 mm links, 0.25 mm tief  
 Streuwert 14.17, horizontal: 12.05, vertikal: 16.02



Serie 3:  
 9.3 ↓ 9.6 ↑ 9.4 ↙ 7.8 ↓ 10.0 ↗  
 10.3 ↘ 8.6 ↘ 9.8 ↘ 10.3 ↖ 10.0 ↓  
 beste Teiler 522.1 (29.) 556.3 (26.) 758.5 (25.)  
 Trefferlage 2.99 mm links, 0.18 mm hoch  
 Streuwert 9.49, horizontal: 5.51, vertikal: 12.23



Serie 4:  
 9.4 ← 7.1 ↙ 9.7 → 9.8 ↓ 9.8 ↑  
 9.8 ↗ 10.1 ↖ 9.4 ↘ 10.1 ← 9.2 ↓  
 beste Teiler 647.9 (37.) 669.8 (39.) 906.0 (34.)  
 Trefferlage 2.86 mm links, 3.86 mm tief  
 Streuwert 9.58, horizontal: 10.05, vertikal: 9.09

Unterschrift des Schützen

Meyton Elektronik