





Ergebnis: **377** (392.6)
 Serien: 93 95 95 94
 Zähler: 21 15 4 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2226 (5), 2131 (27), 1873 (1)
 beste Teiler 123.0 (2.) 256.5 (24.) 291.8 (34.)
 Trefferlage 3.27 mm links, 2.01 mm tief
 Streuwert 6.90, horizontal: 8.05, vertikal: 5.51




Serie 1:
 8.6 ↙ 10.8 * 9.8 → 10.4 * 8.2 ←
 9.3 ↙ 10.4 * 10.4 * 10.3 * 9.3 →
 beste Teiler 123.0 (2.) 416.7 (4.) 441.2 (7.)
 Trefferlage 1.12 mm links, 1.25 mm tief
 Streuwert 8.59, horizontal: 11.00, vertikal: 5.16



Serie 2:
 9.8 ↙ 9.6 ↘ 10.1 ↑ 10.3 ↙ 9.4 ↙
 10.0 ↓ 10.0 ↓ 9.5 ← 10.4 * 9.1 ↓
 beste Teiler 413.2 (19.) 543.6 (14.) 699.8 (13.)
 Trefferlage 3.18 mm links, 3.00 mm tief
 Streuwert 6.35, horizontal: 5.93, vertikal: 6.75



Serie 3:
 10.0 ← 10.2 → 10.4 * 10.6 * 8.9 ←
 10.4 * 8.3 ← 10.0 ↓ 9.4 ↙ 10.2 →
 beste Teiler 256.5 (24.) 433.0 (23.) 472.8 (26.)
 Trefferlage 4.31 mm links, 1.40 mm tief
 Streuwert 7.09, horizontal: 8.86, vertikal: 4.68





Serie 4:
 9.9 ↙ 9.6 ↙ 9.7 ↓ 10.6 * 9.0 ↙
 10.5 * 9.3 ← 10.0 ↘ 9.7 ↘ 10.2 ↘
 beste Teiler 291.8 (34.) 365.3 (36.) 616.1 (40.)
 Trefferlage 4.46 mm links, 2.40 mm tief
 Streuwert 6.06, horizontal: 6.17, vertikal: 5.94

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	368	(385.2)
Serien:	92 92 91 93	
Zähler:	14 21 4 1 0 0 0 0 0 0	
Innenzehner:	4	
weiteste:	2602 (15), 2369 (40), 2200 (31)	
beste Teiler	108.7 (19.) 406.7 (27.) 468.1 (13.)	
Trefferlage	2.61 mm links, 2.39 mm tief	
Streuwert	8.11, horizontal: 9.71, vertikal: 6.11	




Serie 1:

9.3 ↗	9.6 ↖	9.9 →	9.5 ↘	9.9 ↖
9.4 ←	10.1 ↓	9.9 →	9.6 ↖	10.4 *
beste Teiler	474.9 (10.) 675.0 (7.) 845.4 (3.)			
Trefferlage	0.88 mm links, 0.90 mm tief			
Streuwert	7.36, horizontal: 9.00, vertikal: 5.22			




Serie 2:

10.0 ↗	9.9 →	10.4 *	9.7 ↙	7.7 ←
9.8 ↙	9.2 ↗	9.2 ←	10.8 *	10.1 ↙
beste Teiler	108.7 (19.) 468.1 (13.) 671.8 (20.)			
Trefferlage	3.10 mm links, 0.93 mm tief			
Streuwert	8.67, horizontal: 10.75, vertikal: 5.89			



Serie 3:

8.8 ↙	10.2 ↗	9.3 →	10.1 ↘	9.8 ↓
9.3 ↖	10.4 *	9.1 ←	8.7 ↖	9.8 ↓
beste Teiler	406.7 (27.) 584.5 (22.) 672.7 (24.)			
Trefferlage	2.87 mm links, 4.15 mm tief			
Streuwert	8.20, horizontal: 10.12, vertikal: 5.66			





Serie 4:

8.2 ↙	9.3 ↓	10.2 ↓	10.1 →	10.2 ←
9.2 ↖	10.2 ↘	10.2 ↑	9.7 ↘	8.0 ←
beste Teiler	592.4 (38.) 623.5 (35.) 624.4 (33.)			
Trefferlage	3.58 mm links, 3.59 mm tief			
Streuwert	9.03, horizontal: 10.25, vertikal: 7.61			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (383.8)
 Serien: 94 89 92 92
 Zähler: 14 20 5 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2436 (17), 2104 (12), 1945 (11)
 beste Teiler 258.4 (28.) 290.1 (15.) 320.3 (20.)
 Trefferlage 2.38 mm rechts, 0.06 mm hoch
 Streuwert 8.40, horizontal: 9.40, vertikal: 7.26




Serie 1:
 10.1 → 9.7 ← 10.3 ↗ 10.3 ↖ 9.7 ↘
 9.2 ↑ 9.0 ↑ 9.5 ↓ 10.3 * 9.2 ↓
 beste Teiler 517.9 (9.) 545.8 (4.) 546.7 (3.)
 Trefferlage 1.95 mm rechts, 0.87 mm hoch
 Streuwert 7.66, horizontal: 5.52, vertikal: 9.32



Serie 2:
 8.5 ← 8.3 → 10.1 ↗ 9.3 ↑ 10.6 *
 9.5 → 7.9 ← 9.8 ↓ 9.5 ↑ 10.6 *
 beste Teiler 290.1 (15.) 320.3 (20.) 661.6 (13.)
 Trefferlage 0.12 mm links, 2.35 mm hoch
 Streuwert 10.42, horizontal: 13.27, vertikal: 6.39



Serie 3:
 9.3 ↗ 8.9 ↓ 9.3 ↘ 9.3 ← 10.5 *
 9.7 ← 10.0 ↓ 10.6 * 8.8 → 10.0 ↗
 beste Teiler 258.4 (28.) 346.0 (25.) 749.1 (27.)
 Trefferlage 3.32 mm rechts, 0.60 mm tief
 Streuwert 8.23, horizontal: 9.71, vertikal: 6.41





Serie 4:
 10.3 ↑ 10.1 ↓ 9.2 ↓ 9.1 ↘ 9.4 ↘
 9.9 ↑ 9.2 ← 8.8 → 10.1 → 9.9 ↘
 beste Teiler 536.2 (31.) 672.9 (39.) 674.6 (32.)
 Trefferlage 4.36 mm rechts, 2.38 mm tief
 Streuwert 7.61, horizontal: 8.35, vertikal: 6.80


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (394.8)
 Serien: 91 93 95 97
 Zähler: 20 16 4 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 1805 (10), 1777 (37), 1690 (21)
 beste Teiler 39.2 (30.) 179.7 (35.) 224.0 (9.)
 Trefferlage 0.53 mm links, 0.22 mm hoch
 Streuwert 7.04, horizontal: 8.23, vertikal: 5.60




Serie 1:
 9.5 → 9.4 ← 9.0 ↘ 9.4 → 9.6 ←
 9.4 ← 10.5 * 9.9 ↘ 10.7 * 8.7 ↖
 beste Teiler 224.0 (9.) 389.5 (7.) 827.9 (8.)
 Trefferlage 0.19 mm links, 1.46 mm tief
 Streuwert 8.65, horizontal: 10.68, vertikal: 5.98



Serie 2:
 10.1 ← 9.8 ← 9.8 ↑ 10.3 ↘ 10.1 ↑
 9.5 ↘ 8.9 ← 9.4 → 9.8 ↗ 10.3 *
 beste Teiler 506.9 (20.) 542.8 (14.) 654.1 (11.)
 Trefferlage 1.66 mm links, 2.61 mm hoch
 Streuwert 6.93, horizontal: 8.48, vertikal: 4.91



Serie 3:
 8.8 ↘ 10.4 * 10.1 ↑ 9.6 ↑ 10.5 *
 9.0 → 10.2 ↖ 9.6 ↗ 10.7 * 10.9 *
 beste Teiler 39.2 (30.) 235.3 (29.) 345.4 (25.)
 Trefferlage 2.83 mm rechts, 0.08 mm tief
 Streuwert 6.63, horizontal: 6.14, vertikal: 7.08





Serie 4:
 10.4 * 10.1 ↖ 10.1 ↖ 10.7 * 10.7 *
 10.0 ↖ 8.7 ← 10.0 → 10.6 * 9.6 ↓
 beste Teiler 179.7 (35.) 224.5 (34.) 288.8 (39.)
 Trefferlage 3.11 mm links, 0.19 mm tief
 Streuwert 5.67, horizontal: 6.95, vertikal: 4.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	363	(383.1)
Serien:	92 88 91 92	
Zähler:	11 21 8 0 0 0 0 0 0 0	
Innenzehner:	7	
weiteste:	2076 (5), 1837 (40), 1832 (21)	
beste Teiler	191.9 (34.) 290.5 (32.) 343.4 (10.)	
Trefferlage	2.48 mm rechts, 3.62 mm tief	
Streuwert	8.03, horizontal: 8.94, vertikal: 7.01	




Serie 1:					
	9.2 →	10.3 *	9.3 ↘	8.8 →	8.4 →
	9.8 ↓	9.1 ↘	10.2 ←	10.5 *	10.5 *
beste Teiler	343.4 (10.)	380.2 (9.)	516.0 (2.)		
Trefferlage	6.47 mm rechts, 4.90 mm tief				
Streuwert	6.82, horizontal: 8.48, vertikal: 4.59				



Serie 2:					
	8.9 ↘	9.8 ↘	9.3 ↓	9.6 →	9.4 ↙
	9.0 →	9.0 ↘	9.9 ←	9.9 ↘	8.8 →
beste Teiler	843.3 (19.)	859.1 (18.)	936.0 (12.)		
Trefferlage	4.95 mm rechts, 4.55 mm tief				
Streuwert	8.37, horizontal: 10.01, vertikal: 6.32				



Serie 3:					
	8.7 ↓	10.2 ←	9.1 ↘	9.4 ↑	9.1 ↘
	10.3 ↘	9.7 ←	9.6 ↘	9.6 ↓	9.9 ←
beste Teiler	539.4 (26.)	576.7 (22.)	806.7 (30.)		
Trefferlage	3.16 mm links, 0.18 mm tief				
Streuwert	8.41, horizontal: 7.26, vertikal: 9.42				





Serie 4:					
	10.3 *	10.6 *	10.3 *	10.7 *	10.0 ↙
	9.9 ←	9.6 ↓	8.9 ↘	8.8 ↓	8.7 →
beste Teiler	191.9 (34.)	290.5 (32.)	489.0 (31.)		
Trefferlage	1.68 mm rechts, 4.87 mm tief				
Streuwert	7.27, horizontal: 7.78, vertikal: 6.73				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369** (389.8)
 Serien: 93 90 93 93
 Zähler: 18 14 7 1 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 2623 (20), 1876 (30), 1864 (23)
 beste Teiler 123.9 (36.) 174.0 (2.) 200.3 (18.)
 Trefferlage 4.80 mm rechts, 2.49 mm tief
 Streuwert 7.02, horizontal: 8.25, vertikal: 5.52




Serie 1:
 10.1 ↗ 10.7 * 10.0 ↖ 10.2 ↑ 9.4 ↓
 8.7 ↘ 9.9 → 9.3 ↘ 10.3 * 8.8 →
 beste Teiler 174.0 (2.) 529.9 (9.) 599.0 (4.)
 Trefferlage 4.01 mm rechts, 3.63 mm tief
 Streuwert 6.96, horizontal: 6.88, vertikal: 7.04



Serie 2:
 10.4 * 9.9 ← 9.7 ↘ 10.6 * 9.9 ↖
 9.5 ↘ 9.9 ↗ 10.7 * 8.9 ↘ 7.7 →
 beste Teiler 200.3 (18.) 310.8 (14.) 470.1 (11.)
 Trefferlage 3.24 mm rechts, 2.79 mm tief
 Streuwert 8.39, horizontal: 10.95, vertikal: 4.57





Serie 3:
 10.1 ↓ 9.5 ↘ 8.6 → 9.2 ↗ 10.2 →
 10.6 * 10.0 ↗ 9.2 → 10.3 * 8.6 →
 beste Teiler 260.0 (26.) 513.1 (29.) 627.8 (25.)
 Trefferlage 5.78 mm rechts, 2.30 mm tief
 Streuwert 7.52, horizontal: 9.33, vertikal: 5.09




Serie 4:
 9.7 → 8.9 ↘ 10.3 * 10.4 * 10.4 *
 10.8 * 10.4 * 8.6 ↘ 9.6 ↘ 9.8 ↗
 beste Teiler 123.9 (36.) 406.6 (35.) 445.0 (34.)
 Trefferlage 6.19 mm rechts, 1.22 mm tief
 Streuwert 5.77, horizontal: 5.84, vertikal: 5.69

Unterschrift des Schützen


Ergebnis: **352** (376.0)
 Serien: 87 86 88 91
 Zähler: 9 19 9 1 2 0 0 0 0 0
 Innenzehner: 8
 weiteste: 3720 (5), 3341 (20), 2424 (24)
 beste Teiler 120.6 (7.) 268.3 (37.) 296.4 (22.)
 Trefferlage 0.49 mm links, 0.57 mm tief
 Streuwert 10.52, horizontal: 13.48, vertikal: 6.30




Serie 1:
 9.0 → 9.8 ↑ 8.6 → 9.5 ↘ 6.3 ↘
 9.7 → 10.8 * 9.9 ← 10.5 * 8.9 ←
 beste Teiler 120.6 (7.) 378.3 (9.) 850.1 (8.)
 Trefferlage 4.18 mm rechts, 1.74 mm tief
 Streuwert 11.70, horizontal: 14.91, vertikal: 7.20



Serie 2:
 9.3 ↘ 8.5 ← 9.9 ↘ 10.3 * 8.9 →
 9.6 ↙ 8.1 ← 10.4 * 9.7 ↘ 6.8 ←
 beste Teiler 415.5 (18.) 528.5 (14.) 851.2 (13.)
 Trefferlage 7.22 mm links, 1.52 mm hoch
 Streuwert 11.24, horizontal: 14.79, vertikal: 5.83



Serie 3:
 8.9 → 10.6 * 9.5 ↖ 7.9 ← 9.7 ↘
 9.4 → 10.6 * 9.7 ↗ 8.7 ↘ 9.8 ←
 beste Teiler 296.4 (22.) 311.7 (27.) 936.5 (30.)
 Trefferlage 1.46 mm rechts, 1.94 mm tief
 Streuwert 9.81, horizontal: 12.18, vertikal: 6.66





Serie 4:
 9.9 ↓ 10.0 ← 8.9 → 9.8 ↖ 9.9 ↓
 9.7 → 10.6 * 9.6 ↗ 8.0 ← 10.3 *
 beste Teiler 268.3 (37.) 518.0 (40.) 739.9 (32.)
 Trefferlage 0.39 mm links, 0.13 mm tief
 Streuwert 8.73, horizontal: 10.92, vertikal: 5.78


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (386.1)
 Serien: 92 94 88 91
 Zähler: 12 21 7 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2219 (21), 2118 (7), 1995 (32)
 beste Teiler 101.3 (31.) 212.0 (30.) 293.4 (14.)
 Trefferlage 1.68 mm links, 1.12 mm tief
 Streuwert 8.22, horizontal: 8.86, vertikal: 7.53




Serie 1:
 10.0 ↙ 9.9 ↓ 10.3 * 10.5 * 9.4 ↘
 9.5 ➔ 8.3 ↖ 9.8 ↖ 9.1 ➔ 9.5 ↓
 beste Teiler 381.9 (4.) 505.8 (3.) 746.0 (1.)
 Trefferlage 0.10 mm links, 4.31 mm tief
 Streuwert 8.12, horizontal: 9.46, vertikal: 6.52



Serie 2:
 9.3 ➔ 10.3 ↖ 9.9 ↓ 10.6 * 8.9 ↖
 10.3 * 9.9 ↓ 10.2 ➔ 9.5 ↙ 10.2 ↑
 beste Teiler 293.4 (14.) 501.7 (16.) 531.2 (12.)
 Trefferlage 0.02 mm links, 0.50 mm tief
 Streuwert 6.84, horizontal: 6.54, vertikal: 7.12



Serie 3:
 8.2 ➔ 9.9 ↑ 9.8 ↑ 9.7 ➔ 9.6 ↓
 9.8 ↑ 9.9 ↑ 8.6 ← 8.7 ↓ 10.7 *
 beste Teiler 212.0 (30.) 819.2 (27.) 865.5 (22.)
 Trefferlage 1.54 mm rechts, 0.97 mm hoch
 Streuwert 9.66, horizontal: 9.99, vertikal: 9.32





Serie 4:
 10.8 * 8.5 ↖ 10.3 ↙ 9.3 ↓ 9.9 ←
 9.4 ↖ 10.1 ↖ 8.8 ← 9.1 ← 9.6 ↙
 beste Teiler 101.3 (31.) 542.7 (33.) 688.6 (37.)
 Trefferlage 8.13 mm links, 0.66 mm tief
 Streuwert 6.82, horizontal: 6.64, vertikal: 6.99


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	382	(399.5)
Serien:	92 99 95 96	
Zähler:	24 14 2 0 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	2022 (21), 1671 (6), 1587 (36)	
beste Teiler	174.9 (22.) 235.5 (16.) 247.6 (14.)	
Trefferlage	2.21 mm rechts, 0.58 mm tief	
Streuwert	6.27, horizontal: 6.77, vertikal: 5.72	




Serie 1:	9.2 ↑	9.6 ↘	10.6 *	10.0 ↓	9.0 ↗
	8.9 ↙	9.8 ↘	10.1 ↘	9.5 ↓	9.8 ↘
beste Teiler	313.2 (3.)	717.2 (8.)	750.5 (4.)		
Trefferlage	0.63 mm rechts, 1.91 mm tief				
Streuwert	8.23, horizontal: 7.07, vertikal: 9.24				



Serie 2:	9.5 →	10.4 *	10.6 *	10.6 *	10.4 *
	10.7 *	10.6 *	10.2 ↗	10.3 *	10.0 ↖
beste Teiler	235.5 (16.)	247.6 (14.)	300.6 (13.)		
Trefferlage	1.85 mm rechts, 0.84 mm hoch				
Streuwert	3.96, horizontal: 5.08, vertikal: 2.34				



Serie 3:	8.4 →	10.7 *	10.2 ↗	9.4 →	10.6 *
	10.6 *	10.6 *	9.6 ↙	10.3 *	9.9 →
beste Teiler	174.9 (22.)	264.7 (25.)	314.7 (26.)		
Trefferlage	4.18 mm rechts, 0.19 mm hoch				
Streuwert	6.13, horizontal: 7.29, vertikal: 4.69				





Serie 4:	9.9 ↓	10.5 *	9.3 ←	10.2 ↘	10.4 *
	9.0 ↘	10.1 ↖	10.6 *	10.2 ↘	9.2 →
beste Teiler	285.2 (38.)	399.3 (32.)	470.2 (35.)		
Trefferlage	2.17 mm rechts, 1.46 mm tief				
Streuwert	6.53, horizontal: 7.89, vertikal: 4.79				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	390	(409.3)
Serien:	98 95 97 100	
Zähler:	30 10 0 0 0 0 0 0 0 0	
Innenzehner:	20	
weiteste:	1483 (6), 1141 (20), 1111 (10)	
beste Teiler	174.4 (39.) 183.4 (16.) 212.3 (13.)	
Trefferlage	0.55 mm rechts, 0.59 mm tief	
Streuwert	4.61, horizontal: 4.21, vertikal: 4.98	




Serie 1:	10.6 *	10.3 ↘	10.1 ↓	10.1 ↓	10.5 *
	9.1 ↑	10.6 *	10.5 *	10.5 *	9.6 ↑
beste Teiler	262.6 (1.)	272.8 (7.)	338.7 (5.)		
Trefferlage	0.77 mm rechts, 0.36 mm hoch				
Streuwert	5.28, horizontal: 2.55, vertikal: 7.02				



Serie 2:	9.6 ↘	10.3 *	10.7 *	9.9 ↑	10.6 *
	10.7 *	9.9 ↓	9.9 ←	10.4 *	9.5 ↘
beste Teiler	183.4 (16.)	212.3 (13.)	295.1 (15.)		
Trefferlage	0.73 mm rechts, 1.03 mm tief				
Streuwert	5.27, horizontal: 4.83, vertikal: 5.67				



Serie 3:	10.1 ↗	10.3 *	10.6 *	9.7 ↙	10.6 *
	10.6 *	9.9 ↘	10.3 *	10.2 ←	9.9 ↘
beste Teiler	255.1 (26.)	276.4 (23.)	293.7 (25.)		
Trefferlage	0.79 mm rechts, 0.70 mm tief				
Streuwert	4.73, horizontal: 5.34, vertikal: 4.02				





Serie 4:	10.3 ↘	10.6 *	10.6 *	10.2 ←	10.4 *
	10.0 ↓	10.2 →	10.2 ↘	10.7 *	10.5 *
beste Teiler	174.4 (39.)	272.2 (32.)	291.1 (33.)		
Trefferlage	0.08 mm links, 0.99 mm tief				
Streuwert	3.62, horizontal: 4.22, vertikal: 2.90				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (396.4)
 Serien: 91 97 96 93
 Zähler: 22 13 5 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 1954 (5), 1819 (9), 1752 (7)
 beste Teiler 56.8 (16.) 163.6 (18.) 174.4 (2.)
 Trefferlage 1.24 mm links, 0.68 mm tief
 Streuwert 6.94, horizontal: 6.43, vertikal: 7.41




Serie 1:
 9.5 ↓ 10.7 * 9.4 → 10.3 * 8.5 ↓
 9.7 ↓ 8.8 ↙ 10.3 ↙ 8.7 ↓ 10.5 *
 beste Teiler 174.4 (2.) 395.3 (10.) 511.5 (4.)
 Trefferlage 0.36 mm links, 6.87 mm tief
 Streuwert 7.52, horizontal: 6.81, vertikal: 8.16



Serie 2:
 9.8 ↗ 9.9 ↓ 10.1 ← 10.2 ↘ 9.7 ↖
 10.9 * 10.1 ↑ 10.7 * 10.2 ↑ 10.1 ↓
 beste Teiler 56.8 (16.) 163.6 (18.) 587.8 (19.)
 Trefferlage 1.04 mm links, 1.62 mm hoch
 Streuwert 4.92, horizontal: 4.13, vertikal: 5.61



Serie 3:
 10.6 * 9.7 → 10.5 * 9.4 ← 10.2 ↙
 10.6 * 10.6 * 8.8 ← 10.6 * 10.4 *
 beste Teiler 268.8 (27.) 276.5 (29.) 284.7 (21.)
 Trefferlage 3.19 mm links, 1.09 mm tief
 Streuwert 5.49, horizontal: 7.21, vertikal: 2.88





Serie 4:
 10.0 ← 9.3 ↘ 10.0 ↑ 10.5 * 10.4 *
 9.3 ← 9.9 ↘ 9.6 → 9.1 ↑ 8.8 ↑
 beste Teiler 383.1 (34.) 456.5 (35.) 767.0 (31.)
 Trefferlage 0.38 mm links, 3.59 mm hoch
 Streuwert 7.78, horizontal: 7.61, vertikal: 7.94


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	383	(402.7)
Serien:	98 92 98 95	
Zähler:	25 13 2 0 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	1604 (13), 1602 (17), 1391 (30)	
beste Teiler	111.6 (16.) 146.6 (1.) 182.7 (4.)	
Trefferlage	1.50 mm rechts, 1.65 mm hoch	
Streuwert	5.62, horizontal: 6.34, vertikal: 4.79	




Serie 1:					
	10.8 *	10.4 *	9.4 ↑	10.7 *	10.6 *
	10.1 ↘	10.6 *	9.7 ←	10.0 ↑	10.6 *
beste Teiler	146.6 (1.)	182.7 (4.)	284.2 (5.)		
Trefferlage	1.49 mm links, 2.98 mm hoch				
Streuwert	3.97, horizontal: 3.62, vertikal: 4.29				



Serie 2:					
	9.7 ↘	9.9 ↗	8.9 →	10.3 *	10.7 *
	10.8 *	8.9 →	10.5 *	9.8 ←	9.3 ↘
beste Teiler	111.6 (16.)	203.4 (15.)	332.3 (18.)		
Trefferlage	2.38 mm rechts, 0.86 mm hoch				
Streuwert	7.18, horizontal: 8.89, vertikal: 4.90				



Serie 3:					
	10.2 →	10.2 ↗	10.0 →	10.3 ↗	10.2 ↗
	10.3 *	10.1 →	10.7 *	9.6 →	9.2 ↑
beste Teiler	199.4 (28.)	514.4 (26.)	549.0 (24.)		
Trefferlage	5.30 mm rechts, 2.79 mm hoch				
Streuwert	3.54, horizontal: 2.82, vertikal: 4.14				





Serie 4:					
	10.3 ←	9.8 ↗	10.6 *	10.3 *	9.4 ↑
	10.4 *	9.6 ↖	10.7 *	9.7 ↖	9.4 →
beste Teiler	211.8 (38.)	293.2 (33.)	467.0 (36.)		
Trefferlage	0.17 mm links, 0.03 mm tief				
Streuwert	6.20, horizontal: 6.65, vertikal: 5.71				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379** (395.6)
 Serien: 96 96 96 91
 Zähler: 23 14 2 1 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2865 (30), 1845 (17), 1675 (38)
 beste Teiler 137.8 (5.) 294.7 (4.) 302.0 (24.)
 Trefferlage 2.59 mm rechts, 0.23 mm tief
 Streuwert 6.77, horizontal: 5.94, vertikal: 7.50




Serie 1:
 9.8 → 10.3 * 9.6 ↘ 10.6 * 10.8 *
 9.5 ↗ 9.7 ↗ 10.1 ↘ 10.2 ← 10.4 *
 beste Teiler 137.8 (5.) 294.7 (4.) 472.8 (10.)
 Trefferlage 0.01 mm rechts, 2.20 mm hoch
 Streuwert 5.30, horizontal: 6.64, vertikal: 3.47



Serie 2:
 9.8 → 10.4 * 10.1 ↘ 10.0 ↓ 10.0 →
 9.5 → 8.6 ↑ 10.3 ↗ 10.6 * 10.1 →
 beste Teiler 318.2 (19.) 421.2 (12.) 534.9 (18.)
 Trefferlage 4.17 mm rechts, 1.80 mm hoch
 Streuwert 5.81, horizontal: 4.45, vertikal: 6.91





Serie 3:
 10.1 ↘ 10.0 → 10.5 * 10.6 * 10.0 ↓
 10.3 * 9.4 ↓ 10.2 ↗ 10.1 → 7.4 ↓
 beste Teiler 302.0 (24.) 327.0 (23.) 517.5 (26.)
 Trefferlage 1.60 mm rechts, 5.37 mm tief
 Streuwert 7.26, horizontal: 5.04, vertikal: 8.95




Serie 4:
 9.7 ↑ 9.4 → 10.4 * 9.4 ↓ 9.8 ↙
 9.6 ↓ 9.2 ↗ 8.9 → 10.3 * 9.9 →
 beste Teiler 424.4 (33.) 518.8 (39.) 855.9 (40.)
 Trefferlage 4.60 mm rechts, 0.41 mm hoch
 Streuwert 7.45, horizontal: 6.94, vertikal: 7.92

Unterschrift des Schützen


Ergebnis:	376	(393.5)
Serien:	95 95 94 92	
Zähler:	16 24 0 0 0 0 0 0 0 0	
Innenzehner:	7	
weiteste:	1560 (10), 1531 (37), 1462 (17)	
beste Teiler	156.2 (13.) 334.2 (32.) 352.9 (28.)	
Trefferlage	0.78 mm rechts, 0.16 mm tief	
Streuwert	6.86, horizontal: 6.26, vertikal: 7.41	




Serie 1:				
9.7 ↙	10.5 *	10.4 *	9.2 ↑	10.1 ↘
10.2 ↑	9.2 ↗	9.2 ↓	10.4 *	9.0 ↘
beste Teiler	386.8 (2.) 411.5 (3.) 444.6 (9.)			
Trefferlage	1.29 mm rechts, 0.09 mm hoch			
Streuwert	7.59, horizontal: 6.12, vertikal: 8.82			



Serie 2:				
9.8 ↙	10.1 →	10.8 *	10.0 ↙	10.1 ↘
9.7 ↘	9.1 ↓	9.6 ↑	9.9 →	10.1 ↘
beste Teiler	156.2 (13.) 641.5 (15.) 651.6 (12.)			
Trefferlage	0.19 mm rechts, 2.17 mm tief			
Streuwert	6.37, horizontal: 5.94, vertikal: 6.78			



Serie 3:				
10.1 →	10.2 ↘	9.9 ↖	9.9 ↙	9.9 ↘
9.5 ↙	9.8 ↗	10.5 *	10.4 *	9.4 ↘
beste Teiler	352.9 (28.) 466.8 (29.) 602.9 (22.)			
Trefferlage	1.13 mm links, 0.46 mm tief			
Streuwert	6.22, horizontal: 6.57, vertikal: 5.85			



Serie 4:				
9.9 ↙	10.5 *	10.0 →	9.8 ↘	9.6 ↘
9.9 ↑	9.0 ↑	9.2 ↘	9.2 ↑	9.7 ↘
beste Teiler	334.2 (32.) 784.0 (33.) 836.6 (31.)			
Trefferlage	2.77 mm rechts, 1.88 mm hoch			
Streuwert	7.59, horizontal: 6.68, vertikal: 8.40			

Unterschrift des Schützen

Meyton Elektronik