





Ergebnis: **368** (387.2)  
 Serien: 92 92 91 93  
 Zähler: 17 15 7 1 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 2469 (20), 1962 (18), 1945 (26)  
 beste Teiler 149.6 (9.) 177.3 (23.) 196.8 (1.)  
 Trefferlage 2.19 mm links, 1.59 mm tief  
 Streuwert 8.16, horizontal: 9.39, vertikal: 6.71




Serie 1:  
 10.7 \*                      9.9 ↙                      10.2 ↓                      9.5 →                      8.6 ↘  
 9.4 ↖                      10.6 \*                      8.7 ←                      10.8 \*                      9.1 ←  
 beste Teiler 149.6 (9.) 196.8 (1.) 260.7 (7.)  
 Trefferlage 5.43 mm links, 0.95 mm hoch  
 Streuwert 7.44, horizontal: 9.39, vertikal: 4.74



Serie 2:  
 9.4 ↓                      10.2 →                      9.9 ←                      10.1 ↖                      9.2 ↓  
 10.3 \*                      10.0 ↓                      8.5 ↗                      10.2 ↓                      7.9 ↖  
 beste Teiler 525.6 (16.) 590.5 (19.) 634.1 (12.)  
 Trefferlage 3.56 mm links, 4.33 mm tief  
 Streuwert 8.53, horizontal: 9.15, vertikal: 7.88



Serie 3:  
 8.8 →                      10.4 \*                      10.7 \*                      9.4 →                      9.9 ↓  
 8.5 ←                      9.8 ↖                      8.9 ↓                      10.5 \*                      10.2 ↓  
 beste Teiler 177.3 (23.) 352.8 (29.) 471.1 (22.)  
 Trefferlage 0.17 mm rechts, 3.44 mm tief  
 Streuwert 8.18, horizontal: 10.16, vertikal: 5.53





Serie 4:  
 8.7 →                      9.3 ↖                      9.7 ↗                      10.4 \*                      10.1 ↘  
 9.9 ↑                      10.5 \*                      9.0 ↙                      9.1 ↖                      10.2 ←  
 beste Teiler 352.0 (37.) 444.0 (34.) 596.3 (40.)  
 Trefferlage 0.04 mm rechts, 0.44 mm hoch  
 Streuwert 8.30, horizontal: 9.04, vertikal: 7.49


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **380** (396.2)  
 Serien: 92 94 96 98  
 Zähler: 22 16 2 0 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 2118 (13), 2114 (2), 1586 (22)  
 beste Teiler 80.7 (40.) 207.2 (36.) 276.1 (37.)  
 Trefferlage 1.28 mm rechts, 0.95 mm hoch  
 Streuwert 6.83, horizontal: 8.17, vertikal: 5.14




Serie 1:  
 9.5 ↘                      8.3 ←                      9.2 ↘                      9.1 ←                      10.3 →  
 10.5 \*                      9.4 ↘                      9.8 ↘                      10.4 \*                      9.7 ↘  
 beste Teiler 388.2 (6.) 469.5 (9.) 545.5 (5.)  
 Trefferlage 4.56 mm links, 3.09 mm hoch  
 Streuwert 7.89, horizontal: 9.60, vertikal: 5.70



Serie 2:  
 10.3 ↘                      9.9 →                      8.3 →                      10.2 ↘                      10.1 ↗  
 9.0 →                      10.4 \*                      9.8 ↑                      10.5 \*                      9.8 ↘  
 beste Teiler 375.8 (19.) 427.4 (17.) 531.9 (11.)  
 Trefferlage 5.97 mm rechts, 0.28 mm tief  
 Streuwert 6.27, horizontal: 7.51, vertikal: 4.70



Serie 3:  
 10.0 ←                      9.0 ↘                      10.1 →                      10.4 \*                      10.2 →  
 10.2 ↗                      9.5 →                      9.8 ↓                      10.2 ↑                      9.4 →  
 beste Teiler 419.5 (24.) 583.5 (26.) 596.6 (29.)  
 Trefferlage 4.34 mm rechts, 1.17 mm tief  
 Streuwert 6.06, horizontal: 6.51, vertikal: 5.56





Serie 4:  
 10.3 \*                      9.5 ↑                      10.0 →                      10.5 \*                      9.9 ↘  
 10.7 \*                      10.6 \*                      10.4 \*                      10.1 ←                      10.9 \*  
 beste Teiler 80.7 (40.) 207.2 (36.) 276.1 (37.)  
 Trefferlage 0.62 mm links, 2.19 mm hoch  
 Streuwert 4.30, horizontal: 4.66, vertikal: 3.90


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **382** (396.7)  
 Serien: 96 93 96 97  
 Zähler: 23 16 1 0 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 1866 (13), 1583 (3), 1492 (35)  
 beste Teiler 99.2 (17.) 241.2 (1.) 261.1 (5.)  
 Trefferlage 1.36 mm rechts, 2.09 mm hoch  
 Streuwert 6.42, horizontal: 7.70, vertikal: 4.81




Serie 1:  
 10.6 \*                      10.2 →                      9.0 ↘                      10.2 ↘                      10.6 \*  
 9.5 ↗                      9.3 ↘                      10.4 \*                      9.9 ↖                      10.5 \*  
 beste Teiler 241.2 (1.) 261.1 (5.) 388.2 (10.)  
 Trefferlage 0.69 mm links, 3.08 mm hoch  
 Streuwert 5.98, horizontal: 7.54, vertikal: 3.84



Serie 2:  
 9.1 →                      10.0 ↘                      8.6 →                      9.9 ←                      9.7 →  
 9.5 ↗                      10.8 \*                      10.4 \*                      9.7 ↙                      10.1 ↘  
 beste Teiler 99.2 (17.) 472.3 (18.) 658.6 (20.)  
 Trefferlage 5.47 mm rechts, 0.24 mm tief  
 Streuwert 6.60, horizontal: 8.43, vertikal: 4.02



Serie 3:  
 10.5 \*                      10.2 ↗                      10.6 \*                      10.0 ↗                      9.7 ↘  
 9.2 →                      9.2 ←                      9.3 ↑                      10.2 ↘                      10.6 \*  
 beste Teiler 274.2 (23.) 310.8 (30.) 354.6 (21.)  
 Trefferlage 0.55 mm links, 3.36 mm hoch  
 Streuwert 6.23, horizontal: 7.44, vertikal: 4.73





Serie 4:  
 10.0 ↘                      10.0 ↑                      10.0 ↑                      10.0 ↘                      9.1 →  
 10.0 ↘                      9.8 ↗                      10.5 \*                      10.6 \*                      9.2 ↘  
 beste Teiler 285.2 (39.) 367.9 (38.) 745.7 (32.)  
 Trefferlage 1.22 mm rechts, 2.18 mm hoch  
 Streuwert 6.50, horizontal: 6.81, vertikal: 6.19


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (392.6)  
 Serien: 90 96 95 95  
 Zähler: 19 18 3 0 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 2251 (9), 2247 (5), 2025 (3)  
 beste Teiler 150.6 (35.) 160.5 (4.) 163.6 (17.)  
 Trefferlage 2.18 mm links, 3.72 mm hoch  
 Streuwert 6.84, horizontal: 8.06, vertikal: 5.36




Serie 1:  
 9.7 ↘                      9.5 ↙                      8.4 ↘                      10.8 \*                      8.1 ↘  
 9.6 ↘                      10.6 \*                      10.1 ↑                      8.1 ↖                      9.4 ↗  
 beste Teiler 160.5 (4.) 246.1 (7.) 707.5 (8.)  
 Trefferlage 8.43 mm links, 5.94 mm hoch  
 Streuwert 7.17, horizontal: 7.38, vertikal: 6.94



Serie 2:  
 9.9 ↗                      9.5 ←                      9.7 →                      9.3 ↑                      10.1 ↘  
 10.2 ↑                      10.7 \*                      10.1 ↘                      10.3 \*                      10.4 \*  
 beste Teiler 163.6 (17.) 437.8 (20.) 514.9 (19.)  
 Trefferlage 0.47 mm rechts, 3.55 mm hoch  
 Streuwert 5.36, horizontal: 5.80, vertikal: 4.88



Serie 3:  
 9.5 ↘                      9.3 →                      10.5 \*                      10.4 \*                      9.7 ↖  
 10.3 →                      9.6 ↗                      9.3 →                      10.3 ↖                      10.6 \*  
 beste Teiler 296.6 (30.) 382.4 (23.) 415.2 (24.)  
 Trefferlage 1.10 mm rechts, 2.49 mm hoch  
 Streuwert 6.38, horizontal: 8.48, vertikal: 3.09





Serie 4:  
 10.4 \*                      9.7 ↘                      10.2 ←                      10.3 ↘                      10.8 \*  
 9.3 ↘                      9.2 ↘                      9.3 →                      9.1 ←                      10.3 \*  
 beste Teiler 150.6 (35.) 425.0 (31.) 483.5 (40.)  
 Trefferlage 1.87 mm links, 2.90 mm hoch  
 Streuwert 6.82, horizontal: 7.63, vertikal: 5.89


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (385.6)  
 Serien: 92 92 96 87  
 Zähler: 17 17 4 0 2 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 3554 (19), 3333 (36), 2298 (37)  
 beste Teiler 213.7 (25.) 223.1 (9.) 250.4 (21.)  
 Trefferlage 3.09 mm rechts, 0.92 mm tief  
 Streuwert 8.85, horizontal: 10.15, vertikal: 7.33




Serie 1:  
 9.1 ↘ 8.6 ← 9.8 ↖ 9.3 ↗ 9.9 ↓  
 10.3 \* 9.6 ↘ 10.0 → 10.7 \* 9.8 ↖  
 beste Teiler 223.1 (9.) 515.5 (6.) 751.4 (8.)  
 Trefferlage 2.33 mm links, 0.25 mm hoch  
 Streuwert 7.96, horizontal: 9.26, vertikal: 6.40



Serie 2:  
 10.1 ↘ 9.8 ↙ 10.3 ↑ 9.6 ↘ 10.2 ↖  
 9.5 ↘ 10.3 \* 10.2 ↖ 6.5 → 9.3 ↘  
 beste Teiler 510.8 (17.) 532.1 (13.) 573.5 (18.)  
 Trefferlage 4.66 mm rechts, 1.70 mm tief  
 Streuwert 9.65, horizontal: 11.81, vertikal: 6.86





Serie 3:  
 10.6 \* 8.8 ↘ 9.4 ↓ 10.2 ↗ 10.7 \*  
 10.3 \* 10.4 \* 9.8 ↗ 10.6 \* 10.6 \*  
 beste Teiler 213.7 (25.) 250.4 (21.) 267.6 (30.)  
 Trefferlage 1.48 mm rechts, 1.73 mm tief  
 Streuwert 5.70, horizontal: 3.16, vertikal: 7.42




Serie 4:  
 10.4 \* 9.8 ↘ 9.2 ↘ 9.8 ↓ 9.5 →  
 6.8 → 8.1 → 10.0 → 8.6 ↑ 9.1 ↖  
 beste Teiler 471.8 (31.) 724.1 (38.) 892.6 (32.)  
 Trefferlage 8.57 mm rechts, 0.52 mm tief  
 Streuwert 10.64, horizontal: 11.83, vertikal: 9.30

Unterschrift des Schützen


Ergebnis: **360** (378.6)  
 Serien: 83 91 93 93  
 Zähler: 14 13 12 1 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 2404 (20), 2391 (11), 2349 (6)  
 beste Teiler 162.5 (38.) 243.8 (16.) 281.7 (27.)  
 Trefferlage 0.67 mm links, 1.48 mm hoch  
 Streuwert 9.72, horizontal: 11.21, vertikal: 7.96




Serie 1:  
 8.8 ↖ 9.1 ↗ 8.0 → 8.8 → 8.4 ↖  
 8.0 ↘ 8.3 ↘ 8.4 ↖ 9.8 ↓ 9.0 ←  
 beste Teiler 894.8 (9.) 1493.7 (2.) 1583.0 (10.)  
 Trefferlage 4.60 mm links, 5.44 mm hoch  
 Streuwert 12.96, horizontal: 16.54, vertikal: 7.89



Serie 2:  
 8.0 ↘ 10.6 \* 10.2 ↓ 9.9 ↖ 9.8 ↓  
 10.6 \* 10.4 \* 10.1 → 8.8 ← 7.9 ↓  
 beste Teiler 243.8 (16.) 299.8 (12.) 462.0 (17.)  
 Trefferlage 1.82 mm rechts, 5.16 mm tief  
 Streuwert 8.84, horizontal: 9.92, vertikal: 7.62



Serie 3:  
 9.3 ↘ 10.0 → 9.9 ↓ 9.8 ↑ 9.9 ↖  
 10.6 \* 10.6 \* 9.9 ↖ 9.2 → 9.5 ↘  
 beste Teiler 281.7 (27.) 296.0 (26.) 770.6 (22.)  
 Trefferlage 1.75 mm rechts, 1.45 mm hoch  
 Streuwert 6.64, horizontal: 7.33, vertikal: 5.86





Serie 4:  
 10.2 → 8.6 ↗ 8.7 ↖ 9.0 ← 10.2 ↓  
 10.4 \* 8.8 ↘ 10.7 \* 10.1 → 10.3 \*  
 beste Teiler 162.5 (38.) 471.8 (36.) 521.7 (40.)  
 Trefferlage 1.69 mm links, 4.19 mm hoch  
 Streuwert 8.13, horizontal: 9.34, vertikal: 6.71

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>369</b>	(386.5)
Serien:	88 91 94 96	
Zähler:	17 15 8 0 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	2243 (11), 2040 (20), 1925 (29)	
beste Teiler	89.0 (18.) 115.4 (36.) 224.9 (16.)	
Trefferlage	2.90 mm links, 1.82 mm hoch	
Streuwert	8.07, horizontal: 8.28, vertikal: 7.85	




Serie 1:

9.4 ↙	9.2 ↗	9.6 ↓	9.9 →	9.2 ↓
8.9 ↖	9.1 ↖	10.0 →	8.8 ↖	8.8 ↖
beste Teiler	753.1 (8.) 879.1 (4.) 1073.7 (3.)			
Trefferlage	4.61 mm links, 2.08 mm hoch			
Streuwert	9.47, horizontal: 8.11, vertikal: 10.65			




Serie 2:

8.1 ↖	9.6 ↑	9.8 ↗	10.4 *	8.9 ↖
10.7 *	10.0 ↗	10.8 *	9.1 ↙	8.4 ↖
beste Teiler	89.0 (18.) 224.9 (16.) 424.9 (14.)			
Trefferlage	3.71 mm links, 4.91 mm hoch			
Streuwert	8.50, horizontal: 9.61, vertikal: 7.21			



Serie 3:

10.5 *	10.2 ←	9.8 ↗	9.5 ↘	9.2 ↓
10.2 ↓	9.4 ↖	10.4 *	8.5 ←	10.2 ↖
beste Teiler	397.3 (21.) 459.5 (28.) 588.8 (30.)			
Trefferlage	2.91 mm links, 0.73 mm tief			
Streuwert	7.48, horizontal: 7.84, vertikal: 7.10			





Serie 4:

8.6 ↖	10.3 →	10.4 *	9.2 ↗	10.5 *
10.8 *	9.0 ↘	10.5 *	10.2 ↓	10.4 *
beste Teiler	115.4 (36.) 363.1 (38.) 400.0 (35.)			
Trefferlage	0.36 mm links, 1.03 mm hoch			
Streuwert	7.04, horizontal: 8.15, vertikal: 5.73			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **355** (373.0)  
 Serien: 89 88 90 88  
 Zähler: 11 19 6 2 2 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3518 (9), 3313 (17), 2904 (18)  
 beste Teiler 175.0 (14.) 211.5 (39.) 255.9 (15.)  
 Trefferlage 3.40 mm rechts, 1.00 mm tief  
 Streuwert 10.57, horizontal: 12.71, vertikal: 7.87




Serie 1:  
 9.5 ↗ 8.5 ↙ 9.3 ↑ 10.0 ↓ 9.7 →  
 10.2 → 9.3 ↙ 10.6 \* 6.6 ← 9.6 ↘  
 beste Teiler 260.2 (8.) 628.0 (6.) 763.8 (4.)  
 Trefferlage 2.78 mm links, 2.99 mm tief  
 Streuwert 11.26, horizontal: 13.19, vertikal: 8.93



Serie 2:  
 10.0 ← 9.3 → 10.2 ↑ 10.7 \* 10.6 \*  
 9.2 ↘ 6.8 → 7.3 → 8.4 ← 9.5 ↖  
 beste Teiler 175.0 (14.) 255.9 (15.) 630.4 (13.)  
 Trefferlage 4.76 mm rechts, 0.11 mm hoch  
 Streuwert 12.34, horizontal: 16.43, vertikal: 5.89



Serie 3:  
 10.1 ↑ 9.6 ↗ 9.5 ← 9.8 ↓ 9.9 ←  
 7.7 → 10.0 ↑ 9.2 → 9.8 ← 9.1 ↑  
 beste Teiler 682.8 (21.) 734.1 (27.) 861.7 (25.)  
 Trefferlage 2.41 mm rechts, 2.24 mm hoch  
 Streuwert 9.35, horizontal: 11.29, vertikal: 6.88





Serie 4:  
 9.2 ↓ 9.4 → 8.7 ↘ 9.7 → 8.4 →  
 8.4 → 8.5 ↘ 10.1 ↘ 10.7 \* 9.9 ↗  
 beste Teiler 211.5 (39.) 664.8 (38.) 866.9 (40.)  
 Trefferlage 9.24 mm rechts, 3.39 mm tief  
 Streuwert 8.01, horizontal: 6.72, vertikal: 9.11

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **362** (381.4)  
 Serien: 93 91 84 94  
 Zähler: 11 22 5 2 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 2563 (24), 2416 (26), 2297 (18)  
 beste Teiler 102.0 (10.) 282.2 (33.) 319.7 (37.)  
 Trefferlage 3.31 mm rechts, 2.16 mm tief  
 Streuwert 8.50, horizontal: 8.97, vertikal: 8.00




Serie 1:  
 9.2 ↗ 9.7 → 10.0 → 9.4 → 9.7 ↘  
 9.8 ↓ 9.8 ↗ 10.0 ↘ 9.3 ↑ 10.8 \*  
 beste Teiler 102.0 (10.) 741.6 (3.) 751.4 (8.)  
 Trefferlage 4.16 mm rechts, 1.90 mm hoch  
 Streuwert 6.58, horizontal: 6.27, vertikal: 6.88



Serie 2:  
 10.0 ↖ 9.6 ↖ 8.8 ↓ 10.1 ↘ 9.3 ←  
 9.4 ↘ 9.5 ↖ 8.1 ↘ 9.2 ← 10.1 ↘  
 beste Teiler 645.1 (20.) 718.7 (14.) 739.7 (11.)  
 Trefferlage 0.70 mm links, 4.76 mm tief  
 Streuwert 9.16, horizontal: 10.58, vertikal: 7.48



Serie 3:  
 9.8 ↓ 8.2 ↘ 9.8 ↓ 7.7 → 9.6 ↗  
 7.9 ↘ 9.8 ↘ 9.7 ↖ 9.6 ↘ 8.9 →  
 beste Teiler 888.8 (27.) 894.0 (23.) 915.5 (21.)  
 Trefferlage 4.92 mm rechts, 6.14 mm tief  
 Streuwert 10.37, horizontal: 11.73, vertikal: 8.80





Serie 4:  
 10.2 ↘ 9.4 ↗ 10.6 \* 10.3 ↗ 9.9 ↖  
 8.9 → 10.6 \* 9.3 → 9.4 ↘ 10.0 ↘  
 beste Teiler 282.2 (33.) 319.7 (37.) 552.7 (34.)  
 Trefferlage 4.85 mm rechts, 0.36 mm hoch  
 Streuwert 6.38, horizontal: 5.97, vertikal: 6.76


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **386** (403.6)  
 Serien: 97 96 98 95  
 Zähler: 27 12 1 0 0 0 0 0 0 0  
 Innenzehner: 17  
 weiteste: 1860 (16), 1541 (5), 1364 (21)  
 beste Teiler 115.9 (4.) 237.4 (2.) 269.7 (15.)  
 Trefferlage 1.10 mm rechts, 0.52 mm tief  
 Streuwert 5.60, horizontal: 6.94, vertikal: 3.83




Serie 1:  
 10.2 ↘                      10.7 \*                      10.3 ↖                      10.8 \*                      9.0 ↖  
 9.9 ↖                      10.4 \*                      9.4 ←                      10.5 \*                      10.6 \*  
 beste Teiler 115.9 (4.) 237.4 (2.) 319.9 (10.)  
 Trefferlage 2.92 mm links, 1.45 mm hoch  
 Streuwert 5.08, horizontal: 6.46, vertikal: 3.15



Serie 2:  
 9.9 →                      10.0 →                      10.4 \*                      10.5 \*                      10.6 \*  
 8.6 →                      10.3 \*                      10.2 ↙                      9.3 →                      10.4 \*  
 beste Teiler 269.7 (15.) 349.8 (14.) 402.7 (13.)  
 Trefferlage 5.02 mm rechts, 1.52 mm tief  
 Streuwert 5.20, horizontal: 6.53, vertikal: 3.37



Serie 3:  
 9.2 →                      10.6 \*                      9.8 ↘                      10.1 ←                      10.2 ↘  
 10.5 \*                      10.5 \*                      10.5 \*                      10.0 ↑                      10.3 \*  
 beste Teiler 281.1 (22.) 361.6 (26.) 379.3 (27.)  
 Trefferlage 1.06 mm rechts, 0.48 mm tief  
 Streuwert 5.20, horizontal: 5.71, vertikal: 4.64



Serie 4:  
 9.4 ↖                      9.4 →                      9.9 ←                      9.9 →                      10.4 \*  
 9.9 ↓                      10.1 →                      10.3 ↘                      10.1 →                      10.5 \*  
 beste Teiler 340.9 (40.) 473.1 (35.) 539.4 (38.)  
 Trefferlage 1.27 mm rechts, 1.56 mm tief  
 Streuwert 5.93, horizontal: 7.50, vertikal: 3.75

Unterschrift des Schützen

Meyton Elektronik