





Ergebnis: **408.3** (390)
 Serien: 102.8 101.8 101.5 102.2
 Zähler: 30 10 0 0 0 0 0 0 0 0
 Innenzehner: 23
 weiteste: 431 (36), 344 (7), 338 (26)
 beste Teiler 41.0 (33.) 42.0 (30.) 44.2 (29.)
 Trefferlage 0.41 mm rechts, 0.49 mm tief
 Streuwert 1.43, horizontal: 1.75, vertikal: 1.02




Serie 1:
 10.1 ↙ 10.7 * 10.4 * 9.9 ↘ 10.1 ↗
 9.9 ← 9.6 → 10.6 * 10.8 * 10.7 *
 beste Teiler 50.5 (9.) 54.0 (2.) 67.4 (10.)
 Trefferlage 0.42 mm rechts, 0.11 mm tief
 Streuwert 1.44, horizontal: 1.69, vertikal: 1.13



Serie 2:
 10.1 → 10.2 * 10.4 * 10.2 * 10.5 *
 9.9 ↘ 9.6 ↘ 10.5 * 10.4 * 10.0 →
 beste Teiler 110.0 (15.) 113.2 (18.) 126.7 (13.)
 Trefferlage 0.65 mm rechts, 0.75 mm tief
 Streuwert 1.33, horizontal: 1.57, vertikal: 1.05



Serie 3:
 10.1 → 9.7 → 10.2 * 10.0 ↓ 10.1 →
 9.6 ↙ 10.4 * 9.8 → 10.8 * 10.8 *
 beste Teiler 42.0 (30.) 44.2 (29.) 144.5 (27.)
 Trefferlage 0.77 mm rechts, 0.36 mm tief
 Streuwert 1.54, horizontal: 1.77, vertikal: 1.27





Serie 4:
 10.5 * 10.4 * 10.8 * 10.2 * 10.4 *
 9.2 ← 10.3 * 10.5 * 10.2 * 9.7 →
 beste Teiler 41.0 (33.) 105.0 (31.) 125.0 (38.)
 Trefferlage 0.19 mm links, 0.74 mm tief
 Streuwert 1.48, horizontal: 2.04, vertikal: 0.44


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **400.0** (383)
 Serien: 99.4 101.2 98.9 100.5
 Zähler: 24 15 1 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 639 (23), 429 (22), 424 (29)
 beste Teiler 63.0 (33.) 68.0 (15.) 84.8 (35.)
 Trefferlage 0.00 mm , 0.07 mm hoch
 Streuwert 1.91, horizontal: 1.83, vertikal: 1.99




Serie 1:
 9.9 ↘ 9.5 ↘ 10.0 ↖ 9.8 ↖ 10.1 ↘
 10.2 * 10.5 * 10.2 * 9.3 ↖ 9.9 ↖
 beste Teiler 121.6 (7.) 178.3 (6.) 200.8 (8.)
 Trefferlage 0.05 mm links, 0.38 mm hoch
 Streuwert 1.99, horizontal: 2.06, vertikal: 1.91



Serie 2:
 9.4 ↖ 10.0 → 9.8 ↖ 10.4 * 10.7 *
 10.6 * 9.8 → 9.6 → 10.6 * 10.3 *
 beste Teiler 68.0 (15.) 87.0 (16.) 89.8 (19.)
 Trefferlage 0.44 mm rechts, 0.49 mm hoch
 Streuwert 1.67, horizontal: 1.88, vertikal: 1.42



Serie 3:
 10.3 * 9.2 ↖ 8.4 ↓ 10.2 * 10.1 ←
 10.1 ← 10.4 * 10.5 * 9.3 ↖ 10.4 *
 beste Teiler 117.0 (28.) 133.9 (27.) 136.3 (30.)
 Trefferlage 0.47 mm links, 0.15 mm hoch
 Streuwert 2.30, horizontal: 1.43, vertikal: 2.93





Serie 4:
 10.3 * 10.0 ↘ 10.7 * 9.8 ↖ 10.6 *
 9.6 ← 9.8 → 10.0 ↖ 9.3 ↘ 10.4 *
 beste Teiler 63.0 (33.) 84.8 (35.) 135.0 (40.)
 Trefferlage 0.06 mm rechts, 0.74 mm tief
 Streuwert 1.74, horizontal: 2.07, vertikal: 1.34


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **404.8** (389)
 Serien: 100.5 102.5 100.0 101.8
 Zähler: 29 11 0 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 426 (30), 346 (36), 343 (7)
 beste Teiler 49.2 (38.) 60.2 (12.) 75.2 (11.)
 Trefferlage 0.52 mm links, 0.39 mm tief
 Streuwert 1.53, horizontal: 1.71, vertikal: 1.32




Serie 1:
 9.9 ← 10.1 ← 9.9 ↘ 10.1 ↗ 10.0 ↓
 10.0 ↙ 9.6 ← 10.6 * 10.1 ← 10.2 *
 beste Teiler 93.9 (8.) 178.0 (10.) 202.1 (2.)
 Trefferlage 1.07 mm links, 0.48 mm tief
 Streuwert 1.47, horizontal: 1.48, vertikal: 1.46



Serie 2:
 10.7 * 10.7 * 10.0 ↙ 9.9 → 10.4 *
 10.1 ↘ 10.5 * 10.0 ↘ 10.1 → 10.1 ↘
 beste Teiler 60.2 (12.) 75.2 (11.) 112.3 (17.)
 Trefferlage 0.22 mm links, 0.35 mm hoch
 Streuwert 1.37, horizontal: 1.56, vertikal: 1.16



Serie 3:
 10.2 * 10.0 → 9.7 ↙ 10.5 * 9.9 ↘
 10.1 ↓ 10.5 * 10.1 → 9.8 ↘ 9.2 ←
 beste Teiler 118.4 (27.) 121.2 (24.) 200.5 (21.)
 Trefferlage 0.46 mm links, 0.89 mm tief
 Streuwert 1.76, horizontal: 2.10, vertikal: 1.32





Serie 4:
 10.0 ← 9.9 ↙ 9.8 → 10.6 * 10.4 *
 9.6 ↘ 10.2 * 10.8 * 10.1 ↘ 10.4 *
 beste Teiler 49.2 (38.) 78.0 (34.) 129.0 (40.)
 Trefferlage 0.32 mm links, 0.55 mm tief
 Streuwert 1.50, horizontal: 1.77, vertikal: 1.17


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **411.3** (393)
 Serien: 103.6 105.1 101.0 101.6
 Zähler: 33 7 0 0 0 0 0 0 0 0
 Innenzehner: 32
 weiteste: 412 (38), 406 (30), 393 (21)
 beste Teiler 56.8 (13.) 60.0 (11.) 60.6 (2.)
 Trefferlage 0.69 mm rechts, 0.00 mm
 Streuwert 1.27, horizontal: 1.44, vertikal: 1.06




Serie 1:
 10.2 * 10.7 * 10.3 * 10.6 * 10.3 *
 9.7 ↗ 10.7 * 10.4 * 10.3 * 10.4 *
 beste Teiler 60.6 (2.) 61.5 (7.) 81.8 (4.)
 Trefferlage 0.66 mm rechts, 0.00 mm
 Streuwert 1.08, horizontal: 1.03, vertikal: 1.13



Serie 2:
 10.7 * 10.4 * 10.7 * 10.4 * 10.4 *
 10.6 * 10.4 * 10.7 * 10.2 * 10.6 *
 beste Teiler 56.8 (13.) 60.0 (11.) 69.5 (18.)
 Trefferlage 0.29 mm rechts, 0.34 mm hoch
 Streuwert 0.82, horizontal: 0.78, vertikal: 0.85



Serie 3:
 9.4 ↘ 10.4 * 10.6 * 10.4 * 10.0 ↖
 10.2 * 10.3 * 9.9 ↘ 10.5 * 9.3 →
 beste Teiler 77.1 (23.) 113.6 (29.) 131.0 (22.)
 Trefferlage 0.92 mm rechts, 0.10 mm tief
 Streuwert 1.64, horizontal: 2.01, vertikal: 1.15





Serie 4:
 10.5 * 10.3 * 9.8 ↘ 10.4 * 10.4 *
 10.3 * 10.4 * 9.3 → 10.4 * 9.8 ↖
 beste Teiler 105.2 (31.) 136.2 (34.) 136.5 (39.)
 Trefferlage 0.90 mm rechts, 0.21 mm tief
 Streuwert 1.48, horizontal: 1.74, vertikal: 1.16


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **405.3** (385)
 Serien: 102.1 100.5 99.9 102.8
 Zähler: 26 13 1 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 602 (37), 431 (24), 429 (20)
 beste Teiler 14.5 (38.) 19.8 (33.) 40.6 (32.)
 Trefferlage 0.68 mm rechts, 0.16 mm hoch
 Streuwert 1.64, horizontal: 1.88, vertikal: 1.37




Serie 1:
 10.1 ↘ 10.5 * 9.7 ↗ 10.7 * 10.7 *
 10.1 ↗ 9.5 ↖ 10.3 * 10.1 ↗ 10.4 *
 beste Teiler 69.3 (4.) 75.8 (5.) 125.6 (2.)
 Trefferlage 0.62 mm rechts, 0.82 mm hoch
 Streuwert 1.35, horizontal: 1.54, vertikal: 1.12



Serie 2:
 9.9 ↖ 10.6 * 10.2 * 10.7 * 10.1 →
 9.4 ↗ 10.2 * 10.3 * 9.9 ↓ 9.2 ↗
 beste Teiler 74.9 (14.) 87.5 (12.) 159.3 (18.)
 Trefferlage 0.83 mm rechts, 0.70 mm hoch
 Streuwert 1.67, horizontal: 1.84, vertikal: 1.48





Serie 3:
 9.6 ↘ 10.2 * 10.8 * 9.2 → 10.3 *
 10.5 * 9.8 ↖ 9.9 ↖ 9.9 ↗ 9.7 ↘
 beste Teiler 42.5 (23.) 110.0 (26.) 163.2 (25.)
 Trefferlage 0.74 mm rechts, 0.70 mm tief
 Streuwert 1.80, horizontal: 2.18, vertikal: 1.31




Serie 4:
 9.7 ↖ 10.8 * 10.9 * 10.5 * 10.7 *
 10.0 ↘ 8.5 → 10.9 * 10.3 * 10.5 *
 beste Teiler 14.5 (38.) 19.8 (33.) 40.6 (32.)
 Trefferlage 0.55 mm rechts, 0.17 mm tief
 Streuwert 1.72, horizontal: 2.19, vertikal: 1.06

Unterschrift des Schützen


Ergebnis: **419.8** (399)
 Serien: 104.8 105.1 104.5 105.4
 Zähler: 39 1 0 0 0 0 0 0 0 0
 Innenzehner: 37
 weiteste: 266 (10), 213 (23), 207 (11)
 beste Teiler 48.5 (38.) 56.0 (15.) 62.3 (31.)
 Trefferlage 0.08 mm rechts, 0.25 mm tief
 Streuwert 0.86, horizontal: 0.87, vertikal: 0.85




Serie 1:
 10.5 * 10.5 * 10.6 * 10.4 * 10.6 *
 10.5 * 10.5 * 10.6 * 10.7 * 9.9 ↘
 beste Teiler 73.4 (9.) 80.0 (5.) 83.3 (3.)
 Trefferlage 0.27 mm links, 0.20 mm tief
 Streuwert 0.93, horizontal: 0.76, vertikal: 1.07



Serie 2:
 10.1 ↘ 10.5 * 10.7 * 10.5 * 10.7 *
 10.5 * 10.5 * 10.5 * 10.6 * 10.5 *
 beste Teiler 56.0 (15.) 75.0 (13.) 81.4 (19.)
 Trefferlage 0.02 mm links, 0.03 mm tief
 Streuwert 0.87, horizontal: 1.01, vertikal: 0.71





Serie 3:
 10.3 * 10.7 * 10.1 ↘ 10.4 * 10.5 *
 10.5 * 10.7 * 10.4 * 10.6 * 10.3 *
 beste Teiler 62.9 (22.) 75.7 (27.) 90.7 (29.)
 Trefferlage 0.26 mm rechts, 0.56 mm tief
 Streuwert 0.88, horizontal: 0.86, vertikal: 0.89




Serie 4:
 10.7 * 10.4 * 10.5 * 10.6 * 10.5 *
 10.2 * 10.5 * 10.8 * 10.5 * 10.7 *
 beste Teiler 48.5 (38.) 62.3 (31.) 64.1 (40.)
 Trefferlage 0.38 mm rechts, 0.20 mm tief
 Streuwert 0.76, horizontal: 0.79, vertikal: 0.73

Unterschrift des Schützen


Ergebnis: **411.0** (391)
 Serien: 102.1 102.6 103.2 103.1
 Zähler: 31 9 0 0 0 0 0 0 0 0
 Innenzehner: 24
 weiteste: 439 (15), 373 (33), 323 (26)
 beste Teiler 23.7 (6.) 43.1 (40.) 44.2 (13.)
 Trefferlage 0.40 mm rechts, 0.11 mm tief
 Streuwert 1.38, horizontal: 1.59, vertikal: 1.13




Serie 1:
 10.1 ↖ 10.3 * 10.5 * 9.9 → 10.1 ↗
 10.9 * 10.1 ↓ 10.2 * 10.1 ↘ 9.9 ↓
 beste Teiler 23.7 (6.) 107.2 (3.) 152.0 (2.)
 Trefferlage 0.36 mm rechts, 0.19 mm tief
 Streuwert 1.46, horizontal: 1.44, vertikal: 1.48



Serie 2:
 10.1 ↑ 10.2 * 10.8 * 10.7 * 9.2 ↘
 10.4 * 10.4 * 10.6 * 9.8 ↖ 10.4 *
 beste Teiler 44.2 (13.) 70.0 (14.) 90.2 (18.)
 Trefferlage 0.49 mm rechts, 0.15 mm hoch
 Streuwert 1.50, horizontal: 1.63, vertikal: 1.36



Serie 3:
 9.8 → 10.7 * 10.5 * 10.6 * 9.9 ↘
 9.7 → 10.8 * 10.6 * 10.1 → 10.5 *
 beste Teiler 44.3 (27.) 68.6 (22.) 79.0 (28.)
 Trefferlage 1.09 mm rechts, 0.24 mm tief
 Streuwert 1.10, horizontal: 1.45, vertikal: 0.57





Serie 4:
 10.6 * 10.7 * 9.5 ← 10.2 * 9.9 ↖
 10.3 * 10.4 * 10.6 * 10.1 ↘ 10.8 *
 beste Teiler 43.1 (40.) 67.3 (32.) 83.2 (38.)
 Trefferlage 0.31 mm links, 0.14 mm tief
 Streuwert 1.42, horizontal: 1.73, vertikal: 1.02


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **407.0** (388)
 Serien: 103.0 101.8 99.5 102.7
 Zähler: 30 8 2 0 0 0 0 0 0 0
 Innenzehner: 24
 weiteste: 527 (29), 501 (18), 492 (5)
 beste Teiler 10.4 (39.) 40.3 (3.) 56.2 (10.)
 Trefferlage 0.92 mm links, 0.04 mm tief
 Streuwert 1.53, horizontal: 1.94, vertikal: 0.95




Serie 1:
 10.4 * 10.3 * 10.8 * 10.4 * 9.0 →
 10.0 → 10.2 * 10.6 * 10.6 * 10.7 *
 beste Teiler 40.3 (3.) 56.2 (10.) 89.3 (9.)
 Trefferlage 0.28 mm rechts, 0.08 mm hoch
 Streuwert 1.52, horizontal: 1.91, vertikal: 0.99



Serie 2:
 10.7 * 10.0 ← 10.4 * 10.6 * 10.7 *
 10.5 * 10.2 * 8.9 ← 9.7 ← 10.1 ←
 beste Teiler 70.0 (15.) 75.2 (11.) 96.4 (14.)
 Trefferlage 1.13 mm links, 0.10 mm hoch
 Streuwert 1.51, horizontal: 2.00, vertikal: 0.75



Serie 3:
 9.9 ← 10.6 * 10.2 * 9.8 ← 9.9 ↓
 10.6 * 10.3 * 9.3 ← 8.8 ← 10.1 ↘
 beste Teiler 98.0 (26.) 98.7 (22.) 174.5 (27.)
 Trefferlage 1.66 mm links, 0.11 mm tief
 Streuwert 1.72, horizontal: 2.08, vertikal: 1.28





Serie 4:
 10.3 * 10.3 * 9.7 ← 9.8 ← 10.0 ↘
 10.1 ← 10.6 * 10.4 * 10.9 * 10.6 *
 beste Teiler 10.4 (39.) 78.7 (40.) 100.1 (37.)
 Trefferlage 1.17 mm links, 0.27 mm tief
 Streuwert 1.13, horizontal: 1.40, vertikal: 0.77


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **404.7** (389)
 Serien: 100.6 102.0 101.8 100.3
 Zähler: 30 9 1 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 602 (37), 478 (23), 305 (1)
 beste Teiler 20.1 (25.) 38.9 (27.) 84.1 (35.)
 Trefferlage 0.00 mm , 0.00 mm
 Streuwert 1.66, horizontal: 1.94, vertikal: 1.33




Serie 1:
 9.7 ↘ 9.8 ↙ 10.0 ↓ 9.9 ↓ 9.9 ↖
 10.1 → 10.3 * 10.5 * 10.4 * 10.0 ↖
 beste Teiler 125.6 (8.) 144.6 (9.) 155.0 (7.)
 Trefferlage 0.19 mm links, 0.49 mm tief
 Streuwert 1.68, horizontal: 1.63, vertikal: 1.73



Serie 2:
 10.1 → 10.3 * 10.1 ↖ 10.1 ↑ 10.3 *
 10.5 * 10.0 → 10.1 ↙ 10.2 * 10.3 *
 beste Teiler 117.1 (16.) 152.8 (20.) 159.5 (12.)
 Trefferlage 0.08 mm links, 0.35 mm hoch
 Streuwert 1.36, horizontal: 1.59, vertikal: 1.08



Serie 3:
 10.4 * 9.9 → 9.0 ← 10.2 * 10.9 *
 10.5 * 10.8 * 9.7 ↘ 10.5 * 9.9 ←
 beste Teiler 20.1 (25.) 38.9 (27.) 117.3 (29.)
 Trefferlage 0.46 mm links, 0.25 mm tief
 Streuwert 1.71, horizontal: 2.25, vertikal: 0.88



Serie 4:
 10.2 * 10.5 * 10.0 → 10.3 * 10.6 *
 10.0 ↖ 8.5 ↘ 10.0 → 10.4 * 9.8 ↖
 beste Teiler 84.1 (35.) 121.1 (32.) 147.3 (39.)
 Trefferlage 0.72 mm rechts, 0.43 mm hoch
 Streuwert 1.90, horizontal: 2.29, vertikal: 1.42

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **410.6** (395)

Serien: 102.6 103.6 103.5 100.9

Zähler: 35 5 0 0 0 0 0 0 0 0



Innenzehner: 24

weiteste: 383 (37), 356 (7), 316 (9)

beste Teiler 23.4 (8.) 26.6 (26.) 50.9 (17.)

Trefferlage 0.28 mm rechts, 0.24 mm hoch

Streuwert 1.35, horizontal: 1.38, vertikal: 1.32




Serie 1:

10.3 *	10.2 *	10.1 ↓	10.7 *	10.4 *
10.1 ↓	9.5 ↗	10.9 *	9.7 ↑	10.7 *

beste Teiler 23.4 (8.) 68.0 (4.) 75.8 (10.)

Trefferlage 0.44 mm rechts, 0.17 mm tief

Streuwert 1.45, horizontal: 0.91, vertikal: 1.84




Serie 2:

10.3 *	10.3 *	10.1 →	10.3 *	10.6 *
10.0 →	10.8 *	10.0 ↓	10.6 *	10.6 *

beste Teiler 50.9 (17.) 79.6 (15.) 80.2 (20.)

Trefferlage 0.00 mm , 0.16 mm hoch

Streuwert 1.22, horizontal: 1.35, vertikal: 1.08




Serie 3:

10.6 *	10.0 →	10.0 ↓	10.1 →	10.2 *
10.8 *	10.6 *	10.3 *	10.6 *	10.3 *

beste Teiler 26.6 (26.) 77.4 (27.) 79.9 (21.)

Trefferlage 0.59 mm rechts, 0.01 mm tief

Streuwert 1.18, horizontal: 1.38, vertikal: 0.93



Serie 4:

10.4 *	10.7 *	9.8 ↖	10.2 *	9.9 ↖
10.1 →	9.4 →	10.3 *	10.1 ↑	10.0 ↖

beste Teiler 74.3 (32.) 141.0 (31.) 160.1 (38.)



Trefferlage 0.08 mm rechts, 0.98 mm hoch

Streuwert 1.54, horizontal: 1.86, vertikal: 1.14


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **403.6** (390)
 Serien: 100.8 103.0 100.6 99.2
 Zähler: 30 10 0 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 474 (21), 416 (40), 407 (1)
 beste Teiler 72.4 (19.) 92.0 (28.) 101.5 (13.)
 Trefferlage 0.07 mm links, 0.45 mm hoch
 Streuwert 1.64, horizontal: 1.98, vertikal: 1.20




Serie 1:
 9.3 ← 10.1 ↘ 9.9 ↘ 10.2 * 10.0 →
 10.2 * 10.4 * 10.5 * 10.1 → 10.1 ↖
 beste Teiler 115.6 (8.) 126.2 (7.) 187.4 (6.)
 Trefferlage 0.01 mm rechts, 0.20 mm tief
 Streuwert 1.71, horizontal: 2.16, vertikal: 1.10



Serie 2:
 10.2 * 10.5 * 10.5 * 10.4 * 10.5 *
 10.0 → 10.3 * 10.0 ← 10.7 * 9.9 ↗
 beste Teiler 72.4 (19.) 101.5 (13.) 120.4 (15.)
 Trefferlage 0.03 mm links, 0.78 mm hoch
 Streuwert 1.18, horizontal: 1.38, vertikal: 0.93



Serie 3:
 9.1 → 10.0 ← 10.4 * 10.3 * 10.3 *
 9.7 ↘ 10.3 * 10.6 * 10.3 * 9.6 ↘
 beste Teiler 92.0 (28.) 145.1 (23.) 151.6 (29.)
 Trefferlage 0.28 mm rechts, 0.39 mm hoch
 Streuwert 1.84, horizontal: 2.32, vertikal: 1.18





Serie 4:
 10.1 → 10.0 ← 10.2 * 10.1 → 9.8 ↖
 9.9 ↙ 10.2 * 10.0 ↑ 9.6 ← 9.3 ↗
 beste Teiler 177.0 (33.) 193.8 (37.) 206.5 (34.)
 Trefferlage 0.57 mm links, 0.84 mm hoch
 Streuwert 1.83, horizontal: 2.16, vertikal: 1.43


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **406.3** (390)
 Serien: 101.4 102.0 102.4 100.5
 Zähler: 31 8 1 0 0 0 0 0 0 0
 Innenzehner: 26
 weiteste: 594 (40), 447 (7), 442 (17)
 beste Teiler 38.2 (19.) 82.4 (3.) 85.1 (13.)
 Trefferlage 0.31 mm rechts, 0.34 mm tief
 Streuwert 1.60, horizontal: 1.94, vertikal: 1.17




Serie 1:
 10.5 * 9.8 → 10.6 * 10.5 * 10.4 *
 9.8 ↘ 9.2 ← 10.1 ↗ 10.4 * 10.1 ↘
 beste Teiler 82.4 (3.) 101.8 (4.) 123.0 (1.)
 Trefferlage 0.17 mm links, 0.07 mm hoch
 Streuwert 1.72, horizontal: 2.07, vertikal: 1.27



Serie 2:
 9.9 ↘ 10.4 * 10.6 * 10.2 * 10.3 *
 10.1 ← 9.2 → 10.2 * 10.8 * 10.3 *
 beste Teiler 38.2 (19.) 85.1 (13.) 138.5 (12.)
 Trefferlage 0.65 mm rechts, 0.31 mm tief
 Streuwert 1.52, horizontal: 1.78, vertikal: 1.21



Serie 3:
 10.4 * 10.3 * 9.9 → 10.3 * 10.5 *
 10.6 * 10.4 * 10.5 * 10.0 → 9.5 ←
 beste Teiler 95.6 (26.) 102.2 (25.) 118.1 (28.)
 Trefferlage 0.12 mm links, 0.25 mm tief
 Streuwert 1.45, horizontal: 1.85, vertikal: 0.87



Serie 4:
 10.3 * 10.3 * 10.1 ↓ 10.3 * 10.3 *
 10.4 * 10.4 * 10.4 * 9.4 ↘ 8.6 →
 beste Teiler 133.1 (38.) 145.4 (37.) 147.0 (36.)
 Trefferlage 0.90 mm rechts, 0.90 mm tief
 Streuwert 1.72, horizontal: 2.10, vertikal: 1.24

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **412.9** (394)

Serien: 103.7 102.9 102.1 104.2

Zähler: 34 6 0 0 0 0 0 0 0 0



Innenzehner: 30

weiteste: 317 (14), 312 (21), 277 (25)

beste Teiler 5.0 (30.) 19.0 (32.) 34.1 (1.)

Trefferlage 0.05 mm links, 0.14 mm hoch

Streuwert 1.24, horizontal: 1.30, vertikal: 1.18




Serie 1:

10.8 *	10.4 *	10.7 *	10.1 →	10.2 *
10.4 *	10.5 *	9.9 ↘	10.4 *	10.3 *

beste Teiler 34.1 (1.) 65.0 (3.) 107.1 (7.)

Trefferlage 0.33 mm rechts, 0.03 mm tief

Streuwert 1.15, horizontal: 1.25, vertikal: 1.04




Serie 2:

10.6 *	10.4 *	10.5 *	9.7 ↓	10.2 *
10.5 *	10.4 *	9.9 ↗	10.4 *	10.3 *

beste Teiler 89.5 (11.) 114.4 (13.) 124.1 (16.)

Trefferlage 0.23 mm rechts, 0.04 mm tief

Streuwert 1.33, horizontal: 1.17, vertikal: 1.48




Serie 3:

9.7 ↙	10.0 ↑	10.3 *	10.5 *	9.8 ↗
10.2 *	10.6 *	9.8 ↖	10.3 *	10.9 *

beste Teiler 5.0 (30.) 95.3 (27.) 117.9 (24.)

Trefferlage 0.45 mm links, 0.43 mm hoch

Streuwert 1.45, horizontal: 1.56, vertikal: 1.33



Serie 4:

10.0 ↘	10.9 *	10.3 *	10.2 *	10.4 *
10.6 *	10.7 *	10.7 *	10.4 *	10.0 ↖

beste Teiler 19.0 (32.) 56.9 (38.) 60.4 (37.)



Trefferlage 0.32 mm links, 0.21 mm hoch

Streuwert 1.08, horizontal: 1.22, vertikal: 0.92


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **410.6** (393)
 Serien: 102.0 103.4 102.3 102.9
 Zähler: 33 7 0 0 0 0 0 0 0 0
 Innenzehner: 27
 weiteste: 393 (8), 392 (25), 377 (23)
 beste Teiler 42.2 (13.) 56.0 (26.) 61.2 (39.)
 Trefferlage 0.38 mm rechts, 0.29 mm tief
 Streuwert 1.36, horizontal: 1.71, vertikal: 0.89




Serie 1:
 10.6 * 9.9 ← 10.4 * 10.2 * 10.0 ↘
 10.1 ↘ 10.6 * 9.4 ← 10.6 * 10.2 *
 beste Teiler 89.8 (1.) 96.6 (7.) 96.6 (9.)
 Trefferlage 1.22 mm links, 0.08 mm hoch
 Streuwert 1.28, horizontal: 1.40, vertikal: 1.14



Serie 2:
 10.0 ← 10.5 * 10.8 * 10.7 * 10.5 *
 10.6 * 10.1 → 10.4 * 9.5 → 10.3 *
 beste Teiler 42.2 (13.) 73.2 (14.) 82.6 (16.)
 Trefferlage 0.28 mm rechts, 0.48 mm tief
 Streuwert 1.27, horizontal: 1.65, vertikal: 0.69



Serie 3:
 10.7 * 10.2 * 9.4 → 10.4 * 9.4 ↘
 10.7 * 10.1 ↘ 10.5 * 10.5 * 10.4 *
 beste Teiler 56.0 (26.) 67.1 (21.) 119.8 (28.)
 Trefferlage 1.24 mm rechts, 0.14 mm tief
 Streuwert 1.29, horizontal: 1.57, vertikal: 0.94





Serie 4:
 9.9 ↘ 9.9 → 10.3 * 10.5 * 10.3 *
 10.1 ↘ 10.6 * 10.2 * 10.7 * 10.4 *
 beste Teiler 61.2 (39.) 88.9 (37.) 125.8 (34.)
 Trefferlage 1.21 mm rechts, 0.64 mm tief
 Streuwert 0.87, horizontal: 1.05, vertikal: 0.64


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **415.0** (398)
 Serien: 102.3 103.1 104.6 105.0
 Zähler: 38 2 0 0 0 0 0 0 0 0
 Innenzehner: 33
 weiteste: 329 (9), 276 (25), 243 (16)
 beste Teiler 27.4 (35.) 38.6 (31.) 43.6 (23.)
 Trefferlage 0.47 mm rechts, 0.55 mm tief
 Streuwert 1.02, horizontal: 1.01, vertikal: 1.03




Serie 1:
 10.1 ↙ 10.7 * 10.2 * 10.4 * 10.4 *
 10.2 * 10.0 → 10.2 * 9.6 ↘ 10.5 *
 beste Teiler 62.9 (2.) 125.6 (10.) 130.6 (5.)
 Trefferlage 0.54 mm rechts, 1.05 mm tief
 Streuwert 1.14, horizontal: 1.34, vertikal: 0.91



Serie 2:
 10.4 * 10.3 * 10.4 * 10.3 * 10.1 ↙
 10.0 ↘ 10.4 * 10.4 * 10.6 * 10.2 *
 beste Teiler 89.2 (19.) 129.4 (11.) 139.4 (13.)
 Trefferlage 0.25 mm rechts, 1.00 mm tief
 Streuwert 0.98, horizontal: 0.93, vertikal: 1.03



Serie 3:
 10.7 * 10.1 ↗ 10.8 * 10.5 * 9.8 →
 10.5 * 10.6 * 10.4 * 10.5 * 10.7 *
 beste Teiler 43.6 (23.) 53.2 (30.) 63.7 (21.)
 Trefferlage 0.88 mm rechts, 0.12 mm hoch
 Streuwert 0.83, horizontal: 0.70, vertikal: 0.94





Serie 4:
 10.8 * 10.3 * 10.7 * 10.2 * 10.8 *
 10.5 * 10.7 * 10.5 * 10.2 * 10.3 *
 beste Teiler 27.4 (35.) 38.6 (31.) 68.0 (33.)
 Trefferlage 0.22 mm rechts, 0.25 mm tief
 Streuwert 0.91, horizontal: 0.98, vertikal: 0.85


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383.3** (366)
 Serien: 90.2 95.3 100.3 97.5
 Zähler: 15 19 3 3 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1000 (10), 781 (2), 771 (12)
 beste Teiler 46.1 (18.) 65.7 (22.) 79.9 (33.)
 Trefferlage 0.54 mm links, 1.25 mm hoch
 Streuwert 2.66, horizontal: 2.16, vertikal: 3.09




Serie 1:
 9.4 ↘ 7.8 ↑ 8.9 ↓ 9.0 ↙ 10.0 ↗
 9.2 ↑ 9.7 ↗ 9.7 ↘ 9.5 ← 7.0 ↑
 beste Teiler 248.4 (5.) 303.1 (8.) 310.1 (7.)
 Trefferlage 0.37 mm links, 1.99 mm hoch
 Streuwert 3.66, horizontal: 2.24, vertikal: 4.66



Serie 2:
 10.0 ↗ 7.9 ↑ 8.5 ↙ 10.2 * 9.0 ↙
 9.7 ↘ 9.9 ↑ 10.8 * 9.0 ← 10.3 *
 beste Teiler 46.1 (18.) 162.8 (20.) 192.6 (14.)
 Trefferlage 1.62 mm links, 2.16 mm hoch
 Streuwert 2.36, horizontal: 2.27, vertikal: 2.43



Serie 3:
 10.1 ↑ 10.7 * 9.7 ↗ 10.0 ↗ 9.7 ↓
 10.3 * 10.3 * 9.5 ↙ 10.4 * 9.6 ↘
 beste Teiler 65.7 (22.) 143.7 (29.) 155.7 (26.)
 Trefferlage 0.40 mm rechts, 0.60 mm hoch
 Streuwert 1.77, horizontal: 1.51, vertikal: 1.99



Serie 4:
 10.1 ← 10.0 ↙ 10.6 * 9.1 → 10.5 *
 9.8 ↘ 9.8 ↘ 8.9 ↙ 9.0 ↓ 9.7 ↓
 beste Teiler 79.9 (33.) 125.2 (35.) 216.5 (31.)
 Trefferlage 0.57 mm links, 0.26 mm hoch
 Streuwert 2.45, horizontal: 2.34, vertikal: 2.55

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **406.2** (388)

Serien: 100.5 102.6 102.8 100.3

Zähler: 29 10 1 0 0 0 0 0 0 0



Innenzehner: 22

weiteste: 519 (2), 397 (4), 373 (36)

beste Teiler 44.5 (25.) 76.4 (26.) 78.0 (1.)

Trefferlage 0.21 mm links, 0.11 mm tief

Streuwert 1.59, horizontal: 1.72, vertikal: 1.44




Serie 1:

10.6 *	8.9 ↘	10.3 *	9.4 ↖	10.1 ↑
10.2 *	10.2 *	10.0 ↑	10.3 *	10.5 *

beste Teiler 78.0 (1.) 121.0 (10.) 160.4 (3.)

Trefferlage 0.08 mm links, 0.48 mm hoch

Streuwert 1.90, horizontal: 2.22, vertikal: 1.51




Serie 2:

10.3 *	10.1 ↗	10.6 *	10.4 *	10.6 *
10.4 *	9.9 ↓	9.8 ↘	10.0 →	10.5 *

beste Teiler 88.5 (15.) 97.6 (13.) 104.2 (20.)

Trefferlage 0.24 mm rechts, 0.01 mm hoch

Streuwert 1.36, horizontal: 1.38, vertikal: 1.33




Serie 3:

9.9 ↘	10.5 *	10.2 *	9.8 →	10.8 *
10.6 *	10.1 ↓	10.0 ↓	10.4 *	10.5 *

beste Teiler 44.5 (25.) 76.4 (26.) 101.0 (30.)

Trefferlage 0.22 mm rechts, 0.41 mm tief

Streuwert 1.31, horizontal: 1.31, vertikal: 1.32



Serie 4:

9.7 ↙	10.4 *	9.8 ↖	9.7 ↖	10.2 *
9.5 ↘	10.0 ↙	10.5 *	10.6 *	9.9 ←



beste Teiler 86.5 (39.) 119.0 (38.) 141.6 (32.)

Trefferlage 1.25 mm links, 0.55 mm tief


Streuwert 1.59, horizontal: 1.62, vertikal: 1.55

Unterschrift des Schützen


Ergebnis: **411.7** (395)
 Serien: 103.4 102.3 102.2 103.8
 Zähler: 35 5 0 0 0 0 0 0 0 0
 Innenzehner: 28
 weiteste: 341 (35), 311 (20), 282 (27)
 beste Teiler 8.0 (37.) 58.0 (33.) 66.7 (36.)
 Trefferlage 0.28 mm links, 0.06 mm tief
 Streuwert 1.28, horizontal: 1.37, vertikal: 1.19




Serie 1:
 10.6 * 10.5 * 10.5 * 10.0 ↘ 10.2 *
 10.6 * 10.5 * 10.0 → 10.6 * 9.9 ↙
 beste Teiler 84.7 (9.) 93.6 (6.) 93.8 (1.)
 Trefferlage 0.14 mm links, 0.53 mm tief
 Streuwert 1.18, horizontal: 1.31, vertikal: 1.02



Serie 2:
 10.2 * 10.4 * 10.4 * 10.0 ← 10.3 *
 10.6 * 10.2 * 10.3 * 10.2 * 9.7 ↘
 beste Teiler 88.0 (16.) 147.7 (13.) 147.9 (12.)
 Trefferlage 0.50 mm links, 0.33 mm hoch
 Streuwert 1.36, horizontal: 1.42, vertikal: 1.29



Serie 3:
 10.5 * 10.1 ↗ 10.4 * 10.1 → 9.8 ↘
 10.4 * 9.8 → 10.3 * 10.6 * 10.2 *
 beste Teiler 77.1 (29.) 120.5 (21.) 141.5 (26.)
 Trefferlage 0.04 mm rechts, 0.09 mm tief
 Streuwert 1.43, horizontal: 1.59, vertikal: 1.25



Serie 4:
 10.6 * 10.4 * 10.7 * 10.5 * 9.6 ↘
 10.7 * 10.9 * 10.0 ↘ 10.4 * 10.0 ←
 beste Teiler 8.0 (37.) 58.0 (33.) 66.7 (36.)
 Trefferlage 0.53 mm links, 0.02 mm hoch
 Streuwert 1.22, horizontal: 1.24, vertikal: 1.20

Unterschrift des Schützen