





Ergebnis:	339.5	(324)
Serien:	82.9	88.6 81.7 86.3
Zaehler:	8 7 13 7 4 0 1 0 0 0	
Innenzehner:	5	
weiteste:	1551 (27), 1225 (10), 1224 (23)	
beste Teiler	105.7 (35.) 140.1 (22.) 143.7 (26.)	
Trefferlage	2.84 mm links, 1.07 mm hoch	
Streuwert	4.55, horizontal: 5.13, vertikal: 3.89	




Serie 1:	9.1 ↙	7.5 ↖	9.7 ↓	6.9 ↘	9.1 ←
	8.9 ↑	9.8 ↙	7.3 ←	8.5 ↘	6.1 ↘
beste Teiler	289.6 (7.)	319.6 (3.)	461.7 (1.)		
Trefferlage	3.80 mm links, 1.15 mm hoch				
Streuwert	4.58, horizontal: 4.73, vertikal: 4.43				



Serie 2:	7.0 ←	10.2 *	8.6 ←	10.2 *	8.7 ←
	10.0 ↗	9.4 ↖	8.6 ↙	8.2 →	7.7 ←
beste Teiler	185.0 (14.)	193.2 (12.)	236.6 (16.)		
Trefferlage	3.12 mm links, 0.15 mm hoch				
Streuwert	3.64, horizontal: 4.72, vertikal: 2.07				



Serie 3:	9.5 ↑	10.4 *	6.1 ←	8.3 ↗	9.1 ←
	10.4 *	4.7 ↗	8.7 ↘	6.4 ←	8.1 ↑
beste Teiler	140.1 (22.)	143.7 (26.)	358.7 (21.)		
Trefferlage	1.69 mm links, 2.74 mm hoch				
Streuwert	5.68, horizontal: 6.48, vertikal: 4.75				





Serie 4:	8.9 ←	10.1 ↖	7.2 ←	7.0 ←	10.5 *
	10.0 ↗	8.2 ↗	8.4 ↖	8.9 ↘	7.1 ←
beste Teiler	105.7 (35.)	225.8 (32.)	240.8 (36.)		
Trefferlage	2.78 mm links, 0.22 mm hoch				
Streuwert	4.42, horizontal: 4.99, vertikal: 3.75				


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **367.8** (349)
 Serien: 86.8 95.7 93.2 92.1
 Zaehler: 11 12 13 3 1 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1045 (4), 823 (2), 783 (38)
 beste Teiler 55.4 (13.) 75.1 (20.) 102.6 (3.)
 Trefferlage 2.21 mm rechts, 0.26 mm tief
 Streuwert 3.22, horizontal: 3.64, vertikal: 2.73




Serie 1:
 10.3 * 7.7 → 10.5 * 6.8 → 9.2 →
 8.0 → 7.9 ↙ 8.3 → 9.2 ↓ 8.9 ↗
 beste Teiler 102.6 (3.) 156.6 (1.) 428.1 (9.)
 Trefferlage 3.58 mm rechts, 0.84 mm tief
 Streuwert 3.83, horizontal: 4.58, vertikal: 2.91



Serie 2:
 9.9 ↑ 8.0 → 10.7 * 10.0 → 8.4 ↓
 9.6 ↓ 10.4 * 9.8 ↗ 8.2 → 10.7 *
 beste Teiler 55.4 (13.) 75.1 (20.) 133.7 (17.)
 Trefferlage 1.99 mm rechts, 0.88 mm tief
 Streuwert 2.70, horizontal: 3.04, vertikal: 2.32



Serie 3:
 9.1 ↑ 10.1 ↑ 9.6 ↓ 8.4 ↖ 8.6 →
 9.9 ↖ 10.1 ↗ 8.3 → 10.4 * 8.7 ↓
 beste Teiler 129.1 (29.) 210.0 (22.) 213.0 (27.)
 Trefferlage 1.05 mm rechts, 0.75 mm hoch
 Streuwert 3.20, horizontal: 3.37, vertikal: 3.02





Serie 4:
 9.6 ← 10.0 ↖ 9.9 → 9.3 ↓ 8.8 ↓
 10.4 * 8.9 ↑ 7.8 → 8.2 → 9.2 →
 beste Teiler 150.5 (36.) 232.0 (32.) 273.0 (33.)
 Trefferlage 2.23 mm rechts, 0.07 mm tief
 Streuwert 3.12, horizontal: 3.49, vertikal: 2.70


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **382.3** (364)
 Serien: 99.0 97.4 92.8 93.1
 Zaehler: 15 15 9 1 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 773 (31), 721 (7), 613 (27)
 beste Teiler 25.0 (1.) 38.6 (18.) 80.2 (37.)
 Trefferlage 0.80 mm rechts, 0.84 mm hoch
 Streuwert 2.68, horizontal: 3.09, vertikal: 2.19




Serie 1:
 10.9 * 9.6 ↖ 10.1 ↗ 9.3 → 10.6 *
 10.2 * 8.1 ↗ 10.0 ↘ 10.2 * 10.0 →
 beste Teiler 25.0 (1.) 90.0 (5.) 190.3 (6.)
 Trefferlage 1.64 mm rechts, 0.55 mm hoch
 Streuwert 2.04, horizontal: 2.27, vertikal: 1.78



Serie 2:
 10.2 * 10.5 * 9.7 ↗ 9.0 ↘ 10.1 ↖
 9.3 ↖ 8.8 ↘ 10.8 * 9.8 → 9.2 ↑
 beste Teiler 38.6 (18.) 114.5 (12.) 196.2 (11.)
 Trefferlage 0.92 mm rechts, 0.20 mm hoch
 Streuwert 2.42, horizontal: 2.68, vertikal: 2.14





Serie 3:
 9.4 ↘ 8.9 ↙ 10.0 ↑ 10.4 * 9.4 ←
 9.3 ↗ 8.5 ↖ 8.8 ← 9.3 ↖ 8.8 ↑
 beste Teiler 144.5 (24.) 236.0 (23.) 384.3 (21.)
 Trefferlage 1.34 mm links, 1.20 mm hoch
 Streuwert 2.97, horizontal: 3.32, vertikal: 2.58




Serie 4:
 7.9 ↘ 9.3 ↗ 9.6 ↗ 8.8 → 9.7 ↗
 10.3 * 10.6 * 9.3 ↖ 8.9 ↑ 8.7 →
 beste Teiler 80.2 (37.) 159.8 (36.) 310.0 (35.)
 Trefferlage 2.01 mm rechts, 1.42 mm hoch
 Streuwert 2.81, horizontal: 3.23, vertikal: 2.32

Unterschrift des Schuetzen


Ergebnis: **373.0** (353)
 Serien: 97.0 89.7 89.2 97.1
 Zaehler: 12 17 7 1 2 1 0 0 0 0
 Innenzehner: 9
 weiteste: 1321 (27), 1178 (29), 1081 (12)
 beste Teiler 28.1 (16.) 76.8 (1.) 137.3 (20.)
 Trefferlage 0.77 mm links, 0.74 mm hoch
 Streuwert 3.45, horizontal: 4.27, vertikal: 2.35




Serie 1:
 10.6 * 9.9 → 8.7 ↘ 9.4 ↘ 9.7 ←
 8.7 ↙ 9.5 ↑ 10.1 ↑ 10.2 * 10.2 *
 beste Teiler 76.8 (1.) 176.3 (9.) 185.1 (10.)
 Trefferlage 1.65 mm links, 1.50 mm hoch
 Streuwert 1.97, horizontal: 2.54, vertikal: 1.15



Serie 2:
 8.9 ← 6.6 ↖ 7.8 ↘ 9.1 ↘ 8.7 ←
 10.8 * 8.8 → 8.8 ↘ 9.8 ↘ 10.4 *
 beste Teiler 28.1 (16.) 137.3 (20.) 290.3 (19.)
 Trefferlage 0.59 mm links, 0.43 mm tief
 Streuwert 4.21, horizontal: 5.47, vertikal: 2.35



Serie 3:
 8.3 ↘ 9.2 ↘ 9.1 ↑ 10.3 * 10.1 ↑
 9.9 ↘ 5.7 ← 10.2 * 6.2 ↘ 10.2 *
 beste Teiler 174.1 (24.) 190.3 (28.) 198.2 (30.)
 Trefferlage 0.95 mm links, 1.26 mm hoch
 Streuwert 4.68, horizontal: 5.83, vertikal: 3.12





Serie 4:
 10.4 * 9.8 ↑ 9.8 ↘ 9.9 ← 9.0 →
 9.1 ↘ 9.8 ← 9.9 ↘ 10.1 ↗ 9.3 ↘
 beste Teiler 148.8 (31.) 216.0 (39.) 257.0 (38.)
 Trefferlage 0.08 mm rechts, 0.63 mm hoch
 Streuwert 2.43, horizontal: 2.64, vertikal: 2.19


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **387.7** (369)
 Serien: 94.9 97.1 98.3 97.4
 Zaehler: 15 19 6 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 664 (32), 640 (12), 633 (7)
 beste Teiler 8.0 (20.) 31.7 (23.) 102.6 (25.)
 Trefferlage 0.34 mm rechts, 0.95 mm hoch
 Streuwert 2.44, horizontal: 2.86, vertikal: 1.94




Serie 1:
 9.4 ↗ 10.2 * 9.7 ↗ 10.3 * 10.2 *
 10.1 ↘ 8.4 ↘ 8.9 ↘ 8.6 ↗ 9.1 ↖
 beste Teiler 166.8 (4.) 176.9 (5.) 188.6 (2.)
 Trefferlage 0.56 mm links, 1.29 mm hoch
 Streuwert 2.81, horizontal: 3.48, vertikal: 1.92



Serie 2:
 9.8 ↘ 8.4 ↘ 9.9 → 9.6 ↗ 10.4 *
 10.0 ↗ 9.6 ↘ 9.1 ↘ 9.4 ↘ 10.9 *
 beste Teiler 8.0 (20.) 147.7 (15.) 231.3 (16.)
 Trefferlage 0.28 mm rechts, 1.25 mm hoch
 Streuwert 2.43, horizontal: 2.92, vertikal: 1.82



Serie 3:
 9.0 ↗ 9.1 → 10.8 * 10.2 * 10.5 *
 8.9 → 10.3 * 9.3 ↑ 10.4 * 9.8 ↑
 beste Teiler 31.7 (23.) 102.6 (25.) 131.6 (29.)
 Trefferlage 1.38 mm rechts, 0.57 mm hoch
 Streuwert 2.18, horizontal: 2.42, vertikal: 1.91





Serie 4:
 9.6 ↗ 8.3 ↘ 9.7 ↗ 10.4 * 9.6 ↖
 9.6 ↖ 9.7 ↘ 10.4 * 9.9 ↘ 10.2 *
 beste Teiler 131.0 (38.) 132.0 (34.) 194.4 (40.)
 Trefferlage 0.26 mm rechts, 0.67 mm hoch
 Streuwert 2.45, horizontal: 2.59, vertikal: 2.30


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **362.6** (343)
 Serien: 84.2 90.2 91.1 97.1
 Zaehler: 11 15 7 3 1 3 0 0 0 0
 Innenzehner: 9
 weiteste: 1372 (8), 1321 (3), 1303 (17)
 beste Teiler 53.0 (36.) 54.0 (7.) 75.9 (23.)
 Trefferlage 1.05 mm rechts, 0.32 mm tief
 Streuwert 4.10, horizontal: 4.78, vertikal: 3.29




Serie 1:
 8.7 ↓ 9.2 ↑ 5.7 ↘ 9.1 ↖ 9.2 ↑
 9.9 ← 10.7 * 5.5 ↘ 6.7 ↘ 9.5 →
 beste Teiler 54.0 (7.) 265.9 (6.) 370.4 (10.)
 Trefferlage 2.80 mm rechts, 1.13 mm tief
 Streuwert 5.26, horizontal: 6.05, vertikal: 4.32



Serie 2:
 10.2 * 10.5 * 7.9 ↙ 8.3 ↑ 9.2 ↗
 8.8 ↖ 5.7 ↘ 10.5 * 9.3 ↘ 9.8 ↖
 beste Teiler 108.2 (12.) 119.0 (18.) 194.4 (11.)
 Trefferlage 0.57 mm rechts, 0.19 mm hoch
 Streuwert 4.40, horizontal: 5.33, vertikal: 3.21



Serie 3:
 10.0 → 10.3 * 10.7 * 7.1 ↘ 8.3 ↙
 9.1 → 8.9 ← 8.5 ↖ 9.7 ↑ 8.5 ↘
 beste Teiler 75.9 (23.) 170.6 (22.) 242.0 (21.)
 Trefferlage 0.10 mm rechts, 1.21 mm tief
 Streuwert 3.84, horizontal: 4.30, vertikal: 3.31





Serie 4:
 10.0 ↗ 9.6 ↘ 10.5 * 9.5 ↑ 9.6 ↖
 10.7 * 10.5 * 9.4 ↗ 9.7 ↖ 7.6 →
 beste Teiler 53.0 (36.) 122.0 (33.) 124.1 (37.)
 Trefferlage 0.71 mm rechts, 0.87 mm hoch
 Streuwert 2.66, horizontal: 3.25, vertikal: 1.89


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis:	361.7	(346)
Serien:	89.0	90.1 92.3 90.3
Zaehler:	9	17 7 5 2 0 0 0 0 0
Innenzehner:	6	
weiteste:	1154	(19), 1051 (4), 927 (32)
beste Teiler	125.0	(17.) 137.6 (15.) 174.3 (18.)
Trefferlage	0.53 mm	links, 0.36 mm hoch
Streuwert	3.85,	horizontal: 3.72, vertikal: 3.98




Serie 1:	9.7 ↗	10.0 ↑	9.4 ↓	6.7 ↖	9.0 ↗
	9.7 ↘	9.5 ↘	9.1 ↓	7.3 →	8.6 ↖
beste Teiler	231.1	(2.) 303.8 (6.) 306.5 (1.)			
Trefferlage	0.51 mm	links, 1.97 mm hoch			
Streuwert	3.97,	horizontal: 4.09, vertikal: 3.85			



Serie 2:	7.5 ↓	7.8 ↖	10.0 ↓	7.8 ←	10.4 *
	9.3 ↖	10.5 *	10.3 *	6.3 ↖	10.2 *
beste Teiler	125.0	(17.) 137.6 (15.) 174.3 (18.)			
Trefferlage	2.71 mm	links, 0.35 mm hoch			
Streuwert	4.00,	horizontal: 3.48, vertikal: 4.45			



Serie 3:	8.0 →	8.4 ↑	9.1 ←	10.2 *	9.0 ↖
	10.2 *	9.1 ↖	9.9 ↓	9.8 ↑	8.6 ↓
beste Teiler	190.8	(26.) 195.9 (24.) 268.1 (28.)			
Trefferlage	0.26 mm	rechts, 1.33 mm hoch			
Streuwert	3.31,	horizontal: 3.19, vertikal: 3.43			



Serie 4:	8.6 ↖	7.2 ↓	9.6 ↖	9.9 ↗	9.7 ↖
	9.2 ↓	8.7 →	9.2 ↗	10.0 ↓	8.2 ↖
beste Teiler	243.0	(39.) 272.9 (34.) 309.5 (35.)			
Trefferlage	0.83 mm	rechts, 2.20 mm tief			
Streuwert	3.46,	horizontal: 3.60, vertikal: 3.31			

Unterschrift des Schuetzen

Meyton Elektronik