





Ergebnis: **369** (389.4)
 Serien: 89 97 93 90
 Zähler: 13 23 4 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1941 (4), 1749 (40), 1656 (8)
 beste Teiler 34.6 (14.) 306.6 (7.) 316.4 (18.)
 Trefferlage 1.11 mm rechts, 1.05 mm hoch
 Streuwert 7.58, horizontal: 7.74, vertikal: 7.41




Serie 1:
 9.8 ↘ 9.3 ↓ 9.5 → 8.5 ✓ 9.5 ←
 9.0 ↖ 10.6 * 8.9 ↗ 9.9 ↘ 9.7 ↗
 beste Teiler 306.6 (7.) 801.2 (9.) 915.4 (1.)
 Trefferlage 1.33 mm links, 0.28 mm tief
 Streuwert 9.39, horizontal: 9.77, vertikal: 8.99



Serie 2:
 9.4 ↑ 9.6 ↗ 10.3 * 10.9 * 10.0 ↖
 9.5 ↘ 10.5 * 10.6 * 10.5 * 10.2 ↗
 beste Teiler 34.6 (14.) 316.4 (18.) 336.0 (17.)
 Trefferlage 1.97 mm rechts, 2.37 mm hoch
 Streuwert 5.11, horizontal: 3.99, vertikal: 6.02



Serie 3:
 9.6 ↗ 9.5 → 9.8 ↖ 10.4 * 9.0 ↖
 9.6 ↗ 9.9 → 10.2 ↓ 10.1 ↗ 9.8 ↑
 beste Teiler 452.2 (24.) 570.1 (28.) 643.7 (29.)
 Trefferlage 1.76 mm rechts, 3.57 mm hoch
 Streuwert 6.64, horizontal: 7.73, vertikal: 5.32





Serie 4:
 8.9 → 9.2 → 9.1 ↖ 9.7 ↓ 9.9 ←
 9.5 ✓ 10.3 * 10.0 ↓ 9.9 ↑ 8.8 ↘
 beste Teiler 526.1 (37.) 736.7 (38.) 825.2 (35.)
 Trefferlage 2.05 mm rechts, 1.42 mm tief
 Streuwert 8.78, horizontal: 8.91, vertikal: 8.64


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **384** (406.5)
 Serien: 93 98 95 98
 Zähler: 24 16 0 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 1424 (5), 1335 (3), 1238 (10)
 beste Teiler 94.0 (11.) 114.7 (34.) 167.6 (22.)
 Trefferlage 1.15 mm rechts, 0.24 mm hoch
 Streuwert 5.14, horizontal: 6.32, vertikal: 3.59




Serie 1:
 9.7 → 9.9 ↗ 9.3 → 9.9 ↖ 9.2 →
 10.4 * 10.5 * 10.6 * 9.9 ↗ 9.4 ←
 beste Teiler 265.0 (8.) 375.5 (7.) 415.9 (6.)
 Trefferlage 2.66 mm rechts, 1.74 mm hoch
 Streuwert 6.68, horizontal: 8.63, vertikal: 3.85



Serie 2:
 10.8 * 10.6 * 10.3 * 9.8 ↖ 10.6 *
 10.2 ↖ 9.9 → 10.4 * 10.0 ↖ 10.5 *
 beste Teiler 94.0 (11.) 272.8 (12.) 285.0 (15.)
 Trefferlage 0.03 mm links, 1.06 mm hoch
 Streuwert 4.17, horizontal: 4.88, vertikal: 3.31



Serie 3:
 9.8 ↖ 10.7 * 10.0 ↖ 9.6 ↘ 9.9 ↘
 10.7 * 10.6 * 10.7 * 9.7 → 9.7 →
 beste Teiler 167.6 (22.) 192.3 (26.) 201.2 (28.)
 Trefferlage 1.96 mm rechts, 1.74 mm tief
 Streuwert 5.22, horizontal: 6.33, vertikal: 3.79





Serie 4:
 10.6 * 10.0 → 10.5 * 10.8 * 10.3 ←
 10.4 * 10.1 ↘ 9.9 → 10.7 * 9.9 ↖
 beste Teiler 114.7 (34.) 212.9 (39.) 265.0 (31.)
 Trefferlage 0.03 mm rechts, 0.09 mm tief
 Streuwert 4.28, horizontal: 5.35, vertikal: 2.83


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (397.2)
 Serien: 96 94 93 93
 Zähler: 19 18 3 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 2075 (33), 1777 (20), 1698 (16)
 beste Teiler 178.0 (12.) 195.5 (34.) 296.1 (8.)
 Trefferlage 1.62 mm links, 1.43 mm hoch
 Streuwert 6.56, horizontal: 7.34, vertikal: 5.69




Serie 1:
 10.6 * 10.1 ↖ 9.4 ↓ 10.4 * 10.5 *
 9.6 ↖ 9.3 ↖ 10.6 * 10.5 * 9.6 ↖
 beste Teiler 296.1 (8.) 301.0 (1.) 381.1 (5.)
 Trefferlage 3.41 mm links, 0.92 mm hoch
 Streuwert 5.50, horizontal: 4.38, vertikal: 6.43



Serie 2:
 10.5 * 10.7 * 10.3 ↘ 9.9 ← 10.6 *
 8.8 ↖ 9.9 → 10.3 * 10.6 * 8.7 ↗
 beste Teiler 178.0 (12.) 299.2 (19.) 305.6 (15.)
 Trefferlage 1.43 mm rechts, 2.85 mm hoch
 Streuwert 6.37, horizontal: 7.68, vertikal: 4.72



Serie 3:
 9.8 ↘ 9.9 ↖ 10.2 ↗ 9.7 ↓ 9.7 ←
 9.6 ↗ 9.4 ↖ 10.5 * 9.7 → 10.2 ↑
 beste Teiler 398.9 (28.) 574.2 (30.) 626.7 (23.)
 Trefferlage 0.62 mm links, 0.36 mm tief
 Streuwert 6.74, horizontal: 7.43, vertikal: 5.97





Serie 4:
 9.8 ← 10.4 * 8.4 ↖ 10.7 * 9.5 ↑
 10.3 ↓ 9.3 ↖ 10.6 * 9.4 → 9.2 ←
 beste Teiler 195.5 (34.) 303.3 (38.) 474.1 (32.)
 Trefferlage 3.88 mm links, 2.32 mm hoch
 Streuwert 7.51, horizontal: 8.89, vertikal: 5.81


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (391.9)
 Serien: 93 95 95 92
 Zähler: 20 15 5 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 2226 (35), 2016 (6), 1868 (19)
 beste Teiler 213.7 (28.) 216.0 (14.) 242.9 (18.)
 Trefferlage 0.36 mm links, 1.17 mm hoch
 Streuwert 7.61, horizontal: 6.93, vertikal: 8.24




Serie 1:
 10.2 → 9.0 ↘ 9.2 ↓ 10.6 * 10.2 ↑
 8.4 ↑ 9.0 ← 10.4 * 9.3 ↑ 9.7 ↖
 beste Teiler 296.6 (4.) 431.0 (8.) 595.1 (1.)
 Trefferlage 0.41 mm links, 1.59 mm hoch
 Streuwert 8.98, horizontal: 8.01, vertikal: 9.85



Serie 2:
 10.3 * 10.3 * 8.8 ↗ 10.7 * 10.2 ↖
 9.7 ↗ 10.6 * 10.6 * 8.6 ↑ 10.6 *
 beste Teiler 216.0 (14.) 242.9 (18.) 273.4 (17.)
 Trefferlage 1.18 mm rechts, 1.60 mm hoch
 Streuwert 6.75, horizontal: 6.76, vertikal: 6.74



Serie 3:
 10.0 ↖ 8.7 ↗ 10.1 ↗ 10.0 ↗ 10.5 *
 9.1 ↑ 9.6 → 10.7 * 10.5 * 9.4 ↓
 beste Teiler 213.7 (28.) 346.7 (29.) 390.9 (25.)
 Trefferlage 2.23 mm rechts, 1.84 mm hoch
 Streuwert 7.09, horizontal: 6.48, vertikal: 7.65





Serie 4:
 10.3 ↖ 9.4 ← 10.4 * 9.7 ↗ 8.2 ↓
 9.3 ↖ 9.7 ↙ 10.2 ↓ 9.8 ↑ 9.9 ↖
 beste Teiler 405.4 (33.) 531.6 (31.) 619.0 (38.)
 Trefferlage 4.46 mm links, 0.33 mm tief
 Streuwert 7.66, horizontal: 5.25, vertikal: 9.47


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (379.6)
 Serien: 92 93 91 86
 Zähler: 10 23 6 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2481 (35), 2055 (34), 2013 (1)
 beste Teiler 144.1 (2.) 271.1 (28.) 480.9 (13.)
 Trefferlage 0.01 mm rechts, 2.32 mm hoch
 Streuwert 9.00, horizontal: 10.85, vertikal: 6.64




Serie 1:
 8.4 ↘ 10.8 * 9.2 ← 10.2 ← 10.3 *
 8.9 ← 9.7 ↘ 9.6 ↙ 9.2 ↘ 10.2 ←
 beste Teiler 144.1 (2.) 510.8 (5.) 561.7 (4.)
 Trefferlage 7.78 mm links, 1.77 mm hoch
 Streuwert 6.38, horizontal: 6.67, vertikal: 6.06



Serie 2:
 9.7 → 10.0 ↗ 10.4 * 9.5 ↓ 10.1 ↗
 9.0 ↗ 9.4 → 9.6 → 9.1 ↖ 9.9 ↑
 beste Teiler 480.9 (13.) 700.6 (15.) 768.3 (12.)
 Trefferlage 4.27 mm rechts, 3.30 mm hoch
 Streuwert 6.96, horizontal: 7.86, vertikal: 5.92



Serie 3:
 8.5 → 9.7 ← 9.2 ↘ 9.4 ↑ 10.1 ↓
 9.7 ↙ 9.9 ← 10.6 * 9.9 ← 9.2 ↘
 beste Teiler 271.1 (28.) 659.8 (25.) 835.9 (27.)
 Trefferlage 3.53 mm links, 0.76 mm hoch
 Streuwert 8.08, horizontal: 8.58, vertikal: 7.55





Serie 4:
 8.5 ↘ 9.1 ↗ 10.0 ↗ 8.4 → 7.8 →
 9.6 → 9.6 ↑ 9.7 ↑ 8.5 → 9.0 ↙
 beste Teiler 779.6 (33.) 971.4 (38.) 1072.1 (37.)
 Trefferlage 7.11 mm rechts, 3.44 mm hoch
 Streuwert 10.70, horizontal: 13.14, vertikal: 7.52


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361** (380.5)
 Serien: 87 93 92 89
 Zähler: 9 25 5 0 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3343 (36), 2276 (10), 2115 (29)
 beste Teiler 123.3 (22.) 271.0 (34.) 300.3 (18.)
 Trefferlage 0.11 mm links, 0.43 mm tief
 Streuwert 9.28, horizontal: 10.22, vertikal: 8.23




Serie 1:
 9.6 → 9.7 ↓ 9.1 ↙ 8.6 ↓ 9.9 ↓
 9.7 ↗ 8.3 ↗ 9.3 ↑ 9.0 ↘ 8.1 →
 beste Teiler 831.0 (5.) 1002.4 (2.) 1037.8 (6.)
 Trefferlage 2.48 mm rechts, 0.42 mm tief
 Streuwert 11.28, horizontal: 10.49, vertikal: 12.02



Serie 2:
 10.5 * 9.8 → 9.7 ↓ 9.9 → 10.0 ↘
 9.7 ↘ 9.6 → 10.6 * 9.5 → 9.6 →
 beste Teiler 300.3 (18.) 352.1 (11.) 722.0 (15.)
 Trefferlage 4.30 mm rechts, 2.74 mm tief
 Streuwert 5.39, horizontal: 6.23, vertikal: 4.39



Serie 3:
 9.7 ↑ 10.8 * 9.3 → 10.0 → 10.1 ↗
 9.7 ← 9.9 ↓ 9.8 ↘ 8.3 ↙ 9.2 ↘
 beste Teiler 123.3 (22.) 713.6 (25.) 728.6 (24.)
 Trefferlage 0.09 mm links, 0.08 mm tief
 Streuwert 8.38, horizontal: 8.27, vertikal: 8.48



Serie 4:
 8.5 ← 9.5 ← 9.0 ↙ 10.6 * 10.4 *
 6.8 ← 10.0 ← 9.3 → 9.7 ↘ 9.7 ↑
 beste Teiler 271.0 (34.) 454.4 (35.) 750.4 (37.)
 Trefferlage 7.14 mm links, 1.51 mm hoch
 Streuwert 9.97, horizontal: 12.29, vertikal: 6.91

Unterschrift des Schützen