





Ergebnis: **384** (402.8)  
 Serien: 97 98 93 96  
 Zähler: 27 10 3 0 0 0 0 0 0 0  
 Innenzehner: 17  
 weiteste: 2117 (5), 1920 (30), 1616 (34)  
 beste Teiler 14.1 (1.) 95.9 (23.) 154.1 (11.)  
 Trefferlage 2.96 mm rechts, 2.02 mm hoch  
 Streuwert 5.57, horizontal: 3.53, vertikal: 7.04




Serie 1:  
 10.9 \*                      10.6 \*                      9.9 ↘                      10.5 \*                      8.3 ↑  
 10.1 →                      10.4 \*                      10.4 \*                      10.4 \*                      10.6 \*  
 beste Teiler 14.1 (1.) 306.7 (10.) 314.4 (2.)  
 Trefferlage 1.53 mm rechts, 2.14 mm hoch  
 Streuwert 5.75, horizontal: 2.94, vertikal: 7.58



Serie 2:  
 10.8 \*                      9.9 ↘                      10.6 \*                      10.1 ↘                      10.2 ↓  
 10.5 \*                      10.5 \*                      10.5 \*                      9.8 →                      10.1 ↑  
 beste Teiler 154.1 (11.) 273.1 (13.) 363.2 (17.)  
 Trefferlage 2.16 mm rechts, 0.68 mm tief  
 Streuwert 4.09, horizontal: 3.59, vertikal: 4.53



Serie 3:  
 10.1 →                      9.6 ↗                      10.8 \*                      9.9 ↘                      9.6 ↗  
 9.2 ↗                      9.3 ↗                      10.4 \*                      10.6 \*                      8.6 ↑  
 beste Teiler 95.9 (23.) 305.7 (29.) 410.0 (28.)  
 Trefferlage 4.59 mm rechts, 5.41 mm hoch  
 Streuwert 5.92, horizontal: 2.78, vertikal: 7.90





Serie 4:  
 10.0 ↘                      10.1 ↘                      9.8 →                      8.9 ↑                      9.3 ↘  
 10.5 \*                      10.0 →                      10.1 →                      10.3 ↑                      10.6 \*  
 beste Teiler 267.0 (40.) 338.9 (36.) 557.0 (39.)  
 Trefferlage 3.56 mm rechts, 1.20 mm hoch  
 Streuwert 5.96, horizontal: 4.28, vertikal: 7.27


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (376.1)  
 Serien: 87 91 93 89  
 Zähler: 13 18 6 2 1 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 3571 (11), 2932 (7), 2468 (6)  
 beste Teiler 236.5 (2.) 277.5 (17.) 281.0 (4.)  
 Trefferlage 6.30 mm rechts, 2.22 mm hoch  
 Streuwert 9.22, horizontal: 6.91, vertikal: 11.05




Serie 1:  
 9.1 → 10.7 \* 9.4 → 10.6 \* 9.2 ↑  
 7.9 ↘ 7.3 ↓ 8.1 ↗ 8.8 ↓ 10.1 ↓  
 beste Teiler 236.5 (2.) 281.0 (4.) 686.6 (10.)  
 Trefferlage 8.62 mm rechts, 3.04 mm tief  
 Streuwert 10.74, horizontal: 7.67, vertikal: 13.12



Serie 2:  
 6.5 ↑ 10.2 ↗ 10.2 ↘ 9.8 ↓ 9.8 →  
 10.3 ↙ 10.6 \* 10.3 ↓ 8.2 ↗ 9.1 ↗  
 beste Teiler 277.5 (17.) 486.0 (18.) 536.1 (16.)  
 Trefferlage 4.39 mm rechts, 4.61 mm hoch  
 Streuwert 10.24, horizontal: 7.23, vertikal: 12.55





Serie 3:  
 9.5 ↗ 8.9 ↗ 9.9 ↑ 9.0 ↓ 9.2 →  
 9.9 ↗ 10.3 ↓ 10.5 \* 10.3 ↓ 10.4 \*  
 beste Teiler 350.7 (28.) 437.2 (30.) 501.4 (29.)  
 Trefferlage 4.63 mm rechts, 0.73 mm hoch  
 Streuwert 6.84, horizontal: 5.24, vertikal: 8.14




Serie 4:  
 9.1 → 9.4 ↗ 8.4 ↗ 9.1 → 9.8 ↗  
 9.1 ↗ 9.3 ↘ 9.6 ↘ 10.0 ↓ 8.2 ↑  
 beste Teiler 755.2 (39.) 929.8 (35.) 1115.4 (38.)  
 Trefferlage 7.55 mm rechts, 6.58 mm hoch  
 Streuwert 7.95, horizontal: 7.34, vertikal: 8.52

Unterschrift des Schützen


Ergebnis: **380** (397.0)  
 Serien: 93 95 97 95  
 Zähler: 22 16 2 0 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 1844 (6), 1812 (3), 1507 (19)  
 beste Teiler 128.6 (15.) 279.5 (21.) 338.4 (39.)  
 Trefferlage 0.16 mm rechts, 1.21 mm tief  
 Streuwert 6.61, horizontal: 6.62, vertikal: 6.60




Serie 1:  
 10.1 ↙                      10.5 \*                      8.7 ↗                      9.4 ↘                      10.0 ↓  
 8.6 ↗                      9.2 ↓                      10.4 \*                      9.2 ↑                      10.3 →  
 beste Teiler 363.1 (2.) 462.6 (8.) 545.4 (10.)  
 Trefferlage 2.25 mm rechts, 1.57 mm hoch  
 Streuwert 8.63, horizontal: 8.33, vertikal: 8.92



Serie 2:  
 10.4 \*                      10.0 ↓                      9.8 →                      9.3 ✓                      10.8 \*  
 9.7 ↙                      10.1 →                      9.9 →                      9.1 ↓                      10.3 →  
 beste Teiler 128.6 (15.) 410.4 (11.) 540.2 (20.)  
 Trefferlage 1.06 mm rechts, 3.09 mm tief  
 Streuwert 6.27, horizontal: 6.66, vertikal: 5.85



Serie 3:  
 10.6 \*                      10.5 \*                      10.3 ↓                      10.5 \*                      10.5 \*  
 9.4 ↓                      10.4 \*                      9.8 ↘                      9.9 ↓                      10.2 →  
 beste Teiler 279.5 (21.) 354.6 (22.) 355.0 (25.)  
 Trefferlage 1.41 mm rechts, 2.85 mm tief  
 Streuwert 4.42, horizontal: 3.40, vertikal: 5.25





Serie 4:  
 9.8 ↖                      10.2 ↓                      9.4 ↘                      10.2 ↘                      9.2 ↖  
 9.8 ←                      10.3 ↘                      9.6 ↓                      10.5 \*                      10.1 →  
 beste Teiler 338.4 (39.) 515.7 (37.) 567.9 (32.)  
 Trefferlage 4.07 mm links, 0.50 mm tief  
 Streuwert 5.84, horizontal: 6.09, vertikal: 5.59


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **276** (292.6)  
 Serien: 69 68 72 67  
 Zähler: 3 5 7 11 8 2 1 2 0 0  
 Innenzehner: 1  
 weiteste: 8170 (31), 6125 (5), 5687 (12)  
 beste Teiler 237.2 (30.) 646.0 (24.) 742.0 (36.)  
 Trefferlage 16.43 mm links, 2.63 mm hoch  
 Streuwert 20.21, horizontal: 15.62, vertikal: 23.93




Serie 1:  
 7.1 ↘                      9.8 ←                      7.8 ←                      6.4 ↘                      3.3 ↑  
 8.5 ←                      5.9 ←                      7.3 →                      8.7 ←                      9.3 ↘  
 beste Teiler 924.6 (2.) 1307.2 (10.) 1809.7 (9.)  
 Trefferlage 15.03 mm links, 5.70 mm hoch  
 Streuwert 20.50, horizontal: 17.16, vertikal: 23.37



Serie 2:  
 7.0 ↘                      3.8 ↑                      9.9 ←                      7.3 ↓                      6.6 ↓  
 7.5 ↘                      6.3 ←                      8.3 ↘                      8.0 ↓                      7.4 ↓  
 beste Teiler 838.8 (13.) 2115.9 (18.) 2354.3 (19.)  
 Trefferlage 17.24 mm links, 2.38 mm tief  
 Streuwert 20.22, horizontal: 9.03, vertikal: 27.13



Serie 3:  
 4.7 ←                      6.8 ←                      6.4 ↑                      10.1 ←                      6.1 ↑  
 7.4 ↓                      8.3 ←                      8.2 ↘                      7.2 ↓                      10.7 \*  
 beste Teiler 237.2 (30.) 646.0 (24.) 2105.5 (27.)  
 Trefferlage 14.14 mm links, 2.26 mm hoch  
 Streuwert 19.82, horizontal: 17.47, vertikal: 21.93





Serie 4:  
 0.0 ←                      7.9 ↘                      6.5 ↘                      7.5 ↑                      9.0 ↓  
 10.0 ←                      5.8 ↘                      8.2 ↘                      6.3 ↘                      9.3 ←  
 beste Teiler 742.0 (36.) 1281.0 (40.) 1581.5 (35.)  
 Trefferlage 19.31 mm links, 4.95 mm hoch  
 Streuwert 22.72, horizontal: 18.92, vertikal: 25.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (382.6)  
 Serien: 93 94 87 90  
 Zähler: 14 18 6 2 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2961 (40), 2459 (29), 2378 (39)  
 beste Teiler 110.9 (34.) 202.7 (26.) 202.7 (31.)  
 Trefferlage 1.06 mm links, 1.83 mm hoch  
 Streuwert 9.15, horizontal: 7.75, vertikal: 10.35




Serie 1:  
 8.4 ↗ 9.2 ↓ 10.0 ↓ 10.1 ↘ 9.6 ↓  
 9.9 ↗ 10.4 \* 10.3 ↘ 8.3 ↘ 10.4 →  
 beste Teiler 450.1 (7.) 479.6 (10.) 495.4 (8.)  
 Trefferlage 0.68 mm links, 3.19 mm tief  
 Streuwert 8.57, horizontal: 5.16, vertikal: 10.96



Serie 2:  
 10.7 \* 9.4 ↓ 9.9 ← 10.3 ↘ 10.2 ↑  
 9.6 ↘ 9.2 ← 9.8 ← 9.9 ← 10.5 \*  
 beste Teiler 231.6 (11.) 353.0 (20.) 484.6 (14.)  
 Trefferlage 4.82 mm links, 1.62 mm tief  
 Streuwert 5.32, horizontal: 4.98, vertikal: 5.65



Serie 3:  
 9.2 ↗ 8.9 ↘ 9.9 ↑ 8.7 ↑ 8.2 ↘  
 10.7 \* 10.0 ↓ 9.2 ↘ 7.9 ↘ 9.8 →  
 beste Teiler 202.7 (26.) 782.4 (27.) 830.8 (23.)  
 Trefferlage 2.80 mm links, 5.50 mm hoch  
 Streuwert 10.27, horizontal: 10.55, vertikal: 9.98



Serie 4:  
 10.7 \* 9.4 ↗ 10.1 → 10.8 \* 9.6 →  
 9.7 ↘ 9.1 ↗ 9.4 ↘ 8.0 ↗ 7.2 ↑  
 beste Teiler 110.9 (34.) 202.7 (31.) 674.0 (33.)  
 Trefferlage 4.04 mm rechts, 6.64 mm hoch  
 Streuwert 9.50, horizontal: 7.05, vertikal: 11.43

Unterschrift des Schützen

Meyton Elektronik