





Ergebnis: **344** (359.5)
 Serien: 83 86 84 91
 Zähler: 10 11 14 3 2 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3816 (29), 3275 (23), 2501 (3)
 beste Teiler 171.6 (4.) 487.1 (20.) 495.0 (24.)
 Trefferlage 4.86 mm rechts, 1.99 mm hoch
 Streuwert 12.04, horizontal: 10.15, vertikal: 13.66




Serie 1:
 9.4 → 8.7 ← 7.8 → 10.7 * 8.0 ↑
 7.9 ↓ 9.0 ↑ 8.2 ↓ 9.6 ↑ 8.1 ↑
 beste Teiler 171.6 (4.) 1088.5 (9.) 1269.2 (1.)
 Trefferlage 2.90 mm rechts, 2.29 mm hoch
 Streuwert 13.95, horizontal: 12.21, vertikal: 15.49



Serie 2:
 9.1 → 8.9 ↙ 8.4 ↓ 9.8 ↘ 8.4 ↑
 8.8 → 9.4 ↘ 9.0 → 8.7 → 10.3 ↑
 beste Teiler 487.1 (20.) 933.1 (14.) 1266.4 (17.)
 Trefferlage 5.94 mm rechts, 0.26 mm hoch
 Streuwert 10.83, horizontal: 9.84, vertikal: 11.75



Serie 3:
 10.2 ↗ 9.1 ↑ 6.9 ↙ 10.3 ↗ 8.7 ↑
 8.2 ↗ 10.1 ↘ 9.7 → 6.2 ↗ 8.6 ↘
 beste Teiler 495.0 (24.) 578.4 (21.) 717.2 (27.)
 Trefferlage 5.86 mm rechts, 4.41 mm hoch
 Streuwert 14.06, horizontal: 9.67, vertikal: 17.37





Serie 4:
 10.2 ↓ 10.1 → 10.1 ↘ 10.1 ↗ 9.3 →
 7.9 ↑ 9.2 ↗ 10.2 ↓ 8.1 → 8.1 ↙
 beste Teiler 586.5 (38.) 627.3 (31.) 643.8 (34.)
 Trefferlage 4.73 mm rechts, 1.02 mm hoch
 Streuwert 10.46, horizontal: 10.04, vertikal: 10.86


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **332** (350.5)
 Serien: 84 86 82 80
 Zähler: 7 12 11 7 2 1 0 0 0 0
 Innenzehner: 4
 weiteste: 4397 (36), 3918 (1), 3729 (16)
 beste Teiler 137.9 (9.) 199.6 (12.) 229.4 (29.)
 Trefferlage 3.21 mm rechts, 3.66 mm hoch
 Streuwert 14.09, horizontal: 15.53, vertikal: 12.49




Serie 1:
 6.1 ↖ 8.4 ↑ 8.5 → 9.0 ↙ 8.8 ↘
 7.0 ↘ 10.0 ↙ 10.3 ↖ 10.8 * 8.9 →
 beste Teiler 137.9 (9.) 560.8 (8.) 726.2 (7.)
 Trefferlage 5.09 mm links, 4.81 mm hoch
 Streuwert 14.50, horizontal: 15.63, vertikal: 13.28



Serie 2:
 8.2 → 10.7 * 9.4 ↑ 9.8 ↑ 9.6 ↘
 6.3 → 10.5 * 9.3 ↙ 7.9 → 9.9 ↘
 beste Teiler 199.6 (12.) 368.0 (17.) 869.6 (20.)
 Trefferlage 6.97 mm rechts, 4.66 mm hoch
 Streuwert 11.60, horizontal: 14.38, vertikal: 7.91



Serie 3:
 8.3 → 8.5 ↑ 9.2 ↘ 8.7 ↙ 7.8 ↑
 7.2 → 9.7 ↘ 8.5 ↘ 10.7 * 8.3 ↘
 beste Teiler 229.4 (29.) 1020.1 (27.) 1439.6 (23.)
 Trefferlage 4.04 mm rechts, 2.94 mm hoch
 Streuwert 13.99, horizontal: 13.09, vertikal: 14.83





Serie 4:
 9.8 ↘ 7.7 ↙ 9.1 ↑ 7.2 ↙ 7.6 →
 5.5 ↗ 8.9 → 9.1 ↑ 10.2 ↘ 9.1 →
 beste Teiler 578.4 (39.) 936.6 (31.) 1485.8 (33.)
 Trefferlage 6.94 mm rechts, 2.22 mm hoch
 Streuwert 16.22, horizontal: 17.72, vertikal: 14.56


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **349** (365.3)
 Serien: 87 88 91 83
 Zähler: 8 18 12 0 1 1 0 0 0 0
 Innenzehner: 2
 weiteste: 4280 (5), 3314 (36), 2247 (33)
 beste Teiler 431.3 (13.) 441.2 (6.) 480.8 (16.)
 Trefferlage 0.82 mm rechts, 0.98 mm tief
 Streuwert 11.74, horizontal: 13.04, vertikal: 10.27




Serie 1:
 9.9 ↘ 9.2 ↘ 9.6 → 8.2 ↗ 5.6 ←
 10.4 * 10.2 ↙ 9.3 ↙ 9.0 ↙ 9.0 ↘
 beste Teiler 441.2 (6.) 639.2 (7.) 872.1 (1.)
 Trefferlage 4.74 mm links, 0.14 mm tief
 Streuwert 13.36, horizontal: 16.16, vertikal: 9.78



Serie 2:
 9.7 ← 8.8 ← 10.4 * 8.9 ↘ 9.7 ↓
 10.4 ↙ 8.8 ↙ 9.8 ↓ 8.5 ↓ 9.5 ↘
 beste Teiler 431.3 (13.) 480.8 (16.) 906.3 (18.)
 Trefferlage 5.10 mm links, 3.47 mm tief
 Streuwert 8.57, horizontal: 8.15, vertikal: 8.97



Serie 3:
 10.3 ↓ 9.8 ← 9.2 ↗ 9.0 → 10.1 ↙
 10.1 ← 8.7 → 9.0 ↓ 8.3 ↘ 9.7 ↘
 beste Teiler 548.0 (21.) 664.2 (25.) 679.8 (26.)
 Trefferlage 3.60 mm rechts, 3.08 mm tief
 Streuwert 9.23, horizontal: 10.37, vertikal: 7.93





Serie 4:
 10.1 ↑ 8.3 ↓ 8.1 ↗ 8.7 ↗ 8.2 ↑
 6.8 → 9.6 ← 9.0 ↓ 8.4 ↗ 9.0 →
 beste Teiler 651.6 (31.) 1066.6 (37.) 1572.8 (40.)
 Trefferlage 9.56 mm rechts, 2.75 mm hoch
 Streuwert 12.75, horizontal: 11.62, vertikal: 13.79


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (378.0)
 Serien: 89 86 91 92
 Zähler: 10 22 5 2 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3557 (8), 2822 (20), 2429 (18)
 beste Teiler 55.5 (13.) 323.3 (1.) 395.9 (25.)
 Trefferlage 2.26 mm links, 1.04 mm tief
 Streuwert 9.85, horizontal: 11.31, vertikal: 8.13




Serie 1:
 10.5 * 9.4 ↘ 8.1 ← 10.2 → 9.9 ↓
 10.0 ↗ 9.8 ↘ 6.5 ↗ 9.5 ↖ 9.5 ↘
 beste Teiler 323.3 (1.) 640.8 (4.) 799.4 (6.)
 Trefferlage 1.20 mm rechts, 1.99 mm hoch
 Streuwert 11.61, horizontal: 14.36, vertikal: 7.95



Serie 2:
 9.6 ↘ 9.7 ↘ 10.9 * 9.0 ← 8.2 ↗
 8.9 ← 9.9 ↗ 7.9 ↘ 10.3 ↓ 7.4 ←
 beste Teiler 55.5 (13.) 553.8 (19.) 864.3 (17.)
 Trefferlage 10.41 mm links, 1.38 mm tief
 Streuwert 9.46, horizontal: 10.45, vertikal: 8.37



Serie 3:
 8.3 ↘ 9.3 ↗ 9.4 ↘ 9.4 ↘ 10.5 *
 9.8 ↘ 10.2 ↓ 9.8 ↗ 9.7 ↓ 9.4 ←
 beste Teiler 395.9 (25.) 629.9 (27.) 902.4 (26.)
 Trefferlage 0.72 mm rechts, 2.36 mm tief
 Streuwert 8.67, horizontal: 7.62, vertikal: 9.61





Serie 4:
 10.3 ↓ 9.6 ← 9.5 ↓ 9.6 ← 9.8 ↗
 10.3 ↘ 9.7 ← 10.5 * 8.5 → 9.2 ↓
 beste Teiler 398.1 (38.) 485.1 (31.) 523.1 (36.)
 Trefferlage 0.57 mm links, 2.44 mm tief
 Streuwert 7.96, horizontal: 8.97, vertikal: 6.80


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **328** (350.7)
 Serien: 79 78 85 86
 Zähler: 7 12 9 7 4 1 0 0 0 0
 Innenzehner: 5
 weiteste: 4202 (18), 3716 (1), 3580 (5)
 beste Teiler 221.1 (15.) 255.1 (3.) 280.4 (33.)
 Trefferlage 3.64 mm links, 1.54 mm hoch
 Streuwert 14.17, horizontal: 14.02, vertikal: 14.31




Serie 1:
 6.3 ↙ 8.6 → 10.6 * 9.1 ← 6.5 ↗
 7.8 ↓ 6.9 ↘ 10.1 ↗ 8.5 ↘ 9.5 ↗
 beste Teiler 255.1 (3.) 704.3 (8.) 1159.0 (10.)
 Trefferlage 0.04 mm rechts, 1.28 mm hoch
 Streuwert 17.43, horizontal: 16.76, vertikal: 18.08



Serie 2:
 9.7 ↘ 9.5 ↙ 8.9 ↑ 8.8 ↑ 10.7 *
 9.9 ← 6.6 ↙ 5.7 ↙ 7.2 ← 7.9 →
 beste Teiler 221.1 (15.) 840.9 (16.) 1024.7 (11.)
 Trefferlage 7.30 mm links, 3.66 mm tief
 Streuwert 16.12, horizontal: 15.34, vertikal: 16.86



Serie 3:
 10.4 * 9.8 ← 9.2 ↙ 8.0 ← 7.9 ↗
 7.9 → 8.9 ↗ 8.8 ← 9.0 ← 10.4 *
 beste Teiler 407.6 (30.) 415.3 (21.) 902.6 (22.)
 Trefferlage 3.31 mm links, 3.31 mm hoch
 Streuwert 12.14, horizontal: 14.64, vertikal: 8.98





Serie 4:
 8.6 ← 7.9 ↑ 10.6 * 8.4 ↘ 9.9 ↘
 9.5 ↘ 7.9 ↙ 9.4 ↘ 10.1 ↑ 9.3 ↗
 beste Teiler 280.4 (33.) 699.0 (39.) 880.5 (35.)
 Trefferlage 3.98 mm links, 5.22 mm hoch
 Streuwert 10.91, horizontal: 9.52, vertikal: 12.13


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **333** (351.2)
 Serien: 76 87 82 88
 Zähler: 9 13 7 6 4 0 1 0 0 0
 Innenzehner: 4
 weiteste: 5191 (23), 3598 (13), 3502 (7)
 beste Teiler 252.4 (16.) 288.4 (6.) 302.1 (22.)
 Trefferlage 1.40 mm links, 0.24 mm hoch
 Streuwert 14.73, horizontal: 13.85, vertikal: 15.56




Serie 1:
 7.9 ↓ 7.4 ← 8.5 ↘ 9.4 ↘ 7.3 ↘
 10.6 * 6.6 ← 7.0 ↑ 6.8 ↗ 9.2 ←
 beste Teiler 288.4 (6.) 1275.1 (4.) 1367.0 (10.)
 Trefferlage 2.98 mm links, 0.09 mm hoch
 Streuwert 18.58, horizontal: 20.46, vertikal: 16.48



Serie 2:
 8.7 ↖ 9.7 ↖ 6.5 ↓ 9.1 ↖ 10.1 ↗
 10.6 * 9.6 ↗ 10.1 ↓ 6.6 ↑ 10.1 ↖
 beste Teiler 252.4 (16.) 652.4 (20.) 654.9 (18.)
 Trefferlage 3.28 mm links, 4.13 mm hoch
 Streuwert 13.19, horizontal: 7.17, vertikal: 17.22



Serie 3:
 9.6 ↓ 10.6 * 4.5 ↗ 8.0 ↙ 10.2 ↖
 8.8 ↓ 8.4 ↓ 9.7 → 9.3 ↑ 7.9 ↓
 beste Teiler 302.1 (22.) 624.7 (25.) 980.8 (28.)
 Trefferlage 3.46 mm rechts, 3.14 mm tief
 Streuwert 16.30, horizontal: 15.96, vertikal: 16.63





Serie 4:
 9.2 ↙ 7.6 ↖ 9.0 ↘ 9.7 ↗ 10.0 ↘
 10.6 * 9.1 ↓ 9.9 ← 8.4 ↑ 8.9 ↙
 beste Teiler 312.6 (36.) 766.9 (35.) 809.3 (38.)
 Trefferlage 2.82 mm links, 0.10 mm tief
 Streuwert 11.11, horizontal: 8.46, vertikal: 13.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **341** (359.7)
 Serien: 86 82 84 89
 Zähler: 6 17 12 3 1 1 0 0 0 0
 Innenzehner: 4
 weiteste: 4008 (26), 3936 (11), 2754 (25)
 beste Teiler 249.2 (7.) 323.2 (24.) 375.2 (22.)
 Trefferlage 5.17 mm links, 1.47 mm tief
 Streuwert 12.12, horizontal: 13.53, vertikal: 10.52




Serie 1:
 9.6 ↘ 8.9 ↗ 9.1 ↖ 9.0 ↗ 9.3 ↘
 9.9 ↓ 10.6 * 7.8 ← 8.4 ↙ 8.0 ↖
 beste Teiler 249.2 (7.) 871.2 (6.) 1106.4 (1.)
 Trefferlage 2.52 mm links, 1.33 mm hoch
 Streuwert 12.18, horizontal: 13.67, vertikal: 10.48



Serie 2:
 6.0 → 7.9 ← 10.0 ↙ 8.2 ↖ 8.2 ↙
 9.1 ↙ 9.2 ↗ 9.5 ↑ 8.5 ↘ 8.5 ↓
 beste Teiler 732.6 (13.) 1135.5 (18.) 1361.2 (17.)
 Trefferlage 4.89 mm links, 1.05 mm tief
 Streuwert 15.28, horizontal: 17.63, vertikal: 12.48



Serie 3:
 9.4 ← 10.5 * 9.8 ← 10.5 * 7.5 ↙
 5.9 ← 9.9 ← 8.8 ↓ 8.1 ↘ 9.9 ↑
 beste Teiler 323.2 (24.) 375.2 (22.) 818.4 (27.)
 Trefferlage 11.47 mm links, 4.99 mm tief
 Streuwert 10.60, horizontal: 12.07, vertikal: 8.89





Serie 4:
 8.4 ↖ 8.5 ↓ 9.4 ↑ 9.1 → 9.6 ↙
 10.4 * 9.6 ↑ 9.6 ← 8.8 ↓ 10.3 ↗
 beste Teiler 425.0 (36.) 497.2 (40.) 1076.4 (37.)
 Trefferlage 1.80 mm links, 1.19 mm tief
 Streuwert 9.94, horizontal: 9.26, vertikal: 10.57


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **338** (354.3)
 Serien: 84 87 87 80
 Zähler: 9 13 9 5 4 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3976 (37), 3825 (5), 3577 (39)
 beste Teiler 362.8 (12.) 416.5 (35.) 470.5 (24.)
 Trefferlage 7.39 mm links, 1.29 mm tief
 Streuwert 12.82, horizontal: 15.44, vertikal: 9.49




Serie 1:
 7.7 ← 10.1 → 9.7 ↗ 9.4 ↗ 6.2 ←
 10.1 ↗ 8.7 ← 8.0 ← 8.2 ← 9.8 ←
 beste Teiler 668.7 (2.) 690.3 (6.) 912.7 (10.)
 Trefferlage 12.77 mm links, 0.73 mm tief
 Streuwert 11.38, horizontal: 14.08, vertikal: 7.79



Serie 2:
 8.1 ← 10.5 * 8.9 → 8.3 ↗ 8.0 ↗
 10.3 → 9.7 ↑ 7.6 ↓ 9.6 ↘ 10.0 ←
 beste Teiler 362.8 (12.) 542.4 (16.) 795.3 (20.)
 Trefferlage 0.39 mm rechts, 1.93 mm hoch
 Streuwert 12.50, horizontal: 13.19, vertikal: 11.78



Serie 3:
 7.7 → 7.7 ← 9.6 ↓ 10.4 * 9.3 ↑
 8.8 ← 9.3 ↓ 9.8 ↘ 10.1 ↓ 9.5 ↓
 beste Teiler 470.5 (24.) 691.9 (29.) 958.2 (28.)
 Trefferlage 2.16 mm links, 2.16 mm tief
 Streuwert 11.23, horizontal: 13.33, vertikal: 8.63





Serie 4:
 9.3 ← 9.0 ← 6.8 ↘ 10.1 ↓ 10.4 *
 8.6 → 6.0 ← 9.3 ← 6.5 ← 7.2 ↗
 beste Teiler 416.5 (35.) 664.1 (34.) 1296.0 (31.)
 Trefferlage 15.05 mm links, 4.21 mm tief
 Streuwert 13.83, horizontal: 16.98, vertikal: 9.69


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **338** (357.0)
 Serien: 89 82 82 85
 Zähler: 10 8 15 5 1 1 0 0 0 0
 Innenzehner: 2
 weiteste: 4678 (11), 3322 (39), 2967 (21)
 beste Teiler 288.0 (6.) 375.2 (16.) 517.8 (33.)
 Trefferlage 0.50 mm links, 3.98 mm tief
 Streuwert 12.95, horizontal: 12.20, vertikal: 13.67




Serie 1:
 9.6 ↘ 10.2 ↓ 9.6 ↙ 10.0 ↓ 9.0 ↑
 10.6 * 9.6 → 8.3 ↘ 7.8 ↓ 8.2 ↓
 beste Teiler 288.0 (6.) 593.3 (2.) 725.9 (4.)
 Trefferlage 0.94 mm rechts, 7.85 mm tief
 Streuwert 9.46, horizontal: 7.25, vertikal: 11.25



Serie 2:
 5.1 ↓ 9.5 → 7.9 ↑ 8.9 ↓ 10.0 ↘
 10.5 * 7.8 ← 8.3 ↖ 8.9 ↗ 10.0 ↙
 beste Teiler 375.2 (16.) 753.2 (15.) 776.7 (20.)
 Trefferlage 1.49 mm links, 2.58 mm tief
 Streuwert 15.95, horizontal: 12.68, vertikal: 18.65



Serie 3:
 7.2 ← 8.9 ↘ 8.3 ↘ 8.7 ↑ 8.1 ↘
 8.8 ← 8.7 → 9.3 ← 10.1 ↓ 8.8 ↙
 beste Teiler 705.4 (29.) 1294.2 (28.) 1677.2 (22.)
 Trefferlage 2.00 mm links, 4.43 mm tief
 Streuwert 13.58, horizontal: 16.67, vertikal: 9.54



Serie 4:
 8.6 ↘ 9.8 ↖ 10.3 ↑ 10.1 ← 8.9 ↖
 9.8 ↖ 7.6 ↓ 10.3 ↑ 6.8 ↗ 8.1 ↓
 beste Teiler 517.8 (33.) 552.9 (38.) 703.9 (34.)
 Trefferlage 0.51 mm rechts, 1.05 mm tief
 Streuwert 13.45, horizontal: 12.09, vertikal: 14.68

Unterschrift des Schützen

Meyton Elektronik