





Ergebnis: **338** (360.9)
 Serien: 80 88 84 86
 Zähler: 6 14 13 6 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3824 (2), 2846 (15), 2805 (22)
 beste Teiler 183.2 (13.) 367.4 (23.) 577.8 (8.)
 Trefferlage 2.80 mm rechts, 5.50 mm hoch
 Streuwert 11.55, horizontal: 10.40, vertikal: 12.60




Serie 1:
 7.9 ↖ 6.2 ↗ 8.9 ↑ 7.9 ↗ 9.3 ↙
 8.3 → 8.3 ↖ 10.2 ↓ 8.4 → 9.8 →
 beste Teiler 577.8 (8.) 907.5 (10.) 1309.7 (5.)
 Trefferlage 5.39 mm rechts, 10.00 mm hoch
 Streuwert 13.36, horizontal: 12.83, vertikal: 13.87



Serie 2:
 8.1 ↘ 9.9 ↖ 10.7 * 9.7 ↑ 7.4 ↗
 9.6 → 9.4 ↙ 9.9 ↗ 8.9 ↗ 10.1 ↖
 beste Teiler 183.2 (13.) 643.6 (20.) 841.7 (12.)
 Trefferlage 4.40 mm rechts, 4.74 mm hoch
 Streuwert 9.79, horizontal: 9.04, vertikal: 10.49





Serie 3:
 8.9 ↖ 7.4 ↑ 10.5 * 9.8 ↓ 8.8 ↙
 9.7 → 7.8 ↙ 9.5 ↗ 8.2 ↑ 9.9 ↗
 beste Teiler 367.4 (23.) 878.6 (30.) 885.5 (24.)
 Trefferlage 1.13 mm links, 4.61 mm hoch
 Streuwert 12.16, horizontal: 10.54, vertikal: 13.59




Serie 4:
 9.5 → 8.9 ↓ 10.1 → 7.9 ↑ 9.4 ↗
 8.5 ↘ 8.6 ↑ 8.6 ↖ 10.1 ↓ 9.9 →
 beste Teiler 682.7 (39.) 710.3 (33.) 825.1 (40.)
 Trefferlage 2.53 mm rechts, 2.64 mm hoch
 Streuwert 11.20, horizontal: 9.13, vertikal: 12.95

Unterschrift des Schützen


Ergebnis: **334** (350.9)
 Serien: 86 83 81 84
 Zähler: 5 15 12 5 3 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3942 (13), 3715 (15), 3313 (33)
 beste Teiler 60.2 (9.) 431.6 (37.) 587.0 (35.)
 Trefferlage 1.11 mm links, 1.21 mm tief
 Streuwert 13.84, horizontal: 14.98, vertikal: 12.60




Serie 1:
 9.0 ← 7.7 ↓ 9.2 ← 9.7 ↘ 8.7 ↗
 9.4 → 9.8 → 8.6 ↓ 10.9 * 8.4 ↗
 beste Teiler 60.2 (9.) 917.2 (7.) 1033.5 (4.)
 Trefferlage 2.63 mm rechts, 1.96 mm tief
 Streuwert 11.70, horizontal: 11.28, vertikal: 12.10



Serie 2:
 7.7 ↘ 9.0 ↖ 6.0 ↗ 10.0 ↖ 6.3 →
 9.6 → 9.2 ↗ 9.0 ↗ 10.0 ↑ 8.4 →
 beste Teiler 737.0 (14.) 765.6 (19.) 1088.3 (16.)
 Trefferlage 10.90 mm rechts, 6.65 mm hoch
 Streuwert 13.54, horizontal: 14.35, vertikal: 12.68



Serie 3:
 8.3 ↖ 7.2 ← 8.9 ↗ 9.4 ← 8.6 ↗
 7.7 ← 8.9 ↓ 8.1 ↖ 9.8 ↘ 9.4 ↘
 beste Teiler 934.9 (29.) 1206.0 (24.) 1209.4 (30.)
 Trefferlage 11.37 mm links, 2.19 mm tief
 Streuwert 11.77, horizontal: 12.42, vertikal: 11.09





Serie 4:
 9.6 ← 8.7 ↗ 6.8 ↗ 8.2 ↓ 10.2 ↘
 8.3 ↓ 10.4 * 7.4 ↖ 9.1 ↘ 9.3 ↑
 beste Teiler 431.6 (37.) 587.0 (35.) 1104.0 (31.)
 Trefferlage 6.62 mm links, 7.34 mm tief
 Streuwert 12.32, horizontal: 12.55, vertikal: 12.08


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **307** (327.5)
 Serien: 70 83 78 76
 Zähler: 3 10 10 9 5 2 1 0 0 0
 Innenzehner: 2
 weiteste: 5229 (38), 4135 (5), 4063 (9)
 beste Teiler 184.4 (16.) 374.2 (17.) 732.5 (7.)
 Trefferlage 2.21 mm links, 3.16 mm tief
 Streuwert 17.67, horizontal: 18.57, vertikal: 16.71




Serie 1:
 6.6 ↙ 7.9 → 8.9 ← 7.0 ↑ 5.8 ↗
 8.0 → 10.0 ↘ 8.9 ↘ 5.9 ← 6.6 ↓
 beste Teiler 732.5 (7.) 1616.9 (3.) 1673.2 (8.)
 Trefferlage 1.96 mm rechts, 4.33 mm tief
 Streuwert 21.50, horizontal: 20.87, vertikal: 22.11



Serie 2:
 8.7 ↙ 9.5 ↗ 8.7 ← 9.9 ↘ 6.5 ↓
 10.7 * 10.5 * 7.2 ← 9.0 ← 7.8 ↑
 beste Teiler 184.4 (16.) 374.2 (17.) 820.5 (14.)
 Trefferlage 3.77 mm links, 3.94 mm tief
 Streuwert 14.28, horizontal: 13.43, vertikal: 15.08





Serie 3:
 7.9 ← 9.7 ↑ 9.7 ← 8.0 ↓ 6.4 ↘
 7.4 ↘ 7.1 ↗ 8.0 ↓ 9.9 ↘ 8.7 ↓
 beste Teiler 845.6 (29.) 1034.1 (22.) 1038.8 (23.)
 Trefferlage 3.55 mm rechts, 8.17 mm tief
 Streuwert 15.97, horizontal: 15.02, vertikal: 16.86




Serie 4:
 7.4 ↘ 9.6 ↘ 9.1 ↘ 8.9 ↑ 8.5 ←
 7.4 ← 9.2 ↘ 4.4 ← 9.8 ← 6.3 →
 beste Teiler 952.3 (39.) 1102.7 (32.) 1427.4 (37.)
 Trefferlage 10.60 mm links, 3.78 mm hoch
 Streuwert 17.91, horizontal: 22.70, vertikal: 11.23

Unterschrift des Schützen


Ergebnis: **348** (371.3)
 Serien: 83 83 90 92
 Zähler: 6 23 6 4 0 1 0 0 0 0
 Innenzehner: 4
 weiteste: 4077 (14), 2951 (3), 2618 (19)
 beste Teiler 228.3 (37.) 363.3 (31.) 415.3 (32.)
 Trefferlage 2.78 mm links, 5.86 mm tief
 Streuwert 10.01, horizontal: 10.14, vertikal: 9.89




Serie 1:
 9.8 ↑ 9.7 ↓ 7.3 ↙ 9.9 ↙ 7.9 ↙
 7.8 ↙ 8.9 ← 9.7 ↗ 9.5 ↓ 9.8 ↘
 beste Teiler 829.5 (4.) 897.2 (1.) 933.5 (10.)
 Trefferlage 7.87 mm links, 5.25 mm tief
 Streuwert 10.62, horizontal: 12.65, vertikal: 8.09



Serie 2:
 9.9 ← 9.3 → 9.7 ↓ 5.9 ↗ 9.8 ↓
 9.4 ↑ 8.4 ↓ 9.0 ↙ 7.7 ↓ 9.5 ↙
 beste Teiler 831.1 (11.) 957.2 (15.) 982.5 (13.)
 Trefferlage 5.70 mm links, 9.70 mm tief
 Streuwert 11.69, horizontal: 11.54, vertikal: 11.84





Serie 3:
 8.1 ↓ 9.7 ↓ 9.6 ↓ 10.0 ↑ 9.6 ↓
 8.8 ↓ 9.6 ↘ 9.8 ↘ 10.4 * 9.4 ↘
 beste Teiler 455.4 (29.) 744.8 (24.) 881.1 (28.)
 Trefferlage 1.14 mm rechts, 8.70 mm tief
 Streuwert 6.73, horizontal: 5.19, vertikal: 7.98




Serie 4:
 10.5 * 10.4 * 9.2 ↓ 9.7 ↑ 9.9 →
 10.1 ↑ 10.7 * 8.4 ↗ 9.7 ↖ 8.8 ↓
 beste Teiler 228.3 (37.) 363.3 (31.) 415.3 (32.)
 Trefferlage 1.27 mm rechts, 0.21 mm hoch
 Streuwert 8.34, horizontal: 7.17, vertikal: 9.36

Unterschrift des Schützen


Ergebnis: **322** (339.2)
 Serien: 83 80 82 77
 Zähler: 3 12 13 10 1 0 1 0 0 0
 Innenzehner: 0
 weiteste: 4892 (35), 3522 (20), 3124 (27)
 beste Teiler 485.7 (2.) 572.1 (3.) 727.0 (15.)
 Trefferlage 2.73 mm rechts, 5.96 mm tief
 Streuwert 14.90, horizontal: 16.67, vertikal: 12.90




Serie 1:
 7.1 → 10.3 ↙ 10.2 ↘ 9.6 ← 7.1 ↓
 9.2 ↓ 8.3 → 7.8 → 7.3 ↗ 9.2 ↓
 beste Teiler 485.7 (2.) 572.1 (3.) 1107.6 (4.)
 Trefferlage 9.05 mm rechts, 3.39 mm tief
 Streuwert 13.90, horizontal: 14.46, vertikal: 13.32



Serie 2:
 8.4 ↓ 7.4 ↙ 7.6 ↘ 8.3 ↘ 10.0 ↑
 8.3 ↖ 9.4 ← 8.3 ↖ 9.1 ↗ 6.5 →
 beste Teiler 727.0 (15.) 1275.6 (17.) 1498.6 (19.)
 Trefferlage 2.21 mm links, 7.24 mm tief
 Streuwert 15.67, horizontal: 16.79, vertikal: 14.46



Serie 3:
 8.4 ↙ 8.8 ↓ 9.3 ← 8.7 ↙ 9.6 ↓
 9.9 ↙ 7.0 ↓ 8.9 ↖ 9.6 → 7.1 ↗
 beste Teiler 841.9 (26.) 1044.8 (25.) 1076.9 (29.)
 Trefferlage 2.19 mm links, 8.36 mm tief
 Streuwert 12.87, horizontal: 12.19, vertikal: 13.51





Serie 4:
 8.8 ↘ 7.2 ↙ 9.8 ↘ 9.2 ↘ 4.8 →
 7.5 → 8.4 ↓ 8.1 ← 9.9 ↓ 8.8 →
 beste Teiler 827.6 (39.) 953.2 (33.) 1396.6 (34.)
 Trefferlage 6.28 mm rechts, 4.87 mm tief
 Streuwert 17.12, horizontal: 21.25, vertikal: 11.61


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **340** (355.7)
 Serien: 90 82 84 84
 Zähler: 8 14 9 8 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3392 (19), 3185 (39), 3182 (38)
 beste Teiler 318.0 (3.) 364.2 (8.) 367.7 (37.)
 Trefferlage 0.51 mm links, 2.36 mm tief
 Streuwert 13.31, horizontal: 14.23, vertikal: 12.32




Serie 1:
 9.3 ↙ 7.7 ↗ 10.6 * 10.0 ← 10.2 →
 9.7 ↘ 8.9 → 10.5 * 9.2 ↓ 8.9 ↙
 beste Teiler 318.0 (3.) 364.2 (8.) 613.1 (5.)
 Trefferlage 1.35 mm rechts, 1.09 mm tief
 Streuwert 9.94, horizontal: 10.55, vertikal: 9.30



Serie 2:
 8.2 ↓ 8.7 ↓ 9.0 ↓ 9.9 ↖ 8.4 ↙
 10.0 → 7.3 ↙ 7.0 ← 6.7 → 10.0 ↙
 beste Teiler 747.6 (20.) 796.6 (16.) 846.1 (14.)
 Trefferlage 3.62 mm links, 9.64 mm tief
 Streuwert 14.26, horizontal: 16.42, vertikal: 11.72



Serie 3:
 9.7 → 8.0 → 10.3 ← 7.6 → 7.3 ↓
 9.2 ↗ 8.4 ↓ 8.1 ↙ 9.5 → 9.2 ←
 beste Teiler 529.4 (23.) 993.5 (21.) 1181.5 (29.)
 Trefferlage 4.38 mm rechts, 4.35 mm tief
 Streuwert 13.69, horizontal: 13.48, vertikal: 13.90





Serie 4:
 9.0 ↗ 8.8 ← 9.3 → 9.4 ↘ 9.7 ↖
 9.8 → 10.5 * 7.0 ↑ 7.0 ← 7.7 ←
 beste Teiler 367.7 (37.) 931.7 (36.) 1024.8 (35.)
 Trefferlage 4.15 mm links, 5.61 mm hoch
 Streuwert 13.50, horizontal: 16.10, vertikal: 10.26


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **336** (353.5)
 Serien: 86 91 86 73
 Zähler: 6 18 9 3 3 0 0 1 0 0
 Innenzehner: 1
 weiteste: 5653 (40), 3780 (6), 3726 (35)
 beste Teiler 256.2 (14.) 592.5 (27.) 611.3 (15.)
 Trefferlage 0.06 mm links, 0.25 mm tief
 Streuwert 14.23, horizontal: 12.34, vertikal: 15.91




Serie 1:
 8.5 ↗ 10.0 ↓ 10.1 ↓ 8.9 ← 9.1 ↗
 6.2 ↗ 9.0 ↑ 8.9 ↘ 9.3 ↙ 9.0 ↗
 beste Teiler 660.6 (3.) 773.3 (2.) 1357.9 (9.)
 Trefferlage 1.08 mm rechts, 8.51 mm hoch
 Streuwert 12.06, horizontal: 10.04, vertikal: 13.78



Serie 2:
 9.8 ↘ 9.3 ↑ 9.3 ↑ 10.6 * 10.2 ↘
 9.0 ↗ 9.9 ↓ 8.5 ↑ 9.8 ← 9.4 ↑
 beste Teiler 256.2 (14.) 611.3 (15.) 832.8 (17.)
 Trefferlage 1.00 mm rechts, 4.65 mm hoch
 Streuwert 8.00, horizontal: 5.60, vertikal: 9.83



Serie 3:
 9.5 ↗ 7.4 ↗ 8.9 ↓ 9.6 ↙ 10.0 ↑
 9.6 ↘ 10.2 ↓ 7.8 ↗ 8.1 ↓ 9.1 ↙
 beste Teiler 592.5 (27.) 740.8 (25.) 1056.6 (26.)
 Trefferlage 2.97 mm rechts, 0.32 mm hoch
 Streuwert 12.51, horizontal: 11.23, vertikal: 13.68





Serie 4:
 8.9 ↓ 8.4 ↓ 9.7 ↗ 9.3 ↗ 6.3 ↓
 9.9 ↑ 8.4 ↘ 6.6 ↓ 7.1 ↙ 3.9 ←
 beste Teiler 835.9 (36.) 1007.5 (33.) 1292.9 (34.)
 Trefferlage 5.30 mm links, 14.52 mm tief
 Streuwert 17.91, horizontal: 18.92, vertikal: 16.84


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **348** (367.3)
 Serien: 87 86 89 86
 Zähler: 8 18 10 2 2 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3621 (34), 3206 (14), 2834 (9)
 beste Teiler 313.6 (20.) 412.3 (6.) 429.2 (1.)
 Trefferlage 4.02 mm links, 1.10 mm tief
 Streuwert 10.99, horizontal: 11.12, vertikal: 10.86




Serie 1:
 10.4 * 8.7 ↑ 9.1 ↑ 9.0 ← 9.9 ↘
 10.4 * 9.5 ↘ 8.7 ↑ 7.4 ↙ 8.6 ←
 beste Teiler 412.3 (6.) 429.2 (1.) 810.2 (5.)
 Trefferlage 4.54 mm links, 2.44 mm hoch
 Streuwert 11.14, horizontal: 9.58, vertikal: 12.50



Serie 2:
 9.6 ← 9.6 ↑ 9.7 ↘ 6.9 ↘ 10.1 ↖
 9.6 → 9.1 ↑ 7.9 ↘ 8.8 ↙ 10.6 *
 beste Teiler 313.6 (20.) 663.3 (15.) 961.1 (13.)
 Trefferlage 6.85 mm links, 6.13 mm hoch
 Streuwert 10.03, horizontal: 11.38, vertikal: 8.47





Serie 3:
 8.7 ← 9.3 ↙ 9.3 ↘ 10.0 ↙ 8.6 ←
 9.4 ↘ 8.2 ↙ 10.1 ← 9.9 ↗ 9.4 ↙
 beste Teiler 720.9 (28.) 734.2 (24.) 860.3 (29.)
 Trefferlage 7.58 mm links, 3.65 mm tief
 Streuwert 8.38, horizontal: 8.93, vertikal: 7.80



Serie 4:
 9.3 ↓ 10.3 ↙ 8.8 ↘ 6.4 ↘ 9.9 ↘
 8.6 ↙ 9.6 ↘ 8.8 ↘ 10.1 ↘ 9.0 ↓
 beste Teiler 526.6 (32.) 652.7 (39.) 869.3 (35.)
 Trefferlage 2.89 mm rechts, 9.34 mm tief
 Streuwert 10.61, horizontal: 12.58, vertikal: 8.18


Unterschrift des Schützen

Ergebnis: **313** (334.5)
 Serien: 69 75 86 83
 Zähler: 2 13 9 10 4 2 0 0 0 0
 Innenzehner: 1
 weiteste: 4105 (2), 4063 (1), 3773 (4)
 beste Teiler 200.6 (25.) 633.4 (27.) 843.0 (36.)
 Trefferlage 2.66 mm links, 4.36 mm tief
 Streuwert 16.02, horizontal: 18.47, vertikal: 13.12




Serie 1:
 5.9 ↓ 5.8 → 9.0 ↘ 6.2 ↖ 9.7 ↑
 7.4 ← 8.8 ↑ 7.7 → 6.5 ↖ 7.4 →

beste Teiler 975.2 (5.) 1595.0 (3.) 1713.7 (7.)
 Trefferlage 2.26 mm rechts, 0.88 mm hoch
 Streuwert 22.18, horizontal: 24.05, vertikal: 20.14




Serie 2:
 7.1 ↘ 8.8 ↘ 6.9 ← 9.4 ↖ 7.7 ↙
 8.3 ↙ 6.3 ← 8.7 ← 8.5 ← 8.3 →

beste Teiler 1211.9 (14.) 1755.3 (12.) 1802.2 (18.)
 Trefferlage 9.34 mm links, 6.06 mm tief
 Streuwert 16.43, horizontal: 20.09, vertikal: 11.68



Serie 3:
 9.7 ← 9.2 ← 9.4 ↓ 8.6 ↘ 10.7 *
 7.8 ↘ 10.2 → 8.7 ↙ 7.5 ← 9.2 ←

beste Teiler 200.6 (25.) 633.4 (27.) 1033.3 (21.)
 Trefferlage 3.97 mm links, 6.78 mm tief
 Streuwert 10.84, horizontal: 13.63, vertikal: 7.02





Serie 4:
 9.2 ↘ 7.9 ↓ 7.3 ← 9.2 ← 9.8 ↘
 9.9 ↑ 8.8 ↖ 7.4 → 9.8 ↘ 9.8 ↙

beste Teiler 843.0 (36.) 891.9 (40.) 937.4 (39.)
 Trefferlage 0.39 mm rechts, 5.48 mm tief
 Streuwert 12.93, horizontal: 14.88, vertikal: 10.63


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **332** (350.4)
 Serien: 78 85 81 88
 Zähler: 5 16 7 10 2 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3805 (15), 3408 (1), 3117 (3)
 beste Teiler 386.3 (5.) 519.5 (17.) 681.7 (37.)
 Trefferlage 0.96 mm rechts, 4.56 mm tief
 Streuwert 13.65, horizontal: 13.76, vertikal: 13.54




Serie 1:
 6.7 → 8.9 ↘ 7.1 ↘ 9.2 ↓ 10.5 *
 7.4 ↓ 7.5 ↓ 8.5 ↘ 7.1 ← 9.8 ↘
 beste Teiler 386.3 (5.) 898.1 (10.) 1376.7 (4.)
 Trefferlage 4.74 mm rechts, 11.40 mm tief
 Streuwert 15.00, horizontal: 16.05, vertikal: 13.87



Serie 2:
 7.4 ↑ 9.5 ↘ 9.4 ↑ 10.0 ↘ 6.2 ←
 9.6 ↘ 10.3 ↑ 9.7 → 9.7 ↑ 7.5 →
 beste Teiler 519.5 (17.) 795.2 (14.) 963.5 (19.)
 Trefferlage 2.22 mm rechts, 2.82 mm hoch
 Streuwert 14.14, horizontal: 16.15, vertikal: 11.79



Serie 3:
 8.2 ↙ 9.3 ↓ 8.8 ↗ 7.5 ↓ 8.2 ↙
 9.7 ↘ 7.7 ↘ 9.1 ↘ 7.9 ↗ 9.5 ↘
 beste Teiler 1016.1 (26.) 1129.2 (30.) 1324.1 (22.)
 Trefferlage 5.21 mm links, 6.38 mm tief
 Streuwert 13.46, horizontal: 10.50, vertikal: 15.88



Serie 4:
 8.9 → 8.3 → 9.2 ↙ 9.8 ↗ 10.0 ↓
 7.8 ↙ 10.1 ↑ 9.3 → 9.7 ← 9.4 ↓
 beste Teiler 681.7 (37.) 800.4 (35.) 931.6 (34.)
 Trefferlage 2.09 mm rechts, 3.30 mm tief
 Streuwert 10.58, horizontal: 11.43, vertikal: 9.65

Unterschrift des Schützen

Meyton Elektronik