





Ergebnis: **320** (334.3)
 Serien: 73 81 84 82
 Zaehler: 6 10 16 3 2 1 1 0 0 0
 Innenzehner: 2
 weiteste: 9199 (9), 5379 (20), 4488 (8)
 beste Teiler 211.6 (24.) 328.5 (15.) 541.4 (25.)
 Trefferlage 2.60 mm links, 5.07 mm tief
 Streuwert 18.18, horizontal: 18.42, vertikal: 17.93




Serie 1:
 9.1 ↓ 9.2 ↖ 7.2 ↙ 8.8 ↘ 10.2 ↗
 8.1 ↑ 8.7 ↓ 5.3 ↗ 0.0 ↘ 9.0 ↑
 beste Teiler 640.9 (5.) 1396.7 (2.) 1494.1 (1.)
 Trefferlage 6.68 mm links, 6.54 mm tief
 Streuwert 26.21, horizontal: 24.02, vertikal: 28.22



Serie 2:
 8.3 ↘ 8.7 ↗ 8.5 ↑ 10.1 ↘ 10.5 *
 8.2 → 9.2 ↓ 10.1 ↑ 6.1 → 4.2 ↘
 beste Teiler 328.5 (15.) 667.9 (18.) 715.5 (14.)
 Trefferlage 4.93 mm rechts, 3.35 mm tief
 Streuwert 18.27, horizontal: 19.40, vertikal: 17.07





Serie 3:
 8.9 ↘ 8.2 ↘ 9.4 ↓ 10.7 * 10.3 ↗
 8.7 ← 9.3 ↑ 6.3 ↙ 8.5 ↓ 8.5 ←
 beste Teiler 211.6 (24.) 541.4 (25.) 1280.6 (23.)
 Trefferlage 6.16 mm links, 8.27 mm tief
 Streuwert 11.93, horizontal: 11.66, vertikal: 12.19




Serie 4:
 9.1 ↓ 8.6 ← 7.6 ↙ 9.3 ↑ 7.4 ←
 9.6 ↘ 9.0 ↗ 8.6 ↓ 8.4 → 8.4 →
 beste Teiler 1102.5 (36.) 1330.1 (34.) 1444.0 (31.)
 Trefferlage 2.50 mm links, 2.14 mm tief
 Streuwert 14.41, horizontal: 16.88, vertikal: 11.43

Unterschrift des Schuetzen


Ergebnis: **323** (341.5)
 Serien: 80 84 83 76
 Zaehler: 4 11 14 6 5 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3923 (10), 3616 (8), 3535 (37)
 beste Teiler 192.0 (25.) 198.6 (16.) 589.6 (35.)
 Trefferlage 6.55 mm rechts, 5.39 mm tief
 Streuwert 14.03, horizontal: 15.17, vertikal: 12.80




Serie 1:
 8.8 ↘ 8.8 ↘ 10.0 → 7.1 → 9.3 ↓
 9.1 → 9.0 → 6.4 → 8.0 ← 6.0 →
 beste Teiler 793.8 (3.) 1327.1 (5.) 1520.0 (6.)
 Trefferlage 12.83 mm rechts, 5.24 mm tief
 Streuwert 14.31, horizontal: 18.72, vertikal: 7.67



Serie 2:
 7.9 ↑ 9.2 → 9.8 ↗ 9.5 ↘ 8.5 ↙
 10.7 * 8.6 → 8.0 → 8.3 ← 8.6 →
 beste Teiler 198.6 (16.) 946.9 (13.) 1145.1 (14.)
 Trefferlage 5.38 mm rechts, 2.90 mm hoch
 Streuwert 12.35, horizontal: 14.22, vertikal: 10.14





Serie 3:
 9.4 ↘ 7.9 → 6.7 ↘ 9.3 → 10.7 *
 8.8 ↙ 9.8 ↙ 9.9 ← 7.0 ↓ 9.5 ↓
 beste Teiler 192.0 (25.) 818.1 (28.) 934.6 (27.)
 Trefferlage 4.12 mm rechts, 9.47 mm tief
 Streuwert 12.10, horizontal: 12.13, vertikal: 12.07




Serie 4:
 8.1 ↗ 8.7 → 7.7 ↙ 8.0 ↓ 10.2 ↑
 6.9 ↘ 6.5 ↙ 7.8 → 8.4 ← 8.6 ↓
 beste Teiler 589.6 (35.) 1816.8 (32.) 1903.6 (40.)
 Trefferlage 3.86 mm rechts, 9.75 mm tief
 Streuwert 16.18, horizontal: 15.41, vertikal: 16.91

Unterschrift des Schuetzen


Ergebnis: **330** (347.8)
 Serien: 79 84 81 86
 Zaehler: 5 12 14 6 3 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3777 (7), 3529 (16), 3291 (28)
 beste Teiler 318.9 (40.) 430.6 (22.) 602.7 (9.)
 Trefferlage 4.17 mm links, 0.25 mm hoch
 Streuwert 14.02, horizontal: 10.91, vertikal: 16.55




Serie 1:
 10.1 ↘ 7.5 ↑ 7.8 ↗ 7.1 ↙ 9.1 ↖
 8.9 ↖ 6.2 ↓ 7.0 ↓ 10.2 ↙ 8.5 ↘
 beste Teiler 602.7 (9.) 660.5 (1.) 1454.4 (5.)
 Trefferlage 5.12 mm links, 4.10 mm tief
 Streuwert 17.16, horizontal: 12.11, vertikal: 21.03



Serie 2:
 9.5 ↑ 9.3 ↖ 8.3 ↓ 9.9 ↑ 9.2 ↗
 6.5 ↓ 9.2 ↖ 9.8 ← 8.8 ↑ 8.2 ↖
 beste Teiler 820.3 (14.) 927.0 (18.) 1177.3 (11.)
 Trefferlage 4.91 mm links, 1.78 mm hoch
 Streuwert 13.07, horizontal: 8.51, vertikal: 16.42



Serie 3:
 9.5 ↗ 10.4 * 8.8 ↓ 8.5 ↓ 9.4 ↗
 7.7 ↙ 8.9 → 6.8 ↙ 9.2 ← 7.2 ↖
 beste Teiler 430.6 (22.) 1130.7 (21.) 1258.9 (25.)
 Trefferlage 2.35 mm links, 5.22 mm tief
 Streuwert 14.49, horizontal: 13.16, vertikal: 15.70





Serie 4:
 8.6 → 10.0 ↑ 8.6 ↖ 8.2 ↖ 8.2 ←
 8.3 ↖ 9.7 ↖ 9.8 ↓ 8.3 ↑ 10.6 *
 beste Teiler 318.9 (40.) 784.2 (32.) 900.9 (38.)
 Trefferlage 4.31 mm links, 8.56 mm hoch
 Streuwert 10.33, horizontal: 10.90, vertikal: 9.72


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **335** (351.6)
 Serien: 85 82 81 87
 Zaehler: 7 12 11 9 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3504 (21), 3087 (17), 3032 (6)
 beste Teiler 95.0 (12.) 223.6 (1.) 240.6 (32.)
 Trefferlage 8.40 mm rechts, 0.59 mm hoch
 Streuwert 12.48, horizontal: 12.49, vertikal: 12.47




Serie 1:
 10.7 * 7.3 ↑ 9.0 ← 8.1 ↗ 10.2 ↑
 7.2 → 8.2 ↗ 9.3 ↘ 8.4 ↓ 9.5 →
 beste Teiler 223.6 (1.) 627.7 (5.) 1148.1 (10.)
 Trefferlage 6.07 mm rechts, 4.02 mm hoch
 Streuwert 13.44, horizontal: 11.42, vertikal: 15.19



Serie 2:
 9.8 ↘ 10.8 * 10.3 ↙ 7.9 → 8.7 ↑
 8.1 ↗ 7.1 → 8.4 ↑ 8.1 → 7.8 ↓
 beste Teiler 95.0 (12.) 487.3 (13.) 888.8 (11.)
 Trefferlage 10.37 mm rechts, 4.95 mm hoch
 Streuwert 12.35, horizontal: 12.25, vertikal: 12.44



Serie 3:
 6.6 → 7.8 ↓ 7.8 → 9.0 → 10.4 ↑
 7.9 → 9.8 ← 9.0 ↗ 9.4 → 8.0 ↘
 beste Teiler 479.1 (25.) 916.0 (27.) 1208.6 (29.)
 Trefferlage 11.80 mm rechts, 4.01 mm tief
 Streuwert 12.53, horizontal: 14.32, vertikal: 10.44





Serie 4:
 9.5 ↘ 10.7 * 10.1 ↘ 9.6 ↑ 8.4 →
 8.2 ← 7.7 → 9.7 ↓ 8.0 ↓ 9.1 ↗
 beste Teiler 240.6 (32.) 703.5 (33.) 998.6 (38.)
 Trefferlage 5.36 mm rechts, 2.59 mm tief
 Streuwert 11.56, horizontal: 12.52, vertikal: 10.51


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **352** (368.5)
 Serien: 89 86 88 89
 Zaehler: 6 23 8 3 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2879 (40), 2690 (18), 2558 (37)
 beste Teiler 341.7 (7.) 442.2 (24.) 456.9 (32.)
 Trefferlage 0.26 mm rechts, 3.74 mm tief
 Streuwert 10.44, horizontal: 12.28, vertikal: 8.19




Serie 1:
 8.4 ↙ 9.3 ↓ 9.0 ← 9.3 ↓ 9.8 ↘
 10.0 ↘ 10.5 * 9.4 ↓ 8.5 → 8.3 →
 beste Teiler 341.7 (7.) 766.7 (6.) 939.1 (5.)
 Trefferlage 1.56 mm rechts, 7.05 mm tief
 Streuwert 9.45, horizontal: 12.67, vertikal: 4.27



Serie 2:
 8.5 ↓ 9.4 ↘ 9.7 ↘ 9.6 ↑ 9.1 ↙
 9.4 → 8.6 ↙ 7.6 ← 9.5 ← 9.1 ↙
 beste Teiler 973.4 (13.) 1049.4 (14.) 1158.3 (19.)
 Trefferlage 5.52 mm links, 6.94 mm tief
 Streuwert 9.90, horizontal: 11.16, vertikal: 8.45





Serie 3:
 9.3 ← 8.9 ↘ 9.1 ↗ 10.4 * 9.0 ←
 9.8 ↘ 9.7 ↙ 8.8 ↗ 9.8 → 8.5 →
 beste Teiler 442.2 (24.) 895.5 (29.) 941.6 (26.)
 Trefferlage 1.87 mm rechts, 1.32 mm hoch
 Streuwert 10.04, horizontal: 12.00, vertikal: 7.61




Serie 4:
 9.6 ↓ 10.4 * 9.2 ↘ 10.0 ← 9.3 ↘
 9.0 ↗ 7.8 ↙ 9.3 ↘ 10.2 ↓ 7.4 →
 beste Teiler 456.9 (32.) 600.8 (39.) 763.5 (34.)
 Trefferlage 3.16 mm rechts, 2.32 mm tief
 Streuwert 11.44, horizontal: 13.15, vertikal: 9.43

Unterschrift des Schuetzen


Ergebnis: **296** (314.8)
 Serien: 80 62 77 77
 Zaehler: 2 11 9 6 6 5 0 0 1 0
 Innenzehner: 1
 weiteste: 6857 (36), 4753 (23), 4684 (18)
 beste Teiler 93.1 (6.) 557.1 (4.) 809.8 (34.)
 Trefferlage 0.54 mm rechts, 0.38 mm tief
 Streuwert 20.28, horizontal: 21.21, vertikal: 19.32




Serie 1:
 7.1 ↗ 9.5 ← 9.2 ← 10.3 ↘ 6.9 ↙
 10.8 * 8.0 ↗ 6.6 ↑ 9.6 ↓ 6.2 ↓
 beste Teiler 93.1 (6.) 557.1 (4.) 1096.4 (9.)
 Trefferlage 3.39 mm links, 1.11 mm hoch
 Streuwert 17.60, horizontal: 11.74, vertikal: 21.95



Serie 2:
 6.9 ↗ 5.4 ← 7.3 ↗ 7.2 ↘ 6.7 ←
 5.8 ↗ 5.8 ↘ 5.1 ← 7.5 ↗ 9.9 ↙
 beste Teiler 855.0 (20.) 2744.0 (19.) 2920.0 (13.)
 Trefferlage 8.38 mm links, 12.63 mm hoch
 Streuwert 23.60, horizontal: 27.81, vertikal: 18.46





Serie 3:
 8.6 ↘ 7.6 ↙ 5.0 ↓ 8.7 ↗ 9.6 ↙
 8.1 ↓ 6.0 → 8.9 ↓ 9.8 ↓ 9.4 ↗
 beste Teiler 926.5 (29.) 1107.1 (25.) 1264.7 (30.)
 Trefferlage 2.66 mm rechts, 12.23 mm tief
 Streuwert 16.35, horizontal: 16.18, vertikal: 16.52




Serie 4:
 8.5 ↗ 9.1 ↘ 8.0 ↗ 9.9 → 8.0 ↘
 2.4 → 9.6 ↘ 7.9 ← 8.7 ↘ 9.2 ↓
 beste Teiler 809.8 (34.) 1106.5 (37.) 1422.1 (40.)
 Trefferlage 11.29 mm rechts, 3.06 mm tief
 Streuwert 18.75, horizontal: 23.16, vertikal: 12.91

Unterschrift des Schuetzen


Ergebnis: **332** (348.3)
 Serien: 80 86 84 82
 Zaehler: 2 17 15 4 1 1 0 0 0 0
 Innenzehner: 0
 weiteste: 4671 (2), 3416 (12), 3198 (5)
 beste Teiler 588.4 (33.) 748.8 (18.) 831.5 (4.)
 Trefferlage 4.32 mm links, 3.38 mm tief
 Streuwert 13.43, horizontal: 14.12, vertikal: 12.71




Serie 1:
 7.9 ↘ 5.1 ↙ 9.6 ➤ 9.9 ↓ 7.0 ←
 8.5 ↓ 9.3 ↘ 9.8 ← 9.7 ← 8.2 ↗
 beste Teiler 831.5 (4.) 939.7 (8.) 1032.0 (9.)
 Trefferlage 8.00 mm links, 1.86 mm tief
 Streuwert 15.93, horizontal: 16.45, vertikal: 15.39



Serie 2:
 9.0 ↘ 6.7 ↙ 9.2 ↖ 8.9 ↖ 8.7 ↓
 9.1 ↖ 9.7 ↓ 10.0 ↘ 9.2 ↗ 9.0 ↗
 beste Teiler 748.8 (18.) 1003.8 (17.) 1372.6 (19.)
 Trefferlage 4.74 mm links, 5.85 mm tief
 Streuwert 11.68, horizontal: 10.30, vertikal: 12.91





Serie 3:
 8.5 ↙ 9.0 ↖ 9.0 ↙ 8.4 ➤ 8.9 ➤
 8.2 ↗ 9.3 ↑ 8.4 ← 8.6 ↗ 9.0 ↘
 beste Teiler 1326.1 (27.) 1558.2 (22.) 1568.1 (23.)
 Trefferlage 0.85 mm links, 3.80 mm tief
 Streuwert 13.09, horizontal: 14.60, vertikal: 11.37




Serie 4:
 7.7 ← 8.8 ↗ 10.2 ↖ 9.4 ↓ 8.8 ←
 9.0 ↖ 7.4 ↗ 8.4 ↘ 8.5 ↗ 8.3 ↙
 beste Teiler 588.4 (33.) 1223.3 (34.) 1561.4 (36.)
 Trefferlage 3.70 mm links, 2.01 mm tief
 Streuwert 14.15, horizontal: 15.66, vertikal: 12.47

Unterschrift des Schuetzen


Ergebnis: **351** (365.2)
 Serien: 89 87 92 83
 Zaehler: 12 12 11 5 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2984 (13), 2881 (38), 2855 (40)
 beste Teiler 414.4 (26.) 463.8 (31.) 518.3 (12.)
 Trefferlage 4.75 mm links, 4.71 mm tief
 Streuwert 10.59, horizontal: 11.47, vertikal: 9.62




Serie 1:
 8.8 ↓ 8.6 ↑ 10.3 ↗ 9.5 ↑ 8.7 ↘
 9.2 ↓ 10.0 ↘ 10.1 ↘ 9.4 ← 8.8 ↘
 beste Teiler 556.0 (3.) 717.3 (8.) 742.6 (7.)
 Trefferlage 4.86 mm links, 2.31 mm tief
 Streuwert 9.44, horizontal: 6.01, vertikal: 11.92



Serie 2:
 10.2 ↓ 10.3 ↑ 7.2 ↓ 9.3 ↓ 10.2 ←
 9.7 ↓ 7.9 ← 9.5 ↑ 8.6 → 8.0 ↘
 beste Teiler 518.3 (12.) 613.0 (15.) 629.4 (11.)
 Trefferlage 4.17 mm links, 5.27 mm tief
 Streuwert 11.71, horizontal: 11.38, vertikal: 12.02



Serie 3:
 9.0 ↘ 8.4 → 10.0 ↓ 9.1 ↓ 10.0 ↓
 10.4 * 9.0 ← 9.6 ↘ 10.0 ↗ 8.8 ↓
 beste Teiler 414.4 (26.) 752.5 (29.) 790.3 (25.)
 Trefferlage 2.86 mm links, 4.59 mm tief
 Streuwert 8.88, horizontal: 9.63, vertikal: 8.07





Serie 4:
 10.4 * 7.7 → 8.0 ← 8.4 ← 8.7 ↘
 9.6 → 10.0 ↘ 7.3 ← 9.1 ↓ 7.4 ←
 beste Teiler 463.8 (31.) 771.0 (37.) 1052.4 (36.)
 Trefferlage 7.10 mm links, 6.67 mm tief
 Streuwert 13.04, horizontal: 17.37, vertikal: 6.17


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **341** (360.3)
 Serien: 84 88 87 82
 Zaehler: 4 21 9 5 0 1 0 0 0 0
 Innenzehner: 2
 weiteste: 4163 (31), 2796 (23), 2786 (4)
 beste Teiler 386.9 (3.) 451.2 (2.) 636.0 (34.)
 Trefferlage 2.44 mm links, 1.05 mm hoch
 Streuwert 12.25, horizontal: 13.24, vertikal: 11.17




Serie 1:
 8.4 ↙ 10.4 * 10.5 * 7.5 → 8.9 ↗
 8.4 ← 7.9 ← 9.4 ↖ 8.3 ↓ 9.9 ↘
 beste Teiler 386.9 (3.) 451.2 (2.) 819.8 (10.)
 Trefferlage 4.95 mm links, 3.71 mm tief
 Streuwert 12.42, horizontal: 14.46, vertikal: 9.97



Serie 2:
 9.5 ↙ 8.3 ↖ 9.5 ↙ 9.0 ↖ 9.5 ↓
 9.7 ↓ 9.3 ↓ 9.3 → 9.9 ↗ 8.6 ↖
 beste Teiler 824.8 (19.) 1017.1 (16.) 1129.7 (13.)
 Trefferlage 6.03 mm links, 1.92 mm tief
 Streuwert 9.23, horizontal: 8.87, vertikal: 9.57



Serie 3:
 9.8 ↘ 10.0 ↓ 7.5 ↖ 8.0 ↑ 9.1 ↑
 8.3 ↗ 9.8 ↑ 9.5 ↓ 9.8 ↓ 9.5 ←
 beste Teiler 740.0 (22.) 887.5 (29.) 903.2 (21.)
 Trefferlage 0.08 mm links, 4.97 mm hoch
 Streuwert 11.37, horizontal: 9.45, vertikal: 13.01



Serie 4:
 5.7 ↖ 9.8 ↗ 9.8 ↖ 10.2 ← 8.2 →
 7.9 ↗ 9.0 ↑ 7.6 → 9.4 ↓ 9.2 ↓
 beste Teiler 636.0 (34.) 896.4 (32.) 919.1 (33.)
 Trefferlage 1.28 mm rechts, 4.87 mm hoch
 Streuwert 15.04, horizontal: 18.44, vertikal: 10.61

Unterschrift des Schuetzen

Meyton Elektronik